

Mohan Edirisinghe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1561185/mohan-edirisinghe-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

171 papers	5,091 citations	36 h-index	62 g-index
186 ext. papers	5,819 ext. citations	5.9 avg, IF	6.38 L-index

#	Paper	IF	Citations
171	Severe Acute Respiratory Syndrome Type 2-Causing Coronavirus: Variants and Preventive Strategies.. <i>Advanced Science</i> , 2022 , e2104495	13.6	3
170	Optimised release of tetracycline hydrochloride from core-sheath fibres produced by pressurised gyration. <i>Journal of Drug Delivery Science and Technology</i> , 2022 , 72, 103359	4.5	1
169	The effect of solvent and pressure on polycaprolactone solutions for particle and fibre formation. <i>European Polymer Journal</i> , 2022 , 173, 111300	5.2	2
168	Exploiting the antiviral potential of intermetallic nanoparticles. <i>Emergent Materials</i> , 2021 , 1-10	3.5	0
167	Core-sheath polymer nanofiber formation by the simultaneous application of rotation and pressure in a novel purpose-designed vessel. <i>Applied Physics Reviews</i> , 2021 , 8, 041412	17.3	10
166	Utilising Co-Axial Electrospinning as a Taste-Masking Technology for Paediatric Drug Delivery. <i>Pharmaceutics</i> , 2021 , 13,	6.4	5
165	Optimization of Process-Control Parameters for the Diameter of Electrospun Hydrophilic Polymeric Composite Nanofibers. <i>Macromolecular Materials and Engineering</i> , 2021 , 306, 2100471	3.9	2
164	Metal-based nanoparticles for combating antibiotic resistance. <i>Applied Physics Reviews</i> , 2021 , 8, 041303	17.3	2
163	Metformin-Loaded Polymer-Based Microbubbles/Nanoparticles Generated for the Treatment of Type 2 Diabetes Mellitus. <i>Langmuir</i> , 2021 ,	4	7
162	Enhancing In Vitro Stability of Albumin Microbubbles Produced Using Microfluidic T-Junction Device. <i>Langmuir</i> , 2021 ,	4	1
161	Accelerated diabetic wound healing by topical application of combination oral antidiabetic agents-loaded nanofibrous scaffolds: An in vitro and in vivo evaluation study. <i>Materials Science and Engineering C</i> , 2021 , 119, 111586	8.3	23
160	Composite nanoclay-hydroxyapatite-polymer fiber scaffolds for bone tissue engineering manufactured using pressurized gyration. <i>Composites Science and Technology</i> , 2021 , 202, 108598	8.6	16
159	Next-generation Antimicrobial Peptides (AMPs) incorporated nanofibre wound dressings. <i>Medical Devices & Sensors</i> , 2021 , 4, e10144	1.6	4
158	Wholly Biobased, Highly Stretchable, Hydrophobic, and Self-healing Thermoplastic Elastomer. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 6720-6730	9.5	17
157	Perspective: Covid-19; emerging strategies and material technologies. <i>Emergent Materials</i> , 2021 , 4, 1-6	3.5	5
156	Co-Axial Gyro-Spinning of PCL/PVA/HA Core-Sheath Fibrous Scaffolds for Bone Tissue Engineering. <i>Macromolecular Bioscience</i> , 2021 , 21, e2100177	5.5	9
155	Harnessing Polyhydroxyalkanoates and Pressurized Gyration for Hard and Soft Tissue Engineering. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 32624-32639	9.5	13

154	Vitamin D/vitamin K/magnesium-loaded polylactic acid/tricalcium phosphate/polycaprolactone composite nanofibers demonstrated osteoinductive effect by increasing Runx2 via Wnt/ β -catenin pathway. <i>International Journal of Biological Macromolecules</i> , 2021 , 190, 244-258	7.9	4
153	Surface interactions and viability of coronaviruses. <i>Journal of the Royal Society Interface</i> , 2021 , 18, 20200798	7.9	21
152	Microstructure of fibres pressure-spun from polyacrylonitrile/graphene oxide composite mixtures. <i>Composites Science and Technology</i> , 2020 , 197, 108214	8.6	3
151	The comparison of glybenclamide and metformin-loaded bacterial cellulose/gelatin nanofibres produced by a portable electrohydrodynamic gun for diabetic wound healing. <i>European Polymer Journal</i> , 2020 , 134, 109844	5.2	20
150	Microstructure and antibacterial efficacy of graphene oxide nanocomposite fibres. <i>Journal of Colloid and Interface Science</i> , 2020 , 571, 239-252	9.3	42
149	Comparative Study of the Antimicrobial Effects of Tungsten Nanoparticles and Tungsten Nanocomposite Fibres on Hospital Acquired Bacterial and Viral Pathogens. <i>Nanomaterials</i> , 2020 , 10,	5.4	15
148	Viral Filtration Using Carbon-Based Materials. <i>Medical Devices & Sensors</i> , 2020 , 3, e10107	1.6	19
147	Enhanced efficacy in drug-resistant cancer cells through synergistic nanoparticle mediated delivery of cisplatin and decitabine. <i>Nanoscale Advances</i> , 2020 , 2, 1177-1186	5.1	6
146	Evaluation of burst release and sustained release of pioglitazone-loaded fibrous mats on diabetic wound healing: an and comparison study. <i>Journal of the Royal Society Interface</i> , 2020 , 17, 20190712	4.1	29
145	Videographic Analysis of Blink Dynamics following Upper Eyelid Blepharoplasty and Its Association with Dry Eye. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020 , 8, e2991	1.2	1
144	Porous Graphene Composite Polymer Fibres. <i>Polymers</i> , 2020 , 13,	4.5	5
143	Self-assembled micro-stripe patterning of sessile polymeric nanofluid droplets. <i>Journal of Colloid and Interface Science</i> , 2020 , 561, 470-480	9.3	8
142	Novel antibiotic-loaded particles conferring eradication of deep tissue bacterial reservoirs for the treatment of chronic urinary tract infection. <i>Journal of Controlled Release</i> , 2020 , 328, 490-502	11.7	7
141	A novel treatment strategy for preterm birth: Intra-vaginal progesterone-loaded fibrous patches. <i>International Journal of Pharmaceutics</i> , 2020 , 588, 119782	6.5	17
140	Rapid and label-free detection of COVID-19 using coherent anti-Stokes Raman scattering microscopy. <i>MRS Communications</i> , 2020 , 10, 566-572	2.7	7
139	Poly(Caprolactone)-Poly(N-Isopropyl Acrylamide)-Fe ₃ O ₄ Magnetic Nanofibrous Structure with Stimuli Responsive Drug Release. <i>Macromolecular Materials and Engineering</i> , 2020 , 305, 2000208	3.9	2
138	Current methodologies and approaches for the formation of core/sheath polymer fibers for biomedical applications. <i>Applied Physics Reviews</i> , 2020 , 7, 041302	17.3	45
137	Generation of Core-Sheath Polymer Nanofibers by Pressurised Gyration. <i>Polymers</i> , 2020 , 12,	4.5	30

136	Copolymer Composition and Nanoparticle Configuration Enhance in vitro Drug Release Behavior of Poorly Water-soluble Progesterone for Oral Formulations. <i>International Journal of Nanomedicine</i> , 2020 , 15, 5389-5403	7.3	4
135	COVID-19: Facemasks, healthcare policies and risk factors in the crucial initial months of a global pandemic. <i>Medical Devices & Sensors</i> , 2020 , 3, e10120	1.6	6
134	Effectiveness of Oil-Layered Albumin Microbubbles Produced Using Microfluidic T-Junctions in Series for In Vitro Inhibition of Tumor Cells. <i>Langmuir</i> , 2020 , 36, 11429-11441	4	6
133	Bacterial cellulose micro-nano fibres for wound healing applications. <i>Biotechnology Advances</i> , 2020 , 41, 107549	17.8	77
132	A novel reusable anti-COVID-19 transparent face respirator with optimized airflow. <i>Bio-Design and Manufacturing</i> , 2020 , 4, 1-9	4.7	18
131	Biofabrication of Gelatin Tissue Scaffolds with Uniform Pore Size via Microbubble Assembly. <i>Macromolecular Materials and Engineering</i> , 2019 , 304, 1900394	3.9	7
130	The influence of drug solubility and sampling frequency on metformin and glibenclamide release from double-layered particles: experimental analysis and mathematical modelling. <i>Journal of the Royal Society Interface</i> , 2019 , 16, 20190237	4.1	2
129	Generating Antibacterial Microporous Structures Using Microfluidic Processing. <i>ACS Omega</i> , 2019 , 4, 2225-2233	3.9	2
128	Empirical modelling and optimization of pressure-coupled infusion gyration parameters for the nanofibre fabrication. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2019 , 475, 20190008	2.4	4
127	Novel pressurised gyration device for making core-sheath polymer fibres. <i>Materials and Design</i> , 2019 , 178, 107846	8.1	28
126	Effect of the Mixing Region Geometry and Collector Distance on Microbubble Formation in a Microfluidic Device Coupled with ac-dc Electric Fields. <i>Langmuir</i> , 2019 , 35, 10052-10060	4	8
125	Boron nitride nanoscrolls: Structure, synthesis, and applications. <i>Applied Physics Reviews</i> , 2019 , 6, 021310	7.3	11
124	Electrospinning Optimization of Eudragit E PO with and without Chlorpheniramine Maleate Using a Design of Experiment Approach. <i>Molecular Pharmaceutics</i> , 2019 , 16, 2557-2568	5.6	14
123	General Computational Methodology for Modeling Electrohydrodynamic Flows: Prediction and Optimization Capability for the Generation of Bubbles and Fibers. <i>Langmuir</i> , 2019 , 35, 10203-10212	4	11
122	PEEK surface modification by fast ambient-temperature sulfonation for bone implant applications. <i>Journal of the Royal Society Interface</i> , 2019 , 16, 20180955	4.1	32
121	Fiber Formation from Silk Fibroin Using Pressurized Gyration. <i>Macromolecular Materials and Engineering</i> , 2019 , 304, 1800577	3.9	10
120	Anti-fungal bandages containing cinnamon extract. <i>International Wound Journal</i> , 2019 , 16, 730-736	2.6	24
119	Co-Culture of Keratinocyte-Staphylococcus aureus on Cu-Ag-Zn/CuO and Cu-Ag-W Nanoparticle Loaded Bacterial Cellulose:PMMA Bandages. <i>Macromolecular Materials and Engineering</i> , 2019 , 304, 1800537	3.9	19

118	Preface to the Microbubbles: Exploring Gas-Liquid Interfaces for Biomedical Applications Special Issue. <i>Langmuir</i> , 2019 , 35, 9995-9996	4	3
117	Fiber Forming Capability of Binary and Ternary Compositions in the Polymer System: Bacterial Cellulose-Polycaprolactone-Polylactic Acid. <i>Polymers</i> , 2019 , 11,	4.5	20
116	Electrosprayed microparticles: a novel drug delivery method. <i>Expert Opinion on Drug Delivery</i> , 2019 , 16, 895-901	8	10
115	Preparation of poly(glycerol sebacate) fibers for tissue engineering applications. <i>European Polymer Journal</i> , 2019 , 121, 109297	5.2	21
114	Experimental and theoretical investigation of the fluid behavior during polymeric fiber formation with and without pressure. <i>Applied Physics Reviews</i> , 2019 , 6, 041401	17.3	80
113	Ethyl cellulose, cellulose acetate and carboxymethyl cellulose microstructures prepared using electrohydrodynamics and green solvents. <i>Cellulose</i> , 2018 , 25, 1687-1703	5.5	30
112	A Comparison of Electric-Field-Driven and Pressure-Driven Fiber Generation Methods for Drug Delivery. <i>Macromolecular Materials and Engineering</i> , 2018 , 303, 1700577	3.9	24
111	An Inexpensive, Portable Device for Point-of-Need Generation of Silver-Nanoparticle Doped Cellulose Acetate Nanofibers for Advanced Wound Dressing. <i>Macromolecular Materials and Engineering</i> , 2018 , 303, 1700586	3.9	13
110	Nanocomposites: suitable alternatives as antimicrobial agents. <i>Nanotechnology</i> , 2018 , 29, 282001	3.4	49
109	Polymer-Magnetic Composite Fibers for Remote-Controlled Drug Release. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 15524-15531	9.5	42
108	The development of progesterone-loaded nanofibers using pressurized gyration: A novel approach to vaginal delivery for the prevention of pre-term birth. <i>International Journal of Pharmaceutics</i> , 2018 , 540, 31-39	6.5	30
107	Novel Making of Bacterial Cellulose Blended Polymeric Fiber Bandages. <i>Macromolecular Materials and Engineering</i> , 2018 , 303, 1700607	3.9	30
106	The biomedical applications of graphene. <i>Interface Focus</i> , 2018 , 8, 20180006	3.9	4
105	Alginate foam-based three-dimensional culture to investigate drug sensitivity in primary leukaemia cells. <i>Journal of the Royal Society Interface</i> , 2018 , 15,	4.1	4
104	Mucoadhesion of Progesterone-Loaded Drug Delivery Nanofiber Constructs. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 13381-13389	9.5	33
103	Antimicrobial activity of tellurium-loaded polymeric fiber meshes. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46368	2.9	22
102	Poly(3-hydroxyoctanoate), a promising new material for cardiac tissue engineering. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018 , 12, e495-e512	4.4	35
101	Development of artificial bone marrow fibre scaffolds to study resistance to anti-leukaemia agents. <i>British Journal of Haematology</i> , 2018 , 182, 924-927	4.5	4

100	The effect of graphene-poly(methyl methacrylate) fibres on microbial growth. <i>Interface Focus</i> , 2018 , 8, 20170058	3.9	42
99	Developments in Pressurized Gyration for the Mass Production of Polymeric Fibers. <i>Macromolecular Materials and Engineering</i> , 2018 , 303, 1800218	3.9	95
98	A comparison of methods to assess the antimicrobial activity of nanoparticle combinations on bacterial cells. <i>PLoS ONE</i> , 2018 , 13, e0192093	3.7	52
97	Latest developments in innovative manufacturing to combine nanotechnology with healthcare. <i>Nanomedicine</i> , 2018 , 13, 5-8	5.6	15
96	Novel Preparation of Monodisperse Microbubbles by Integrating Oscillating Electric Fields with Microfluidics. <i>Micromachines</i> , 2018 , 9,	3.3	10
95	Electrosprayed microparticles for intestinal delivery of prednisolone. <i>Journal of the Royal Society Interface</i> , 2018 , 15,	4.1	15
94	Effect of copolymer composition on particle morphology and release behavior in vitro using progesterone. <i>Materials and Design</i> , 2018 , 159, 57-67	8.1	14
93	Honeycomb-like PLGA- b-PEG Structure Creation with T-Junction Microdroplets. <i>Langmuir</i> , 2018 , 34, 7989-7997	4	16
92	Process Modeling for the Fiber Diameter of Polymer, Spun by Pressure-Coupled Infusion Gyration. <i>ACS Omega</i> , 2018 , 3, 5470-5479	3.9	12
91	Cellular interactions with bacterial cellulose: Polycaprolactone nanofibrous scaffolds produced by a portable electrohydrodynamic gun for point-of-need wound dressing. <i>International Wound Journal</i> , 2018 , 15, 789-797	2.6	19
90	Gyrospon antimicrobial nanoparticle loaded fibrous polymeric filters. <i>Materials Science and Engineering C</i> , 2017 , 74, 315-324	8.3	24
89	The generation of compartmentalized nanoparticles containing siRNA and cisplatin using a multi-needle electrohydrodynamic strategy. <i>Nanoscale</i> , 2017 , 9, 5975-5985	7.7	13
88	Highly Stretchable and Highly Resilient Polymer-Clay Nanocomposite Hydrogels with Low Hysteresis. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 22223-22234	9.5	41
87	Core/shell microencapsulation of indomethacin/paracetamol by co-axial electrohydrodynamic atomization. <i>Materials and Design</i> , 2017 , 136, 204-213	8.1	24
86	Electrohydrodynamic fabrication of core-shell PLGA nanoparticles with controlled release of cisplatin for enhanced cancer treatment. <i>International Journal of Nanomedicine</i> , 2017 , 12, 3913-3926	7.3	33
85	Drug Delivery Strategies for Platinum-Based Chemotherapy. <i>ACS Nano</i> , 2017 , 11, 8560-8578	16.7	118
84	Simultaneous Application of Pressure-Infusion-Gyration to Generate Polymeric Nanofibers. <i>Macromolecular Materials and Engineering</i> , 2017 , 302, 1600564	3.9	35
83	Evolution of self-generating porous microstructures in polyacrylonitrile-cellulose acetate blend fibres. <i>Materials and Design</i> , 2017 , 134, 259-271	8.1	9

82	New Generation of Tunable Bioactive Shape Memory Mats Integrated with Genetically Engineered Proteins. <i>Macromolecular Bioscience</i> , 2017 , 17, 1600270	5.5	18
81	Evolution of Surface Nanopores in Pressurised Gyrospun Polymeric Microfibers. <i>Polymers</i> , 2017 , 9,	4.5	12
80	Characterisation of the Chemical Composition and Structural Features of Novel Antimicrobial Nanoparticles. <i>Nanomaterials</i> , 2017 , 7,	5.4	11
79	Novel Preparation, Microstructure, and Properties of Polyacrylonitrile-Based Carbon Nanofiber-Graphene Nanoplatelet Materials. <i>ACS Omega</i> , 2016 , 1, 202-211	3.9	26
78	Porous Polymeric Films from Microbubbles Generated Using a T-Junction Microfluidic Device. <i>Langmuir</i> , 2016 , 32, 13377-13385	4	18
77	Tailoring the surface of polymeric nanofibres generated by pressurised gyration. <i>Surface Innovations</i> , 2016 , 4, 167-178	1.9	12
76	Beads, beaded-fibres and fibres: Tailoring the morphology of poly(caprolactone) using pressurised gyration. <i>Materials Science and Engineering C</i> , 2016 , 69, 1373-82	8.3	24
75	Macromol. Biosci. 11/2016. <i>Macromolecular Bioscience</i> , 2016 , 16, 1736-1736	5.5	1
74	Preparation of bone-implants by coating hydroxyapatite nanoparticles on self-formed titanium dioxide thin-layers on titanium metal surfaces. <i>Materials Science and Engineering C</i> , 2016 , 63, 172-84	8.3	35
73	Making Nonwoven Fibrous Poly(Ecaprolactone) Constructs for Antimicrobial and Tissue Engineering Applications by Pressurized Melt Gyration. <i>Macromolecular Materials and Engineering</i> , 2016 , 301, 922-934	3.9	38
72	Electrohydrodynamic encapsulation of cisplatin in poly (lactic-co-glycolic acid) nanoparticles for controlled drug delivery. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2016 , 12, 1919-1929	6	56
71	Analysis of blink dynamics in patients with blepharoptosis. <i>Journal of the Royal Society Interface</i> , 2016 , 13,	4.1	7
70	Investigating the particle to fibre transition threshold during electrohydrodynamic atomization of a polymer solution. <i>Materials Science and Engineering C</i> , 2016 , 65, 240-50	8.3	49
69	Electrosprayed nanoparticle delivery system for controlled release. <i>Materials Science and Engineering C</i> , 2016 , 66, 138-146	8.3	61
68	Graphene nanoplatelets loaded polyurethane and phenolic resin fibres by combination of pressure and gyration. <i>Composites Science and Technology</i> , 2016 , 129, 173-182	8.6	19
67	Combining microfluidic devices with coarse capillaries to reduce the size of monodisperse microbubbles. <i>RSC Advances</i> , 2016 , 6, 63568-63577	3.7	11
66	Manufacturing Man-Made Magnetosomes: High-Throughput In Situ Synthesis of Biomimetic Magnetite Loaded Nanovesicles. <i>Macromolecular Bioscience</i> , 2016 , 16, 1555-1561	5.5	8
65	The effect of needle tip displacement in co-axial electrohydrodynamic processing. <i>RSC Advances</i> , 2016 , 6, 75258-75268	3.7	3

64	Making nanofibres of mucoadhesive polymer blends for vaginal therapies. <i>European Polymer Journal</i> , 2015 , 70, 186-196	5.2	33
63	Changing the Size and Surface Roughness of Polymer Nanospheres Formed Using a Microfluidic Technique. <i>Jom</i> , 2015 , 67, 811-817	2.1	5
62	Facile one-pot formation of ceramic fibres from preceramic polymers by pressurised gyration. <i>Ceramics International</i> , 2015 , 41, 6067-6073	5.1	21
61	Antibacterial Activity and Biosensing of PVA-Lysozyme Microbubbles Formed by Pressurized Gyration. <i>Langmuir</i> , 2015 , 31, 9771-80	4	34
60	Physio-chemical and antibacterial characteristics of pressure spun nylon nanofibres embedded with functional silver nanoparticles. <i>Materials Science and Engineering C</i> , 2015 , 56, 195-204	8.3	31
59	Preparation of polymeric nanoparticles by novel electrospray nanoprecipitation. <i>Polymer International</i> , 2015 , 64, 183-187	3.3	31
58	The effect of surfactant type and concentration on the size and stability of microbubbles produced in a capillary embedded T-junction device. <i>RSC Advances</i> , 2015 , 5, 10751-10762	3.7	34
57	Stress-relaxation and fatigue behaviour of synthetic brow-suspension materials. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015 , 42, 116-28	4.1	2
56	Bioinspired preparation of alginate nanoparticles using microbubble bursting. <i>Materials Science and Engineering C</i> , 2015 , 46, 132-9	8.3	17
55	Development and Characterization of Amorphous Nanofiber Drug Dispersions Prepared Using Pressurized Gyration. <i>Molecular Pharmaceutics</i> , 2015 , 12, 3851-61	5.6	30
54	Coupling Infusion and Gyration for the Nanoscale Assembly of Functional Polymer Nanofibers Integrated with Genetically Engineered Proteins. <i>Macromolecular Rapid Communications</i> , 2015 , 36, 1322-8	4.8	46
53	Solubility/spinnability map and model for the preparation of fibres of polyethylene (terephthalate) using gyration and pressure. <i>Chemical Engineering Journal</i> , 2015 , 280, 344-353	14.7	46
52	Formation of protein and protein-gold nanoparticle stabilized microbubbles by pressurized gyration. <i>Langmuir</i> , 2015 , 31, 659-66	4	58
51	Effect of humidity on the generation and control of the morphology of honeycomb-like polymeric structures by electrospinning. <i>European Polymer Journal</i> , 2014 , 61, 72-82	5.2	11
50	Novel encapsulation systems and processes for overcoming the challenges of polypharmacy. <i>Current Opinion in Pharmacology</i> , 2014 , 18, 28-34	5.1	11
49	Generation of poly(N-vinylpyrrolidone) nanofibres using pressurised gyration. <i>Materials Science and Engineering C</i> , 2014 , 39, 168-76	8.3	36
48	Preparation of monodisperse microbubbles using an integrated embedded capillary T-junction with electrohydrodynamic focusing. <i>Lab on A Chip</i> , 2014 , 14, 2437-46	7.2	42
47	Facile synthesis of both needle-like and spherical hydroxyapatite nanoparticles: effect of synthetic temperature and calcination on morphology, crystallite size and crystallinity. <i>Materials Science and Engineering C</i> , 2014 , 42, 83-90	8.3	64

46	A portable device for in situ deposition of bioproducts. <i>Bioinspired, Biomimetic and Nanobiomaterials</i> , 2014 , 3, 94-105	1.3	20
45	Microfluidic preparation of polymer nanospheres. <i>Journal of Nanoparticle Research</i> , 2014 , 16, 2626	2.3	18
44	Utilization of microfluidic V-junction device to prepare surface itraconazole adsorbed nanospheres. <i>International Journal of Pharmaceutics</i> , 2014 , 472, 339-46	6.5	10
43	Novel preparation of controlled porosity particle/fibre loaded scaffolds using a hybrid micro-fluidic and electrohydrodynamic technique. <i>Biofabrication</i> , 2014 , 6, 045010	10.5	14
42	Preparation of multilayered polymeric structures using a novel four-needle coaxial electrohydrodynamic device. <i>Macromolecular Rapid Communications</i> , 2014 , 35, 618-23	4.8	64
41	Core-Liquid-Induced Transition from Coaxial Electrospray to Electrospinning of Low-Viscosity Poly(lactide-co-glycolide) Sheath Solution. <i>Macromolecules</i> , 2014 , 47, 7930-7938	5.5	31
40	Microstructure and mechanical properties of synthetic brow-suspension materials. <i>Materials Science and Engineering C</i> , 2014 , 35, 220-30	8.3	15
39	The design and construction of an electrohydrodynamic cartesian robot for the preparation of tissue engineering constructs. <i>PLoS ONE</i> , 2014 , 9, e112166	3.7	10
38	Electrohydrodynamic printing of silk fibroin. <i>Macromolecular Research</i> , 2013 , 21, 339-342	1.9	6
37	Creating "hotels" for cells by electrospinning honeycomb-like polymeric structures. <i>Materials Science and Engineering C</i> , 2013 , 33, 4384-91	8.3	11
36	Novel electrically driven direct-writing methods with managed control on in-situ shape and encapsulation polymer forming. <i>International Journal of Material Forming</i> , 2013 , 6, 281-288	2	5
35	Effect of operating conditions and liquid physical properties on the size of monodisperse microbubbles produced in a capillary embedded T-junction device. <i>Microfluidics and Nanofluidics</i> , 2013 , 14, 797-808	2.8	29
34	Continuous generation of ethyl cellulose drug delivery nanocarriers from microbubbles. <i>Pharmaceutical Research</i> , 2013 , 30, 225-37	4.5	34
33	Application of Electrohydrodynamic Technology for Folic Acid Encapsulation. <i>Food and Bioprocess Technology</i> , 2013 , 6, 1837-1846	5.1	34
32	Forming of polymer nanofibers by a pressurised gyration process. <i>Macromolecular Rapid Communications</i> , 2013 , 34, 1134-9	4.8	169
31	Design, construction and performance of a portable handheld electrohydrodynamic multi-needle spray gun for biomedical applications. <i>Materials Science and Engineering C</i> , 2013 , 33, 213-23	8.3	51
30	An encapsulated drug delivery system for recalcitrant urinary tract infection. <i>Journal of the Royal Society Interface</i> , 2013 , 10, 20130747	4.1	13
29	A device for the fabrication of multifunctional particles from microbubble suspensions. <i>Materials Science and Engineering C</i> , 2012 , 32, 1005-1010	8.3	9

28	Controlled preparation of drug-exchange phase loaded polymeric fibres. <i>Bioinspired, Biomimetic and Nanobiomaterials</i> , 2012 , 1, 48-56	1.3	6
27	Release profile and characteristics of electrosprayed particles for oral delivery of a practically insoluble drug. <i>Journal of the Royal Society Interface</i> , 2012 , 9, 2437-49	4.1	46
26	Electrospraying and Electrospinning of Chocolate Suspensions. <i>Food and Bioprocess Technology</i> , 2012 , 5, 2285-2300	5.1	37
25	Calcium Alginate Foams Prepared by a Microfluidic T-Junction System: Stability and Food Applications. <i>Food and Bioprocess Technology</i> , 2012 , 5, 2848-2857	5.1	17
24	Mapping the Influence of Solubility and Dielectric Constant on Electrospinning Polycaprolactone Solutions. <i>Macromolecules</i> , 2012 , 45, 4669-4680	5.5	172
23	Electrospinning versus fibre production methods: from specifics to technological convergence. <i>Chemical Society Reviews</i> , 2012 , 41, 4708-35	58.5	468
22	A novel hybrid system for the fabrication of a fibrous mesh with micro-inclusions. <i>Carbohydrate Polymers</i> , 2012 , 89, 222-9	10.3	9
21	Bioinspired bubble design for particle generation. <i>Journal of the Royal Society Interface</i> , 2012 , 9, 389-95	4.1	12
20	Electrospinning short polymer micro-fibres with average aspect ratios in the range of 1000. <i>Journal of Polymer Research</i> , 2011 , 18, 2515-2522	2.7	18
19	Forming of Protein Bubbles and Porous Films Using Co-Axial Electrohydrodynamic Flow Processing. <i>Macromolecular Materials and Engineering</i> , 2011 , 296, 8-13	3.9	12
18	Direct Writing of Polycaprolactone Polymer for Potential Biomedical Engineering Applications. <i>Advanced Engineering Materials</i> , 2011 , 13, B296-B305	3.5	36
17	Fabrication of biomaterials via controlled protein bubble generation and manipulation. <i>Biomacromolecules</i> , 2011 , 12, 4291-300	6.9	32
16	Scaling the heights--challenges in medical materials. <i>Journal of the Royal Society Interface</i> , 2010 , 7 Suppl 5, S501-2	4.1	
15	Scaling the heights--challenges in medical materials. Introduction. <i>Journal of the Royal Society Interface</i> , 2010 , 7 Suppl 4, S377-8	4.1	1
14	Controlling the thickness of hollow polymeric microspheres prepared by electrohydrodynamic atomization. <i>Journal of the Royal Society Interface</i> , 2010 , 7 Suppl 4, S451-60	4.1	57
13	A new method for the preparation of monoporous hollow microspheres. <i>Langmuir</i> , 2010 , 26, 5115-21	4	96
12	One-step electrohydrodynamic production of drug-loaded micro- and nanoparticles. <i>Journal of the Royal Society Interface</i> , 2010 , 7, 667-75	4.1	89
11	Electrohydrodynamic Direct Writing of Biomedical Polymers and Composites. <i>Macromolecular Materials and Engineering</i> , 2010 , 295, 315-319	3.9	65

10	A novel method of selecting solvents for polymer electrospinning. <i>Polymer</i> , 2010 , 51, 1654-1662	3.9	227
9	Engineering a material for biomedical applications with electric field assisted processing. <i>Applied Physics A: Materials Science and Processing</i> , 2009 , 97, 31-37	2.6	31
8	A novel process for drug encapsulation using a liquid to vapour phase change material. <i>Soft Matter</i> , 2009 , 5, 5029	3.6	32
7	Generation of multilayered structures for biomedical applications using a novel tri-needle coaxial device and electrohydrodynamic flow. <i>Journal of the Royal Society Interface</i> , 2008 , 5, 1255-61	4.1	101
6	Preparation of polymeric and ceramic porous capsules by a novel electrohydrodynamic process. <i>Pharmaceutical Development and Technology</i> , 2008 , 13, 425-32	3.4	32
5	Dynamics of bubble formation in highly viscous liquids. <i>Langmuir</i> , 2008 , 24, 4388-93	4	63
4	Novel microbubble preparation technologies. <i>Soft Matter</i> , 2008 , 4, 2350	3.6	193
3	Facile Ceramic Micro-Structure Generation Using Electrohydrodynamic Processing and Pyrolysis. <i>Ceramic Transactions</i> , 81-86	0.1	
2	Binary polymer systems for biomedical applications. <i>International Materials Reviews</i> , 1-41	16.1	0
1	Nozzle-Pressurized Gyration: A Novel Fiber Manufacturing Process. <i>Macromolecular Materials and Engineering</i> , 2200268	3.9	1