
## William Sellwood

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1562203/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Role and Clinical Correlates of Complex Post-traumatic Stress Disorder in People With Psychosis. Frontiers in Psychology, 2022, 13, 791996.	1.1	6
2	Eye movement desensitization and reprocessing therapy for psychosis ( <scp>EMDRp</scp> ): Protocol of a feasibility randomized controlled trial with early intervention service users. Microbial Biotechnology, 2021, 15, 1224-1233.	0.9	9
3	The quest for genuine care: A qualitative study of the experiences of young people who self-harm in residential care. Clinical Child Psychology and Psychiatry, 2021, 26, 418-429.	0.8	5
4	Psychological inflexibility and somatization in nonepileptic attack disorder. Epilepsy and Behavior, 2020, 111, 107155.	0.9	1
5	Mental health practitioner experiences of engaging with service users in community mental health settings: A systematic review and thematic synthesis of qualitative evidence. Journal of Psychiatric and Mental Health Nursing, 2020, 27, 807-820.	1.2	6
6	Clinical effectiveness of a web-based peer-supported self-management intervention for relatives of people with psychosis or bipolar (REACT): online, observer-blind, randomised controlled superiority trial. BMC Psychiatry, 2020, 20, 160.	1.1	23
7	Ethnicity and impact on the receipt of cognitive–behavioural therapy in people with psychosis or bipolar disorder: an English cohort study. BMJ Open, 2020, 10, e034913.	0.8	22
8	A web-based, peer-supported self-management intervention to reduce distress in relatives of people with psychosis or bipolar disorder: the REACT RCT. Health Technology Assessment, 2020, 24, 1-142.	1.3	14
9	Disorganisation, thought disorder and socio-cognitive functioning in schizophrenia spectrum disorders. British Journal of Psychiatry, 2019, 214, 103-112.	1.7	30
10	Avoidance in nonepileptic attack disorder: A systematic review and meta-analyses. Epilepsy and Behavior, 2019, 95, 100-111.	0.9	6
11	Mapping early environment using communication deviance: A longitudinal study of maternal sensitivity toward 6-month-old children. Development and Psychopathology, 2019, 31, 1501-1511.	1.4	0
12	Birth experiences, trauma responses and self-concept in postpartum psychotic-like experiences. Schizophrenia Research, 2018, 197, 531-538.	1.1	6
13	Attachment, mentalisation and expressed emotion in carers of people with long-term mental health difficulties. BMC Psychiatry, 2018, 18, 257.	1.1	4
14	The role of social isolation and social cognition in thought disorder. Psychiatry Research, 2018, 269, 56-63.	1.7	18
15	Guilt, shame and expressed emotion in carers of people with long-term mental health difficulties: A systematic review. Psychiatry Research, 2017, 249, 139-151.	1.7	38
16	The dynamics of attachment insecurity and paranoid thoughts: An experience sampling study. Psychiatry Research, 2016, 246, 32-38.	1.7	29
17	Inner Speech and Clarity of Self-Concept in Thought Disorder and Auditory-Verbal Hallucinations. Journal of Nervous and Mental Disease, 2016, 204, 885-893.	0.5	16
18	The affective reactivity of psychotic speech: The role of internal source monitoring in explaining increased thought disorder under emotional challenge. Schizophrenia Research, 2016, 172, 189-194.	1.1	13

WILLIAM SELLWOOD

#	Article	IF	CITATIONS
19	Group CBT for psychosis: A longitudinal, controlled trial with inpatients. Behaviour Research and Therapy, 2015, 65, 76-85.	1.6	22
20	Group CBT for psychosis in acute care: a review of outcome studies. The Cognitive Behaviour Therapist, 2015, 8, .	0.4	3
21	Trauma and psychosis: The mediating role of self-concept clarity and dissociation. Psychiatry Research, 2015, 228, 626-632.	1.7	55
22	â€~No man is an island'. Testing the specific role of social isolation in formal thought disorder. Psychiatry Research, 2015, 230, 304-313.	1.7	22
23	Post-traumatic growth in adults following a burn. Burns, 2014, 40, 1089-1096.	1.1	60
24	Parental Communication and Psychosis: A Meta-analysis. Schizophrenia Bulletin, 2014, 40, 756-768.	2.3	34
25	Associations between specific psychotic symptoms and specific childhood adversities are mediated by attachment styles: An analysis of the National Comorbidity Survey. Psychiatry Research, 2014, 217, 202-209.	1.7	133
26	Informal caregivers in early psychosis: evaluation of need for psychosocial intervention and unresolved grief. Microbial Biotechnology, 2013, 7, 291-299.	0.9	7
27	Working together: Service Users and researchers in Psychosis research. Psychosis, 2013, 5, 306-316.	0.4	11
28	Subjective Cognitive Complaints in Schizophrenia: Relation to Antipsychotic Medication Dose, Actual Cognitive Performance, Insight and Symptoms. PLoS ONE, 2013, 8, e83774.	1.1	30
29	Enhanced relapse prevention for bipolar disorder by community mental health teams: cluster feasibility randomised trial. British Journal of Psychiatry, 2010, 196, 59-63.	1.7	52
30	The questionnaire about the process of recovery (QPR): A measurement tool developed in collaboration with service users. Psychosis, 2009, 1, 145-155.	0.4	236
31	Training Staff in Enhanced Relapse Prevention for Bipolar Disorder: Rates of Uptake and Measures of Skill and Confidence. Psychiatric Services, 2009, 60, 702-706.	1.1	5
32	Policy implications of a psychological model of mental disorder. Journal of Mental Health, 2008, 17, 93-103.	1.0	11
33	Enhanced relapse prevention for bipolar disorder – ERP trial. A cluster randomised controlled trial to assess the feasibility of training care coordinators to offer enhanced relapse prevention for bipolar disorder. BMC Psychiatry, 2007, 7, 6.	1.1	18
34	Needs-based cognitive-behavioural family intervention for patients suffering from schizophrenia: 5-year follow-up of a randomized controlled effectiveness trial. Acta Psychiatrica Scandinavica, 2007, 116, 447-452.	2.2	31
35	A cognitive behavioural groupbased educational programme for psychotic symptoms in a low secure setting: a pilot evaluation. British Journal of Forensic Practice, 2006, 8, 36-46.	0.6	13
36	Psychological therapies for bipolar disorder: the role of model-driven approaches to therapy integration. Bipolar Disorders, 2005, 7, 22-32.	1.1	39

WILLIAM SELLWOOD

#	Article	IF	CITATIONS
37	The family and compliance in schizophrenia: the influence of clinical variables, relatives' knowledge and expressed emotion. Psychological Medicine, 2003, 33, 91-96.	2.7	48
38	BATTLING BOREDOM: GROUP COGNITIVE BEHAVIOUR THERAPY FOR NEGATIVE SYMPTOMS OF SCHIZOPHRENIA. Behavioural and Cognitive Psychotherapy, 2002, 30, 341-346.	0.9	15
39	Needs-based cognitive-behavioural family intervention for carers of patients suffering from schizophrenia: 12-month follow-up. Acta Psychiatrica Scandinavica, 2001, 104, 346-355.	2.2	67
40	Compliance and psychological reactance in schizophrenia. British Journal of Clinical Psychology, 2000, 39, 287-295.	1.7	39
41	A randomised controlled trial of home-based rehabilitation versus outpatient-based rehabilitation for patients suffering from chronic schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 250-253.	1.6	14
42	Randomised controlled effectiveness trial of a needs-based psychosocial intervention service for carers of people with schizophrenia. British Journal of Psychiatry, 1999, 174, 505-511.	1.7	126
43	Assessing relatives' needs for psychosocial interventions in schizophrenia: a relatives' version of the Cardinal Needs Schedule (RCNS). Psychological Medicine, 1998, 28, 531-542.	2.7	41
44	GROUP CBT FOR PEOPLE WITH SCHIZOPHRENIA: A PRELIMINARY EVALUATION. Behavioural and Cognitive Psychotherapy, 1998, 26, 63-75.	0.9	34
45	Cognitive Factors in the Maintenance of Injection Phobia. Behavioural and Cognitive Psychotherapy, 1995, 23, 57-61.	0.9	4
46	Advances in the psychological management of positive symptoms of schizophrenia. International Review of Psychiatry, 1994, 6, 201-215.	1.4	15
47	Developments in Cognitive-Behaviour Therapy for Persistent Psychotic Symptoms. Behaviour Change, 1994, 11, 200-212.	0.6	11
48	Demographic factors associated with extreme non-compliance in schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 1994, 29, 172-177.	1.6	67
49	Self-Report Measures Assessing Aspects of Personal Recovery in Relatives and Other Informal Carers of Those With Psychosis: A Systematic Review. Frontiers in Psychology, 0, 13, .	1.1	1