Jeong Seok Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1562580/publications.pdf

Version: 2024-02-01

65 2,138 18 42 g-index
67 67 67 67 5579

times ranked

citing authors

docs citations

all docs

#	Article	IF	CITATIONS
1	Immunophenotyping of COVID-19 and influenza highlights the role of type I interferons in development of severe COVID-19. Science Immunology, 2020, 5, .	11.9	689
2	The type I interferon response in COVID-19: implications for treatment. Nature Reviews Immunology, 2020, 20, 585-586.	22.7	317
3	PD-1-Expressing SARS-CoV-2-Specific CD8+ T Cells Are Not Exhausted, but Functional in Patients with COVID-19. Immunity, 2021, 54, 44-52.e3.	14.3	184
4	Serum KL-6 levels reflect the severity of interstitial lung disease associated with connective tissue disease. Arthritis Research and Therapy, 2019, 21, 58.	3.5	112
5	HLA–DPB1 and DPB2 are genetic loci for systemic sclerosis: A genomeâ€wide association study in Koreans with replication in North Americans. Arthritis and Rheumatism, 2009, 60, 3807-3814.	6.7	109
6	Myositis autoantibodies in Korean patients with inflammatory myositis: Anti-140-kDa polypeptide antibody is primarily associated with rapidly progressive interstitial lung disease independent of clinically amyopathic dermatomyositis. BMC Musculoskeletal Disorders, 2010, 11, 223.	1.9	69
7	Baseline peripheral blood neutrophil-to-lymphocyte ratio could predict survival in patients with adult polymyositis and dermatomyositis: A retrospective observational study. PLoS ONE, 2018, 13, e0190411.	2.5	54
8	Impact of Tumor Necrosis Factor Inhibitor Versus Nonsteroidal Antiinflammatory Drug Treatment on Radiographic Progression in Early Ankylosing Spondylitis: Its Relationship to Inflammation Control During Treatment. Arthritis and Rheumatology, 2019, 71, 82-90.	5.6	47
9	Single-cell transcriptome of bronchoalveolar lavage fluid reveals sequential change of macrophages during SARS-CoV-2 infection in ferrets. Nature Communications, 2021, 12, 4567.	12.8	43
10	Clinical characteristics associated with occurrence and poor prognosis of interstitial lung disease in rheumatoid arthritis. Korean Journal of Internal Medicine, 2019, 34, 434-441.	1.7	39
11	HLA-B51 Carriers are Susceptible to Ocular Symptoms of Behçet Disease and the Association between the Two Becomes Stronger towards the East along the Silk Road: A Literature Survey. Ocular Immunology and Inflammation, 2017, 25, 37-40.	1.8	34
12	Comparative cardiovascular risk of allopurinol versus febuxostat in patients with gout: a nation-wide cohort study. Rheumatology, 2019, 58, 2122-2129.	1.9	29
13	Altered lipoproteins in patients with systemic lupus erythematosus are associated with augmented oxidative stress: a potential role in atherosclerosis. Arthritis Research and Therapy, 2016, 18, 306.	3.5	28
14	Novel susceptibility alleles in HLA region for myositis and myositis specific autoantibodies in Korean patients. Seminars in Arthritis and Rheumatism, 2019, 49, 283-287.	3.4	28
15	Pharmacological and Mechanical Thromboprophylaxis in Critically III Patients: a Network Meta-Analysis of 12 Trials. Journal of Korean Medical Science, 2016, 31, 1828.	2.5	27
16	CD70-expressing CD4 T cells produce IFN- \hat{l}^3 and IL-17 in rheumatoid arthritis. Rheumatology, 2014, 53, 1896-1900.	1.9	24
17	Elevated Erythrocyte Sedimentation Rate Is Predictive of Interstitial Lung Disease and Mortality in Dermatomyositis: a Korean Retrospective Cohort Study. Journal of Korean Medical Science, 2016, 31, 389.	2.5	23
18	Behçet's disease risk association fine-mapped on the IL23R–IL12RB2 intergenic region in Koreans. Arthritis Research and Therapy, 2017, 19, 227.	3.5	21

#	Article	IF	Citations
19	Tumor Necrosis Factor and Regulatory T Cells. Yonsei Medical Journal, 2019, 60, 126.	2.2	20
20	Mortality, disability, and healthcare expenditure of patients with seropositive rheumatoid arthritis in Korea: A nationwide population-based study. PLoS ONE, 2019, 14, e0210471.	2. 5	20
21	Effects of Tocilizumab Therapy on Serum Interleukin-33 and Interleukin-6 Levels in Patients With Rheumatoid Arthritis. Archives of Rheumatology, 2018, 33, 389-394.	0.9	17
22	Recurrent anterior uveitis and subsequent incidence of ankylosing spondylitis: a nationwide cohort study from 2002 to 2013. Arthritis Research and Therapy, 2018, 20, 22.	3 . 5	15
23	Effects of Cryopreservation and Thawing on Single-Cell Transcriptomes of Human T Cells. Immune Network, 2020, 20, e34.	3.6	14
24	Low Baseline Interleukin-17A Levels Are Associated with Better Treatment Response at 12 Weeks to Tocilizumab Therapy in Rheumatoid Arthritis Patients. Journal of Immunology Research, 2015, 2015, 1-7.	2.2	11
25	All-cause and cause-specific mortality of patients with rheumatoid arthritis in Korea: A nation-wide population-based study. Joint Bone Spine, 2022, 89, 105269.	1.6	11
26	Elderly Patients Exhibit Stronger Inflammatory Responses during Gout Attacks. Journal of Korean Medical Science, 2017, 32, 1967.	2.5	10
27	Efficacy of novel bispecific antibody targeting TNF-α/CXCL10 in the treatment of experimental arthritis. Translational Research, 2021, 232, 75-87.	5. 0	10
28	Tocilizumab Increases Body Weight and Serum Adipokine Levels in Patients with Rheumatoid Arthritis Independently of their Treatment Response: a Retrospective Cohort Study. Journal of Korean Medical Science, 2020, 35, e155.	2.5	10
29	CXCL10/CXCR3 axis is associated with disease activity and the development of mucocutaneous lesions in patients with Behçet's disease. Scientific Reports, 2017, 7, 14720.	3.3	9
30	Germline gain-of-function mutation of STAT1 rescued by somatic mosaicism in immune dysregulation-polyendocrinopathy-enteropathy-X-linked-like disorder. Journal of Allergy and Clinical Immunology, 2020, 145, 1017-1021.	2.9	9
31	Incidence and Risk Factors for Blindness in Uveitis: A Nationwide Cohort Study from 2002 to 2013. Ocular Immunology and Inflammation, 2020, , 1-5.	1.8	8
32	Management of Women with Antiphospholipid Antibodies or Antiphospholipid Syndrome during Pregnancy. Journal of Korean Medical Science, 2021, 36, e24.	2.5	8
33	Profile of common inflammatory markers in treatment-na \tilde{A} -ve patients with systemic rheumatic diseases. Clinical Rheumatology, 2020, 39, 2899-2906.	2.2	7
34	Change in Nationwide Incidence of Post-Cataract Surgery Endophthalmitis: Korean Cohort Study from 2002 to 2013. Ocular Immunology and Inflammation, 2019, 27, 756-761.	1.8	6
35	Experimental Models for SARS-CoV-2 Infection. Molecules and Cells, 2021, 44, 377-383.	2.6	6
36	Thymic Low Affinity/Avidity Interaction Selects Natural Th1 Cells. Journal of Immunology, 2015, 194, 5861-5871.	0.8	5

#	Article	IF	CITATIONS
37	Negatively-charged amino acids at the peptide-binding pocket of HLA-DPB1 alleles are associated with susceptibility to anti-topoisomerase I-positive systemic sclerosis. Human Immunology, 2016, 77, 550-554.	2.4	5
38	Baseline extent of damage predicts spinal radiographic progression in Korean patients with ankylosing spondylitis treated with golimumab. Korean Journal of Internal Medicine, 2018, 33, 622-628.	1.7	5
39	Nonthrombotic proliferative vasculopathy associated with antiphospholipid antibodies: A case report and literature review. Modern Rheumatology, 2019, 29, 388-392.	1.8	5
40	The Extent and Diverse Trajectories of Longitudinal Changes in Rheumatoid Arthritis Interstitial Lung Diseases Using Quantitative HRCT Scores. Journal of Clinical Medicine, 2021, 10, 3812.	2.4	5
41	Performance of the 2015 American College of Rheumatology/European League against Rheumatism Classification Criteria for Gout in Korean Patients with Acute Arthritis. Journal of Korean Medical Science, 2019, 34, e155.	2.5	5
42	Association between fever pattern and clinical manifestations of adult-onset Still's disease: unbiased analysis using hierarchical clustering. Clinical and Experimental Rheumatology, 2018, 36, 74-79.	0.8	5
43	Proliferative Vasculopathy Associated With Antiphospholipid Antibodies in Patients With Neurological Symptoms. Frontiers in Medicine, 0, 9, .	2.6	5
44	Risk factors associated with initiation of a biologic disease modifying anti-rheumatic drug in patients with rheumatoid arthritis: A nested case-control study on 34,925 patients. Joint Bone Spine, 2021, 88, 105057.	1.6	4
45	Efficacy of Health Coaching and an Electronic Health Management Program: Randomized Controlled Trial. Journal of General Internal Medicine, 2021, 36, 2692-2699.	2.6	4
46	Raynaud's phenomenon and antiâ€nuclear antibody are associated with pulmonary function decline in patients with dermatomyositis and polymyositis. International Journal of Rheumatic Diseases, 2019, 22, 507-515.	1.9	3
47	Patient perspectives on biological treatments for inflammatory arthritis: A multi-center study in Korea. Archives of Rheumatology, 2021, 36, 499-509.	0.9	3
48	Utility of the breath-holding test in patients with systemic sclerosis. Rheumatology, 2022, 61, 4113-4118.	1.9	3
49	Tuberculosis risk with biologics by screening-guided preventive strategy in rheumatoid arthritis under intermediate tuberculosis burden. Rheumatology, 2021, 60, 2755-2764.	1.9	2
50	Performance of the 2019 European League Against Rheumatism/American College of Rheumatology classification criteria for systemic lupus erythematosus in Asian patients: a single-centre retrospective cohort study in Korea. Clinical and Experimental Rheumatology, 2020, 38, 1075-1079.	0.8	2
51	Assessment on Treatments With Conventional Synthetic Disease-modifying Drugs Before Initiating Biologics in Patients With Rheumatoid Arthritis in Korea: A Population-based Study. Journal of Rheumatic Diseases, 2022, 29, 79-88.	1.1	2
52	A Case of Ischemic Enteritis with Small Bowel Perforation during Management of Lupus Enteritis. Journal of Rheumatic Diseases, 2015, 22, 378.	1.1	1
53	THU0177â€TREATMENT PATTERNS AMONG PATIENTS WITH RHEUMATOID ARTHRITIS TREATED WITH A BIOLOG DISEASE-MODIFYING ANTI-RHEUMATIC DRUG OR JAK INHIBITOR: A NATION-WIDE STUDY IN KOREA. , 2019, , .	GIC	1
54	FRIO117â€THE COMPARATIVE RISK OF OSTEOPOROTIC FRACTURES AMONG PATIENTS WITH RHEUMATOID ARTHRITIS RECEIVING TNF INHIBITORS VERSUS OTHER BIOLOGICS: A NATION-WIDE COHORT STUDY IN KOREA. , 2019, , .		1

#	Article	lF	CITATIONS
55	Serum levels of IgG antibodies against alpha-enolase are increased in patients with Beh§et's disease and are associated with the severity of oral ulcer, erythrocyte sedimentation rates, and C-reactive protein. Clinical and Experimental Rheumatology, 2017, 35 Suppl 108, 67-74.	0.8	1
56	Infectious risk of add-on leflunomide or tacrolimus versus TNF inhibitors among patients with rheumatoid arthritis receiving background methotrexate: A population-based cohort study. Seminars in Arthritis and Rheumatism, 2022, 55, 152019.	3.4	1
57	Adult-onset Cyclic Neutropenia Diagnosed in a Patient with Acute Arthritis. Journal of Rheumatic Diseases, 2013, 20, 48.	1.1	O
58	A Case of Pneumatosis Cystoides Intestinalis in a Patient with Dermatomyositis. Journal of Rheumatic Diseases, 2015, 22, 238.	1,1	0
59	Lung Disease in Rheumatoid Arthritis. Journal of Rheumatic Diseases, 2016, 23, 139.	1.1	O
60	OP0027â€EFFECT OF SHORT-TERM METHOTREXATE DISCONTINUATION ON THE DISEASE ACTIVITY IN PATIEN WITH RHEUMATOID ARTHRITIS: POSTHOC-ANALYSIS OF TWO RANDOMIZED CLINICAL TRIALS. , 2019, , .	TS	O
61	Appearance of Psoriasis after Tumor Necrosis Factor-α Blocker and Use of Ustekinumab or Tocilizumab for Refractory Monoarthritis. Journal of Rheumatic Diseases, 2015, 22, 263.	1.1	O
62	A Case of SAPHO Presented with Venous Engorgement: Successful Treatment with Adalimumab. Journal of Rheumatic Diseases, 2016, 23, 76.	1.1	0
63	Re-mobilization of Lost Coronary Stent From the Axillary Artery to the Femoral Artery. Journal of Lipid and Atherosclerosis, 2016, 5, 87.	3.5	O
64	Angiographic characteristics of vasculopathy in patients with idiopathic inflammatory myopathies and systemic sclerosis. Scientific Reports, 2022, 12, .	3.3	0
65	Adenosine Deaminase 2 Deficiency Caused by Biallele Variants Including Splicing Variant: The First Case in Korea. Journal of Rheumatic Diseases, 2022, , .	1.1	O