

Philippe Ravaud

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1564169/philippe-ravaud-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

379
papers

26,291
citations

79
h-index

152
g-index

399
ext. papers

31,617
ext. citations

6.5
avg, IF

6.95
L-index

#	Paper	IF	Citations
379	Interleukin-1 blocking agents for treating COVID-19.. <i>The Cochrane Library</i> , 2022 , 1, CD015308	5.2	2
378	Effect of Interleukin-6 Receptor Antagonists in Critically Ill Adult Patients with COVID-19 Pneumonia: two Randomised Controlled Trials of the CORIMUNO-19 Collaborative Group.. <i>European Respiratory Journal</i> , 2022 ,	13.6	5
377	Patients' Perspectives on Transforming Clinical Trial Participation: Large Online Vignette-based Survey.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e29691	7.6	
376	Acceptability of and Willingness to Take Digital Pills by Patients, the Public, and Health Care Professionals: Qualitative Content Analysis of a Large Online Survey.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e25597	7.6	0
375	Assessment of transparency and selective reporting of interventional trials studying colorectal cancer.. <i>BMC Cancer</i> , 2022 , 22, 278	4.8	
374	Availability of results of interventional studies assessing colorectal cancer from 2013 to 2020.. <i>PLoS ONE</i> , 2022 , 17, e0266496	3.7	
373	Changes in Etanercept and Adalimumab Biosimilar Prescriptions for the Initial Treatment of Rheumatoid Arthritis in France: Data from the ART-SFR Registry. <i>Joint Bone Spine</i> , 2021 , 89, 105310	2.9	0
372	Risk of bias in observational studies using routinely collected data of comparative effectiveness research: a meta-research study. <i>BMC Medicine</i> , 2021 , 19, 279	11.4	2
371	Blockchain for increased trust in observational studies. <i>The Lancet Digital Health</i> , 2021 , 3, e762	14.4	
370	Vitiligo Treatment Impact score (VITs): development and validation of a vitiligo burden of treatment questionnaire using the ComPaRe Vitiligo e-cohort. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 36, 279	4.6	0
369	Development and validation of the long covid symptom and impact tools, a set of patient-reported instruments constructed from patients' lived experience. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	14
368	Tocilizumab in Treatment for Patients With COVID-19-Reply. <i>JAMA Internal Medicine</i> , 2021 , 181, 1020-10215	21.5	1
367	An International, Mixed-Methods Study of the Perceived Intrusiveness of Remote Digital Diabetes Monitoring. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 1236-1247	6.4	1
366	A classification of methods used to personalize participative interventions revealed inadequate reporting in trial protocols. <i>Journal of Clinical Epidemiology</i> , 2021 , 133, 80-93	5.7	1
365	Effect of Tocilizumab vs Usual Care in Adults Hospitalized With COVID-19 and Moderate or Severe Pneumonia: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2021 , 181, 32-40	11.5	407
364	Research response to coronavirus disease 2019 needed better coordination and collaboration: a living mapping of registered trials. <i>Journal of Clinical Epidemiology</i> , 2021 , 130, 107-116	5.7	9
363	Baseline Characteristics of a National French E-Cohort of Hidradenitis Suppurativa in ComPaRe and Comparison with Other Large Hidradenitis Suppurativa Cohorts. <i>Dermatology</i> , 2021 , 237, 748-758	4.4	1

362	Evaluation of Patient Willingness to Adopt Remote Digital Monitoring for Diabetes Management. <i>JAMA Network Open</i> , 2021 , 4, e2033115	10.4	3
361	Interleukin-6 blocking agents for treating COVID-19: a living systematic review. <i>The Cochrane Library</i> , 2021 , 3, CD013881	5.2	43
360	Association Between Administration of IL-6 Antagonists and Mortality Among Patients Hospitalized for COVID-19: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 499-518	27.4	154
359	Effectiveness of Tocilizumab in Patients Hospitalized With COVID-19: A Follow-up of the CORIMUNO-TOCI-1 Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2021 , 181, 1241-1243	11.5	52
358	Methods to Generate Innovative Research Ideas and Improve Patient and Public Involvement in Modern Epidemiological Research: Review, Patient Viewpoint, and Guidelines for Implementation of a Digital Cohort Study.. <i>Journal of Medical Internet Research</i> , 2021 , 23, e25743	7.6	2
357	Preferences for Alternative Care Modalities Among French Adults With Chronic Illness.. <i>JAMA Network Open</i> , 2021 , 4, e2141233	10.4	0
356	Interventions for the prevention and treatment of COVID-19: a living mapping of research and living network meta-analysis. <i>The Cochrane Library</i> , 2020 ,	5.2	12
355	Use of wearable biometric monitoring devices to measure outcomes in randomized clinical trials: a methodological systematic review. <i>BMC Medicine</i> , 2020 , 18, 310	11.4	2
354	Clinical efficacy of hydroxychloroquine in patients with covid-19 pneumonia who require oxygen: observational comparative study using routine care data. <i>BMJ, The</i> , 2020 , 369, m1844	5.9	266
353	Collaborative open platform E-cohorts for research acceleration in trials and epidemiology. <i>Journal of Clinical Epidemiology</i> , 2020 , 124, 139-148	5.7	12
352	Future of evidence ecosystem series: 3. From an evidence synthesis ecosystem to an evidence ecosystem. <i>Journal of Clinical Epidemiology</i> , 2020 , 123, 153-161	5.7	7
351	Future of evidence ecosystem series: 2. current opportunities and need for better tools and methods. <i>Journal of Clinical Epidemiology</i> , 2020 , 123, 143-152	5.7	7
350	External factors may influence Cochrane reviewers when classifying the risk of bias of original reports. <i>Journal of Clinical Epidemiology</i> , 2020 , 123, 1-8	5.7	1
349	Future of evidence ecosystem series: 1. Introduction Evidence synthesis ecosystem needs dramatic change. <i>Journal of Clinical Epidemiology</i> , 2020 , 123, 135-142	5.7	8
348	The research burden of randomized controlled trial participation: a systematic thematic synthesis of qualitative evidence. <i>BMC Medicine</i> , 2020 , 18, 6	11.4	32
347	Controversy and Debate Series on Core Outcome Sets. Paper 1: Improving the generalizability and credibility of core outcome sets (COS) by a large and international participation of diverse stakeholders. <i>Journal of Clinical Epidemiology</i> , 2020 , 125, 206-212.e1	5.7	14
346	Blockchain, consent and present for medical research. <i>Journal of Medical Ethics</i> , 2020 ,	2.5	15
345	Identification of Patient Perceptions That Can Affect the Uptake of Interventions Using Biometric Monitoring Devices: Systematic Review of Randomized Controlled Trials. <i>Journal of Medical Internet Research</i> , 2020 , 22, e18986	7.6	5

344	Is My Patient Overwhelmed?: Determining Thresholds for Acceptable Burden of Treatment Using Data From the ComPaRe e-Cohort. <i>Mayo Clinic Proceedings</i> , 2020 , 95, 504-512	6.4	22
343	Artificial intelligence in health care: value for whom?. <i>The Lancet Digital Health</i> , 2020 , 2, e338-e339	14.4	3
342	Anticovid, a comprehensive open-access real-time platform of registered clinical studies for COVID-19. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 2708-2710	5.1	5
341	Controversy and Debate Series on Core Outcome Sets. Paper 7: Response to comments on the paper 2-6 re "Improving the generalizability and credibility of Core Outcome Sets (COSs) by involving large international sample of participants". <i>Journal of Clinical Epidemiology</i> , 2020 , 125, 232-234	5.7	
340	Identifying outcomes for depression that matter to patients, informal caregivers, and health-care professionals: qualitative content analysis of a large international online survey. <i>Lancet Psychiatry</i> , 2020 , 7, 692-702	23.3	49
339	Impact of a short version of the CONSORT checklist for peer reviewers to improve the reporting of randomised controlled trials published in biomedical journals: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e035114	3	12
338	Ten Years of Interventional Research in Systemic Sclerosis: A Systematic Mapping of Trial Registries. <i>Arthritis Care and Research</i> , 2020 , 72, 140-148	4.7	1
337	Role of good oral hygiene on clinical evolution of rheumatoid arthritis: a randomized study nested in the ESPOIR cohort. <i>Rheumatology</i> , 2020 , 59, 988-996	3.9	5
336	Impact of blinding on estimated treatment effects in randomised clinical trials: meta-epidemiological study. <i>BMJ</i> , 2020 , 368, l6802	5.9	72
335	SPIRIT extension and elaboration for n-of-1 trials: SPENT 2019 checklist. <i>BMJ</i> , 2020 , 368, m122	5.9	22
334	Reporting quality of studies using machine learning models for medical diagnosis: a systematic review. <i>BMJ Open</i> , 2020 , 10, e034568	3	24
333	Inadequate reporting of concomitant medications in rheumatology randomized controlled trials of pharmacologic interventions. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 49, 453-458	5.3	
332	Comparative effectiveness of rituximab, abatacept, and tocilizumab in adults with rheumatoid arthritis and inadequate response to TNF inhibitors: prospective cohort study. <i>BMJ</i> , 2019 , 364, l67	5.9	48
331	Consolidated Standards of Reporting Trials (CONSORT) extensions covered most types of randomized controlled trials, but the potential workload for authors was high. <i>Journal of Clinical Epidemiology</i> , 2019 , 113, 168-175	5.7	1
330	Three randomized controlled trials evaluating the impact of "spin" in health news stories reporting studies of pharmacologic treatments on patients'/caregivers' interpretation of treatment benefit. <i>BMC Medicine</i> , 2019 , 17, 105	11.4	19
329	Patients' views of wearable devices and AI in healthcare: findings from the ComPaRe e-cohort. <i>Npj Digital Medicine</i> , 2019 , 2, 53	15.7	60
328	Changes in total sperm count after gastric bypass and sleeve gastrectomy: the BARIASPERM prospective study. <i>Surgery for Obesity and Related Diseases</i> , 2019 , 15, 1271-1279	3	15
327	The statistical significance of meta-analyses is frequently fragile: definition of a fragility index for meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2019 , 111, 32-40	5.7	33

326	Power behind the throne: A clinical trial simulation study evaluating the impact of controllable design factors on the power of antidepressant trials. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1779	4.3	4
325	Patients' perspective on how to improve the care of people with chronic conditions in France: a citizen science study within the ComPaRe e-cohort. <i>BMJ Quality and Safety</i> , 2019 , 28, 875-886	5.4	19
324	Automatic screening using word embeddings achieved high sensitivity and workload reduction for updating living network meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2019 , 108, 86-94	5.7	11
323	A scoping review provided a framework for new ways of doing research through mobilizing collective intelligence. <i>Journal of Clinical Epidemiology</i> , 2019 , 110, 1-11	5.7	11
322	Disagreements in risk of bias assessment for randomised controlled trials included in more than one Cochrane systematic reviews: a research on research study using cross-sectional design. <i>BMJ Open</i> , 2019 , 9, e028382	3	11
321	Patients' perspectives on how to decrease the burden of treatment: a qualitative study of HIV care in sub-Saharan Africa. <i>BMJ Quality and Safety</i> , 2019 , 28, 266-275	5.4	10
320	Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases: A 3-Arm Randomized Controlled Trial. <i>American Journal of Public Health</i> , 2019 , 109, 1122-1129	5.1	11
319	Potential of Stratified Medicine for High Blood Pressure Management: A Modeling Study Using NHANES Survey Data. <i>Hypertension</i> , 2019 , 74, 1420-1427	8.5	2
318	Overcoming Barriers to Mobilizing Collective Intelligence in Research: Qualitative Study of Researchers With Experience of Collective Intelligence. <i>Journal of Medical Internet Research</i> , 2019 , 21, e13792	7.6	3
317	Comparative effect of tumour necrosis factor inhibitors versus other biological agents on cardiovascular risk-associated biomarkers in patients with rheumatoid arthritis. <i>RMD Open</i> , 2019 , 5, e000897	5.9	10
316	Accuracy in detecting inadequate research reporting by early career peer reviewers using an online CONSORT-based peer-review tool (COBPeer) versus the usual peer-review process: a cross-sectional diagnostic study. <i>BMC Medicine</i> , 2019 , 17, 205	11.4	14
315	A Methodologic Systematic Review of Mobile Health Behavior Change Randomized Trials. <i>American Journal of Preventive Medicine</i> , 2019 , 57, 836-843	6.1	10
314	From Clinical Trials to Highly Trustable Clinical Trials: Blockchain in Clinical Trials, a Game Changer for Improving Transparency?. <i>Frontiers in Blockchain</i> , 2019 , 2,	3	14
313	Living network meta-analysis was feasible when considering the pace of evidence generation. <i>Journal of Clinical Epidemiology</i> , 2019 , 108, 10-16	5.7	10
312	Rituximab for induction and maintenance therapy of granulomatosis with polyangiitis: a single-centre cohort study on 114 patients. <i>Rheumatology</i> , 2019 , 58, 401-409	3.9	21
311	Serious infusion-related reaction after rituximab, abatacept and tocilizumab in rheumatoid arthritis: prospective registry data. <i>Rheumatology</i> , 2018 , 57, 134-139	3.9	14
310	A mapping of 115,000 randomized trials revealed a mismatch between research effort and health needs in non-high-income regions. <i>Journal of Clinical Epidemiology</i> , 2018 , 98, 123-132	5.7	13
309	Cost-effectiveness analysis of strategies using new immunological diagnostic tests of latent tuberculosis infection before TNF-blockers therapy. <i>Presse Medicale</i> , 2018 , 47, e9-e13	2.2	1

308	Node-making process in network meta-analysis of nonpharmacological treatment are poorly reported. <i>Journal of Clinical Epidemiology</i> , 2018 , 97, 95-102	5.7	18
307	Misrepresentation and distortion of research in biomedical literature. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 2613-2619	11.5	99
306	Avoidable waste of research related to outcome planning and reporting in clinical trials. <i>BMC Medicine</i> , 2018 , 16, 87	11.4	19
305	Serum IL-33 level is associated with auto-antibodies but not with clinical response to biologic agents in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2018 , 20, 122	5.7	7
304	Association Between Publication Characteristics and Treatment Effect Estimates: A Meta-epidemiologic Study. <i>Annals of Internal Medicine</i> , 2018 , 169, 385-393	8	20
303	Mapping of Crowdsourcing in Health: Systematic Review. <i>Journal of Medical Internet Research</i> , 2018 , 20, e187	7.6	62
302	Déai de publication des résumés des essais contrôlés randomisés présentés en congrès ; l'exemple du congrès de la ligue européenne contre le rhumatisme (EULAR). <i>Revue Du Rhumatisme (Edition Française)</i> , 2018 , 85, 388-394	0.1	
301	Acceptable medication non-adherence: A crowdsourcing study among French physicians for commonly prescribed medications. <i>PLoS ONE</i> , 2018 , 13, e0209023	3.7	2
300	Variation in severe postpartum hemorrhage management: A national vignette-based study. <i>PLoS ONE</i> , 2018 , 13, e0209074	3.7	1
299	Making protocols available with the article improved evaluation of selective outcome reporting. <i>Journal of Clinical Epidemiology</i> , 2018 , 104, 95-102	5.7	9
298	Designs of trials assessing interventions to improve the peer review process: a vignette-based survey. <i>BMC Medicine</i> , 2018 , 16, 191	11.4	6
297	Safety of surgery in patients with rheumatoid arthritis treated by abatacept: data from the French Orencia in Rheumatoid Arthritis Registry. <i>Rheumatology</i> , 2017 , 56, 629-637	3.9	7
296	Systematic reviews of therapeutic interventions frequently consider patient-important outcomes. <i>Journal of Clinical Epidemiology</i> , 2017 , 84, 70-77	5.7	11
295	Clinical features and prognostic factors of listeriosis: the MONALISA national prospective cohort study. <i>Lancet Infectious Diseases</i> , 2017 , 17, 510-519	25.5	227
294	Dosage of Preventive or Therapeutic Exercise Interventions: Review of Published Randomized Controlled Trials and Survey of Authors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 2558-2565.e30	2.8	30
293	Published randomized trials performed in Sub-Saharan Africa focus on high-burden diseases but are frequently funded and led by high-income countries. <i>Journal of Clinical Epidemiology</i> , 2017 , 82, 29-36.e6	5.7	6
292	CONSORT Statement for Randomized Trials of Nonpharmacologic Treatments: A 2017 Update and a CONSORT Extension for Nonpharmacologic Trial Abstracts. <i>Annals of Internal Medicine</i> , 2017 , 167, 40-47	8	488
291	Methods and Reporting Studies Assessing Fecal Microbiota Transplantation: A Systematic Review. <i>Annals of Internal Medicine</i> , 2017 , 167, 34-39	8	61

290	Impact of searching clinical trial registries in systematic reviews of pharmaceutical treatments: methodological systematic review and reanalysis of meta-analyses. <i>BMJ, The</i> , 2017 , 356, j448	5.9	61
289	Differences in Treatment Effect Size Between Overall Survival and Progression-Free Survival in Immunotherapy Trials: A Meta-Epidemiologic Study of Trials With Results Posted at ClinicalTrials.gov. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1686-1694	2.2	39
288	Timing of publication of abstracts of randomized controlled trials presented in congresses: The example of the European League against Rheumatism meeting. <i>Joint Bone Spine</i> , 2017 , 85, 109-114	2.9	4
287	A protocol of a cross-sectional study evaluating an online tool for early career peer reviewers assessing reports of randomised controlled trials. <i>BMJ Open</i> , 2017 , 7, e017462	3	6
286	Evidence for Treatment-by-Biomarker interaction for FDA-approved Oncology Drugs with Required Pharmacogenomic Biomarker Testing. <i>Scientific Reports</i> , 2017 , 7, 6882	4.9	17
285	Incidence, risk factors, and mortality of neonatal and late-onset dilated cardiomyopathy associated with cardiac neonatal lupus. <i>International Journal of Cardiology</i> , 2017 , 248, 263-269	3.2	26
284	Dissemination of 2014 dual antiplatelet therapy (DAPT) trial results: a systematic review of scholarly and media attention over 7 months. <i>BMJ Open</i> , 2017 , 7, e014503	3	1
283	Factors associated with online media attention to research: a cohort study of articles evaluating cancer treatments. <i>Research Integrity and Peer Review</i> , 2017 , 2, 9	6.1	16
282	Predicting data saturation in qualitative surveys with mathematical models from ecological research. <i>Journal of Clinical Epidemiology</i> , 2017 , 82, 71-78.e2	5.7	34
281	Personalized Physical Therapy Versus Usual Care for Patients With Systemic Sclerosis: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2017 , 69, 1050-1059	4.7	38
280	Impact of gender on the response and tolerance to abatacept in patients with rheumatoid arthritis: results from the 'ORA' registry. <i>RMD Open</i> , 2017 , 3, e000515	5.9	7
279	Interpretation of health news items reported with or without spin: protocol for a prospective meta-analysis of 16 randomised controlled trials. <i>BMJ Open</i> , 2017 , 7, e017425	3	11
278	Evolution of poor reporting and inadequate methods over time in 20 920 randomised controlled trials included in Cochrane reviews: research on research study. <i>BMJ, The</i> , 2017 , 357, j2490	5.9	76
277	Avoidable waste related to inadequate methods and incomplete reporting of interventions: a systematic review of randomized trials performed in Sub-Saharan Africa. <i>Trials</i> , 2017 , 18, 291	2.8	3
276	Protocol for a systematic review of N-of-1 trial protocol guidelines and protocol reporting guidelines. <i>Systematic Reviews</i> , 2017 , 6, 132	3	4
275	Control treatments in biologics trials of rheumatoid arthritis were often not deemed acceptable in the context of care. <i>Journal of Clinical Epidemiology</i> , 2016 , 69, 235-44	5.7	2
274	Point of data saturation was assessed using resampling methods in a survey with open-ended questions. <i>Journal of Clinical Epidemiology</i> , 2016 , 80, 88-96	5.7	18
273	An Innovative, Comprehensive Mapping and Multiscale Analysis of Registered Trials for Stem Cell-Based Regenerative Medicine. <i>Stem Cells Translational Medicine</i> , 2016 , 5, 826-35	6.9	29

272	Non-TNF-Targeted Biologic vs a Second Anti-TNF Drug to Treat Rheumatoid Arthritis in Patients With Insufficient Response to a First Anti-TNF Drug: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 1172-1180	27.4	129
271	Impact of interventions to improve the quality of peer review of biomedical journals: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2016 , 14, 85	11.4	72
270	Association between trial registration and treatment effect estimates: a meta-epidemiological study. <i>BMC Medicine</i> , 2016 , 14, 100	11.4	37
269	Exclusion of patients with concomitant chronic conditions in ongoing randomised controlled trials targeting 10 common chronic conditions and registered at ClinicalTrials.gov: a systematic review of registration details. <i>BMJ Open</i> , 2016 , 6, e012265	3	48
268	Live cumulative network meta-analysis: protocol for second-line treatments in advanced non-small-cell lung cancer with wild-type or unknown status for epidermal growth factor receptor. <i>BMJ Open</i> , 2016 , 6, e011841	3	18
267	Impact of a web-based tool (WebCONSORT) to improve the reporting of randomised trials: results of a randomised controlled trial. <i>BMC Medicine</i> , 2016 , 14, 199	11.4	29
266	Long-Term Outcomes Among Participants in the WEGENT Trial of Remission-Maintenance Therapy for Granulomatosis With Polyangiitis (Wegener's) or Microscopic Polyangiitis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 690-701	9.5	78
265	Meta-analyses including non-randomized studies of therapeutic interventions: a methodological review. <i>BMC Medical Research Methodology</i> , 2016 , 16, 35	4.7	47
264	Public availability of results of observational studies evaluating an intervention registered at ClinicalTrials.gov. <i>BMC Medicine</i> , 2016 , 14, 7	11.4	15
263	Clinical research activity in periodontal medicine: a systematic mapping of trial registers. <i>Journal of Clinical Periodontology</i> , 2016 , 43, 390-400	7.7	64
262	Defining disease activity states and clinically meaningful improvement in primary Sjögren's syndrome with EULAR primary Sjögren's syndrome disease activity (ESSDAI) and patient-reported indexes (ESSPRI). <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 382-9	2.4	144
261	Wasted research when systematic reviews fail to provide a complete and up-to-date evidence synthesis: the example of lung cancer. <i>BMC Medicine</i> , 2016 , 14, 8	11.4	59
260	Effectiveness and safety of abatacept in elderly patients with rheumatoid arthritis enrolled in the French Society of Rheumatology's ORA registry. <i>Rheumatology</i> , 2016 , 55, 874-82	3.9	34
259	Complex systems approach to scientific publication and peer-review system: development of an agent-based model calibrated with empirical journal data. <i>Scientometrics</i> , 2016 , 106, 695-715	3	17
258	A new classification of spin in systematic reviews and meta-analyses was developed and ranked according to the severity. <i>Journal of Clinical Epidemiology</i> , 2016 , 75, 56-65	5.7	70
257	Characteristics and Public Availability of Results of Clinical Trials on Rare Diseases Registered at Clinicaltrials.gov. <i>JAMA Internal Medicine</i> , 2016 , 176, 556-8	11.5	8
256	Increasing value and reducing waste in biomedical research: who's listening?. <i>Lancet, The</i> , 2016 , 387, 1573-1586	40	245
255	Meta-Analysis of a Complex Network of Non-Pharmacological Interventions: The Example of Femoral Neck Fracture. <i>PLoS ONE</i> , 2016 , 11, e0146336	3.7	11

254	Comparison of Estimates between Cohort and Case-Control Studies in Meta-Analyses of Therapeutic Interventions: A Meta-Epidemiological Study. <i>PLoS ONE</i> , 2016 , 11, e0154877	3.7	4
253	Discordance Between Drug Adherence as Reported by Patients and Drug Importance as Assessed by Physicians. <i>Annals of Family Medicine</i> , 2016 , 14, 415-21	2.9	16
252	Development of the ClinESSDAI: a clinical score without biological domain. A tool for biological studies. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1945-1950	2.4	41
251	Potential workload in applying clinical practice guidelines for patients with chronic conditions and multimorbidity: a systematic analysis. <i>BMJ Open</i> , 2016 , 6, e010119	3	60
250	Comparison of central adjudication of outcomes and onsite outcome assessment on treatment effect estimates. <i>The Cochrane Library</i> , 2016 , 3, MR000043	5.2	21
249	Reporting of statistically significant results at ClinicalTrials.gov for completed superiority randomized controlled trials. <i>BMC Medicine</i> , 2016 , 14, 192	11.4	5
248	Development and validation of an instrument to assess treatment adherence for each individual drug taken by a patient. <i>BMJ Open</i> , 2016 , 6, e010510	3	28
247	Inadequate critical appraisal of studies in systematic reviews of time to diagnosis. <i>Journal of Clinical Epidemiology</i> , 2016 , 78, 43-51	5.7	4
246	Empirical evaluation of which trial characteristics are associated with treatment effect estimates. <i>Journal of Clinical Epidemiology</i> , 2016 , 77, 24-37	5.7	31
245	Peer reviewers identified spin in manuscripts of nonrandomized studies assessing therapeutic interventions, but their impact on spin in abstract conclusions was limited. <i>Journal of Clinical Epidemiology</i> , 2016 , 77, 44-51	5.7	27
244	The Minimum Clinically Important Improvement and Patient-acceptable Symptom State in the BASDAI and BASFI for Patients with Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2016 , 43, 1680-6	4.1	25
243	Impact of a computer-assisted Screening, Brief Intervention and Referral to Treatment on reducing alcohol consumption among patients with hazardous drinking disorder in hospital emergency departments. The randomized BREVALCO trial. <i>Drug and Alcohol Dependence</i> , 2016 , 165, 236-44	4.9	10
242	Automatic classification of registered clinical trials towards the Global Burden of Diseases taxonomy of diseases and injuries. <i>BMC Bioinformatics</i> , 2016 , 17, 392	3.6	6
241	Latent Tuberculosis Infection Screening and 2-Year Outcome in Antiretroviral-Naive HIV-Infected Patients in a Low-Prevalence Country. <i>Annals of the American Thoracic Society</i> , 2015 , 12, 1138-45	4.7	5
240	Avoidable waste of research related to inadequate methods in clinical trials. <i>BMJ, The</i> , 2015 , 350, h809	5.9	63
239	Feasibility of individual patient data meta-analyses in orthopaedic surgery. <i>BMC Medicine</i> , 2015 , 13, 131	11.4	14
238	The most important tasks for peer reviewers evaluating a randomized controlled trial are not congruent with the tasks most often requested by journal editors. <i>BMC Medicine</i> , 2015 , 13, 158	11.4	32
237	Impact of a nurse-led programme on comorbidity management and impact of a patient self-assessment of disease activity on the management of rheumatoid arthritis: results of a prospective, multicentre, randomised, controlled trial (COMEDRA). <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1725-33	2.4	97

236	Description of 214 cases of autoimmune congenital heart block: Results of the French neonatal lupus syndrome. <i>Autoimmunity Reviews</i> , 2015 , 14, 1154-60	13.6	90
235	Taxonomy of the burden of treatment: a multi-country web-based qualitative study of patients with chronic conditions. <i>BMC Medicine</i> , 2015 , 13, 115	11.4	114
234	Comparison of serious adverse events posted at ClinicalTrials.gov and published in corresponding journal articles. <i>BMC Medicine</i> , 2015 , 13, 189	11.4	66
233	Efficacy and safety of belimumab given for 12 months in primary Sjögren's syndrome: the BELISS open-label phase II study. <i>Rheumatology</i> , 2015 , 54, 2249-56	3.9	48
232	Validation of EULAR primary Sjögren's syndrome disease activity (ESSDAI) and patient indexes (ESSPRI). <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 859-66	2.4	138
231	Efficacy and safety of belimumab in primary Sjögren's syndrome: results of the BELISS open-label phase II study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 526-31	2.4	185
230	The Volume-Outcome Relationship in Critical Care: A Systematic Review and Meta-analysis. <i>Chest</i> , 2015 , 148, 79-92	5.3	68
229	Better prioritization to increase research value and decrease waste. <i>BMC Medicine</i> , 2015 , 13, 244	11.4	16
228	Classification and prevalence of spin in abstracts of non-randomized studies evaluating an intervention. <i>BMC Medical Research Methodology</i> , 2015 , 15, 85	4.7	67
227	Impact of an online writing aid tool for writing a randomized trial report: the COBWEB (Consort-based WEB tool) randomized controlled trial. <i>BMC Medicine</i> , 2015 , 13, 221	11.4	53
226	Reply to Letter: "Equivalence Approach Is More Appropriate for Comparison of Treatment Effect Estimates". <i>Annals of Surgery</i> , 2015 , 262, e67-9	7.8	
225	Association of Anti- <i>Porphyromonas gingivalis</i> Antibody Titers With Nonsmoking Status in Early Rheumatoid Arthritis: Results From the Prospective French Cohort of Patients With Early Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 1729-37	9.5	52
224	Comparison of central adjudication of outcomes and onsite outcome assessment on treatment effect estimates 2015 ,		1
223	EULAR Sjögren's syndrome disease activity index (ESSDAI): a user guide. <i>RMD Open</i> , 2015 , 1, e000022	5.9	150
222	Low numbers of blood and salivary natural killer cells are associated with a better response to belimumab in primary Sjögren's syndrome: results of the BELISS study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 241	5.7	35
221	Deficiencies in the publication and reporting of the results of systematic reviews presented at scientific medical conferences. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 1488-95	5.7	33
220	Assessing Complex Emergency Management with Clinical Case-Vignettes: A Validation Study. <i>PLoS ONE</i> , 2015 , 10, e0138663	3.7	13
219	Interpretation of Results of Studies Evaluating an Intervention Highlighted in Google Health News: A Cross-Sectional Study of News. <i>PLoS ONE</i> , 2015 , 10, e0140889	3.7	35

218	Outcome measures for primary Sjögren's syndrome: a comprehensive review. <i>Journal of Autoimmunity</i> , 2014 , 51, 51-6	15.5	55
217	Determinants of satisfaction 1 year after total hip arthroplasty: the role of expectations fulfilment. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 53	2.8	93
216	Mechanical ventilation and clinical practice heterogeneity in intensive care units: a multicenter case-vignette study. <i>Annals of Intensive Care</i> , 2014 , 4, 2	8.9	13
215	Rituximab versus azathioprine for maintenance in ANCA-associated vasculitis. <i>New England Journal of Medicine</i> , 2014 , 371, 1771-80	59.2	573
214	Oral antiviral therapy for prevention of genital herpes outbreaks in immunocompetent and nonpregnant patients. <i>The Cochrane Library</i> , 2014 , CD009036	5.2	22
213	Influence of gender on response to rituximab in patients with rheumatoid arthritis: results from the Autoimmunity and Rituximab registry. <i>Rheumatology</i> , 2014 , 53, 1788-93	3.9	17
212	Clopidogrel plus aspirin versus warfarin in patients with stroke and aortic arch plaques. <i>Stroke</i> , 2014 , 45, 1248-57	6.7	143
211	Reporting funding source or conflict of interest in abstracts of randomized controlled trials, no evidence of a large impact on general practitioners' confidence in conclusions, a three-arm randomized controlled trial. <i>BMC Medicine</i> , 2014 , 12, 69	11.4	9
210	Adalimumab for steroid sparing in patients with giant-cell arteritis: results of a multicentre randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 2074-81	2.4	139
209	Reply to W. Read. <i>Journal of Clinical Oncology</i> , 2014 , 32, 603-4	2.2	1
208	The burden of musculoskeletal conditions. <i>PLoS ONE</i> , 2014 , 9, e90633	3.7	117
207	Reporting of results from network meta-analyses: methodological systematic review. <i>BMJ, The</i> , 2014 , 348, g1741	5.9	102
206	A test for reporting bias in trial networks: simulation and case studies. <i>BMC Medical Research Methodology</i> , 2014 , 14, 112	4.7	12
205	Designing randomized-controlled trials to improve head-lice treatment: systematic review using a vignette-based method. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 628-634	4.3	5
204	Impact of sending email reminders of the legal requirement for posting results on ClinicalTrials.gov: cohort embedded pragmatic randomized controlled trial. <i>BMJ, The</i> , 2014 , 349, g5579	5.9	14
203	Quality of reporting of studies evaluating time to diagnosis: a systematic review in paediatrics. <i>Archives of Disease in Childhood</i> , 2014 , 99, 244-50	2.2	15
202	Efficacy and safety of rituximab in elderly patients with rheumatoid arthritis enrolled in a French Society of Rheumatology registry. <i>Arthritis Care and Research</i> , 2014 , 66, 1289-95	4.7	24
201	Impact of spin in the abstracts of articles reporting results of randomized controlled trials in the field of cancer: the SPIIN randomized controlled trial. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4120-6	2.2	203

200	Association between analytic strategy and estimates of treatment outcomes in meta-analyses. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 623-30	27.4	122
199	Impact of adding a limitations section to abstracts of systematic reviews on readers' interpretation: a randomized controlled trial. <i>BMC Medical Research Methodology</i> , 2014 , 14, 123	4.7	3
198	Adaptation and validation of the Treatment Burden Questionnaire (TBQ) in English using an internet platform. <i>BMC Medicine</i> , 2014 , 12, 109	11.4	109
197	An education program for risk factor management after an acute coronary syndrome: a randomized clinical trial. <i>JAMA Internal Medicine</i> , 2014 , 174, 40-8	11.5	21
196	Effects of hydroxychloroquine on symptomatic improvement in primary Sjögren syndrome: the JOQUER randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 249-58	27.4	176
195	Comparison of treatment effect estimates from prospective nonrandomized studies with propensity score analysis and randomized controlled trials of surgical procedures. <i>Annals of Surgery</i> , 2014 , 259, 18-25	7.8	151
194	Observer bias in randomized clinical trials with time-to-event outcomes: systematic review of trials with both blinded and non-blinded outcome assessors. <i>International Journal of Epidemiology</i> , 2014 , 43, 937-48	7.8	72
193	Reporting of analyses from randomized controlled trials with multiple arms: a systematic review. <i>BMC Medicine</i> , 2013 , 11, 84	11.4	24
192	Classification criteria for Sjogren's syndrome: we actually need to definitively resolve the long debate on the issue. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 476-8	2.4	73
191	European League Against Rheumatism Sjögren's Syndrome Disease Activity Index and European League Against Rheumatism Sjögren's Syndrome Patient-Reported Index: a complete picture of primary Sjögren's syndrome patients. <i>Arthritis Care and Research</i> , 2013 , 65, 1358-64	4.7	48
190	Bacteremia in patients receiving TNF-alpha antagonists--a prospective multicenter study. <i>Journal of Infection</i> , 2013 , 67, 524-8	18.9	6
189	Analysis of the systematic reviews process in reports of network meta-analyses: methodological systematic review. <i>BMJ, The</i> , 2013 , 347, f3675	5.9	70
188	Incorporation of assessments of risk of bias of primary studies in systematic reviews of randomised trials: a cross-sectional study. <i>BMJ Open</i> , 2013 , 3, e003342	3	36
187	Translating Cochrane reviews to ensure that healthcare decision-making is informed by high-quality research evidence. <i>PLoS Medicine</i> , 2013 , 10, e1001516	11.6	15
186	Timing and completeness of trial results posted at ClinicalTrials.gov and published in journals. <i>PLoS Medicine</i> , 2013 , 10, e1001566; discussion e1001566	11.6	148
185	Influence of trial sample size on treatment effect estimates: meta-epidemiological study. <i>BMJ, The</i> , 2013 , 346, f2304	5.9	269
184	A multistep voriconazole-related phototoxic pathway may lead to skin carcinoma: results from a French nationwide study. <i>Clinical Infectious Diseases</i> , 2013 , 57, e182-8	11.6	59
183	Public availability of results of trials assessing cancer drugs in the United States. <i>Journal of Clinical Oncology</i> , 2013 , 31, 2998-3003	2.2	34

182	Commentary: Meta-epidemiology, meta-meta-epidemiology or network meta-epidemiology?. <i>International Journal of Epidemiology</i> , 2013 , 42, 1131-3	7.8	9
181	Observer bias in randomized clinical trials with measurement scale outcomes: a systematic review of trials with both blinded and nonblinded assessors. <i>Cmaj</i> , 2013 , 185, E201-11	3.5	277
180	Elaboration and validation of a questionnaire assessing patient expectations about management of knee osteoarthritis by their physicians: the Knee Osteoarthritis Expectations Questionnaire. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 552-9	2.4	10
179	Efficacy of rituximab in systemic manifestations of primary Sjogren's syndrome: results in 78 patients of the Autoimmune and Rituximab registry. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1026-31	2.4	160
178	Safety of surgery after rituximab therapy in 133 patients with rheumatoid arthritis: data from the autoimmunity and rituximab registry. <i>Arthritis Care and Research</i> , 2013 , 65, 1874-9	4.7	29
177	Five-year favorable outcome of patients with early rheumatoid arthritis in the 2000s: data from the ESPOIR cohort. <i>Journal of Rheumatology</i> , 2013 , 40, 1650-7	4.1	34
176	Development and validation of a questionnaire assessing fears and beliefs of patients with knee osteoarthritis: the Knee Osteoarthritis Fears and Beliefs Questionnaire (KOFBeQ). <i>PLoS ONE</i> , 2013 , 8, e53886	3.7	24
175	Serum levels of beta2-microglobulin and free light chains of immunoglobulins are associated with systemic disease activity in primary Sjogren's syndrome. Data at enrollment in the prospective ASSESS cohort. <i>PLoS ONE</i> , 2013 , 8, e59868	3.7	110
174	Use of trial register information during the peer review process. <i>PLoS ONE</i> , 2013 , 8, e59910	3.7	45
173	Agreement among healthcare professionals in ten European countries in diagnosing case-vignettes of surgical-site infections. <i>PLoS ONE</i> , 2013 , 8, e68618	3.7	22
172	The influence of anti-infective periodontal treatment on C-reactive protein: a systematic review and meta-analysis of randomized controlled trials. <i>PLoS ONE</i> , 2013 , 8, e77441	3.7	69
171	Comparison of treatment effect estimates for pharmacological randomized controlled trials enrolling older adults only and those including adults: a meta-epidemiological study. <i>PLoS ONE</i> , 2013 , 8, e63677	3.7	5
170	Monitoring of bone turnover markers does not improve persistence with ibandronate treatment. <i>Joint Bone Spine</i> , 2012 , 79, 389-92	2.9	8
169	Misleading abstract conclusions in randomized controlled trials in rheumatology: comparison of the abstract conclusions and the results section. <i>Joint Bone Spine</i> , 2012 , 79, 262-7	2.9	27
168	Do hip OA patients referred to orthopedic surgeons by general practitioners and rheumatologists differ?. <i>Clinical Rheumatology</i> , 2012 , 31, 1301-7	3.9	0
167	La surveillance des marqueurs du remodelage osseux n'améliore pas la persistance au traitement par ibandronate. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2012 , 79, 68-72	0.1	
166	Conclusions erronées des résumés dans les essais cliniques contrôlés en rhumatologie: comparaisons entre les conclusions et la partie résultats des résumés. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2012 , 79, 118-124	0.1	
165	Outcome measures for primary Sjogren's syndrome. <i>Journal of Autoimmunity</i> , 2012 , 39, 97-102	15.5	40

164	Classification systems to improve assessment of risk of bias. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 236-8	5.7	10
163	A home-visiting intervention targeting determinants of infant mental health: the study protocol for the CAPEDP randomized controlled trial in France. <i>BMC Public Health</i> , 2012 , 12, 648	4.1	34
162	Impact of evergreening on patients and health insurance: a meta analysis and reimbursement cost analysis of citalopram/escitalopram antidepressants. <i>BMC Medicine</i> , 2012 , 10, 142	11.4	12
161	Development and description of measurement properties of an instrument to assess treatment burden among patients with multiple chronic conditions. <i>BMC Medicine</i> , 2012 , 10, 68	11.4	143
160	Inadequate description of educational interventions in ongoing randomized controlled trials. <i>Trials</i> , 2012 , 13, 63	2.8	21
159	Prospective evaluation of in-hospital mortality with the P-POSSUM scoring system in patients undergoing major digestive surgery. <i>World Journal of Surgery</i> , 2012 , 36, 2320-7	3.3	9
158	Adjustment for reporting bias in network meta-analysis of antidepressant trials. <i>BMC Medical Research Methodology</i> , 2012 , 12, 150	4.7	63
157	Underrepresentation of elderly people in randomised controlled trials. The example of trials of 4 widely prescribed drugs. <i>PLoS ONE</i> , 2012 , 7, e33559	3.7	95
156	Agreement among health care professionals in diagnosing case Vignette-based surgical site infections. <i>PLoS ONE</i> , 2012 , 7, e35131	3.7	13
155	Case-only designs in pharmacoepidemiology: a systematic review. <i>PLoS ONE</i> , 2012 , 7, e49444	3.7	26
154	Misrepresentation of randomized controlled trials in press releases and news coverage: a cohort study. <i>PLoS Medicine</i> , 2012 , 9, e1001308	11.6	131
153	Risk of herpes zoster in patients receiving anti-TNF- α in the prospective French RATIO registry. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 726-9	4.3	40
152	Observer bias in randomised clinical trials with binary outcomes: systematic review of trials with both blinded and non-blinded outcome assessors. <i>BMJ, The</i> , 2012 , 344, e1119	5.9	255
151	Impact of single centre status on estimates of intervention effects in trials with continuous outcomes: meta-epidemiological study. <i>BMJ, The</i> , 2012 , 344, e813	5.9	76
150	Positivity for anti-cyclic citrullinated peptide is associated with a better response to abatacept: data from the 'Orencia and Rheumatoid Arthritis' registry. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1815-9	2.4	98
149	Efficacy of rituximab in primary Sjogren's syndrome with peripheral nervous system involvement: results from the AIR registry. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 84-7	2.4	92
148	Relation between body mass index, waist circumference, and cardiovascular outcomes in 19,579 diabetic patients with established vascular disease: the REACH Registry. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 241-9	3.9	32
147	Influence of replacing tuberculin skin test with ex vivo interferon γ release assays on decision to administer prophylactic antituberculosis antibiotics before anti-TNF therapy. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1783-90	2.4	63

146	Effect of adherence to European treatment recommendations on early arthritis outcome: data from the ESPOIR cohort. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1803-8	2.4	23
145	Lack of head-to-head trials and fair control arms: randomized controlled trials of biologic treatment for rheumatoid arthritis. <i>Archives of Internal Medicine</i> , 2012 , 172, 237-44		62
144	Effect of editors' implementation of CONSORT guidelines on the reporting of abstracts in high impact medical journals: interrupted time series analysis. <i>BMJ, The</i> , 2012 , 344, e4178	5.9	132
143	Comparison of patient and surgeon expectations of total hip arthroplasty. <i>PLoS ONE</i> , 2012 , 7, e30195	3.7	50
142	Impact of reporting bias in network meta-analysis of antidepressant placebo-controlled trials. <i>PLoS ONE</i> , 2012 , 7, e35219	3.7	39
141	Participant informed consent in cluster randomized trials: review. <i>PLoS ONE</i> , 2012 , 7, e40436	3.7	23
140	ASSIST applicability scoring of surgical trials. an investigator-reported assessment tool. <i>PLoS ONE</i> , 2012 , 7, e42258	3.7	0
139	Outcomes in registered, ongoing randomized controlled trials of patient education. <i>PLoS ONE</i> , 2012 , 7, e42934	3.7	9
138	Respective contribution of chronic conditions to disability in France: results from the national Disability-Health Survey. <i>PLoS ONE</i> , 2012 , 7, e44994	3.7	35
137	Le centre Cochrane français. <i>Soins; La Revue De Reference Infirmiere</i> , 2012 , 57, 26	0	
136	EULAR Sjogren's Syndrome Patient Reported Index (ESSPRI): development of a consensus patient index for primary Sjogren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 968-72	2.4	264
135	Validation of a risk-assessment scale and a risk-adapted monitoring plan for academic clinical research studies--the Pre-Optimon study. <i>Contemporary Clinical Trials</i> , 2011 , 32, 16-24	2.3	30
134	Reviews assessing the quality or the reporting of randomized controlled trials are increasing over time but raised questions about how quality is assessed. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 136-44	5.7	63
133	Systematic review reveals heterogeneity in definition of a clinically relevant difference in pain. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 463-70	5.7	30
132	Intérêt des revues Cochrane pour la rééducation du patient hémiparétique. <i>Kinesithérapie</i> , 2011 , 11, 50-51	0.1	
131	Quality of reporting of bioequivalence trials comparing generic to brand name drugs: a methodological systematic review. <i>PLoS ONE</i> , 2011 , 6, e23611	3.7	23
130	Delphi-consensus weights for ischemic and bleeding events to be included in a composite outcome for RCTs in thrombosis prevention. <i>PLoS ONE</i> , 2011 , 6, e18461	3.7	7
129	Single-center trials show larger treatment effects than multicenter trials: evidence from a meta-epidemiologic study. <i>Annals of Internal Medicine</i> , 2011 , 155, 39-51	8	165

128	Prevalence of fibromyalgia in France: a multi-step study research combining national screening and clinical confirmation: The DEFI study (Determination of Epidemiology of Fibromyalgia). <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 224	2.8	44
127	Drug-specific risk of non-tuberculosis opportunistic infections in patients receiving anti-TNF therapy reported to the 3-year prospective French RATIO registry. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 616-23	2.4	220
126	Do case vignettes accurately reflect antibiotic prescription?. <i>Infection Control and Hospital Epidemiology</i> , 2011 , 32, 1003-9	2	16
125	Influence of vertebral fracture assessment by dual-energy X-ray absorptiometry on decision-making in osteoporosis: a structured vignette survey. <i>Rheumatology</i> , 2011 , 50, 2264-9	3.9	20
124	Antibiotic use: knowledge and perceptions in two university hospitals. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 936-40	5.1	27
123	Registries in rheumatoid arthritis and autoimmune diseases: data from the French registries. <i>Rheumatology</i> , 2011 , 50, 222-9	3.9	134
122	Geographical representativeness of published and ongoing randomized controlled trials. The example of: Tobacco consumption and HIV infection. <i>PLoS ONE</i> , 2011 , 6, e16878	3.7	14
121	Looking into the Future—the EULAR Disease Activity Scores: Toward a Consensual Evaluation of Primary Sjogren’s Syndrome 2011 , 443-454		
120	Metformin use and mortality among patients with diabetes and atherothrombosis. <i>Archives of Internal Medicine</i> , 2010 , 170, 1892-9		252
119	Risk score to predict serious bleeding in stable outpatients with or at risk of atherothrombosis. <i>European Heart Journal</i> , 2010 , 31, 1257-65	9.5	77
118	Reporting and interpretation of randomized controlled trials with statistically nonsignificant results for primary outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 2058-64	27.4	403
117	Lymphoma in patients treated with anti-TNF: results of the 3-year prospective French RATIO registry. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 400-8	2.4	153
116	EULAR Sjogren’s syndrome disease activity index: development of a consensus systemic disease activity index for primary Sjogren’s syndrome. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1103-9	2.4	542
115	Reporting of corticosteroid use in systemic disease trials: evidence from a systematic review of the potential impact on treatment effect. <i>Arthritis Care and Research</i> , 2010 , 62, 1002-8	4.7	5
114	Accurate detection of changes in disease activity in primary Sjogren’s syndrome by the European League Against Rheumatism Sjogren’s Syndrome Disease Activity Index. <i>Arthritis Care and Research</i> , 2010 , 62, 551-8	4.7	60
113	Safety and efficacy of rituximab in systemic lupus erythematosus: results from 136 patients from the French Autoimmunity and Rituximab registry. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2458-66		280
112	Risk factors for severe infections in patients with rheumatoid arthritis treated with rituximab in the autoimmunity and rituximab registry. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2625-32		211
111	Applicability and generalisability of the results of systematic reviews to public health practice and policy: a systematic review. <i>Trials</i> , 2010 , 11, 20	2.8	30

110	Plasma proteome to look for diagnostic biomarkers of early bacterial sepsis after liver transplantation: a preliminary study. <i>Anesthesiology</i> , 2010 , 112, 926-35	4.3	23
109	Comparison of clinical presentations and outcomes between patients with TGFBR2 and FBN1 mutations in Marfan syndrome and related disorders. <i>Circulation</i> , 2009 , 120, 2541-9	16.7	160
108	Reporting of sample size calculation in randomised controlled trials: review. <i>BMJ, The</i> , 2009 , 338, b1732	5.9	158
107	Applicability and generalisability of published results of randomised controlled trials and non-randomised studies evaluating four orthopaedic procedures: methodological systematic review. <i>BMJ, The</i> , 2009 , 339, b4538	5.9	15
106	Reporting of safety results in published reports of randomized controlled trials. <i>Archives of Internal Medicine</i> , 2009 , 169, 1756-61		176
105	Comparison of registered and published primary outcomes in randomized controlled trials. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 977-84	27.4	479
104	Outcome and serum ion determination up to 11 years after implantation of a cemented metal-on-metal hip prosthesis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009 , 80, 168-73	4.3	34
103	Preventing bias in cluster randomised trials. <i>PLoS Medicine</i> , 2009 , 6, e1000065	11.6	96
102	The gap between practice and guidelines in the choice of first-line disease modifying antirheumatic drug in early rheumatoid arthritis: results from the ESPOIR cohort. <i>Journal of Rheumatology</i> , 2009 , 36, 934-42	4.1	25
101	Quality of reporting internal and external validity data from randomized controlled trials evaluating stents for percutaneous coronary intervention. <i>BMC Medical Research Methodology</i> , 2009 , 9, 24	4.7	14
100	Effect of response format for clinical vignettes on reporting quality of physician practice. <i>BMC Health Services Research</i> , 2009 , 9, 128	2.9	16
99	How to perform a critical analysis of a randomised controlled trial. <i>Best Practice and Research in Clinical Rheumatology</i> , 2009 , 23, 291-303	5.3	11
98	Circulating concentration of infliximab and response to treatment in ankylosing spondylitis: results from a randomized control study. <i>Arthritis and Rheumatism</i> , 2009 , 61, 569-76		30
97	Neglected external validity in reports of randomized trials: the example of hip and knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2009 , 61, 361-9		20
96	Effect of hyaluronic acid in symptomatic hip osteoarthritis: a multicenter, randomized, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , 2009 , 60, 824-30		86
95	Clinical and biological assessment of cemented titanium femoral stems: an 11-year experience. <i>International Orthopaedics</i> , 2009 , 33, 1209-15	3.8	12
94	Reporting of harm in randomized controlled trials evaluating stents for percutaneous coronary intervention. <i>Trials</i> , 2009 , 10, 29	2.8	11
93	Heterogeneity of tumor prognostic markers: a reproducibility study applied to liver metastases of pancreatic endocrine tumors. <i>Modern Pathology</i> , 2009 , 22, 273-81	9.8	69

92	Inadequate planning and reporting of adjudication committees in clinical trials: recommendation proposal. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 695-702	5.7	38
91	The variability in minimal clinically important difference and patient acceptable symptomatic state values did not have an impact on treatment effect estimates. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 725-8	5.7	20
90	Smoking motivations and quitting motivations among HIV-infected smokers. <i>Antiviral Therapy</i> , 2009 , 14, 781-7	1.6	6
89	Pneumomediastinum in interstitial lung disease associated with dermatomyositis and polymyositis. <i>Arthritis and Rheumatism</i> , 2009 , 61, 108-18		70
88	Long-term follow-up of patients with tuberculosis as a complication of tumour necrosis factor (TNF)-alpha antagonist therapy: safe re-initiation of TNF-alpha blockers after appropriate anti-tuberculous treatment. <i>Clinical Microbiology and Infection</i> , 2008 , 14, 183-6	9.5	33
87	Mobility decline of unknown origin in mild cognitive impairment: an MRI-based clinical study of the pathogenesis. <i>Brain Research</i> , 2008 , 1222, 79-86	3.7	30
86	Data capture by digital pen in clinical trials: a qualitative and quantitative study. <i>Contemporary Clinical Trials</i> , 2008 , 29, 314-23	2.3	11
85	Survival after bilateral versus single lung transplantation for patients with chronic obstructive pulmonary disease: a retrospective analysis of registry data. <i>Lancet, The</i> , 2008 , 371, 744-51	40	131
84	Determinants of the survival benefit of lung transplantation in patients with chronic obstructive pulmonary disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008 , 177, 1156-63	10.2	79
83	A single tumour necrosis factor haplotype influences the response to adalimumab in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 478-84	2.4	54
82	Methods and processes of the CONSORT Group: example of an extension for trials assessing nonpharmacologic treatments. <i>Annals of Internal Medicine</i> , 2008 , 148, W60-6	8	348
81	Extending the CONSORT statement to randomized trials of nonpharmacologic treatment: explanation and elaboration. <i>Annals of Internal Medicine</i> , 2008 , 148, 295-309	8	1542
80	The VEPRO trial: a cross-over randomised controlled trial comparing 2 progressive lenses for patients with presbyopia. <i>Trials</i> , 2008 , 9, 54	2.8	4
79	Maintenance of infliximab treatment in ankylosing spondylitis: results of a one-year randomized controlled trial comparing systematic versus on-demand treatment. <i>Arthritis and Rheumatism</i> , 2008 , 58, 88-97		104
78	Missing data in randomized controlled trials of rheumatoid arthritis with radiographic outcomes: a simulation study. <i>Arthritis and Rheumatism</i> , 2008 , 59, 25-31		28
77	Factors influencing surgeons' decisions in the indication for total joint replacement in hip osteoarthritis in real life. <i>Arthritis and Rheumatism</i> , 2008 , 59, 255-62		22
76	Knee arthroplasty: disabilities in comparison to the general population and to hip arthroplasty using a French national longitudinal survey. <i>PLoS ONE</i> , 2008 , 3, e2561	3.7	10
75	Living with HIV, Antiretroviral Treatment Experience and Tobacco Smoking: Results from a Multisite Cross-Sectional Study. <i>Antiviral Therapy</i> , 2008 , 13, 389-398	1.6	41

74	Noninvitation of eligible individuals to participate in pediatric studies: a qualitative study. <i>JAMA Pediatrics</i> , 2007 , 161, 446-50		19
73	Evolution of disability in adults with hip arthroplasty: a national longitudinal study. <i>Arthritis and Rheumatism</i> , 2007 , 57, 364-71		8
72	Validation of a short form of the Western Ontario and McMaster Universities Osteoarthritis Index function subscale in hip and knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2007 , 57, 633-8		55
71	La cohorte Espoir: un suivi de dix ans des arthrites débutantes en France. Méthodologie et caractéristiques initiales des 813 patients inclus. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2007 , 74, 838-844	0.1	3
70	Recommandations de la Société française de rhumatologie pour l'utilisation des agents anti-TNF dans la spondylarthrite ankylosante et le rhumatisme psoriasique: mise à jour 2007. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2007 , 74, 1312-1322	0.1	3
69	The ESPOIR cohort: a ten-year follow-up of early arthritis in France: methodology and baseline characteristics of the 813 included patients. <i>Joint Bone Spine</i> , 2007 , 74, 440-5	2.9	139
68	Recommendations of the French Society for Rheumatology regarding TNFalpha antagonist therapy in patients with rheumatoid arthritis. <i>Joint Bone Spine</i> , 2007 , 74, 627-37	2.9	59
67	Recommendations of the French Society for Rheumatology regarding TNFalpha antagonist therapy in patients with ankylosing spondylitis or psoriatic arthritis: 2007 update. <i>Joint Bone Spine</i> , 2007 , 74, 638-46	2.9	78
66	Recommandations de la Société française de rhumatologie pour l'utilisation des agents anti-TNF chez les personnes souffrant de polyarthrite rhumatoïde. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2007 , 74, 1301-1311	0.1	4
65	Reproducibility and sensitivity to change of four scoring methods for the radiological assessment of osteoarthritis of the hand. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 464-9	2.4	33
64	Short-term efficacy of rofecoxib and diclofenac in acute shoulder pain: a placebo-controlled randomized trial. <i>PLOS Clinical Trials</i> , 2007 , 2, e9		8
63	Reporting methods of blinding in randomized trials assessing nonpharmacological treatments. <i>PLoS Medicine</i> , 2007 , 4, e61	11.6	228
62	Development and evaluation of a pedagogical tool to improve understanding of a quality checklist: a randomised controlled trial. <i>PLOS Clinical Trials</i> , 2007 , 2, e22		7
61	What are the characteristics of patients with severe, symptomatic, mitral regurgitation who are denied surgery?. <i>European Heart Journal</i> , 2007 , 28, 1358-65	9.5	610
60	Reporting of radiographic methods in randomised controlled trials assessing structural outcomes in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 651-7	2.4	11
59	Comparison of in vitro-specific blood tests with tuberculin skin test for diagnosis of latent tuberculosis before anti-TNF therapy. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1610-5	2.4	55
58	Reporting of adherence to medication in recent randomized controlled trials of 6 chronic diseases: a systematic literature review. <i>American Journal of the Medical Sciences</i> , 2007 , 334, 248-54	2.2	57
57	Anal squamous intraepithelial lesions and condyloma in HIV-infected heterosexual men, homosexual men and women: prevalence and associated factors. <i>Aids</i> , 2007 , 21, 1457-65	3.5	107

56	Actual management of patients with asymptomatic aortic valve disease: how practice fits with guidelines. <i>American Heart Journal</i> , 2007 , 153, 696-703	4.9	13
55	Minimal clinically important improvement and patient acceptable symptom state for subjective outcome measures in rheumatic disorders. <i>Journal of Rheumatology</i> , 2007 , 34, 1188-93	4.1	100
54	Effect of a collective educational program for patients with rheumatoid arthritis: a prospective 12-month randomized controlled trial. <i>Journal of Rheumatology</i> , 2007 , 34, 1684-91	4.1	42
53	Recommendations of the French Society for Rheumatology. TNFalpha antagonist therapy in rheumatoid arthritis. <i>Joint Bone Spine</i> , 2006 , 73, 433-41	2.9	35
52	Planning a cluster randomized trial with unequal cluster sizes: practical issues involving continuous outcomes. <i>BMC Medical Research Methodology</i> , 2006 , 6, 17	4.7	44
51	Feeling good rather than feeling better matters more to patients. <i>Arthritis and Rheumatism</i> , 2006 , 55, 526-30		126
50	Stability of the patient acceptable symptomatic state over time in outcome criteria in ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2006 , 55, 960-3		52
49	Methodological issues in trials assessing primary prophylaxis of venous thrombo-embolism. <i>European Heart Journal</i> , 2006 , 27, 227-36	9.5	8
48	Methods of blinding in reports of randomized controlled trials assessing pharmacologic treatments: a systematic review. <i>PLoS Medicine</i> , 2006 , 3, e425	11.6	89
47	Quality of reporting of noninferiority and equivalence randomized trials. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 1147-51	27.4	176
46	Predischarge C-reactive protein and 1-year outcome after acute coronary syndromes. <i>American Journal of Medicine</i> , 2006 , 119, 684-92	2.4	8
45	Primer: assessing the efficacy and safety of nonpharmacologic treatments for chronic rheumatic diseases. <i>Nature Clinical Practice Rheumatology</i> , 2006 , 2, 313-9		7
44	The reporting of randomized clinical trials using a surgical intervention is in need of immediate improvement: a systematic review. <i>Annals of Surgery</i> , 2006 , 244, 677-83	7.8	96
43	Recommandations de la Société française de rhumatologie pour l'utilisation des agents anti-TNFα chez les personnes souffrant de polyarthrite rhumatoïde. <i>Revue Du Rhumatisme (Edition Française)</i> , 2006 , 73, 726-735	0.1	
42	Decision-making in elderly patients with severe aortic stenosis: why are so many denied surgery?. <i>European Heart Journal</i> , 2005 , 26, 2714-20	9.5	788
41	A review of blinding in randomized controlled trials found results inconsistent and questionable. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 1220-6	5.7	72
40	A checklist to evaluate a report of a nonpharmacological trial (CLEAR NPT) was developed using consensus. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 1233-40	5.7	246
39	Reporting of harm in randomized, controlled trials of nonpharmacologic treatment for rheumatic disease. <i>Annals of Internal Medicine</i> , 2005 , 143, 20-5	8	33

38	L'observatoire RATIO : le registre franais des infections opportunistes, infections bacteriennes graves et lymphomes survenant chez des patients traits ou ayant t traits par anti-TNF. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2005 , 72, 867-871	0.1	0
37	Quels enseignements methodologiques tirer de la mise en vidence tardive de la toxicit cardiovasculaire de certains coxibs?. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2005 , 72, 861-866	0.1	
36	Methodology of therapeutic trials: lessons from the late evidence of the cardiovascular toxicity of some coxibs. <i>Joint Bone Spine</i> , 2005 , 72, 451-5	2.9	5
35	The RATIO observatory: French registry of opportunistic infections, severe bacterial infections, and lymphomas complicating anti-TnF therapy. <i>Joint Bone Spine</i> , 2005 , 72, 456-60	2.9	48
34	A priori postulated and real power in cluster randomized trials: mind the gap. <i>BMC Medical Research Methodology</i> , 2005 , 5, 25	4.7	19
33	Impact of ultrasound imaging on local corticosteroid injections of symptomatic ankle, hind-, and mid-foot in chronic inflammatory diseases. <i>Arthritis and Rheumatism</i> , 2005 , 53, 284-92		65
32	Violation of the intent-to-treat principle and rate of missing data in superiority trials assessing structural outcomes in rheumatic diseases. <i>Arthritis and Rheumatism</i> , 2005 , 52, 1858-65		38
31	High-dose therapy and autologous blood stem-cell transplantation compared with conventional treatment in myeloma patients aged 55 to 65 years: long-term results of a randomized control trial from the Group Myelome-Autogreffe. <i>Journal of Clinical Oncology</i> , 2005 , 23, 9227-33	2.2	306
30	Inappropriateness of randomised trials for complex phenomena: single trial is never enough evidence to base decisions on. <i>BMJ, The</i> , 2005 , 330, 94; author reply 95	5.9	1
29	Minimal clinically important difference, low disease activity state, and patient acceptable symptom state: methodological issues. <i>Journal of Rheumatology</i> , 2005 , 32, 2025-9	4.1	68
28	Inefficacy of infliximab in primary Sjoren's syndrome: results of the randomized, controlled Trial of Remicade in Primary Sjoren's Syndrome (TRIPSS). <i>Arthritis and Rheumatism</i> , 2004 , 50, 1270-6		292
27	Short-term efficacy and safety of leflunomide in the treatment of active rheumatoid arthritis in everyday clinical use : open-label, prospective study. <i>Clinical Drug Investigation</i> , 2004 , 24, 103-12	3.2	12
26	Construction of a questionnaire measuring outpatients' opinion of quality of hospital consultation departments. <i>Health and Quality of Life Outcomes</i> , 2004 , 2, 43	3	43
25	The methods for handling missing data in clinical trials influence sample size requirements. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 447-53	5.7	16
24	Blinding was judged more difficult to achieve and maintain in nonpharmacologic than pharmacologic trials. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 543-50	5.7	187
23	Leukoaraiosis and mobility decline: a high resolution magnetic resonance imaging study in older people with mild cognitive impairment. <i>Neuroscience Letters</i> , 2004 , 355, 185-8	3.3	33
22	Impact of HAART advent on admission patterns and survival in HIV-infected patients admitted to an intensive care unit. <i>Aids</i> , 2004 , 18, 1429-33	3.5	93
21	Social and personal consequences of disability in adults with hip and knee arthroplasty. A French national community based survey. <i>Journal of Rheumatology</i> , 2004 , 31, 759-66	4.1	8

20	Methodological differences in clinical trials evaluating nonpharmacological and pharmacological treatments of hip and knee osteoarthritis. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 1062-70	27.4	113
19	Long-term impact of a restrictive laboratory test ordering form on tumor marker prescriptions. <i>International Journal of Technology Assessment in Health Care</i> , 2003 , 19, 106-13	1.8	13
18	Adverse events associated with rofecoxib therapy: results of a large study in community-derived osteoarthritic patients. <i>Drug Safety</i> , 2003 , 26, 49-54	5.1	8
17	A prospective survey of patients with valvular heart disease in Europe: The Euro Heart Survey on Valvular Heart Disease. <i>European Heart Journal</i> , 2003 , 24, 1231-43	9.5	2140
16	Beneficial effects of information leaflets before spinal steroid injection. <i>Joint Bone Spine</i> , 2002 , 69, 597-603	6.9	29
15	Effets bénéfiques de l'utilisation d'une notice d'information avant une injection rachidienne de d'iv cortisonique. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2002 , 69, 1235-1242	0.1	1
14	Management of nontuberculous infectious discitis. treatments used in 110 patients admitted to 12 teaching hospitals in France. <i>Joint Bone Spine</i> , 2001 , 68, 504-9	2.9	103
13	From clinical recommendations to mandatory practice. The introduction of regulatory practice guidelines in the French healthcare system. <i>International Journal of Technology Assessment in Health Care</i> , 2000 , 16, 969-75	1.8	27
12	Radiologic progression of hip and knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 1999 , 7, 222-9	6.2	20
11	Effects of joint lavage and steroid injection in patients with osteoarthritis of the knee: results of a multicenter, randomized, controlled trial. <i>Arthritis and Rheumatism</i> , 1999 , 42, 475-82		168
10	Validation of the Ottawa ankle rules in France: a study in the surgical emergency department of a teaching hospital. <i>Annals of Emergency Medicine</i> , 1998 , 32, 14-8	2.1	47
9	High-Dose Therapy and Autologous Peripheral Blood Stem Cell Transplantation in Multiple Myeloma: Up-front or Rescue Treatment? Results of a Multicenter Sequential Randomized Clinical Trial. <i>Blood</i> , 1998 , 92, 3131-3136	2.2	435
8	From clinical guidelines to quality assurance: the experience of Assistance Publique-Hôpitaux de Paris. <i>International Journal for Quality in Health Care</i> , 1997 , 9, 215-9	1.9	3
7	Serum biologic markers as predictors of disease progression in osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 1997 , 40, 590-1		24
6	Evolution of bone densitometry in patients with myeloma treated with conventional or intensive therapy. <i>Cancer</i> , 1995 , 76, 1559-63	6.4	31
5	Bone densitometry in patients with multiple myeloma. <i>American Journal of Medicine</i> , 1992 , 93, 595-8	2.4	33
4	Mapping of Crowdsourcing in Health: Systematic Review (Preprint)		1
3	Overcoming Barriers to Mobilizing Collective Intelligence in Research: Qualitative Study of Researchers With Experience of Collective Intelligence (Preprint)		1

2 CONSORT for Nonpharmacologic Treatments 101-112

1 Development and validation of the long covid symptom and impact tools, a set of patient-reported instruments constructed from patients' lived experience

2