

# Jarrold E Church

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1564900/publications.pdf>

Version: 2024-02-01

31  
papers

1,322  
citations

430874

18  
h-index

477307

29  
g-index

31  
all docs

31  
docs citations

31  
times ranked

2145  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Comparison of the Gluco-Regulatory Responses to High-Intensity Interval Exercise and Resistance Exercise. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 287.	2.6	3
2	Oral fucoidan improves muscle size and strength in mice. <i>Physiological Reports</i> , 2021, 9, e14730.	1.7	6
3	The TrkB agonist, 7,8-dihydroxyflavone, impairs fracture healing in mice. <i>Journal of Musculoskeletal Neuronal Interactions</i> , 2021, 21, 263-271.	0.1	0
4	Mild Closed-Head Injury in Conscious Rats Causes Transient Neurobehavioral and Glial Disturbances: A Novel Experimental Model of Concussion. <i>Journal of Neurotrauma</i> , 2019, 36, 2260-2271.	3.4	25
5	The selective TrkA agonist, gambogic amide, promotes osteoblastic differentiation and improves fracture healing in mice. <i>Journal of Musculoskeletal Neuronal Interactions</i> , 2019, 19, 94-103.	0.1	9
6	Gambogic amide, a selective TrkA agonist, does not improve outcomes from traumatic brain injury in mice. <i>Brain Injury</i> , 2018, 32, 257-268.	1.2	14
7	A Concomitant Muscle Injury Does Not Worsen Traumatic Brain Injury Outcomes in Mice. <i>Frontiers in Neurology</i> , 2018, 9, 1089.	2.4	9
8	Closed head experimental traumatic brain injury increases size and bone volume of callus in mice with concomitant tibial fracture. <i>Scientific Reports</i> , 2016, 6, 34491.	3.3	37
9	Functional $\beta$ -Adrenoceptors Are Important for Early Muscle Regeneration in Mice through Effects on Myoblast Proliferation and Differentiation. <i>PLoS ONE</i> , 2014, 9, e101379.	2.5	13
10	Alterations in Notch signalling in skeletal muscles from <i>mdx</i> and <i>dko</i> dystrophic mice and patients with Duchenne muscular dystrophy. <i>Experimental Physiology</i> , 2014, 99, 675-687.	2.0	25
11	Parvalbumin Gene Transfer Impairs Skeletal Muscle Contractility in Old Mice. <i>Human Gene Therapy</i> , 2012, 23, 824-836.	2.7	8
12	Hsp72 preserves muscle function and slows progression of severe muscular dystrophy. <i>Nature</i> , 2012, 484, 394-398.	27.8	243
13	Early functional muscle regeneration after myotoxic injury in mice is unaffected by nNOS absence. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011, 301, R1358-R1366.	1.8	10
14	Inhibition of endothelial nitric oxide synthase by the lipid phosphatase PTEN. <i>Vascular Pharmacology</i> , 2010, 52, 191-198.	2.1	15
15	Novel role for $\beta$ -adrenergic signalling in skeletal muscle growth, development and regeneration. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, 397-401.	1.9	32
16	Role of local production of endothelium-derived nitric oxide on cGMP signaling and S-nitrosylation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H112-H118.	3.2	32
17	Cardioprotection Induced by Adenosine A1 Receptor Agonists in a Cardiac Cell Ischemia Model Involves Cooperative Activation of Adenosine A2A and A2B Receptors by Endogenous Adenosine. <i>Journal of Cardiovascular Pharmacology</i> , 2009, 53, 424-433.	1.9	31
18	The role of $\beta$ -adrenoceptor signaling in skeletal muscle: therapeutic implications for muscle wasting disorders. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2009, 12, 601-606.	2.5	19

#	ARTICLE	IF	CITATIONS
19	Selective coupling of type 6 adenylyl cyclase with type 2 IP <sub>3</sub> receptors mediates direct sensitization of IP <sub>3</sub> receptors by cAMP. <i>Journal of Cell Biology</i> , 2008, 183, 297-311.	5.2	93
20	Selective coupling of type 6 adenylyl cyclase with type 2 IP <sub>3</sub> receptors mediates direct sensitization of IP <sub>3</sub> receptors by cAMP. <i>Journal of General Physiology</i> , 2008, 132, i5-i5.	1.9	1
21	Novel Mechanism of Activation of NADPH Oxidase 5. <i>Journal of Biological Chemistry</i> , 2007, 282, 6494-6507.	3.4	186
22	Functional Relevance of Golgi- and Plasma Membrane-Localized Endothelial NO Synthase in Reconstituted Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 1015-1021.	2.4	87
23	Differences in eNOS Activity Because of Subcellular Localization Are Dictated by Phosphorylation State Rather than the Local Calcium Environment. <i>Journal of Biological Chemistry</i> , 2006, 281, 1477-1488.	3.4	68
24	Functional Relevance of Golgi and Plasma Membrane Localized Endothelial Nitric Oxide Synthase (eNOS) in Reconstituted Endothelial cells. <i>FASEB Journal</i> , 2006, 20, A721.	0.5	0
25	Src Kinase Activates Endothelial Nitric-oxide Synthase by Phosphorylating Tyr-83. <i>Journal of Biological Chemistry</i> , 2005, 280, 35943-35952.	3.4	94
26	Modulation of intracellular Ca <sup>2+</sup> levels by Scorpaenidae venoms. <i>Toxicon</i> , 2003, 41, 679-689.	1.6	22
27	Stonefish ( <i>Synanceia trachynis</i> ) Antivenom: In Vitro Efficacy and Clinical Use. <i>Toxin Reviews</i> , 2003, 22, 69-76.	1.5	14
28	Adrenergic and cholinergic activity contributes to the cardiovascular effects of lionfish ( <i>Pterois</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38	1.6	40
29	The pharmacological activity of fish venoms. <i>Toxicon</i> , 2002, 40, 1083-1093.	1.6	120
30	Stonefish ( <i>Synanceia</i> spp.) antivenom neutralises the in vitro and in vivo cardiovascular activity of soldierfish ( <i>Gymnapistes marmoratus</i> ) venom. <i>Toxicon</i> , 2001, 39, 319-324.	1.6	29
31	Dose-dependent cardiovascular and neuromuscular effects of stonefish ( <i>Synanceja trachynis</i> ) venom. <i>Toxicon</i> , 2000, 38, 391-407.	1.6	37