

# Yves Aurgan

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1565092/yves-auregan-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58

papers

1,489

citations

22

h-index

38

g-index

67

ext. papers

1,756

ext. citations

3.1

avg, IF

5.02

L-index

#	Paper	IF	Citations
58	Theoretical and experimental study of quasisteady-flow separation within the glottis during phonation. Application to a modified two-mass model. <i>Journal of the Acoustical Society of America</i> , <b>1994</b> , 96, 3416-3431	2.2	202
57	Influence of grazing flow and dissipation effects on the acoustic boundary conditions at a lined wall. <i>Journal of the Acoustical Society of America</i> , <b>2001</b> , 109, 59-64	2.2	88
56	Failure of the Ingard-Myers boundary condition for a lined duct: an experimental investigation. <i>Journal of the Acoustical Society of America</i> , <b>2011</b> , 130, 52-60	2.2	81
55	The whistling potentiality of an orifice in a confined flow using an energetic criterion. <i>Journal of Sound and Vibration</i> , <b>2009</b> , 325, 769-780	3.9	68
54	The use of slow waves to design simple sound absorbing materials. <i>Journal of Applied Physics</i> , <b>2015</b> , 117, 124903	2.5	65
53	PT-Symmetric Scattering in Flow Duct Acoustics. <i>Physical Review Letters</i> , <b>2017</b> , 118, 174301	7.4	62
52	Modelling of sound propagation in a non-uniform lined duct using a Multi-Modal Propagation Method. <i>Journal of Sound and Vibration</i> , <b>2006</b> , 289, 1091-1111	3.9	60
51	Quasisteady aero-acoustic response of orifices. <i>Journal of the Acoustical Society of America</i> , <b>2001</b> , 110, 1859-72	2.2	60
50	PIV and LDV evidence of hydrodynamic instability over a liner in a duct with flow. <i>Journal of Sound and Vibration</i> , <b>2010</b> , 329, 3798-3812	3.9	59
49	Noise generated by cavitating single-hole and multi-hole orifices in a water pipe. <i>Journal of Fluids and Structures</i> , <b>2007</b> , 23, 163-189	3.1	59
48	Use of slow sound to design perfect and broadband passive sound absorbing materials. <i>Journal of the Acoustical Society of America</i> , <b>2016</b> , 139, 1660	2.2	57
47	Experimental evidence of an instability over an impedance wall in a duct with flow. <i>Journal of Sound and Vibration</i> , <b>2008</b> , 317, 432-439	3.9	55
46	An improved multimodal method for sound propagation in nonuniform lined ducts. <i>Journal of the Acoustical Society of America</i> , <b>2007</b> , 122, 280-90	2.2	46
45	SNORING: LINEAR STABILITY ANALYSIS AND IN-VITRO EXPERIMENTS. <i>Journal of Sound and Vibration</i> , <b>1995</b> , 188, 39-53	3.9	42
44	Measurement of Liner Impedance with Flow by an Inverse Method <b>2004</b> ,		41
43	AEROACOUSTIC RESPONSE OF A SLIT-SHAPED DIAPHRAGM IN A PIPE AT LOW HELMHOLTZ NUMBER, 1: QUASI-STEADY RESULTS. <i>Journal of Sound and Vibration</i> , <b>2001</b> , 244, 35-56	3.9	39
42	Slow sound in lined flow ducts. <i>Journal of the Acoustical Society of America</i> , <b>2015</b> , 138, 605-13	2.2	35

41	Effect of turbulent eddy viscosity on the unstable surface mode above an acoustic liner. <i>Journal of Sound and Vibration</i> , <b>2013</b> , 332, 3803-3820	3.9	31
40	LOW FREQUENCY SOUND PROPAGATION IN A COAXIAL CYLINDRICAL DUCT: APPLICATION TO SUDDEN AREA EXPANSIONS AND TO DISSIPATIVE SILENCERS. <i>Journal of Sound and Vibration</i> , <b>2001</b> , 243, 461-473	3.9	31
39	Sound attenuation optimization using metaporous materials tuned on exceptional points. <i>Journal of the Acoustical Society of America</i> , <b>2017</b> , 142, 2288	2.2	30
38	Failures in the discrete models for flow duct with perforations: an experimental investigation. <i>Journal of Sound and Vibration</i> , <b>2003</b> , 265, 109-121	3.9	25
37	Low frequency sound attenuation in a flow duct using a thin slow sound material. <i>Journal of the Acoustical Society of America</i> , <b>2016</b> , 139, EL149	2.2	23
36	Fano resonance scatterings in waveguides with impedance boundary conditions. <i>Journal of the Acoustical Society of America</i> , <b>2016</b> , 139, 764-72	2.2	19
35	Identification of aero-acoustic scattering matrices from large eddy simulation: Application to whistling orifices in duct. <i>Journal of Sound and Vibration</i> , <b>2013</b> , 332, 5059-5067	3.9	18
34	Ultra-thin low frequency perfect sound absorber with high ratio of active area. <i>Applied Physics Letters</i> , <b>2018</b> , 113, 201904	3.4	18
33	A cavity-by-cavity description of the aeroacoustic instability over a liner with a grazing flow. <i>Journal of Fluid Mechanics</i> , <b>2018</b> , 852, 126-145	3.7	17
32	Whistling of an orifice in a reverberating duct at low Mach number. <i>Journal of the Acoustical Society of America</i> , <b>2011</b> , 130, 2662-72	2.2	17
31	Scattering by Finite Periodic PT-Symmetric Structures. <i>Physical Review Letters</i> , <b>2017</b> , 119, 243904	7.4	15
30	Acoustic of a perforated liner with grazing flow: Floquet-Bloch periodical approach versus impedance continuous approach. <i>Journal of the Acoustical Society of America</i> , <b>2016</b> , 140, 2047	2.2	15
29	Evidence of Hydrodynamic Instability over a Liner in a Duct with Flow <b>2009</b> ,		10
28	Numerical Coupling Strategy for Resolving In-Duct Elastic Panel Aeroacoustic/Structural Interaction. <i>AIAA Journal</i> , <b>2018</b> , 56, 5033-5040	2.1	10
27	On the use of a stress-impedance model to describe sound propagation in a lined duct with grazing flow. <i>Journal of the Acoustical Society of America</i> , <b>2018</b> , 143, 2975	2.2	9
26	Experimental observation of a hydrodynamic mode in a flow duct with a porous material. <i>Journal of the Acoustical Society of America</i> , <b>2014</b> , 136, 567-72	2.2	9
25	Flexural instability and sound amplification of a membrane-cavity configuration in shear flow. <i>Journal of the Acoustical Society of America</i> , <b>2017</b> , 142, 1934	2.2	8
24	Particle image velocimetry measurement of an instability wave over a porous wall in a duct with flow. <i>Journal of Sound and Vibration</i> , <b>2017</b> , 386, 208-224	3.9	8

23	Acoustic Scattering in Duct With a Chaotic Cavity. <i>Acta Acustica United With Acustica</i> , <b>2016</b> , 102, 869-875	1.5	7
22	Slow sound in a duct, effective transonic flows, and analog black holes. <i>Physical Review D</i> , <b>2015</b> , 92,	4.9	6
21	FLUCTUATIONS OF VORTICITY AND ENTROPY AS SOURCES OF ACOUSTICAL EXERGY. <i>Journal of Sound and Vibration</i> , <b>1998</b> , 216, 521-527	3.9	6
20	Slow sound laser in lined flow ducts. <i>Journal of the Acoustical Society of America</i> , <b>2019</b> , 146, 2632	2.2	5
19	Comparison of Experiments with Stability Analysis Predictions in a Lined Flow Duct <b>2010</b> ,		4
18	Acoustical behaviour of purely reacting liners <b>2013</b> ,		3
17	Experimental study of plane wave propagation in a corrugated pipe: Linear regime of acoustic-flow interaction. <i>Journal of Sound and Vibration</i> , <b>2020</b> , 472, 115158	3.9	3
16	Effect of flow on an array of Helmholtz resonators: Is Kevlar a "magic layer"?. <i>Journal of the Acoustical Society of America</i> , <b>2020</b> , 148, 3392	2.2	3
15	Effect of back cavity configuration on performance of elastic panel acoustic liner with grazing flow. <i>Journal of Sound and Vibration</i> , <b>2021</b> , 492, 115847	3.9	3
14	Using liner surface modes in acoustic ducts to make obstacles reflectionless. <i>Scientific Reports</i> , <b>2019</b> , 9, 6981	4.9	2
13	Influence of shear flow on liner impedance computed by multimodal method <b>2016</b> ,		2
12	In-parallel resonators to increase the absorption of subwavelength acoustic absorbers in the mid-frequency range. <i>Scientific Reports</i> , <b>2019</b> , 9, 11140	4.9	2
11	Hydrodynamic instability and sound amplification over a perforated plate backed by a cavity <b>2019</b> ,		2
10	Optical Measurements of the Linear Sound-Flow Interaction above a Corrugated Plate <b>2019</b> ,		2
9	PIV Measurement of a Porous Liner in a Duct with Flow <b>2016</b> ,		1
8	Direct impedance eduction of liners from Laser Doppler Velocimetry measurements <b>2019</b> ,		1
7	Performance of the Matrix Pencil algorithm in direct impedance eduction of liners: some numerical experiments <b>2019</b> ,		1
6	Manipulating acoustic waves radiation direction using Liner surface modes <b>2018</b> ,		1

5	Compact beam liners for low frequency noise <b>2018</b> ,		1
4	Corona discharge actuator as an active sound absorber under normal and oblique incidence. <i>Acta Acustica</i> , <b>2022</b> , 6, 5	0.9	0
3	On articulated plates with micro-slits to tackle low-frequency noise. <i>Acta Acustica</i> , <b>2021</b> , 5, 31	0.9	0
2	Explicit approximation of the wavenumber for lined ducts. <i>Journal of the Acoustical Society of America</i> , <b>2018</b> , 144, EL191	2.2	
1	Linear investigation of sound-flow interaction along a corrugated plate. <i>Journal of Sound and Vibration</i> , <b>2022</b> , 117048	3.9	