## Andrzej W Pacek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1565651/publications.pdf

Version: 2024-02-01

|          |                | 933447       |                |
|----------|----------------|--------------|----------------|
| 13       | 385            | 10           | 12             |
| papers   | citations      | h-index      | g-index        |
|          |                |              |                |
|          |                |              |                |
|          |                |              |                |
| 16       | 16             | 16           | 545            |
| all docs | docs citations | times ranked | citing authors |
|          |                |              |                |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Engineering considerations on the use of liquid/liquid two-phase systems as a cell culture platform. Journal of Chemical Technology and Biotechnology, 2017, 92, 1690-1698.  | 3.2 | 12        |
| 2  | Process parameters for the high-scale production of alginate-encapsulated stem cells for storage and distribution throughout the cell therapy supply chain. Process Biochemistry, 2017, 59, 289-296.   | 3.7 | 33        |
| 3  | Dispersion of oil droplets in rotor–stator mixers: Experimental investigations and modeling. Chemical Engineering and Processing: Process Intensification, 2014, 84, 45-53.  | 3.6 | 40        |
| 4  | Catalytic Conversion of Sodium Lignosulfonate to Vanillin: Engineering Aspects. Part 1. Effects of Processing Conditions on Vanillin Yield and Selectivity. Industrial & Engineering Chemistry Research, 2013, 52, 8361-8372.  | 3.7 | 57        |
| 5  | Heat transfer coefficient of nanofluids in minichannel heat sink. , 2012, , .  |     | 1         |
| 6  | Generation of Hydrogen Gas during the Catalytic Oxidation of Sodium Lignosulfonate to Vanillin: Initial Results. Industrial & Engineering Chemistry Research, 2012, 51, 184-188.   | 3.7 | 12        |
| 7  | Flow pattern, periodicity and energy dissipation in a batch rotor–stator mixer. Chemical Engineering Research and Design, 2008, 86, 1397-1409.   | 5.6 | 86        |
| 8  | Bubble Sizes in Agitated Waterâ <sup>*</sup> Hydrophilic Organic Solvents for Heterogeneous Catalytic Reactions. Industrial & Engineering Chemistry Research, 2007, 46, 4451-4458.   | 3.7 | 11        |
| 9  | Bubble sizes in agitated solvent/reactant mixtures used in heterogeneous catalytic hydrogenation of 2-butyne-1,4-diol. Chemical Engineering Science, 2006, 61, 6765-6774.  | 3.8 | 17        |
| 10 | Fabrication by three-phase emulsification of pellicular adsorbents customised for liquid fluidised bed adsorption of bioproducts. Journal of Chemical Technology and Biotechnology, 2003, 78, 1111-1120.   | 3.2 | 26        |
| 11 | The effect of sodium caseinate concentration and processing conditions on bubble sizes and their break-up and coalescence in turbulent, batch air/aqueous dispersions at atmospheric and elevated pressures. Colloids and Surfaces B: Biointerfaces, 2003, 31, 3-11. | 5.0 | 21        |
| 12 | Fabrication and characterisation of a novel pellicular adsorbent customised for the effective fluidised bed adsorption of protein products. Biotechnology and Bioprocess Engineering, 2001, 6, 419-425.  | 2.6 | 12        |
| 13 | Study of drop and bubble sizes in a simulated mycelial fermentation broth of up to four phases. , 2000, 69, 213-221.   |     | 48        |