

Christophe Bauters

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1566056/publications.pdf>

Version: 2024-02-01

188
papers

8,376
citations

46918

47
h-index

51492

86
g-index

196
all docs

196
docs citations

196
times ranked

8528
citing authors

#	ARTICLE	IF	CITATIONS
1	Circulating Long Noncoding RNA, LIPCAR, Predicts Survival in Patients With Heart Failure. <i>Circulation Research</i> , 2014, 114, 1569-1575.	2.0	542
2	Synergistic Effect of Vascular Endothelial Growth Factor and Basic Fibroblast Growth Factor on Angiogenesis In Vivo. <i>Circulation</i> , 1995, 92, 365-371.	1.6	504
3	Local Delivery of Vascular Endothelial Growth Factor Accelerates Reendothelialization and Attenuates Intimal Hyperplasia in Balloon-Injured Rat Carotid Artery. <i>Circulation</i> , 1995, 91, 2793-2801.	1.6	417
4	Predictors of Restenosis After Coronary Stent Implantation. <i>Journal of the American College of Cardiology</i> , 1998, 31, 1291-1298.	1.2	239
5	Restenosis Rates in Diabetic Patients. <i>Circulation</i> , 1997, 96, 1454-1460.	1.6	222
6	Polymorphisms in the promoter regions of MMP-2, MMP-3, MMP-9 and MMP-12 genes as determinants of aneurysmal coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2002, 40, 43-48.	1.2	208
7	Site-specific therapeutic angiogenesis after systemic administration of vascular endothelial growth factor. <i>Journal of Vascular Surgery</i> , 1995, 21, 314-325.	0.6	197
8	Six-Month Angiographic Outcome After Successful Repeat Percutaneous Intervention for In-Stent Restenosis. <i>Circulation</i> , 1998, 97, 318-321.	1.6	175
9	Left Ventricular Remodeling After Anterior Wall Acute Myocardial Infarction in Modern Clinical Practice (from the REmodelage VEentriculaire [REVE] Study Group). <i>American Journal of Cardiology</i> , 2006, 98, 1144-1149.	0.7	167
10	Influence of diabetes mellitus on heart failure risk and outcome. <i>Cardiovascular Diabetology</i> , 2003, 2, 1.	2.7	163
11	Impact of diabetes mellitus on long-term survival in patients with congestive heart failure. <i>European Heart Journal</i> , 2004, 25, 656-662.	1.0	159
12	Therapeutic Angiogenesis Following Arterial Gene Transfer of Vascular Endothelial Growth Factor in a Rabbit Model of Hindlimb Ischemia. <i>Biochemical and Biophysical Research Communications</i> , 1996, 227, 628-635.	1.0	157
13	Hypercholesterolemia Attenuates Angiogenesis but Does Not Preclude Augmentation by Angiogenic Cytokines. <i>Circulation</i> , 1997, 96, 2667-2674.	1.6	155
14	Coronary Angioscopic Findings in the Infarct-Related Vessel Within 1 Month of Acute Myocardial Infarction. <i>Circulation</i> , 1998, 97, 26-33.	1.6	150
15	D Allele of the Angiotensin Converting Enzyme Is a Major Risk Factor for Restenosis After Coronary Stenting. <i>Circulation</i> , 1997, 96, 56-60.	1.6	127
16	B-type natriuretic peptide and peak exercise oxygen consumption provide independent information for risk stratification in patients with stable congestive heart failure. <i>Journal of the American College of Cardiology</i> , 2004, 43, 1584-1589.	1.2	122
17	Patency of Percutaneous Transluminal Coronary Angioplasty Sites at 6-Month Angiographic Follow-Up. <i>Circulation</i> , 2001, 103, 1218-1224.	1.6	113
18	Association between beta-1 and beta-2 adrenergic receptor gene polymorphisms and the response to beta-blockade in patients with stable congestive heart failure. <i>Pharmacogenetics and Genomics</i> , 2005, 15, 137-142.	0.7	113

#	ARTICLE	IF	CITATIONS
19	effects of coronary stenting on vessel patency and long-term clinical outcome after percutaneous coronary revascularization in diabetic patients. <i>Journal of the American College of Cardiology</i> , 2002, 40, 410-417.	1.2	112
20	The Angiotensin II Type 1 Receptor Gene Polymorphism Is Associated With Coronary Artery Vasoconstriction. <i>Journal of the American College of Cardiology</i> , 1997, 29, 486-490.	1.2	107
21	Recovery of Disturbed Endothelium-Dependent Flow in the Collateral-Perfused Rabbit Ischemic Hindlimb After Administration of Vascular Endothelial Growth Factor. <i>Circulation</i> , 1995, 91, 2802-2809.	1.6	106
22	Preclinical Development of a MicroRNA-Based Therapy for Elderly Patients With Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1557-1571.	1.2	99
23	Percutaneous transluminal coronary rotary ablation with Rotablator (European experience). <i>American Journal of Cardiology</i> , 1992, 69, 470-474.	0.7	94
24	Circulating miR-133a and miR-423-5p fail as biomarkers for left ventricular remodeling after myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 168, 1837-1840.	0.8	94
25	Effect of ACE inhibitors on angiographic restenosis after coronary stenting (PARIS): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2001, 357, 1321-1324.	6.3	93
26	Incidence, Source, Determinants, and Prognostic Impact of Major Bleeding in Outpatients With Stable Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2014, 64, 1430-1436.	1.2	91
27	Prognosis of Patients With Stable Coronary Artery Disease (from the CORONOR Study). <i>American Journal of Cardiology</i> , 2014, 113, 1142-1145.	0.7	88
28	Usefulness of Serial Assessment of B-Type Natriuretic Peptide, Troponin I, and C-Reactive Protein to Predict Left Ventricular Remodeling After Acute Myocardial Infarction (from the REVE-2 Study). <i>American Journal of Cardiology</i> , 2010, 106, 1410-1416.	0.7	84
29	Right Ventricular Systolic Function in Organic Mitral Regurgitation. <i>Circulation</i> , 2013, 127, 1597-1608.	1.6	83
30	Restenosis, late vessel occlusion and left ventricular function six months after balloon angioplasty in diabetic patients. <i>Journal of the American College of Cardiology</i> , 1999, 34, 476-485.	1.2	82
31	Left Ventricular Abnormal Response During Dynamic Exercise in Patients With Heart Failure and Preserved Left Ventricular Ejection Fraction at Rest. <i>Journal of Cardiac Failure</i> , 2008, 14, 475-480.	0.7	82
32	Two-year outcome of patients after a first hospitalization for heart failure: A national observational study. <i>Archives of Cardiovascular Diseases</i> , 2014, 107, 158-168.	0.7	81
33	Prognostic impact of matrix metalloproteinase gene polymorphisms in patients with heart failure according to the aetiology of left ventricular systolic dysfunction. <i>European Heart Journal</i> , 2004, 25, 688-693.	1.0	80
34	Characterisation of peripartum cardiomyopathy by cardiac magnetic resonance imaging. <i>European Radiology</i> , 2008, 18, 2765-2769.	2.3	79
35	Long-Term Functional and Clinical Follow-Up of Patients With Heart Failure With Recovered Left Ventricular Ejection Fraction After β -Blocker Therapy. <i>Circulation: Heart Failure</i> , 2014, 7, 434-439.	1.6	78
36	High-sensitivity C-reactive protein: potential adjunct for risk stratification in patients with stable congestive heart failure. <i>European Heart Journal</i> , 2005, 26, 2245-2250.	1.0	76

#	ARTICLE	IF	CITATIONS
37	Five-Year Risk of Major Ischemic and Hemorrhagic Events After Intracerebral Hemorrhage. <i>Stroke</i> , 2019, 50, 1100-1107.	1.0	74
38	First hospitalization for heart failure in France in 2009: Patient characteristics and 30-day follow-up. <i>Archives of Cardiovascular Diseases</i> , 2013, 106, 570-585.	0.7	65
39	Discordant results of visual and quantitative estimates of stenosis severity before and after coronary angioplasty. <i>Catheterization and Cardiovascular Diagnosis</i> , 1993, 28, 1-6.	0.7	64
40	Role of nitric oxide in restenosis after experimental balloon angioplasty in the hypercholesterolemic rabbit: effects on neointimal hyperplasia and vascular remodeling. <i>Journal of the American College of Cardiology</i> , 1999, 33, 876-882.	1.2	63
41	Prevalence and Determinants of Cognitive Impairment in Chronic Heart Failure Patients. <i>Congestive Heart Failure</i> , 2007, 13, 205-208.	2.0	58
42	The impact of beta-adrenoreceptor gene polymorphisms on survival in patients with congestive heart failure*. <i>European Journal of Heart Failure</i> , 2005, 7, 966-973.	2.9	57
43	Usefulness of Circulating Biomarkers for the Prediction of Left Ventricular Remodeling After Myocardial Infarction. <i>American Journal of Cardiology</i> , 2012, 110, 277-283.	0.7	55
44	Myocardial asynchronism is a determinant of changes in functional mitral regurgitation severity during dynamic exercise in patients with chronic heart failure due to severe left ventricular systolic dysfunction. <i>European Heart Journal</i> , 2006, 27, 679-683.	1.0	54
45	Functional Impairment of Von Willebrand Factor in Hypertrophic Cardiomyopathy. <i>Circulation</i> , 2008, 118, 1550-1557.	1.6	54
46	Relation of Coronary Angioscopic Findings at Coronary Angioplasty to Angiographic Restenosis. <i>Circulation</i> , 1995, 92, 2473-2479.	1.6	48
47	Clinical characteristics and angiographic follow-up of patients undergoing early or late repeat dilation for a first restenosis. <i>Journal of the American College of Cardiology</i> , 1992, 20, 845-848.	1.2	47
48	Impact of high loading and maintenance dose of clopidogrel within the first 15 days after percutaneous coronary intervention on patient outcome. <i>American Heart Journal</i> , 2009, 157, 375-382.	1.2	45
49	The French randomized optimal stenting trial: a prospective evaluation of provisional stenting guided by coronary velocity reserve and quantitative coronary angiography. <i>Journal of the American College of Cardiology</i> , 2000, 36, 404-409.	1.2	44
50	Prognostic significance of circulating levels of angiogenic cytokines in patients with congestive heart failure. <i>American Heart Journal</i> , 2005, 150, 137-143.	1.2	44
51	Vitamin K antagonists with or without long-term antiplatelet therapy in outpatients with stable coronary artery disease and atrial fibrillation: Association with ischemic and bleeding events. <i>Clinical Cardiology</i> , 2017, 40, 932-939.	0.7	43
52	Relation Between the Deletion Polymorphism of the Angiotensin-Converting Enzyme Gene and Late Luminal Narrowing After Coronary Angioplasty. <i>Circulation</i> , 1995, 92, 296-299.	1.6	43
53	Right ventricular systolic function for risk stratification in patients with stable left ventricular systolic dysfunction: comparison of radionuclide angiography to echoDoppler parameters. <i>European Heart Journal</i> , 2012, 33, 2672-2679.	1.0	42
54	Local Lesion-Related Factors and Restenosis After Coronary Angioplasty. <i>Circulation</i> , 1995, 91, 968-972.	1.6	42

#	ARTICLE	IF	CITATIONS
55	Enhanced Monocyte Tissue Factor Response After Experimental Balloon Angioplasty in Hypercholesterolemic Rabbit: Inhibition With Dietary L-Arginine. <i>Circulation</i> , 1998, 98, 1776-1782.	1.6	41
56	Coronary Thrombosis and Myocardial Bridging. <i>Circulation</i> , 2002, 105, 130-130.	1.6	39
57	Serum MMP-8: A Novel Indicator of Left Ventricular Remodeling and Cardiac Outcome in Patients after Acute Myocardial Infarction. <i>PLoS ONE</i> , 2013, 8, e71280.	1.1	39
58	Accumulation of Fetal Fibronectin mRNAs After Balloon Denudation of Rabbit Arteries. <i>Circulation</i> , 1995, 92, 904-911.	1.6	38
59	A systematic review and meta-regression of temporal trends in the excess mortality associated with diabetes mellitus after myocardial infarction. <i>International Journal of Cardiology</i> , 2016, 217, 109-121.	0.8	37
60	Stress hyperglycaemia is an independent predictor of left ventricular remodelling after first anterior myocardial infarction in non-diabetic patients. <i>European Heart Journal</i> , 2006, 28, 546-552.	1.0	36
61	The effects of β -blockers in patients with stable chronic heart failure. Predictors of left ventricular ejection fraction improvement and impact on prognosis. <i>American Heart Journal</i> , 2007, 154, 589-595.	1.2	36
62	Incident Myocardial Infarction and Very Late Stent Thrombosis in Outpatients With Stable Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2149-2156.	1.2	35
63	Extracellular Matrix Turnover Biomarkers Predict Long-Term Left Ventricular Remodeling After Myocardial Infarction. <i>Circulation: Heart Failure</i> , 2013, 6, 1199-1205.	1.6	34
64	MicroRNAs regulating superoxide dismutase 2 are new circulating biomarkers of heart failure. <i>Scientific Reports</i> , 2017, 7, 14747.	1.6	32
65	Basic Fibroblast Growth Factor Restores Endothelium-Dependent Responses After Balloon Injury of Rabbit Arteries. <i>Circulation</i> , 1996, 93, 18-22.	1.6	32
66	Effects of Coronary Stenting on Restenosis and Occlusion After Angioplasty of the Culprit Vessel in Patients With Recent Myocardial Infarction. <i>Circulation</i> , 1997, 96, 2854-2858.	1.6	32
67	Dual Determination of Angiotensin-Converting Enzyme and Angiotensin-II Type 1 Receptor Genotypes as Predictors of Restenosis After Coronary Angioplasty. <i>American Journal of Cardiology</i> , 1998, 81, 79-81.	0.7	31
68	Deep plasma proteomic analysis of patients with left ventricular remodeling after a first myocardial infarction. <i>Proteomics - Clinical Applications</i> , 2010, 4, 654-673.	0.8	31
69	Effects of Stenting of Recent or Chronic Coronary Occlusions on Late Vessel Patency and Left Ventricular Function. <i>American Journal of Cardiology</i> , 1997, 80, 1150-1154.	0.7	30
70	Exercise does not enhance the prognostic value of Doppler echocardiography in patients with left ventricular systolic dysfunction and functional mitral regurgitation at rest. <i>American Heart Journal</i> , 2008, 155, 752-757.	1.2	30
71	Decreased Serine207 phosphorylation of troponin T as a biomarker for left ventricular remodelling after myocardial infarction. <i>European Heart Journal</i> , 2011, 32, 115-123.	1.0	30
72	Long-term risk and predictors of cardiovascular death in stable coronary artery disease. <i>Coronary Artery Disease</i> , 2017, 28, 636-641.	0.3	30

#	ARTICLE	IF	CITATIONS
73	Two-pronged antiplatelet therapy with aspirin and ticlopidine without systemic anticoagulation. <i>Coronary Artery Disease</i> , 1995, 6, 341-346.	0.3	29
74	Serum hepatocyte growth factor levels predict long-term clinical outcome after percutaneous coronary revascularization. <i>European Heart Journal</i> , 2005, 26, 2387-2395.	1.0	29
75	Prognostic impact of Å-blocker use in patients with stable coronary artery disease. <i>Heart</i> , 2014, 100, 1757-1761.	1.2	29
76	Long-term prognostic impact of left ventricular remodeling after a first myocardial infarction in modern clinical practice. <i>PLoS ONE</i> , 2017, 12, e0188884.	1.1	29
77	Angiographically Documented Late Reocclusion After Successful Coronary Angioplasty of an Infarct-Related Lesion Is a Powerful Predictor of Long-Term Mortality. <i>Circulation</i> , 1999, 99, 2243-2250.	1.6	28
78	The impact of the AMPD1 gene polymorphism on exercise capacity, other prognostic parameters, and survival in patients with stable congestive heart failure: A study in 686 consecutive patients. <i>American Heart Journal</i> , 2006, 152, 736-741.	1.2	28
79	A prospective evaluation of left ventricular remodeling after inaugural anterior myocardial infarction as a function of gene polymorphisms in the renin-angiotensin-aldosterone, adrenergic, and metalloproteinase systems. <i>American Heart Journal</i> , 2007, 153, 641-648.	1.2	27
80	Predicting left ventricular remodeling after a first myocardial infarction by plasma proteome analysis. <i>Proteomics</i> , 2008, 8, 1798-1808.	1.3	27
81	Hybrid revascularization, comprising coronary artery bypass graft with exclusive arterial conduits followed by early drug-eluting stent implantation, in multivessel coronary artery disease. <i>Archives of Cardiovascular Diseases</i> , 2010, 103, 502-511.	0.7	27
82	Beta-adrenergic receptor blockade and the angiotensin-converting enzyme deletion polymorphism in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2004, 6, 17-21.	2.9	26
83	Prognostic importance of tissue Doppler-derived diastolic function in patients presenting with acute coronary syndrome: a bedside echocardiographic study. <i>European Journal of Echocardiography</i> , 2008, 9, 594-598.	2.3	26
84	Restenosis After Delayed Coronary Angioplasty of the Culprit Vessel in Patients With a Recent Myocardial Infarction Treated by Thrombolysis. <i>Circulation</i> , 1995, 91, 1410-1418.	1.6	26
85	High incidence of recurrent in stent thrombosis after successful treatment of a first in stent thrombosis. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 72, 470-478.	0.7	25
86	Poor agreement between light transmission aggregometry, Verify Now P2Y12 and vasodilator-stimulated phosphoprotein for clopidogrel low-response assessment: A potential explanation of negative results of recent randomized trials. <i>Platelets</i> , 2014, 25, 499-505.	1.1	25
87	Copeptin in acute coronary syndromes and heart failure management: State of the art and future directions. <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 398-407.	0.7	25
88	Paraoxonase Polymorphism (Gln192Arg) as a Determinant of the Response of Human Coronary Arteries to Serotonin. <i>Circulation</i> , 2000, 101, 740-743.	1.6	24
89	Aspirin Does Not Adversely Affect Survival in Patients With Stable Congestive Heart Failure Treated With Angiotensin-Converting Enzyme Inhibitors. <i>Chest</i> , 2003, 124, 1250-1258.	0.4	24
90	Cardiovascular proteomics: Translational studies to develop novel biomarkers in heart failure and left ventricular remodeling. <i>Proteomics - Clinical Applications</i> , 2011, 5, 57-66.	0.8	24

#	ARTICLE	IF	CITATIONS
91	Cardiac remodeling and heart failure after a first anterior myocardial infarction in patients with diabetes mellitus. <i>Journal of Cardiovascular Medicine</i> , 2012, 13, 353-359.	0.6	24
92	First Hospitalization for Heart Failure in Outpatients With Stable Coronary Artery Disease: Determinants, Role of Incident Myocardial Infarction, and Prognosis. <i>Journal of Cardiac Failure</i> , 2018, 24, 815-822.	0.7	24
93	Heart omics™ in AGEing (HOMAGE): design, research objectives and characteristics of the common database. <i>Journal of Biomedical Research</i> , 2014, 28, 349.	0.7	24
94	Use of human tissue specimens obtained by directional atherectomy to study restenosis. <i>Trends in Cardiovascular Medicine</i> , 1994, 4, 213-221.	2.3	22
95	Basic Fibroblast Growth Factor Increases Tissue Factor Expression in Circulating Monocytes and in Vascular Wall. <i>Circulation</i> , 2000, 101, 2000-2006.	1.6	22
96	Preprocedural high-sensitivity C-reactive protein predicts death or myocardial infarction but not target vessel revascularization or stent thrombosis after percutaneous coronary intervention. <i>Cardiovascular Revascularization Medicine</i> , 2009, 10, 144-150.	0.3	21
97	Expression and Implication of Clusterin in Left Ventricular Remodeling After Myocardial Infarction. <i>Circulation: Heart Failure</i> , 2018, 11, e004838.	1.6	21
98	Circulating proteomic signature of early death in heart failure patients with reduced ejection fraction. <i>Scientific Reports</i> , 2019, 9, 19202.	1.6	21
99	Left ventricular remodeling is associated with the severity of mitral regurgitation after inaugural anterior myocardial infarction—Optimal timing for echocardiographic imaging. <i>American Heart Journal</i> , 2008, 155, 959-965.	1.2	20
100	Circulating levels of hepatocyte growth factor and left ventricular remodelling after acute myocardial infarction (from the REVE-2 study). <i>European Journal of Heart Failure</i> , 2011, 13, 1314-1322.	2.9	20
101	Additional diagnostic value of new CT imaging techniques for the functional assessment of coronary artery disease: a meta-analysis. <i>European Radiology</i> , 2019, 29, 3044-3061.	2.3	20
102	Association of Mortality With Aortic Stenosis Severity in Outpatients. <i>JAMA Cardiology</i> , 2021, 6, 1424.	3.0	20
103	Cardiac Correlates of Exercise Induced Pulmonary Hypertension in Patients with Chronic Heart Failure Due to Left Ventricular Systolic Dysfunction. <i>Echocardiography</i> , 2008, 25, 386-393.	0.3	18
104	Is hormonal activation during exercise useful for risk stratification in patients with moderate congestive heart failure?. <i>American Heart Journal</i> , 2004, 148, 349-355.	1.2	17
105	Relation of Admission White Blood Cell Count to Left Ventricular Remodeling After Anterior Wall Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2007, 100, 182-184.	0.7	17
106	ACE Inhibition Accelerates Endothelial Regrowth in Vivo: A Possible Explanation for the Benefit Observed with ACE Inhibitors Following Arterial Injury. <i>Biochemical and Biophysical Research Communications</i> , 1997, 231, 577-581.	1.0	16
107	Prospective Aortic Screening in Men With Coronary Aneurysms. <i>Journal of the American College of Cardiology</i> , 2006, 47, 1227-1229.	1.2	15
108	Multimarker Proteomic Profiling for the Prediction of Cardiovascular Mortality in Patients with Chronic Heart Failure. <i>PLoS ONE</i> , 2015, 10, e0119265.	1.1	15

#	ARTICLE	IF	CITATIONS
109	Intramural Injection of Biodegradable Microspheres as a Local Drug-Delivery System to Inhibit Neointimal Thickening in a Rabbit Model of Balloon Angioplasty. <i>Journal of Cardiovascular Pharmacology</i> , 1998, 31, 513-519.	0.8	15
110	951-73 Combined Antiplatelet Therapy without Anticoagulation: An Effective Alternative to Prevent Subacute Thrombosis After Coronary Stenting? A 3 Month Follow-up. <i>Journal of the American College of Cardiology</i> , 1995, 25, 197A.	1.2	14
111	ACE Polymorphism, a Genetic Predictor of Occlusion After Coronary Angioplasty. <i>American Journal of Cardiology</i> , 1996, 78, 679-681.	0.7	14
112	Six-month quantitative angiographic follow-up of <50% diameter stenoses dilated during multilesion percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1993, 71, 1226-1229.	0.7	12
113	Protective Effects of Basic Fibroblast Growth Factor in Early Atherosclerosis. <i>Growth Factors</i> , 2004, 22, 157-167.	0.5	12
114	The effect of ageing on cardiac remodelling and hospitalization for heart failure after an inaugural anterior myocardial infarction. <i>European Heart Journal</i> , 2008, 29, 1992-1999.	1.0	12
115	Late recovery in left ventricular systolic function after discharge of patients with a first anterior myocardial infarction. <i>Archives of Cardiovascular Diseases</i> , 2010, 103, 538-545.	0.7	12
116	Cytomegalovirus Infection and Coronary Restenosis. <i>Circulation</i> , 1999, 99, 1278-1279.	1.6	11
117	Strategy for purification and mass spectrometry identification of SELDI peaks corresponding to low-abundance plasma and serum proteins. <i>Journal of Proteomics</i> , 2011, 74, 420-430.	1.2	11
118	Screening for asymptomatic coronary artery disease in patients with diabetes mellitus: A systematic review and meta-analysis of randomized trials. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 90.	0.7	11
119	Association of Diabetic Status and Glycemic Control With Ischemic and Bleeding Outcomes in Patients With Stable Coronary Artery Disease: The 5-year CORONOR Registry. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	10
120	Increased clusterin levels after myocardial infarction is due to a defect in protein degradation systems activity. <i>Cell Death and Disease</i> , 2019, 10, 608.	2.7	10
121	Association of OAZ1 Gene Polymorphisms With Subclinical and Clinical Vascular Events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 2120-2126.	1.1	9
122	Association of Ornithine Transcarbamylase Gene Polymorphisms With Hypertension and Coronary Artery Vasomotion. <i>American Journal of Hypertension</i> , 2009, 22, 993-1000.	1.0	9
123	Circulating levels of soluble Fas ligand and left ventricular remodeling after acute myocardial infarction (from the REVE-2 study). <i>Journal of Cardiology</i> , 2012, 60, 93-97.	0.8	9
124	Integrative System Biology Analyses Identify Seven MicroRNAs to Predict Heart Failure. <i>Non-coding RNA</i> , 2019, 5, 22.	1.3	9
125	Dose-Response Curve of Angiographically Smooth Human Epicardial Vessel Segments to Intracoronary Injections of Isosorbide Dinitrate. <i>Journal of Cardiovascular Pharmacology</i> , 1992, 20, 473-478.	0.8	8
126	Effect of balloon inflation in angiographically normal coronary segments during coronary angiography: A quantitative angiographic study. <i>Catheterization and Cardiovascular Diagnosis</i> , 1994, 31, 116-121.	0.7	8

#	ARTICLE	IF	CITATIONS
127	Clopidogrel Use as Single Antiplatelet Therapy in Outpatients with Stable Coronary Artery Disease: Prevalence, Correlates and Association with Prognosis (from the CORONOR Study). <i>Cardiology</i> , 2016, 134, 11-18.	0.6	8
128	Reaching low-density lipoprotein cholesterol treatment targets in stable coronary artery disease: Determinants and prognostic impact. <i>Archives of Cardiovascular Diseases</i> , 2018, 111, 634-643.	0.7	8
129	Secondary prevention and outcomes in outpatients with coronary artery disease, atrial fibrillation or heart failure: a focus on disease overlap. <i>Open Heart</i> , 2020, 7, e001165.	0.9	8
130	Growth Factors as a Potential New Treatment for Ischemic Heart Disease. <i>Clinical Cardiology</i> , 1997, 20, 11-52.	0.7	7
131	Myocardial metastasis of a bronchial carcinoid. <i>European Heart Journal</i> , 2007, 28, 391-391.	1.0	7
132	The impact of the AMPD1 gene polymorphism on exercise capacity, other prognostic parameters, and survival in patients with stable congestive heart failure. A study on 686 consecutive patients. <i>American Heart Journal</i> , 2007, 153, e15.	1.2	7
133	Secondary medical prevention and clinical outcome in coronary artery disease patients with a history of non-coronary vascular intervention: A report from the CORONOR investigators. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 864-871.	0.8	7
134	Prevalence and correlates of non-optimal secondary medical prevention in patients with stable coronary artery disease. <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 340-346.	0.7	7
135	Incidence and determinants of cerebrovascular events in outpatients with stable coronary artery disease. <i>European Stroke Journal</i> , 2018, 3, 272-280.	2.7	7
136	Elective Coronary Revascularization Procedures in Patients With Stable Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 868-875.	1.1	7
137	Proposal for a standardized discharge letter after hospital stay for acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 788-801.	0.4	7
138	Effect of aspirin in addition to oral anticoagulants in stable coronary artery disease outpatients with an indication for anticoagulation. <i>Panminerva Medica</i> , 2016, 58, 271-285.	0.2	7
139	Prevention of Restenosis. <i>Trends in Cardiovascular Medicine</i> , 1997, 7, 90-94.	2.3	6
140	Dual antiplatelet therapy in patients with stable coronary artery disease in modern practice: Prevalence, correlates, and impact on prognosis (from the Suivi d'une cohorte de patients)	0.2	6
141	Dual antiplatelet therapy in patients with a long coronary artery lesion over 30mm: Determinants and impact on prognosis. <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 235-243.	0.7	6
142	Angiotensin II receptor blockers versus angiotensin-converting enzyme inhibitors in patients with stable coronary artery disease: Prevalence, correlates, and prognostic impact (from the CORONOR)	0.2	6
143	Clinical significance of myocardial work parameters after acute myocardial infarction. <i>European Heart Journal Open</i> , 2022, 2, .	0.9	6
144	Diabetes mellitus and cardiovascular mortality across the spectrum of aortic stenosis. <i>Heart</i> , 2022, 108, 1815-1821.	1.2	6

#	ARTICLE	IF	CITATIONS
145	An unusual case of papillary fibroelastoma invading the mitral valve. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006, 132, 1472-1473.	0.4	5
146	New technologies, new therapies: toward personalized medicine in heart failure patients?. <i>European Heart Journal</i> , 2013, 34, 636-637.	1.0	5
147	Practice Patterns for Outpatients With Stable Coronary Artery Disease: A Case Vignette-based Survey Among French Cardiologists. <i>EBioMedicine</i> , 2015, 2, 1662-1668.	2.7	5
148	Accuracy of cardiac magnetic resonance imaging to rule out significant coronary artery disease in patients with systolic heart failure of unknown aetiology: Single-centre experience and comprehensive meta-analysis. <i>Archives of Cardiovascular Diseases</i> , 2018, 111, 686-701.	0.7	5
149	Relative prognostic value of clinical, exercise, and angiographic data after a first myocardial infarction. <i>Coronary Artery Disease</i> , 1993, 4, 727-736.	0.3	4
150	The consensus is clearly needed for the definition of stress hyperglycaemia in acute myocardial infarction: reply. <i>European Heart Journal</i> , 2007, 28, 2042-2043.	1.0	4
151	Impact of thrombus aspiration use and direct stenting on final myocardial blush score in patients presenting with ST-elevation myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2010, 11, 149-154.	0.3	4
152	White blood cell and peripheral blood mononuclear cell counts for the prediction of left ventricular remodeling after myocardial infarction. <i>Journal of Cardiology</i> , 2011, 58, 197-198.	0.8	4
153	Effect of left ventricular systolic dysfunction on secondary medical prevention and clinical outcome in stable coronary artery disease patients. <i>Archives of Cardiovascular Diseases</i> , 2017, 110, 35-41.	0.7	4
154	Echocardiographic diastolic function evolution in patients with an anterior Q-wave myocardial infarction: insights from the REVE study. <i>ESC Heart Failure</i> , 2019, 6, 70-79.	1.4	4
155	Real-Life Incident Atrial Fibrillation in Outpatients with Coronary Artery Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 2367.	1.0	4
156	Polyarteritis nodosa-related coronary aneurysms. <i>Journal of Rheumatology</i> , 2008, 35, 933-4.	1.0	4
157	Antithrombotic therapy in diabetic patients with coronary artery disease. <i>Panminerva Medica</i> , 2015, 57, 87-99.	0.2	4
158	Prognostic value of changes in R-wave amplitude during exercise testing after a first acute myocardial infarction. <i>American Journal of Cardiology</i> , 1992, 70, 152-155.	0.7	3
159	Angiotensin Converting Enzyme and Angiotensin II Type 1 Receptor Polymorphisms in Patients with Coronary Aneurysms. <i>Thrombosis Journal</i> , 2003, 1, 5.	0.9	3
160	Incidence, determinants and consequences of left atrial remodelling after a first anterior myocardial infarction. <i>Archives of Cardiovascular Diseases</i> , 2012, 105, 18-23.	0.7	3
161	Long-term prognostic value of preprocedural adiponectin levels in patients undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2013, 168, 4921-4924.	0.8	3
162	Integrative network analysis reveals time-dependent molecular events underlying left ventricular remodeling in post-myocardial infarction patients. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 1445-1453.	1.8	3

#	ARTICLE	IF	CITATIONS
163	Simple risk models to predict cardiovascular death in patients with stable coronary artery disease. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021, 7, 287-294.	1.8	3
164	Relative Importance of Heart Failure Events Compared to Stroke and Bleeding in AF Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 923.	1.0	3
165	Compared impact of diabetes on the risk of heart failure from acute myocardial infarction to chronic coronary artery disease. <i>Diabetes and Metabolism</i> , 2022, 48, 101265.	1.4	3
166	Relative impact of bleedings over ischaemic events in patients with heart failure: insights from the CARDIONOR registry. <i>ESC Heart Failure</i> , 2020, 7, 3821-3829.	1.4	3
167	Long term risk/benefit of PTCA of infarct related vessel. <i>Journal of the American College of Cardiology</i> , 1991, 17, A266.	1.2	2
168	Nature of coronary disease in patients with insulin resistance and its impact on revascularization strategies. <i>Coronary Artery Disease</i> , 2005, 16, 481-487.	0.3	2
169	Dosing Strategies for Antiplatelet Therapy in Percutaneous Coronary Intervention. <i>Hospital Practice (1995)</i> , 2010, 38, 50-58.	0.5	2
170	MicroRNAs as Circulating Biomarkers of Left Ventricular Remodeling after Myocardial Infarction. <i>Cardiology</i> , 2016, 133, 262-263.	0.6	2
171	Letter by Pinet et al Regarding Article, "Comparative Analysis of Circulating Noncoding RNAs Versus Protein Biomarkers in the Detection of Myocardial Injury" <i>Circulation Research</i> , 2019, 125, e20-e21.	2.0	2
172	Apolipoprotein Proteomic Profiling for the Prediction of Cardiovascular Death in Patients with Heart Failure. <i>Proteomics - Clinical Applications</i> , 2020, 14, 2000035.	0.8	2
173	Gender differences in clinical characteristics, medical management, risk factor control, and long-term outcome of patients with stable coronary artery disease: from the CORONOR registry. <i>Panminerva Medica</i> , 2020, 61, 432-438.	0.2	2
174	Rotational atherectomy "An overview. <i>Developments in Cardiovascular Medicine</i> , 1994, , 353-366.	0.1	2
175	Gene Polymorphisms and Outcome After Coronary Angioplasty. <i>Current Interventional Cardiology Reports</i> , 2001, 3, 281-286.	0.4	2
176	Angioplasty in the diabetic patient. <i>Journal of Invasive Cardiology</i> , 2004, 16, 23-7.	0.4	2
177	Restenotic process and DD genotype after angiotensin-converting enzyme inhibitor treatment. <i>Lancet, The</i> , 2001, 358, 758-759.	6.3	1
178	Left Ventricular Remodeling and Heart Failure After Myocardial Infarction in Elderly Patients. <i>American Journal of Cardiology</i> , 2010, 105, 903-904.	0.7	1
179	Prospective assessment of multiple cardiac papillary fibroelastomas. <i>International Journal of Cardiology</i> , 2010, 145, 319-320.	0.8	1
180	Impact of initial clinical presentation on clopidogrel low response. <i>Archives of Cardiovascular Diseases</i> , 2013, 106, 593-600.	0.7	1

#	ARTICLE	IF	CITATIONS
181	Incidence and timing of left ventricular reverse remodeling: Key information for the management of patients with new onset left ventricular systolic dysfunction. <i>International Journal of Cardiology</i> , 2016, 214, 518-519.	0.8	1
182	Evaluation of screening for myocardial ischaemia in women at cardiovascular risk. <i>Archives of Cardiovascular Diseases</i> , 2017, 110, 379-388.	0.7	1
183	Very long-term outcomes of older adults with stable coronary artery disease (from the CORONOR) Tj ETQq1 1 0.784314 rgBT /Overlo 0.3	0.3	1
184	Coronary angiography "An inner view. <i>Developments in Cardiovascular Medicine</i> , 1994, , 369-381.	0.1	1
185	High-sensitivity C-reactive protein for risk stratification in patients with heart failure. <i>American Heart Journal</i> , 2008, 155, e7.	1.2	0
186	Response to Letter Regarding Article, "Functional Impairment of von Willebrand Factor in Hypertrophic Cardiomyopathy: Relation to Rest and Exercise Obstruction"; <i>Circulation</i> , 2009, 119, .	1.6	0
187	B-type natriuretic peptide for the prediction of left ventricular remodelling. <i>Cardiovascular Journal of Africa</i> , 2014, 25, 33, 39.	0.2	0
188	Management of antithrombotics in situations with a gap in evidence: A national French survey focusing on patients with coronary artery disease and atrial fibrillation. <i>International Journal of Cardiology</i> , 2021, , .	0.8	0