

Christophe Bauters

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1566056/christophe-bauters-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183
papers

6,853
citations

44
h-index

78
g-index

196
ext. papers

7,598
ext. citations

6.4
avg, IF

5.11
L-index

#	Paper	IF	Citations
183	Circulating long noncoding RNA, LIPCAR, predicts survival in patients with heart failure. <i>Circulation Research</i> , 2014 , 114, 1569-75	15.7	448
182	Synergistic effect of vascular endothelial growth factor and basic fibroblast growth factor on angiogenesis in vivo. <i>Circulation</i> , 1995 , 92, 11365-71	16.7	432
181	Local delivery of vascular endothelial growth factor accelerates reendothelialization and attenuates intimal hyperplasia in balloon-injured rat carotid artery. <i>Circulation</i> , 1995 , 91, 2793-801	16.7	345
180	Predictors of restenosis after coronary stent implantation. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 1291-8	15.1	205
179	Polymorphisms in the promoter regions of MMP-2, MMP-3, MMP-9 and MMP-12 genes as determinants of aneurysmal coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 43-8	15.1	181
178	Site-specific therapeutic angiogenesis after systemic administration of vascular endothelial growth factor. <i>Journal of Vascular Surgery</i> , 1995 , 21, 314-24; discussion 324-5	3.5	178
177	Restenosis rates in diabetic patients: a comparison of coronary stenting and balloon angioplasty in native coronary vessels. <i>Circulation</i> , 1997 , 96, 1454-60	16.7	173
176	Left ventricular remodeling after anterior wall acute myocardial infarction in modern clinical practice (from the REmodelage VEntriculaire [REVE] study group). <i>American Journal of Cardiology</i> , 2006 , 98, 1144-9	3	152
175	Six-month angiographic outcome after successful repeat percutaneous intervention for in-stent restenosis. <i>Circulation</i> , 1998 , 97, 318-21	16.7	150
174	Therapeutic angiogenesis following arterial gene transfer of vascular endothelial growth factor in a rabbit model of hindlimb ischemia. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 227, 628-35	3.4	135
173	Impact of diabetes mellitus on long-term survival in patients with congestive heart failure. <i>European Heart Journal</i> , 2004 , 25, 656-62	9.5	134
172	Coronary angioscopic findings in the infarct-related vessel within 1 month of acute myocardial infarction: natural history and the effect of thrombolysis. <i>Circulation</i> , 1998 , 97, 26-33	16.7	128
171	Hypercholesterolemia attenuates angiogenesis but does not preclude augmentation by angiogenic cytokines. <i>Circulation</i> , 1997 , 96, 2667-74	16.7	126
170	Influence of diabetes mellitus on heart failure risk and outcome. <i>Cardiovascular Diabetology</i> , 2003 , 2, 1	8.7	125
169	B-type natriuretic peptide and peak exercise oxygen consumption provide independent information for risk stratification in patients with stable congestive heart failure. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1584-9	15.1	105
168	The angiotensin II type 1 receptor gene polymorphism is associated with coronary artery vasoconstriction. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 486-90	15.1	95
167	Patency of percutaneous transluminal coronary angioplasty sites at 6-month angiographic follow-up: A key determinant of survival in diabetics after coronary balloon angioplasty. <i>Circulation</i> , 2001 , 103, 1218-24	16.7	94

166	Association between beta-1 and beta-2 adrenergic receptor gene polymorphisms and the response to beta-blockade in patients with stable congestive heart failure. <i>Pharmacogenetics and Genomics</i> , 2005 , 15, 137-42	1.9	93
165	D allele of the angiotensin I-converting enzyme is a major risk factor for restenosis after coronary stenting. <i>Circulation</i> , 1997 , 96, 56-60	16.7	92
164	Recovery of disturbed endothelium-dependent flow in the collateral-perfused rabbit ischemic hindlimb after administration of vascular endothelial growth factor. <i>Circulation</i> , 1995 , 91, 2802-9	16.7	90
163	Effects of coronary stenting on vessel patency and long-term clinical outcome after percutaneous coronary revascularization in diabetic patients. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 410-7	15.1	89
162	Percutaneous transluminal coronary rotary ablation with Rotablator (European experience). <i>American Journal of Cardiology</i> , 1992 , 69, 470-4	3	87
161	Effect of ACE inhibitors on angiographic restenosis after coronary stenting (PARIS): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2001 , 357, 1321-4	4.0	82
160	Circulating miR-133a and miR-423-5p fail as biomarkers for left ventricular remodeling after myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 168, 1837-40	3.2	80
159	Usefulness of serial assessment of B-type natriuretic peptide, troponin I, and C-reactive protein to predict left ventricular remodeling after acute myocardial infarction (from the REVE-2 study). <i>American Journal of Cardiology</i> , 2010 , 106, 1410-6	3	77
158	Preclinical Development of a MicroRNA-Based Therapy for Elderly Patients With Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1557-71	15.1	75
157	Left ventricular abnormal response during dynamic exercise in patients with heart failure and preserved left ventricular ejection fraction at rest. <i>Journal of Cardiac Failure</i> , 2008 , 14, 475-80	3.3	73
156	Incidence, source, determinants, and prognostic impact of major bleeding in outpatients with stable coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 1430-6	15.1	72
155	Prognostic impact of matrix metalloproteinase gene polymorphisms in patients with heart failure according to the aetiology of left ventricular systolic dysfunction. <i>European Heart Journal</i> , 2004 , 25, 688-93	9.5	70
154	Prognosis of patients with stable coronary artery disease (from the CORONOR study). <i>American Journal of Cardiology</i> , 2014 , 113, 1142-5	3	69
153	Right ventricular systolic function in organic mitral regurgitation: impact of biventricular impairment. <i>Circulation</i> , 2013 , 127, 1597-608	16.7	66
152	Characterisation of peripartum cardiomyopathy by cardiac magnetic resonance imaging. <i>European Radiology</i> , 2008 , 18, 2765-9	8	66
151	Restenosis, late vessel occlusion and left ventricular function six months after balloon angioplasty in diabetic patients. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 476-85	15.1	66
150	High-sensitivity C-reactive protein: potential adjunct for risk stratification in patients with stable congestive heart failure. <i>European Heart Journal</i> , 2005 , 26, 2245-50	9.5	64
149	Two-year outcome of patients after a first hospitalization for heart failure: A national observational study. <i>Archives of Cardiovascular Diseases</i> , 2014 , 107, 158-68	2.7	60

148	Discordant results of visual and quantitative estimates of stenosis severity before and after coronary angioplasty. <i>Catheterization and Cardiovascular Diagnosis</i> , 1993 , 28, 1-6		58
147	Long-term functional and clinical follow-up of patients with heart failure with recovered left ventricular ejection fraction after Eb blocker therapy. <i>Circulation: Heart Failure</i> , 2014 , 7, 434-9	7.6	57
146	Role of nitric oxide in restenosis after experimental balloon angioplasty in the hypercholesterolemic rabbit: effects on neointimal hyperplasia and vascular remodeling. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 876-82	15.1	55
145	Myocardial asynchronism is a determinant of changes in functional mitral regurgitation severity during dynamic exercise in patients with chronic heart failure due to severe left ventricular systolic dysfunction. <i>European Heart Journal</i> , 2006 , 27, 679-83	9.5	50
144	The impact of beta-adrenoreceptor gene polymorphisms on survival in patients with congestive heart failure. <i>European Journal of Heart Failure</i> , 2005 , 7, 966-73	12.3	48
143	First hospitalization for heart failure in France in 2009: patient characteristics and 30-day follow-up. <i>Archives of Cardiovascular Diseases</i> , 2013 , 106, 570-85	2.7	46
142	Usefulness of circulating biomarkers for the prediction of left ventricular remodeling after myocardial infarction. <i>American Journal of Cardiology</i> , 2012 , 110, 277-83	3	45
141	Prevalence and determinants of cognitive impairment in chronic heart failure patients. <i>Congestive Heart Failure</i> , 2007 , 13, 205-8		45
140	Clinical characteristics and angiographic follow-up of patients undergoing early or late repeat dilation for a first restenosis. <i>Journal of the American College of Cardiology</i> , 1992 , 20, 845-8	15.1	44
139	Impact of high loading and maintenance dose of clopidogrel within the first 15 days after percutaneous coronary intervention on patient outcome. <i>American Heart Journal</i> , 2009 , 157, 375-82	4.9	42
138	Functional impairment of von Willebrand factor in hypertrophic cardiomyopathy: relation to rest and exercise obstruction. <i>Circulation</i> , 2008 , 118, 1550-7	16.7	42
137	Five-Year Risk of Major Ischemic and Hemorrhagic Events After Intracerebral Hemorrhage. <i>Stroke</i> , 2019 , 50, 1100-1107	6.7	41
136	The French Randomized Optimal Stenting Trial: a prospective evaluation of provisional stenting guided by coronary velocity reserve and quantitative coronary angiography. F.R.O.S.T. Study Group. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 404-9	15.1	39
135	Enhanced monocyte tissue factor response after experimental balloon angioplasty in hypercholesterolemic rabbit: inhibition with dietary L-arginine. <i>Circulation</i> , 1998 , 98, 1776-82	16.7	39
134	Relation of coronary angioscopic findings at coronary angioplasty to angiographic restenosis. <i>Circulation</i> , 1995 , 92, 2473-9	16.7	39
133	Right ventricular systolic function for risk stratification in patients with stable left ventricular systolic dysfunction: comparison of radionuclide angiography to echoDoppler parameters. <i>European Heart Journal</i> , 2012 , 33, 2672-9	9.5	37
132	Local lesion-related factors and restenosis after coronary angioplasty. Evidence from a quantitative angiographic study in patients with unstable angina undergoing double-vessel angioplasty. <i>Circulation</i> , 1995 , 91, 968-72	16.7	35
131	Prognostic significance of circulating levels of angiogenic cytokines in patients with congestive heart failure. <i>American Heart Journal</i> , 2005 , 150, 137-43	4.9	34

130	The effects of beta-blockers in patients with stable chronic heart failure. Predictors of left ventricular ejection fraction improvement and impact on prognosis. <i>American Heart Journal</i> , 2007 , 154, 589-95	4.9	33
129	Images in cardiovascular medicine. Coronary thrombosis and myocardial bridging. <i>Circulation</i> , 2002 , 105, 130	16.7	33
128	Relation between the deletion polymorphism of the angiotensin-converting enzyme gene and late luminal narrowing after coronary angioplasty. <i>Circulation</i> , 1995 , 92, 296-9	16.7	30
127	Deep plasma proteomic analysis of patients with left ventricular remodeling after a first myocardial infarction. <i>Proteomics - Clinical Applications</i> , 2010 , 4, 654-73	3.1	28
126	Accumulation of fetal fibronectin mRNAs after balloon denudation of rabbit arteries. <i>Circulation</i> , 1995 , 92, 904-11	16.7	28
125	Incident Myocardial Infarction and Very Late Stent Thrombosis in Outpatients With Stable Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2149-2156	15.1	27
124	Extracellular matrix turnover biomarkers predict long-term left ventricular remodeling after myocardial infarction: insights from the REVE-2 study. <i>Circulation: Heart Failure</i> , 2013 , 6, 1199-205	7.6	27
123	Effects of stenting of recent or chronic coronary occlusions on late vessel patency and left ventricular function. <i>American Journal of Cardiology</i> , 1997 , 80, 1150-4	3	27
122	Predicting left ventricular remodeling after a first myocardial infarction by plasma proteome analysis. <i>Proteomics</i> , 2008 , 8, 1798-808	4.8	27
121	Angiographically documented late reocclusion after successful coronary angioplasty of an infarct-related lesion is a powerful predictor of long-term mortality. <i>Circulation</i> , 1999 , 99, 2243-50	16.7	27
120	Serum MMP-8: a novel indicator of left ventricular remodeling and cardiac outcome in patients after acute myocardial infarction. <i>PLoS ONE</i> , 2013 , 8, e71280	3.7	26
119	Dual determination of angiotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after coronary angioplasty. <i>American Journal of Cardiology</i> , 1998 , 81, 79-81	3	26
118	Stress hyperglycaemia is an independent predictor of left ventricular remodelling after first anterior myocardial infarction in non-diabetic patients. <i>European Heart Journal</i> , 2007 , 28, 546-52	9.5	26
117	A prospective evaluation of left ventricular remodeling after inaugural anterior myocardial infarction as a function of gene polymorphisms in the renin-angiotensin-aldosterone, adrenergic, and metalloproteinase systems. <i>American Heart Journal</i> , 2007 , 153, 641-8	4.9	26
116	Serum hepatocyte growth factor levels predict long-term clinical outcome after percutaneous coronary revascularization. <i>European Heart Journal</i> , 2005 , 26, 2387-95	9.5	26
115	Effects of coronary stenting on restenosis and occlusion after angioplasty of the culprit vessel in patients with recent myocardial infarction. <i>Circulation</i> , 1997 , 96, 2854-8	16.7	26
114	Vitamin K antagonists with or without long-term antiplatelet therapy in outpatients with stable coronary artery disease and atrial fibrillation: Association with ischemic and bleeding events. <i>Clinical Cardiology</i> , 2017 , 40, 932-939	3.3	25
113	Exercise does not enhance the prognostic value of Doppler echocardiography in patients with left ventricular systolic dysfunction and functional mitral regurgitation at rest. <i>American Heart Journal</i> , 2008 , 155, 752-7	4.9	25

112	A systematic review and meta-regression of temporal trends in the excess mortality associated with diabetes mellitus after myocardial infarction. <i>International Journal of Cardiology</i> , 2016 , 217, 109-213 ^{3.2}	24
111	Hybrid revascularization, comprising coronary artery bypass graft with exclusive arterial conduits followed by early drug-eluting stent implantation, in multivessel coronary artery disease. <i>Archives of Cardiovascular Diseases</i> , 2010 , 103, 502-11	2.7 24
110	Prognostic importance of tissue Doppler-derived diastolic function in patients presenting with acute coronary syndrome: a bedside echocardiographic study. <i>European Journal of Echocardiography</i> , 2008 , 9, 594-8	24
109	Beta-adrenergic receptor blockade and the angiotensin-converting enzyme deletion polymorphism in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2004 , 6, 17-21	12.3 24
108	Basic fibroblast growth factor restores endothelium-dependent responses after balloon injury of rabbit arteries. <i>Circulation</i> , 1996 , 93, 18-22	16.7 24
107	Long-term risk and predictors of cardiovascular death in stable coronary artery disease: the CORONOR study. <i>Coronary Artery Disease</i> , 2017 , 28, 636-641	1.4 23
106	MicroRNAs regulating superoxide dismutase 2 are new circulating biomarkers of heart failure. <i>Scientific Reports</i> , 2017 , 7, 14747	4.9 23
105	Decreased serine207 phosphorylation of troponin T as a biomarker for left ventricular remodelling after myocardial infarction. <i>European Heart Journal</i> , 2011 , 32, 115-23	9.5 23
104	Aspirin does not adversely affect survival in patients with stable congestive heart failure treated with Angiotensin-converting enzyme inhibitors. <i>Chest</i> , 2003 , 124, 1250-8	5.3 23
103	Two-pronged antiplatelet therapy with aspirin and ticlopidine without systemic anticoagulation: an alternative therapeutic strategy after bailout stent implantation. <i>Coronary Artery Disease</i> , 1995 , 6, 341-5 ^{1.4}	23
102	The impact of the AMPD1 gene polymorphism on exercise capacity, other prognostic parameters, and survival in patients with stable congestive heart failure: a study in 686 consecutive patients. <i>American Heart Journal</i> , 2006 , 152, 736-41	4.9 22
101	Copeptin in acute coronary syndromes and heart failure management: State of the art and future directions. <i>Archives of Cardiovascular Diseases</i> , 2015 , 108, 398-407	2.7 21
100	Cardiac remodeling and heart failure after a first anterior myocardial infarction in patients with diabetes mellitus. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 353-9	1.9 21
99	Paraoxonase polymorphism (Gln192Arg) as a determinant of the response of human coronary arteries to serotonin. <i>Circulation</i> , 2000 , 101, 740-3	16.7 21
98	Use of human tissue specimens obtained by directional atherectomy to study restenosis. <i>Trends in Cardiovascular Medicine</i> , 1994 , 4, 213-21	6.9 21
97	Long-term prognostic impact of left ventricular remodeling after a first myocardial infarction in modern clinical practice. <i>PLoS ONE</i> , 2017 , 12, e0188884	3.7 20
96	Poor agreement between light transmission aggregometry, Verify Now P2Y ₁ and vasodilator-stimulated phosphoprotein for clopidogrel low-response assessment: a potential explanation of negative results of recent randomized trials. <i>Platelets</i> , 2014 , 25, 499-505	3.6 20
95	Restenosis after delayed coronary angioplasty of the culprit vessel in patients with a recent myocardial infarction treated by thrombolysis. <i>Circulation</i> , 1995 , 91, 1410-8	16.7 20

94	Cardiovascular proteomics: translational studies to develop novel biomarkers in heart failure and left ventricular remodeling. <i>Proteomics - Clinical Applications</i> , 2011 , 5, 57-66	3.1	19
93	Preprocedural high-sensitivity C-reactive protein predicts death or myocardial infarction but not target vessel revascularization or stent thrombosis after percutaneous coronary intervention. <i>Cardiovascular Revascularization Medicine</i> , 2009 , 10, 144-50	1.6	18
92	Left ventricular remodeling is associated with the severity of mitral regurgitation after inaugural anterior myocardial infarction--optimal timing for echocardiographic imaging. <i>American Heart Journal</i> , 2008 , 155, 959-65	4.9	18
91	High incidence of recurrent in stent thrombosis after successful treatment of a first in stent thrombosis. <i>Catheterization and Cardiovascular Interventions</i> , 2008 , 72, 470-8	2.7	18
90	Basic fibroblast growth factor increases tissue factor expression in circulating monocytes and in vascular wall. <i>Circulation</i> , 2000 , 101, 2000-6	16.7	18
89	Prognostic impact of β -blocker use in patients with stable coronary artery disease. <i>Heart</i> , 2014 , 100, 1757-61	5.1	17
88	Relation of admission white blood cell count to left ventricular remodeling after anterior wall acute myocardial infarction. <i>American Journal of Cardiology</i> , 2007 , 100, 182-4	3	17
87	Heart QmicsQn AGEing (HOMAGE): design, research objectives and characteristics of the common database. <i>Journal of Biomedical Research</i> , 2014 , 28, 349-59	1.5	16
86	Is hormonal activation during exercise useful for risk stratification in patients with moderate congestive heart failure?. <i>American Heart Journal</i> , 2004 , 148, 349-55	4.9	15
85	Circulating levels of hepatocyte growth factor and left ventricular remodelling after acute myocardial infarction (from the REVE-2 study). <i>European Journal of Heart Failure</i> , 2011 , 13, 1314-22	12.3	14
84	Cardiac correlates of exercise induced pulmonary hypertension in patients with chronic heart failure due to left ventricular systolic dysfunction. <i>Echocardiography</i> , 2008 , 25, 386-93	1.5	14
83	ACE inhibition accelerates endothelial regrowth in vivo: a possible explanation for the benefit observed with ACE inhibitors following arterial injury. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 231, 577-81	3.4	13
82	ACE polymorphism, a genetic predictor of occlusion after coronary angioplasty. <i>American Journal of Cardiology</i> , 1996 , 78, 679-81	3	13
81	Intramural injection of biodegradable microspheres as a local drug-delivery system to inhibit neointimal thickening in a rabbit model of balloon angioplasty. <i>Journal of Cardiovascular Pharmacology</i> , 1998 , 31, 513-9	3.1	13
80	Expression and Implication of Clusterin in Left Ventricular Remodeling After Myocardial Infarction. <i>Circulation: Heart Failure</i> , 2018 , 11, e004838	7.6	12
79	Prospective aortic screening in men with coronary aneurysms. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1227-9	15.1	12
78	Protective effects of basic fibroblast growth factor in early atherosclerosis. <i>Growth Factors</i> , 2004 , 22, 157-67	1.6	12
77	Late recovery in left ventricular systolic function after discharge of patients with a first anterior myocardial infarction. <i>Archives of Cardiovascular Diseases</i> , 2010 , 103, 538-45	2.7	11

76	Additional diagnostic value of new CT imaging techniques for the functional assessment of coronary artery disease: a meta-analysis. <i>European Radiology</i> , 2019 , 29, 3044-3061	8	11
75	Multimarker proteomic profiling for the prediction of cardiovascular mortality in patients with chronic heart failure. <i>PLoS ONE</i> , 2015 , 10, e0119265	3.7	10
74	Strategy for purification and mass spectrometry identification of SELDI peaks corresponding to low-abundance plasma and serum proteins. <i>Journal of Proteomics</i> , 2011 , 74, 420-30	3.9	10
73	Cytomegalovirus infection and coronary restenosis. <i>Circulation</i> , 1999 , 99, 1278-9	16.7	10
72	951-73 Combined Antiplatelet Therapy without Anticoagulation: An Effective Alternative to Prevent Subacute Thrombosis After Coronary Stenting? A 3 Month Follow-up. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 197A	15.1	10
71	Six-month quantitative angiographic follow-up of American Journal of Cardiology, 1993 , 71, 1226-9	3	10
70	First Hospitalization for Heart Failure in Outpatients With Stable Coronary Artery Disease: Determinants, Role of Incident Myocardial Infarction, and Prognosis. <i>Journal of Cardiac Failure</i> , 2018 , 24, 815-822	3.3	10
69	Circulating proteomic signature of early death in heart failure patients with reduced ejection fraction. <i>Scientific Reports</i> , 2019 , 9, 19202	4.9	9
68	Circulating levels of soluble Fas ligand and left ventricular remodeling after acute myocardial infarction (from the REVE-2 study). <i>Journal of Cardiology</i> , 2012 , 60, 93-7	3	8
67	The effect of ageing on cardiac remodelling and hospitalization for heart failure after an inaugural anterior myocardial infarction. <i>European Heart Journal</i> , 2008 , 29, 1992-9	9.5	8
66	Association of OAZ1 gene polymorphisms with subclinical and clinical vascular events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 2120-6	9.4	8
65	Screening for asymptomatic coronary artery disease in patients with diabetes mellitus: A systematic review and meta-analysis of randomized trials. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 90	2.3	8
64	Association of ornithine transcarbamylase gene polymorphisms with hypertension and coronary artery vasomotion. <i>American Journal of Hypertension</i> , 2009 , 22, 993-1000	2.3	7
63	Effect of balloon inflation in angiographically normal coronary segments during coronary angiography: a quantitative angiographic study. <i>Catheterization and Cardiovascular Diagnosis</i> , 1994 , 31, 116-21		7
62	Reaching low-density lipoprotein cholesterol treatment targets in stable coronary artery disease: Determinants and prognostic impact. <i>Archives of Cardiovascular Diseases</i> , 2018 , 111, 634-643	2.7	7
61	Angiotensin II receptor blockers versus angiotensin-converting enzyme inhibitors in patients with stable coronary artery disease: Prevalence, correlates, and prognostic impact (from the CORONOR study). <i>Journal of Cardiology</i> , 2017 , 69, 542-547	3	6
60	Integrative System Biology Analyses Identify Seven MicroRNAs to Predict Heart Failure. <i>Non-coding RNA</i> , 2019 , 5,	7.1	6
59	Prevalence and correlates of non-optimal secondary medical prevention in patients with stable coronary artery disease. <i>Archives of Cardiovascular Diseases</i> , 2015 , 108, 340-6	2.7	6

58	Increased clusterin levels after myocardial infarction is due to a defect in protein degradation systems activity. <i>Cell Death and Disease</i> , 2019 , 10, 608	9.8	6
57	Growth Factors as a Potential New Treatment for Ischemic Heart Disease. <i>Clinical Cardiology</i> , 1997 , 20, 11-52	3.3	6
56	Myocardial metastasis of a bronchial carcinoid. <i>European Heart Journal</i> , 2007 , 28, 391	9.5	6
55	Dose-response curve of angiographically smooth human epicardial vessel segments to intracoronary injections of isosorbide dinitrate. <i>Journal of Cardiovascular Pharmacology</i> , 1992 , 20, 473-8	3.1	6
54	Dual antiplatelet therapy in patients with a long coronary artery lesion over 30 mm: Determinants and impact on prognosis. <i>Archives of Cardiovascular Diseases</i> , 2015 , 108, 235-43	2.7	5
53	Dual antiplatelet therapy in patients with stable coronary artery disease in modern practice: prevalence, correlates, and impact on prognosis (from the Suivi d'une cohorte de patients CORONariens stables en region NORd-Pas-de-Calais study). <i>American Heart Journal</i> , 2014 , 168, 479-86	4.9	5
52	Practice Patterns for Outpatients With Stable Coronary Artery Disease: A Case Vignette-based Survey Among French Cardiologists. <i>EBioMedicine</i> , 2015 , 2, 1662-8	8.8	5
51	Secondary medical prevention and clinical outcome in coronary artery disease patients with a history of non-coronary vascular intervention: A report from the CORONOR investigators. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 864-71	3.9	5
50	Prevention of restenosis future directions. <i>Trends in Cardiovascular Medicine</i> , 1997 , 7, 90-4	6.9	5
49	The impact of the AMPD1 gene polymorphism on exercise capacity, other prognostic parameters, and survival in patients with stable congestive heart failure. A study on 686 consecutive patients. <i>American Heart Journal</i> , 2007 , 153, e15	4.9	5
48	Clopidogrel Use as Single Antiplatelet Therapy in Outpatients with Stable Coronary Artery Disease: Prevalence, Correlates and Association with Prognosis (from the CORONOR Study). <i>Cardiology</i> , 2016 , 134, 11-8	1.6	5
47	Incidence and determinants of cerebrovascular events in outpatients with stable coronary artery disease. <i>European Stroke Journal</i> , 2018 , 3, 272-280	5.6	5
46	Effect of aspirin in addition to oral anticoagulants in stable coronary artery disease outpatients with an indication for anticoagulation. <i>Panminerva Medica</i> , 2016 , 58, 271-285	2	5
45	Association of Diabetic Status and Glycemic Control With Ischemic and Bleeding Outcomes in Patients With Stable Coronary Artery Disease: The 5-Year CORONOR Registry. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	4
44	White blood cell and peripheral blood mononuclear cell counts for the prediction of left ventricular remodeling after myocardial infarction. <i>Journal of Cardiology</i> , 2011 , 58, 197-8; author reply 198	3	4
43	The consensus is clearly needed for the definition of stress hyperglycaemia in acute myocardial infarction: reply. <i>European Heart Journal</i> , 2007 , 28, 2042-2043	9.5	4
42	Polyarteritis nodosa-related coronary aneurysms. <i>Journal of Rheumatology</i> , 2008 , 35, 933-4	4.1	4
41	Integrative network analysis reveals time-dependent molecular events underlying left ventricular remodeling in post-myocardial infarction patients. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 1445-1453	6.9	3

40	Secondary prevention and outcomes in outpatients with coronary artery disease, atrial fibrillation or heart failure: a focus on disease overlap. <i>Open Heart</i> , 2020 , 7, e001165	3	3
39	Elective Coronary Revascularization Procedures in Patients With Stable Coronary Artery Disease: Incidence, Determinants, and Outcome (From the CORONOR Study). <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 868-875	5	3
38	Accuracy of cardiac magnetic resonance imaging to rule out significant coronary artery disease in patients with systolic heart failure of unknown aetiology: Single-centre experience and comprehensive meta-analysis. <i>Archives of Cardiovascular Diseases</i> , 2018 , 111, 686-701	2.7	3
37	Long-term prognostic value of preprocedural adiponectin levels in patients undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2013 , 168, 4921-4	3.2	3
36	Effect of left ventricular systolic dysfunction on secondary medical prevention and clinical outcome in stable coronary artery disease patients. <i>Archives of Cardiovascular Diseases</i> , 2017 , 110, 35-41	2.7	3
35	Incidence, determinants and consequences of left atrial remodelling after a first anterior myocardial infarction. <i>Archives of Cardiovascular Diseases</i> , 2012 , 105, 18-23	2.7	3
34	Impact of thrombus aspiration use and direct stenting on final myocardial blush score in patients presenting with ST-elevation myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2010 , 11, 149-54	1.6	3
33	An unusual case of papillary fibroelastoma "invading" the mitral valve. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006 , 132, 1472-3	1.5	3
32	Angiotensin Converting Enzyme and Angiotensin II Type 1 Receptor Polymorphisms in Patients with Coronary Aneurysms. <i>Thrombosis Journal</i> , 2003 , 1, 5	5.6	3
31	Relative prognostic value of clinical, exercise, and angiographic data after a first myocardial infarction. <i>Coronary Artery Disease</i> , 1993 , 4, 727-36	1.4	3
30	Antithrombotic therapy in diabetic patients with coronary artery disease. <i>Panminerva Medica</i> , 2015 , 57, 87-99	2	3
29	MicroRNAs as Circulating Biomarkers of Left Ventricular Remodeling after Myocardial Infarction. <i>Cardiology</i> , 2016 , 133, 262-3	1.6	2
28	Letter by Pinet et al Regarding Article, "Comparative Analysis of Circulating Noncoding RNAs Versus Protein Biomarkers in the Detection of Myocardial Injury". <i>Circulation Research</i> , 2019 , 125, e20-e21	15.7	2
27	Dosing strategies for antiplatelet therapy in percutaneous coronary intervention. <i>Hospital Practice (1995)</i> , 2010 , 38, 50-8	2.2	2
26	Prognostic value of changes in R-wave amplitude during exercise testing after a first acute myocardial infarction. <i>American Journal of Cardiology</i> , 1992 , 70, 152-5	3	2
25	Long term risk/benefit of PTCA of infarct related vessel. <i>Journal of the American College of Cardiology</i> , 1991 , 17, A266	15.1	2
24	Gender differences in clinical characteristics, medical management, risk factor control, and long-term outcome of patients with stable coronary artery disease: from the CORONOR registry. <i>Panminerva Medica</i> , 2019 , 61, 432-438	2	2
23	Echocardiographic diastolic function evolution in patients with an anterior Q-wave myocardial infarction: insights from the REVE-2 study. <i>ESC Heart Failure</i> , 2019 , 6, 70-79	3.7	2

22	Association of Mortality With Aortic Stenosis Severity in Outpatients: Results From the VALVENOR Study. <i>JAMA Cardiology</i> , 2021 ,	16.2	2
21	Gene Polymorphisms and Outcome After Coronary Angioplasty. <i>Current Interventional Cardiology Reports</i> , 2001 , 3, 281-286		2
20	Angioplasty in the diabetic patient. <i>Journal of Invasive Cardiology</i> , 2004 , 16, 23-7	0.7	2
19	Impact of initial clinical presentation on clopidogrel low response. <i>Archives of Cardiovascular Diseases</i> , 2013 , 106, 593-600	2.7	1
18	Prospective assessment of multiple cardiac papillary fibroelastomas: an echocardiographic and surgical study. <i>International Journal of Cardiology</i> , 2010 , 145, 319-320	3.2	1
17	Nature of coronary disease in patients with insulin resistance and its impact on revascularization strategies. <i>Coronary Artery Disease</i> , 2005 , 16, 481-7	1.4	1
16	Relative impact of bleedings over ischaemic events in patients with heart failure: insights from the CARDIONOR registry. <i>ESC Heart Failure</i> , 2020 ,	3.7	1
15	Coronary angiography [An inner view. <i>Developments in Cardiovascular Medicine</i> , 1994 , 369-381		1
14	Real-Life Incident Atrial Fibrillation in Outpatients with Coronary Artery Disease. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
13	Apolipoprotein Proteomic Profiling for the Prediction of Cardiovascular Death in Patients with Heart Failure. <i>Proteomics - Clinical Applications</i> , 2020 , 14, e2000035	3.1	1
12	Compared impact of diabetes on the risk of heart failure from acute myocardial infarction to chronic coronary artery disease. <i>Diabetes and Metabolism</i> , 2021 , 48, 101265	5.4	1
11	Incidence and timing of left ventricular reverse remodeling: Key information for the management of patients with new onset left ventricular systolic dysfunction. <i>International Journal of Cardiology</i> , 2016 , 214, 518-9	3.2	1
10	Proposal for a standardized discharge letter after hospital stay for acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 788-801	4.3	1
9	Simple risk models to predict cardiovascular death in patients with stable coronary artery disease. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 287-294	4.6	1
8	Evaluation of screening for myocardial ischaemia in women at cardiovascular risk. <i>Archives of Cardiovascular Diseases</i> , 2017 , 110, 379-388	2.7	0
7	Left ventricular remodeling and heart failure after myocardial infarction in elderly patients. <i>American Journal of Cardiology</i> , 2010 , 105, 903-4	3	0
6	Restenotic process and DD genotype after angiotensin-converting enzyme inhibitor treatment. <i>Lancet, The</i> , 2001 , 358, 758-759	4.0	0
5	High-sensitivity C-reactive protein for risk stratification in patients with heart failure. <i>American Heart Journal</i> , 2008 , 155, e7; author reply e9	4.9	

- 4 Protéomique et marqueurs cardiaques. *Medecine Nucleaire*, **2007**, 31, 580-586 0.1
- 3 B-type natriuretic peptide for the prediction of left ventricular remodelling. *Cardiovascular Journal of Africa*, **2014**, 25, 33, 39 0.7
- 2 Rotational atherectomy – An overview. *Developments in Cardiovascular Medicine*, **1994**, 353-366
- 1 Rotational atherectomy. *Developments in Cardiovascular Medicine*, **1994**, 561-572