

Ettore Bidoli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1568482/ettore-bidoli-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

5,547
citations

36
h-index

72
g-index

150
ext. papers

6,153
ext. citations

4.6
avg, IF

4.85
L-index

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 138 | Risk factors for territorial spreading of SARS-CoV-2 in North-eastern Italy.. <i>Scientific Reports</i> , 2022 , 12, 2214 | 4.9 | 0 |
| 137 | Biological Predictors of Tumors in Solid Organ Transplanted Patients During Oncological Surveillance: Potential Role of Circulating mRNA. <i>Frontiers in Oncology</i> , 2021 , 11, 772348 | 5.3 | 1 |
| 136 | Sociodemographic and Reproductive Risk Factors for Breast Cancer: A Case-Control Study in the Setif Province, Northern Algeria. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020 , 21, 457-464 | 1.7 | 2 |
| 135 | Hospital Anxiety and Depression Scale (HADS) accuracy in cancer patients. <i>Supportive Care in Cancer</i> , 2020 , 28, 3921-3926 | 3.9 | 45 |
| 134 | Worldwide Age at Onset of Female Breast Cancer: A 25-Year Population-Based Cancer Registry Study. <i>Scientific Reports</i> , 2019 , 9, 14111 | 4.9 | 23 |
| 133 | Differential Plasticity in the Gastric Niche of Subjects at Increased Gastric Cancer Risk. <i>Pathogens</i> , 2019 , 8, | 4.5 | 2 |
| 132 | Avoiding misleading information: A study of complementary medicine online information for cancer patients. <i>Library and Information Science Research</i> , 2019 , 41, 67-77 | 1.9 | 9 |
| 131 | Thyroid cancer in Friuli Venezia Giulia, northeastern Italy: incidence, overdiagnosis, and impact of type of surgery on survival. <i>Tumori</i> , 2019 , 105, 296-303 | 1.7 | 2 |
| 130 | Patients and caregivers information needs in the field of patient education: results from an Italian multicenter exploratory survey. <i>Supportive Care in Cancer</i> , 2019 , 27, 2023-2030 | 3.9 | 5 |
| 129 | Bayesian estimates of the incidence of rare cancers in Europe. <i>Cancer Epidemiology</i> , 2018 , 54, 95-100 | 2.8 | 7 |
| 128 | Sleep disorders in children with brain tumors: a pilot study based on a sleep disorder questionnaire. <i>Child & Nervous System</i> , 2018 , 34, 1535-1540 | 1.7 | 1 |
| 127 | Sensitivity and specificity of breast cancer ICD-9-CM codes in three Italian administrative healthcare databases: a diagnostic accuracy study. <i>BMJ Open</i> , 2018 , 8, e020627 | 3 | 8 |
| 126 | Survival after the diagnosis of breast or colorectal cancer in the GAZA Strip from 2005 to 2014. <i>BMC Cancer</i> , 2018 , 18, 632 | 4.8 | 6 |
| 125 | Accuracy of colorectal cancer ICD-9-CM codes in Italian administrative healthcare databases: a cross-sectional diagnostic study. <i>BMJ Open</i> , 2018 , 8, e020630 | 3 | 9 |
| 124 | Molecular and Pathological Features of Gastric Cancer in Lynch Syndrome and Familial Adenomatous Polyposis. <i>International Journal of Molecular Sciences</i> , 2018 , 19, | 6.3 | 20 |
| 123 | Accuracy of lung cancer ICD-9-CM codes in Umbria, Napoli 3 Sud and Friuli Venezia Giulia administrative healthcare databases: a diagnostic accuracy study. <i>BMJ Open</i> , 2018 , 8, e020628 | 3 | 9 |
| 122 | Validating malignant melanoma ICD-9-CM codes in Umbria, ASL Napoli 3 Sud and Friuli Venezia Giulia administrative healthcare databases: a diagnostic accuracy study. <i>BMJ Open</i> , 2018 , 8, e020631 | 3 | 7 |

| | | | |
|-----|--|-----|----|
| 121 | Accuracy of administrative databases in detecting primary breast cancer diagnoses: a systematic review. <i>BMJ Open</i> , 2018 , 8, e019264 | 3 | 9 |
| 120 | Low glycemic index diet, exercise and vitamin D to reduce breast cancer recurrence (DEDiCa): design of a clinical trial. <i>BMC Cancer</i> , 2017 , 17, 69 | 4.8 | 22 |
| 119 | An estimate of the number of people in Italy living after a childhood cancer. <i>International Journal of Cancer</i> , 2017 , 140, 2444-2450 | 7.5 | 3 |
| 118 | The impact of time to treatment initiation on survival from head and neck cancer in north-eastern Italy. <i>Oral Oncology</i> , 2017 , 67, 175-182 | 4.4 | 34 |
| 117 | Residence in Proximity of a Coal-Oil-Fired Thermal Power Plant and Risk of Lung and Bladder Cancer in North-Eastern Italy. A Population-Based Study: 1995-2009. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14, | 4.6 | 7 |
| 116 | Long-Term Outcome of Rectal Cancer With Clinically (EUS/MRI) Metastatic Mesorectal Lymph Nodes Treated by Neoadjuvant Chemoradiation: Role of Organ Preservation Strategies in Relation to Pathologic Response. <i>Annals of Surgical Oncology</i> , 2016 , 23, 4302-4309 | 3.1 | 9 |
| 115 | Cancer among patients with type 2 diabetes mellitus: A population-based cohort study in northeastern Italy. <i>Cancer Epidemiology</i> , 2016 , 41, 80-7 | 2.8 | 18 |
| 114 | Validity of ICD-9-CM codes for breast, lung and colorectal cancers in three Italian administrative healthcare databases: a diagnostic accuracy study protocol. <i>BMJ Open</i> , 2016 , 6, e010547 | 3 | 16 |
| 113 | Residential Proximity to Major Roadways and Lung Cancer Mortality. Italy, 1990-2010: An Observational Study. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13, 191 | 4.6 | 11 |
| 112 | QOS-33PREVALENCE OF SLEEP DISORDERS IN CHILDREN WITH BRAIN TUMORS. <i>Neuro-Oncology</i> , 2016 , 18, iii152.3-iii152 | 1 | 78 |
| 111 | Nutrient-based dietary patterns and nasopharyngeal cancer: evidence from an exploratory factor analysis. <i>British Journal of Cancer</i> , 2015 , 112, 446-54 | 8.7 | 11 |
| 110 | Dietary glycemic index, glycemic load and risk of age-related cataract extraction: a case-control study in Italy. <i>European Journal of Nutrition</i> , 2015 , 54, 475-81 | 5.2 | 5 |
| 109 | Cell-free DNA as a prognostic marker in stage I non-small-cell lung cancer patients undergoing stereotactic body radiotherapy. <i>Biomarkers</i> , 2015 , 20, 422-8 | 2.6 | 12 |
| 108 | Residence in Proximity of an Iron Foundry and Risk of Lung Cancer in the Municipality of Trieste, Italy, 1995-2009. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 9025-35 | 4.6 | 5 |
| 107 | Mediterranean diet and risk of endometrial cancer: a pooled analysis of three Italian case-control studies. <i>British Journal of Cancer</i> , 2015 , 112, 1816-21 | 8.7 | 99 |
| 106 | Prognostic Role of Serum Antibody Immunity to p53 Oncogenic Protein in Ovarian Cancer: A Systematic Review and a Meta-Analysis. <i>PLoS ONE</i> , 2015 , 10, e0140351 | 3.7 | 15 |
| 105 | HLA-G 3QTR Polymorphisms Impact the Prognosis of Stage II-III CRC Patients in Fluoropyrimidine-Based Treatment. <i>PLoS ONE</i> , 2015 , 10, e0144000 | 3.7 | 22 |
| 104 | Prognostic factors of survival in patients treated with nab-paclitaxel plus gemcitabine regimen for advanced or metastatic pancreatic cancer: a single institutional experience. <i>Oncotarget</i> , 2015 , 6, 8255-60 ^{3,3} | 3.3 | 13 |

| | | | |
|-----|--|------|------|
| 103 | Plasma biomarkers of clinical response during chemotherapy plus combination antiretroviral therapy (cART) in HIV+ patients with advanced Kaposi sarcoma. <i>Oncotarget</i> , 2015 , 6, 30334-42 | 3.3 | 3 |
| 102 | Cancer survival in Europe 1999-2007 by country and age: results of EURO CARE--5-a population-based study. <i>Lancet Oncology</i> , 2014 , 15, 23-34 | 21.7 | 1239 |
| 101 | Le cancer à Setif, Algérie, 1986-2010. <i>Journal Africain Du Cancer</i> , 2014 , 6, 166-173 | | 3 |
| 100 | Anthracycline-free neoadjuvant therapy induces pathological complete responses by exploiting immune proficiency in HER2+ breast cancer patients. <i>BMC Cancer</i> , 2014 , 14, 954 | 4.8 | 7 |
| 99 | Long-term survival, prevalence, and cure of cancer: a population-based estimation for 818 902 Italian patients and 26 cancer types. <i>Annals of Oncology</i> , 2014 , 25, 2251-2260 | 10.3 | 58 |
| 98 | Time trends of cancer incidence in Setif, Algeria, 1986-2010: an observational study. <i>BMC Cancer</i> , 2014 , 14, 637 | 4.8 | 29 |
| 97 | Fiber intake and risk of nasopharyngeal carcinoma: a case-control study. <i>Nutrition and Cancer</i> , 2013 , 65, 1157-63 | 2.8 | 12 |
| 96 | Cancer prevalence estimates in Europe at the beginning of 2000. <i>Annals of Oncology</i> , 2013 , 24, 1660-6 | 10.3 | 31 |
| 95 | Fatigue, Quality of Life, and Mood States during Chemotherapy in Italian Cancer Patients. <i>Tumori</i> , 2013 , 99, e28-e33 | 1.7 | 9 |
| 94 | Fatigue, quality of life, and mood states during chemotherapy in Italian cancer patients. <i>Tumori</i> , 2013 , 99, e28-33 | 1.7 | 7 |
| 93 | Risk factors associated with malnutrition in older adults living in Italian nursing homes: a cross-sectional study. <i>Research in Gerontological Nursing</i> , 2013 , 6, 187-97 | 1.6 | 11 |
| 92 | Weekly paclitaxel in heavily pretreated ovarian cancer patients: does this treatment still provide further advantages?. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 285, 499-503 | 2.5 | |
| 91 | Assessment of immunovirological features in HIV related non-Hodgkin lymphoma patients and their impact on outcome. <i>Journal of Clinical Virology</i> , 2012 , 53, 297-301 | 14.5 | 14 |
| 90 | Time trends of cancer mortality among elderly in Italy, 1970-2008: an observational study. <i>BMC Cancer</i> , 2012 , 12, 443 | 4.8 | 18 |
| 89 | Multiplex analysis of blood cytokines as a prognostic tool in HIV related non-Hodgkin lymphoma patients: a potential role of interleukin-7. <i>Cytokine</i> , 2012 , 60, 90-5 | 4 | 5 |
| 88 | Trastuzumab and Gemcitabine in Pretreated HER2 Overexpressing Metastatic Breast Cancer Patients: Retrospective Analysis of Our Series. <i>Journal of Oncology</i> , 2012 , 2012, 198412 | 4.5 | 4 |
| 87 | Emotional Distress and Needs in Italian Cancer Patients: Prevalence and Associations with Socio-Demographic and Clinical Factors. <i>Tumori</i> , 2012 , 98, 119-125 | 1.7 | 5 |
| 86 | Fiber intake and pancreatic cancer risk: a case-control study. <i>Annals of Oncology</i> , 2012 , 23, 264-268 | 10.3 | 12 |

| | | | |
|----|---|------|----|
| 85 | Blood-brain barrier: a real obstacle for therapeutics. <i>International Journal of Nanomedicine</i> , 2012 , 7, 4065-6; author reply 4067 | 7.3 | 3 |
| 84 | Emotional distress and needs in Italian cancer patients: prevalence and associations with socio-demographic and clinical factors. <i>Tumori</i> , 2012 , 98, 119-25 | 1.7 | 4 |
| 83 | Mood state profile and coping strategies after BRCA-1/2 genetic test disclosure: a retrospective study in Italy. <i>Supportive Care in Cancer</i> , 2011 , 19, 733-5 | 3.9 | 3 |
| 82 | Methylation levels of the "long interspersed nucleotide element-1" repetitive sequences predict survival of melanoma patients. <i>Journal of Translational Medicine</i> , 2011 , 9, 78 | 8.5 | 45 |
| 81 | Psychological distress and needs of cancer patients: a prospective comparison between the diagnostic and the therapeutic phase. <i>Supportive Care in Cancer</i> , 2010 , 19, 291-5 | 3.9 | 25 |
| 80 | Metabolic syndrome is associated with colorectal cancer in men. <i>European Journal of Cancer</i> , 2010 , 46, 1866-72 | 7.5 | 67 |
| 79 | Fiber intake and endometrial cancer risk. <i>Acta Oncologica</i> , 2010 , 49, 441-6 | 3.2 | 12 |
| 78 | Late tamoxifen in patients previously operated for breast cancer without postoperative tamoxifen: 5-year results of a single institution randomised study. <i>BMC Cancer</i> , 2010 , 10, 205 | 4.8 | 4 |
| 77 | Incidence of Palmar-Plantar Erythrodysesthesia in Pretreated and Unpretreated Patients Receiving Pegylated Liposomal Doxorubicin. <i>Tumori</i> , 2009 , 95, 687-690 | 1.7 | 2 |
| 76 | Early and short-term acenocumarine or dalteparin for the prevention of central vein catheter-related thrombosis in cancer patients: a randomized controlled study based on serial venographies. <i>Annals of Oncology</i> , 2009 , 20, 1936-42 | 10.3 | 42 |
| 75 | Dietary vitamins E and C and prostate cancer risk. <i>Acta Oncologica</i> , 2009 , 48, 890-4 | 3.2 | 23 |
| 74 | Human herpesvirus 8 DNA quantification in matched plasma and PBMCs samples of patients with HHV8-related lymphoproliferative diseases. <i>Journal of Clinical Virology</i> , 2008 , 43, 255-9 | 14.5 | 30 |
| 73 | Risk factors of falls in elderly population in acute care hospitals and nursing homes in north Italy: a retrospective study. <i>Journal of Nursing Care Quality</i> , 2008 , 23, 43-9 | 1.7 | 13 |
| 72 | Trastuzumab and Vinorelbine as Highly Effective and Safe Therapy for HER-2-Overexpressing Metastatic Breast Cancer. A Single Institution Experience. <i>Tumori</i> , 2008 , 94, 464-468 | 1.7 | 4 |
| 71 | Macronutrients, fatty acids, cholesterol and renal cell cancer risk. <i>International Journal of Cancer</i> , 2008 , 122, 2586-9 | 7.5 | 12 |
| 70 | Trastuzumab and vinorelbine as highly effective and safe therapy for HER-2-overexpressing metastatic breast cancer. A single institution experience. <i>Tumori</i> , 2008 , 94, 464-8 | 1.7 | 2 |
| 69 | Epidemiological and ethical aspects of multiplex autoantibody testing. <i>Autoimmunity Reviews</i> , 2007 , 6, 354-8 | 13.6 | 6 |
| 68 | Serum antibody response to lytic and latent Epstein-Barr virus antigens in undifferentiated nasopharyngeal carcinoma patients from an area of nonendemicity. <i>Vaccine Journal</i> , 2007 , 14, 435-41 | | 10 |

| | | | |
|----|--|------|-----|
| 67 | Treatment of liver toxicity in women undergoing adjuvant chemotherapy for breast cancer: A phase III, monocentric, prospective, randomised trial of ursodeoxycolic acid (UDCA) vs no treatment. <i>Journal of Clinical Oncology</i> , 2007 , 25, 9060-9060 | 2.2 | |
| 66 | Interleukin-10 and interleukin-18 promoter polymorphisms in an Italian cohort of patients with undifferentiated carcinoma of nasopharyngeal type. <i>Cancer Immunology, Immunotherapy</i> , 2006 , 55, 23-30 | 7.4 | 57 |
| 65 | Phenotypic features and genetic characterization of male breast cancer families: identification of two recurrent BRCA2 mutations in north-east of Italy. <i>BMC Cancer</i> , 2006 , 6, 156 | 4.8 | 11 |
| 64 | Epidemiology of Kaposi's Sarcoma herpesvirus (HHV8) in Värmland County, Sweden. <i>Journal of Medical Virology</i> , 2006 , 78, 372-8 | 19.7 | 21 |
| 63 | Effects on virological and immunological parameters during CD34 mobilization in HIV patients with lymphoma. <i>American Journal of Hematology</i> , 2006 , 81, 800-2 | 7.1 | 4 |
| 62 | Clinical value of Epstein-Barr virus DNA levels in peripheral blood samples of Italian patients with undifferentiated carcinoma of nasopharyngeal type. <i>Cancer Letters</i> , 2006 , 233, 247-54 | 9.9 | 35 |
| 61 | Adjuvant Treatment of High-risk Adult Soft Tissue Sarcomas: A Survey by the Italian Sarcoma Group. <i>Tumori</i> , 2006 , 92, 92-97 | 1.7 | 3 |
| 60 | Do childhood diseases affect NHL and HL risk? A case-control study from northern and southern Italy. <i>Leukemia Research</i> , 2006 , 30, 917-22 | 2.7 | 11 |
| 59 | Pre-storage leucocyte depletion and transfusion reaction rates in cancer patients. <i>Transfusion Medicine</i> , 2005 , 15, 37-43 | 1.3 | 9 |
| 58 | Familial breast cancer: characteristics and outcome of BRCA 1-2 positive and negative cases. <i>BMC Cancer</i> , 2005 , 5, 70 | 4.8 | 62 |
| 57 | High prevalence of celiac disease in autoimmune hepatitis detected by anti-tissue transglutaminase autoantibodies. <i>Journal of Clinical Laboratory Analysis</i> , 2005 , 19, 6-10 | 3 | 77 |
| 56 | Characterization of immunologic and virological parameters in HIV-infected patients with primary effusion lymphoma during antineoplastic therapy and highly active antiretroviral therapy. <i>Clinical Infectious Diseases</i> , 2005 , 40, 1022-7 | 11.6 | 32 |
| 55 | Macronutrients, fatty acids, cholesterol and prostate cancer risk. <i>Annals of Oncology</i> , 2005 , 16, 152-7 | 10.3 | 75 |
| 54 | Evaluation of three molecular biology-based assays for the detection of GB virus C/hepatitis G virus in clinical specimens. <i>Intervirology</i> , 2004 , 47, 314-20 | 2.5 | 1 |
| 53 | Mutations of an intronic repeat induce impaired MRE11 expression in primary human cancer with microsatellite instability. <i>Oncogene</i> , 2004 , 23, 2640-7 | 9.2 | 88 |
| 52 | Quantification of hepatitis C virus (HCV) in liver specimens and sera from patients with human immunodeficiency virus coinfection by using the Versant HCV RNA 3.0 (branched DNA-based) DNA assay. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 3046-50 | 9.7 | 15 |
| 51 | Micronutrients and laryngeal cancer risk in Italy and Switzerland: a case-control study. <i>Cancer Causes and Control</i> , 2003 , 14, 477-84 | 2.8 | 33 |
| 50 | Ifosfamide in the adjuvant therapy of soft tissue sarcomas. <i>Oncology</i> , 2003 , 65 Suppl 2, 80-4 | 3.6 | 146 |

| | | | |
|----|--|------|-----|
| 49 | Quantitative plasma/serum EBV DNA load by LMP2A determination in an Italian cohort of NPC patients. <i>Journal of Clinical Virology</i> , 2003 , 28, 155-64 | 14.5 | 14 |
| 48 | Cervical Cancer Epidemiology in Friuli Venezia Giulia. <i>Tumori</i> , 2002 , 88, 457-460 | 1.7 | 3 |
| 47 | Nutrient intake and ovarian cancer: an Italian case-control study. <i>Cancer Causes and Control</i> , 2002 , 13, 255-61 | 2.8 | 35 |
| 46 | Combined effect of tobacco and alcohol on laryngeal cancer risk: a case-control study. <i>Cancer Causes and Control</i> , 2002 , 13, 957-64 | 2.8 | 176 |
| 45 | Polymorphic CAG repeat length within the androgen receptor gene: identification of a subgroup of patients with increased risk of ovarian cancer. <i>Oncology Reports</i> , 2002 , 9, 639 | 3.5 | 6 |
| 44 | Prognostic factors in soft tissue sarcomas: a study of 395 patients. <i>European Journal of Surgical Oncology</i> , 2002 , 28, 153-64 | 3.6 | 93 |
| 43 | Viral load of human herpesvirus 8 in peripheral blood of human immunodeficiency virus-infected patients with Kaposi's sarcoma. <i>Journal of Clinical Microbiology</i> , 2001 , 39, 4269-73 | 9.7 | 87 |
| 42 | Micronutrients and ovarian cancer: a case-control study in Italy. <i>Annals of Oncology</i> , 2001 , 12, 1589-93 | 10.3 | 68 |
| 41 | Role of macronutrients, vitamins and minerals in the aetiology of squamous-cell carcinoma of the oesophagus. <i>International Journal of Cancer</i> , 2000 , 86, 626-31 | 7.5 | 84 |
| 40 | Comparison of cancers of the oral cavity and pharynx worldwide: etiological clues. <i>Oral Oncology</i> , 2000 , 36, 106-15 | 4.4 | 157 |
| 39 | The epidemiology of lung cancer. <i>Annals of Oncology</i> , 1999 , 10 Suppl 5, S3-6 | 10.3 | 48 |
| 38 | Reirradiation and lomustine in patients with relapsed high-grade gliomas. <i>International Journal of Radiation Oncology Biology Physics</i> , 1999 , 43, 789-93 | 4 | 56 |
| 37 | Influence of chemotherapy on the evaluation of breast cancer-diet link. <i>Cancer Causes and Control</i> , 1999 , 10, 319-21 | 2.8 | 1 |
| 36 | A computer program to calculate indicators of descriptive epidemiology. <i>Journal of Biomedical Informatics</i> , 1999 , 32, 252-63 | | 2 |
| 35 | Risk of invasive cervical cancer among women with, or at risk for, HIV infection. <i>International Journal of Cancer</i> , 1999 , 82, 334-7 | 7.5 | 77 |
| 34 | Risk of invasive cervical cancer among women with, or at risk for, HIV infection 1999 , 82, 334 | | 1 |
| 33 | Physical activity and bone mineral density in Italian middle-aged women. <i>European Journal of Epidemiology</i> , 1998 , 14, 153-7 | 12.1 | 14 |
| 32 | High incidence of thyroid cancer in central Italy. <i>International Journal of Cancer</i> , 1998 , 77, 481-2 | 7.5 | 6 |

| | | | |
|----|--|------|-----|
| 31 | Does the Information Level of Cancer Patients Correlate with Quality of Life? A Prospective Study. <i>Tumori</i> , 1998 , 84, 619-623 | 1.7 | 40 |
| 30 | Cancer Mortality by Urbanization and Proximity to the Sea Coast in Campania Region, Southern Italy. <i>Tumori</i> , 1998 , 84, 460-466 | 1.7 | 9 |
| 29 | High-Dose Epirubicin in Locally Advanced Operable Noninflammatory Breast Cancer: A Feasibility Trial. <i>Tumori</i> , 1997 , 83, 656-660 | 1.7 | |
| 28 | The influence of body size, smoking, and diet on bone density in pre- and postmenopausal women. <i>Epidemiology</i> , 1996 , 7, 411-4 | 3.1 | 36 |
| 27 | Immunohistochemical evaluation of multiple biological markers in ductal carcinoma in situ of the breast. <i>European Journal of Cancer</i> , 1996 , 32A, 1148-55 | 7.5 | 32 |
| 26 | Menopause, menstrual and reproductive history, and bone density in northern Italy. <i>Journal of Epidemiology and Community Health</i> , 1996 , 50, 519-23 | 5.1 | 22 |
| 25 | The effects of antineoplastic chemotherapy on HIV disease. <i>AIDS Research and Human Retroviruses</i> , 1996 , 12, 1703-7 | 1.6 | 25 |
| 24 | Differences in Cancer Mortality Trends between Four Neighboring North-Eastern Areas and Italy, 1970-1990. <i>Tumori</i> , 1995 , 81, 399-404 | 1.7 | |
| 23 | Analysis of the p53 gene in relation to tobacco and alcohol in cancers of the upper aero-digestive tract. <i>International Journal of Cancer</i> , 1995 , 60, 872-6 | 7.5 | 24 |
| 22 | Mortality from Skin Melanoma in Italy and Friuli-Venezia Giulia Region, 1970-1989. <i>Tumori</i> , 1994 , 80, 251-256 | 1.7 | 6 |
| 21 | Occupation and bladder cancer in Pordenone (north-east Italy): a case-control study. <i>International Journal of Epidemiology</i> , 1994 , 23, 58-65 | 7.8 | 22 |
| 20 | Pregnancy and Hodgkin's disease. <i>International Journal of Cancer</i> , 1994 , 58, 465-6 | 7.5 | 11 |
| 19 | Tomatoes and risk of digestive-tract cancers. <i>International Journal of Cancer</i> , 1994 , 59, 181-4 | 7.5 | 258 |
| 18 | Cancer risk in farmers: results from a multi-site case-control study in north-eastern Italy. <i>International Journal of Cancer</i> , 1993 , 53, 740-5 | 7.5 | 45 |
| 17 | Refined-sugar intake and the risk of colorectal cancer in humans. <i>International Journal of Cancer</i> , 1993 , 55, 386-9 | 7.5 | 35 |
| 16 | Cutaneous melanoma and sunburns in childhood in a southern European population. <i>European Journal of Cancer</i> , 1992 , 28A, 1172-6 | 7.5 | 117 |
| 15 | Characteristics of alcoholics attending "Alcoholics in treatment" clubs in northeastern Italy. <i>European Journal of Epidemiology</i> , 1992 , 8, 527-31 | 12.1 | 1 |
| 14 | Food consumption and cancer of the colon and rectum in north-eastern Italy. <i>International Journal of Cancer</i> , 1992 , 50, 223-9 | 7.5 | 148 |

| | | | |
|----|--|-----|-----|
| 13 | Risk factors for cancer of the tongue and the mouth. A case-control study from northern Italy. <i>Cancer</i> , 1992 , 70, 2227-33 | 6.4 | 121 |
| 12 | Nutrition and cancer of the oral cavity and pharynx in north-east Italy. <i>International Journal of Cancer</i> , 1991 , 47, 20-5 | 7.5 | 93 |
| 11 | Occupation and risk of Hodgkin's disease in north-east Italy. <i>International Journal of Cancer</i> , 1991 , 48, 831-5 | 7.5 | 18 |
| 10 | Colorectal cancer in northeast Italy: reproductive, menstrual and female hormone-related factors. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 604-8 | | 26 |
| 9 | A case-control study of risk factor for renal cell cancer in northern Italy. <i>Cancer Causes and Control</i> , 1990 , 1, 125-31 | 2.8 | 103 |
| 8 | Type of cigarettes and cancers of the upper digestive and respiratory tract. <i>Cancer Causes and Control</i> , 1990 , 1, 69-74 | 2.8 | 28 |
| 7 | Survival analysis of 378 surgically treated cases of laryngeal carcinoma in south Sardinia. <i>Cancer</i> , 1990 , 65, 2521-7 | 6.4 | 9 |
| 6 | Diet and Epithelial Cancer of the Thyroid Gland. <i>Tumori</i> , 1990 , 76, 331-338 | 1.7 | 26 |
| 5 | Maize and risk of cancers of the oral cavity, pharynx, and esophagus in northeastern Italy. <i>Journal of the National Cancer Institute</i> , 1990 , 82, 1407-11 | 9.7 | 133 |
| 4 | Cutaneous malignant melanoma in females: the role of hormonal and reproductive factors. <i>International Journal of Epidemiology</i> , 1990 , 19, 522-6 | 7.8 | 58 |
| 3 | Risk factors for thyroid cancer in northern Italy. <i>International Journal of Epidemiology</i> , 1989 , 18, 578-84 | 7.8 | 73 |
| 2 | The epidemiology of non-Hodgkin's lymphoma in the north-east of Italy: a hospital-based case-control study. <i>Leukemia Research</i> , 1989 , 13, 465-72 | 2.7 | 99 |
| 1 | Chemotherapy of Advanced Head and Neck Squamous Carcinoma with Cisplatin, Fluorouracil and Bleomycin Administered in an Outpatient Schedule. <i>Tumori</i> , 1988 , 74, 559-562 | 1.7 | |