Daniel Lasserson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1568807/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0158765.	1.1	2,336
2	COVID-19: Rapid antigen detection for SARS-CoV-2 by lateral flow assay: A national systematic evaluation of sensitivity and specificity for mass-testing. EClinicalMedicine, 2021, 36, 100924.	3.2	162
3	Which features of primary care affect unscheduled secondary care use? A systematic review. BMJ Open, 2014, 4, e004746.	0.8	158
4	FDG-PET Findings in the Wernicke-Korsakoff Syndrome. Cortex, 2003, 39, 1027-1045.	1.1	140
5	Effects of antiplatelet therapy after stroke due to intracerebral haemorrhage (RESTART): a randomised, open-label trial. Lancet, The, 2019, 393, 2613-2623.	6.3	134
6	Optimal insulin regimens in type 2 diabetes mellitus: systematic review and meta-analyses. Diabetologia, 2009, 52, 1990-2000.	2.9	109
7	Population-Based Study of Behavior Immediately After Transient Ischemic Attack and Minor Stroke in 1000 Consecutive Patients. Stroke, 2010, 41, 1108-1114.	1.0	80
8	Effects of antiplatelet therapy on stroke risk by brain imaging features of intracerebral haemorrhage and cerebral small vessel diseases: subgroup analyses of the RESTART randomised, open-label trial. Lancet Neurology, The, 2019, 18, 643-652.	4.9	68
9	Why do patients seek primary medical care in emergency departments? An ethnographic exploration of access to general practice. BMJ Open, 2017, 7, e013816.	0.8	65
10	Azithromycin versus standard care in patients with mild-to-moderate COVID-19 (ATOMIC2): an open-label, randomised trial. Lancet Respiratory Medicine,the, 2021, 9, 1130-1140.	5.2	65
11	Older people's experiences of falling and perceived risk of falls in the community: A narrative synthesis of qualitative research. International Journal of Older People Nursing, 2017, 12, e12151.	0.6	62
12	Influence of general practice opening hours on delay in seeking medical attention after transient ischaemic attack (TIA) and minor stroke: prospective population based study. BMJ: British Medical Journal, 2008, 337, a1569-a1569.	2.4	59
13	Impact of the COVID-19 pandemic on emergency department attendances and acute medical admissions. BMC Emergency Medicine, 2021, 21, 143.	0.7	59
14	Chronic kidney disease: a large-scale population-based study of the effects of introducing the CKD-EPI formula for eGFR reporting. BMJ Open, 2011, 1, e000308-e000308.	0.8	58
15	Assessment of central haemomodynamics from a brachial cuff in a community setting. BMC Cardiovascular Disorders, 2012, 12, 48.	0.7	46
16	Life interrupted and life regained? Coping with stroke at a young age. International Journal of Qualitative Studies on Health and Well-being, 2014, 9, 22252.	0.6	46
17	Advance care planning in patients referred to hospital for acute medical care: Results of a national day of care survey. EClinicalMedicine, 2020, 19, 100235.	3.2	44
18	Effects of oral anticoagulation for atrial fibrillation after spontaneous intracranial haemorrhage in the UK: a randomised, open-label, assessor-masked, pilot-phase, non-inferiority trial. Lancet Neurology, The, 2021, 20, 842-853.	4.9	44

#	Article	IF	CITATIONS
19	The Suspected CANcer (SCAN) pathway: protocol for evaluating a new standard of care for patients with non-specific symptoms of cancer. BMJ Open, 2018, 8, e018168.	0.8	43
20	Continuity of Primary Care and Emergency Hospital Admissions Among Older Patients in England. Annals of Family Medicine, 2017, 15, 515-522.	0.9	39
21	The evidence underpinning sports performance products: a systematic assessment. BMJ Open, 2012, 2, e001702.	0.8	38
22	Clinical prediction rules in practice: review of clinical guidelines and survey of GPs. British Journal of General Practice, 2014, 64, e233-e242.	0.7	37
23	Prevalence of chronic kidney disease in the community using data from OxRen: a UK population-based cohort study. British Journal of General Practice, 2020, 70, e285-e293.	0.7	37
24	Automated Software System to Promote Anticoagulation and Reduce Stroke Risk. Stroke, 2017, 48, 787-790.	1.0	33
25	Relative impact of clinical evidence and over-the-counter prescribing on topical antibiotic use for acute infective conjunctivitis. British Journal of General Practice, 2009, 59, 897-900.	0.7	31
26	Membranous nephropathy after use of UK-manufactured skin creams containing mercury. QJM - Monthly Journal of the Association of Physicians, 2011, 104, 893-896.	0.2	30
27	Unplanned admissions and the organisational management of heart failure: a multicentre ethnographic, qualitative study. BMJ Open, 2015, 5, e007522.	0.8	30
28	"Sometimes we can't fix things― a qualitative study of health care professionals' perceptions of end of life care for patients with heart failure. BMC Palliative Care, 2016, 15, 3.	0.8	30
29	Suitability of emergency department attenders to be assessed in primary care: survey of general practitioner agreement in a random sample of triage records analysed in a service evaluation project. BMJ Open, 2013, 3, e003612.	0.8	29
30	Benefits of Aldosterone Receptor Antagonism in Chronic Kidney Disease (BARACK D) trial–a multi-centre, prospective, randomised, open, blinded end-point, 36-month study of 2,616 patients within primary care with stage 3b chronic kidney disease to compare the efficacy of spironolactone 25Âmg once daily in addition to routine care on mortality and cardiovascular outcomes versus routine care	0.7	29
31	alone: study protocol for a randomized controlled trial. Trials, 2014, 15, 160. Managing Patients With Heart Failure: A Qualitative Study of Multidisciplinary Teams With Specialist Heart Failure Nurses. Annals of Family Medicine, 2015, 13, 466-471.	0.9	29
32	Point-of-care lactate testing for sepsis at presentation to health care: a systematic review of patient outcomes. British Journal of General Practice, 2017, 67, e859-e870.	0.7	29
33	Embedding new technologies in practice – a normalization process theory study of point of care testing. BMC Health Services Research, 2016, 16, 591.	0.9	28
34	Who breaches the four-hour emergency department wait time target? A retrospective analysis of 374,000 emergency department attendances between 2008 and 2013 at a type 1 emergency department in England. BMC Emergency Medicine, 2017, 17, 32.	0.7	28
35	Systematic Review and Metaanalysis Comparing the Bias and Accuracy of the Modification of Diet in Renal Disease and Chronic Kidney Disease Epidemiology Collaboration Equations in Community-Based Populations. Clinical Chemistry, 2018, 64, 475-485.	1.5	25
36	A multi-centre open-label two-arm randomised superiority clinical trial of azithromycin versus usual care in ambulatory COVID-19: study protocol for the ATOMIC2 trial. Trials, 2020, 21, 718.	0.7	25

#	Article	IF	CITATIONS
37	Effects of Antiplatelet Therapy After Stroke Caused by Intracerebral Hemorrhage. JAMA Neurology, 2021, 78, 1179.	4.5	25
38	Measuring geographical disparities in England at the time of COVID-19: results using a composite indicator of population vulnerability. BMJ Open, 2020, 10, e039749.	0.8	23
39	Correlations of Regional Cerebral Metabolism With Memory Performance and Executive Function in Patients With Herpes Encephalitis or Frontal Lobe Lesions Neuropsychology, 2005, 19, 555-565.	1.0	23
40	How quickly should we titrate antihypertensive medication? Systematic review modelling blood pressure response from trial data. Heart, 2011, 97, 1771-1775.	1.2	22
41	Philosophy of science and the diagnostic process. Family Practice, 2013, 30, 501-505.	0.8	22
42	Increase in antibiotic prescriptions in out-of-hours primary care in contrast to in-hours primary care prescriptions: service evaluation in a population of 600 000 patients. Journal of Antimicrobial Chemotherapy, 2016, 71, 2612-2619.	1.3	22
43	Clinical Characteristics of Pertussis-Associated Cough in AdultsÂandÂChildren. Chest, 2017, 152, 353-367.	0.4	22
44	General practitioner referrals to one-stop clinics for symptoms that could be indicative of cancer: a systematic review of use and clinical outcomes. Family Practice, 2019, 36, 255-261.	0.8	19
45	What proportion of patients at the end of life contact out-of-hours primary care? A data linkage study in Oxfordshire. BMJ Open, 2018, 8, e020244.	0.8	18
46	Health-related quality of life impact of minor and major bleeding events during dual antiplatelet therapy: a systematic literature review and patient preference elicitation study. Health and Quality of Life Outcomes, 2018, 16, 191.	1.0	18
47	Under-Reporting of Socioeconomic Status of Patients in Stroke Trials. Stroke, 2013, 44, 2920-2922.	1.0	16
48	Ambulatory emergency oncology: A key tenet of future emergency oncology care. International Journal of Clinical Practice, 2020, 74, e13436.	0.8	15
49	What are the basic self-monitoring components for cardiovascular risk management?. BMC Medical Research Methodology, 2010, 10, 105.	1.4	14
50	Out-of-hours primary care use at the end of life: a descriptive study. British Journal of General Practice, 2016, 66, e654-e660.	0.7	14
51	Understanding tensions and identifying clinician agreement on improvements to early-stage chronic kidney disease monitoring in primary care: a qualitative study: TableÂ1. BMJ Open, 2016, 6, e010337.	0.8	14
52	The prognostic value of national early warning scores (NEWS) during transfer of care from community settings to hospital: a retrospective service evaluation. BJGP Open, 2020, 4, bjgpopen20X101071.	0.9	14
53	Process of care and activity in a clinically inclusive ambulatory emergency care unit: progressive effect over time on clinical outcomes and acute medical admissions. Future Healthcare Journal, 2020, 7, 234-240.	0.6	14
54	Mythbusting sports and exercise products. BMJ, The, 2012, 345, e4848-e4848.	3.0	13

#	Article	IF	CITATIONS
55	Exploring the relationship between general practice characteristics, and attendance at walk-in centres, minor injuries units and EDs in England 2012/2013: a cross-sectional study. Emergency Medicine Journal, 2016, 33, 702-708.	0.4	13
56	Referral and Triage of Patients with Transient Ischemic Attacks to an Acute Access Clinic: Risk Stratification in an Australian Setting. International Journal of Stroke, 2013, 8, 81-89.	2.9	12
57	Absolute cardiovascular risk and GP decision making in TIA and minor stroke. Family Practice, 2014, 31, 664-669.	0.8	12
58	Validation of a TIA Recognition Tool in Primary and Secondary Care: Implications for Generalizability. International Journal of Stroke, 2015, 10, 692-696.	2.9	12
59	Effects of antihypertensives, lipid-modifying drugs, glycaemic control drugs and sodium bicarbonate on the progression of stages 3 and 4 chronic kidney disease in adults: a systematic review and meta-analysis. BMJ Open, 2019, 9, e030596.	0.8	12
60	Are referrals to hospital from out-of-hours primary care associated with National Early Warning Scores?. Emergency Medicine Journal, 2020, 37, emermed-2019-209069.	0.4	12
61	Society for Acute Medicine Benchmarking Audit 2021 (SAMBA21): assessing national performance of acute medicine services. Acute Medicine, 2022, 21, 19-26.	0.1	12
62	Predicting clinical deterioration after initial assessment in out-of-hours primary care: a retrospective service evaluation. British Journal of General Practice, 2017, 67, e78-e85.	0.7	11
63	Sepsis recognition tools in acute ambulatory care: associations with process of care and clinical outcomes in a service evaluation of an Emergency Multidisciplinary Unit in Oxfordshire. BMJ Open, 2018, 8, e020497.	0.8	11
64	Trends in kidney function testing in UK primary care since the introduction of the quality and outcomes framework: a retrospective cohort study using CPRD. BMJ Open, 2019, 9, e028062.	0.8	11
65	Contemporary prognosis of transient ischemic attack patients: A systematic review and meta-analysis. International Journal of Stroke, 2019, 14, 460-467.	2.9	11
66	Point-of-care blood tests during home visits by out-of-hours primary care clinicians; a mixed methods evaluation of a service improvement. BMJ Open, 2020, 10, e033428.	0.8	11
67	Is point-of-care testing feasible and safe in care homes in England? An exploratory usability and accuracy evaluation of a point-of-care polymerase chain reaction test for SARS-CoV-2. Age and Ageing, 2021, 50, 1464-1472.	0.7	11
68	Late onset type 1 diabetes. BMJ, The, 2012, 344, e2827-e2827.	3.0	10
69	Patient-reported outcome measurement: a bridge between health and social care?. Journal of the Royal Society of Medicine, 2021, 114, 381-388.	1.1	10
70	Restricted access to the NHS during the COVID-19 pandemic: Is it time to move away from the rationed clinical response?. Lancet Regional Health - Europe, The, 2021, 8, 100201.	3.0	10
71	AUtomated Risk Assessment for Stroke in Atrial Fibrillation (AURAS-AF) - an automated software system to promote anticoagulation and reduce stroke risk: study protocol for a cluster randomised controlled trial. Trials, 2013, 14, 385.	0.7	9
72	Transient neurological symptoms in the older population: report of a prospective cohort study—the Medical Research Council Cognitive Function and Ageing Study (CFAS). BMJ Open, 2013, 3, e003195.	0.8	9

#	Article	IF	CITATIONS
73	What is the relationship between renal function and visit-to-visit blood pressure variability in primary care? Retrospective cohort study from routinely collected healthcare data. BMJ Open, 2016, 6, e010702.	0.8	9
74	The International comparison of Systems of care and patient outcomes In minor Stroke and Tia (InSIST) study: A community-based cohort study. International Journal of Stroke, 2019, 14, 186-190.	2.9	9
75	Intravenous Ceftriaxone Versus Multiple Dosing Regimes of Intravenous Anti-Staphylococcal Antibiotics for Methicillin-Susceptible Staphylococcus aureus (MSSA): A Systematic Review. Antibiotics, 2020, 9, 39.	1.5	9
76	Acute care service performance during winter: report from the winter SAMBA 2020 national audit of acute care. Acute Medicine, 2020, 19, 220-229.	0.1	9
77	Hospital at home for acute medical illness: The 21st century acute medical unit for a changing population. Journal of Internal Medicine, 2022, 291, 438-457.	2.7	9
78	General practitioners' attitudes and decision making regarding admission for older adults with infection: a UK qualitative interview study. Family Practice, 2019, 36, 493-500.	0.8	8
79	Challenges and strategies for general practitioners diagnosing serious infections in older adults: a UK qualitative interview study. BMC Family Practice, 2019, 20, 56.	2.9	8
80	A retrospective analysis of outcomes in low-Âand intermediate–high-risk pulmonary embolism patients managed on an ambulatory medical unit in the UK. ERJ Open Research, 2019, 5, 00184-2018.	1.1	8
81	Non-Focal Neurological Symptoms Associated with Classical Presentations of Transient Ischaemic Attack: Qualitative Analysis of Interviews with Patients. PLoS ONE, 2013, 8, e66351.	1.1	8
82	SAMBA18 Report – A National Audit of Acute Medical Care in the UK. Acute Medicine, 2019, 18, 76-87.	0.1	8
83	Clinical Reliability of point-of-care tests to support community based acute ambulatory care. Acute Medicine, 2020, 19, 4-14.	0.1	8
84	Frailty assessment and acute frailty service provision in the UK: results of a national â€~day of care' survey. BMC Geriatrics, 2022, 22, 19.	1.1	8
85	The Oxford Renal (OxRen) cross-sectional study of chronic kidney disease in the UK. BMJ Open, 2013, 3, e004265.	0.8	7
86	GPs' adherence to guidelines for structured assessments of stroke survivors in the community and care homes. Family Practice, 2015, 32, cmv074.	0.8	7
87	Exploring the relationship between general practice characteristics and attendance at Walk-in Centres, Minor Injuries Units and Emergency Departments in England 2009/10–2012/2013: a longitudinal study. BMC Health Services Research, 2017, 17, 546.	0.9	7
88	Reference values for body composition and associations with blood pressure in Kenyan adults aged ≥50 years old. European Journal of Clinical Nutrition, 2019, 73, 558-565.	1.3	7
89	Variation in referral rates to emergency departments and inpatient services from a CP out of hours service and the potential impact of alternative staffing models. Emergency Medicine Journal, 2021, 38, 784-788.	0.4	7
90	Long-term health outcomes of people with reduced kidney function in the UK: A modelling study using population health data. PLoS Medicine, 2020, 17, e1003478.	3.9	7

#	Article	IF	CITATIONS
91	Nurse staffing levels within acute care: results of a national day of care survey. BMC Health Services Research, 2022, 22, 493.	0.9	7
92	Initial management of suspected transient cerebral ischaemia and stroke in primary care: implications of recent research. Postgraduate Medical Journal, 2009, 85, 422-427.	0.9	6
93	Varying uses of the ABCD2 scoring system in primary and secondary care: a qualitative study. BMJ Open, 2012, 2, e001501.	0.8	6
94	RApid Primary care Initiation of Drug treatment for Transient Ischaemic Attack (RAPIDâ^'TIA): study protocol for a pilot randomised controlled trial. Trials, 2013, 14, 194.	0.7	6
95	Development of guidance on the timeliness in response to acute kidney injury warning stage test results for adults in primary care: an appropriateness ratings evaluation. BMJ Open, 2016, 6, e012865.	0.8	6
96	Requirement for cystatin C testing in chronic kidney disease: a retrospective population-based study. British Journal of General Practice, 2017, 67, e732-e735.	0.7	6
97	Interface medicine: a new generalism for the NHS. British Journal of General Practice, 2017, 67, 492-493.	0.7	6
98	Predictive values of referrals for transient ischaemic attack from first-contact health care: a systematic review. British Journal of General Practice, 2017, 67, e871-e880.	0.7	6
99	Barriers to a software reminder system for risk assessment of stroke in atrial fibrillation: a process evaluation of a cluster randomised trial in general practice. British Journal of General Practice, 2018, 68, e844-e851.	0.7	6
100	Use of primary care data to predict those most vulnerable to cold weather: a case-crossover analysis. British Journal of General Practice, 2018, 68, e146-e156.	0.7	6
101	Comprehensive ascertainment of bleeding in patients prescribed different combinations of dual antiplatelet therapy (DAPT) and triple therapy (TT) in the UK: study protocol for three population-based cohort studies emulating †target trials' (the ADAPTT Study). BMJ Open, 2019, 9, e029388.	0.8	6
102	The Characteristics of Patients With Possible Transient Ischemic Attack and Minor Stroke in the Hunter and Manning Valley Regions, Australia (the INSIST Study). Frontiers in Neurology, 2020, 11, 383.	1.1	6
103	Electronic alerts for acute kidney injury across primary and secondary care. BMJ Open Quality, 2021, 10, e000956.	0.4	6
104	Examining the effect of evaluation sample size on the sensitivity and specificity of COVID-19 diagnostic tests in practice: a simulation study. Diagnostic and Prognostic Research, 2022, 6, 12.	0.8	6
105	Questionnaire study of the association between patient numbers and regular visiting by general practitioners in care homes. Age and Ageing, 2012, 41, 269-272.	0.7	5
106	Trends in serum creatinine testing in Oxfordshire, UK, 1993–2013: a population-based cohort study. BMJ Open, 2015, 5, e009459.	0.8	5
107	Quality of Referrals and Guideline Compliance for Time to Consultation at an Acute Neurovascular Clinic. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 874-880.	0.7	5
108	Ambulatory emergency care: how should acute generalists manage risk in undifferentiated illness?. British Journal of General Practice, 2018, 68, 12-13.	0.7	5

#	Article	IF	CITATIONS
109	Factors associated with admission to bed-based care: observational prospective cohort study in a multidisciplinary same day emergency care unit (SDEC). BMC Geriatrics, 2021, 21, 8.	1.1	5
110	The evaluation of anaemia in an older primary care population: retrospective population-based study. BJGP Open, 2018, 1, bjgpopen17X101157.	0.9	5
111	Gaps in point of care ultrasound provision and the cost of ultrasound equipment provision: results of a nationwide audit of acute medical units. Acute Medicine, 2020, 19, 64-68.	0.1	5
112	Response to winter pressures in acute services: analysis from the Winter Society for Acute Medicine Benchmarking Audit. BMC Health Services Research, 2022, 22, 17.	0.9	5
113	Analysis of the relationship between sex and prescriptions for guideline-recommended therapy in peripheral arterial disease, in relation to 1-year all-cause mortality: a primary care cohort study. BMJ Open, 2022, 12, e055952.	0.8	5
114	The role of dipeptidyl peptidase-4 inhibitors. BMJ: British Medical Journal, 2012, 344, e1213-e1213.	2.4	4
115	Can we identify older people most vulnerable to living in cold homes during winter?. Annals of Epidemiology, 2018, 28, 1-7.e3.	0.9	4
116	The National Institute for Health Research (NIHR) Global Health Research Group on Atrial Fibrillation management. European Heart Journal, 2019, 40, 3005-3007.	1.0	4
117	Assessing Fluid Resuscitation in Adults with Sepsis Who Are Not Mechanically Ventilated: a Systematic Review of Diagnostic Test Accuracy Studies. Journal of General Internal Medicine, 2019, 34, 1874-1883.	1.3	4
118	Impact on cardiovascular risk follow-up from a shift to the CKD-EPI formula for eGFR reporting: a cross-sectional population-based primary care study. BMJ Open, 2013, 3, e003631.	0.8	3
119	Patients' responses to transient ischaemic attack symptoms: a cross-sectional questionnaire study in Australian general practices. British Journal of General Practice, 2015, 65, e24-e31.	0.7	3
120	Can continuity of primary care decrease emergency care use? A nested case-control study. Lancet, The, 2016, 388, S13.	6.3	3
121	Managing transient ischaemic attacks in Australia: a qualitative study. Family Practice, 2017, 34, 606-611.	0.8	3
122	Experiences of Ambulatory Care for Frail, Older People and Their Carers During Acute Illness: A Qualitative, Ethnographic Study. Journal of the American Medical Directors Association, 2019, 20, 1344-1347.	1.2	3
123	Where should patients with or at risk of delirium be treated in an acute care system? Comparing the rates of delirium in patients receiving usual care vs alternative care: A systematic review and metaâ€analysis. International Journal of Clinical Practice, 2021, 75, e13859.	0.8	3
124	Protocol for a scoping review exploring the use of patient-reported outcomes in adult social care. BMJ Open, 2021, 11, e045206.	0.8	3
125	â€~You see the empty bed which means it's either a transplant or a death': a qualitative study exploring the impact of death in the haemodialysis community. BMJ Open, 2021, 11, e046537.	0.8	3
126	The provision of hospital at home care: Results of a national survey of UK hospitals. International Journal of Clinical Practice, 2021, 75, e14814.	0.8	3

#	Article	IF	CITATIONS
127	Point of care testing using rapid automated antigen testing for SARS-COV-2 in care homes – an exploratory safety, usability and diagnostic agreement evaluation. Journal of Patient Safety and Risk Management, 2021, 26, 243-250.	0.4	3
128	Point-of-care blood testing with secondary care decision support for frail patients. Journal of Paramedic Practice: the Clinical Monthly for Emergency Care Professionals, 2022, 14, 54-62.	0.0	3
129	Length of stay in Acute Medical Admissions: Analysis from the Society for Acute Medicine Benchmarking Audit. Acute Medicine, 2022, 21, 27-33.	0.1	3
130	One-Year Risk of Stroke After Transient Ischemic Attack or Minor Stroke in Hunter New England, Australia (INSIST Study). Frontiers in Neurology, 2021, 12, 791193.	1.1	3
131	Paediatric contacts with the UK out-of-hours primary care service and contact outcomes: a regional service evaluation. BMC Family Practice, 2020, 21, 144.	2.9	2
132	Population Vulnerability to Unexpected Health Shocks: Geographical Disparities in England at the Time of COVID-19. SSRN Electronic Journal, 0, , .	0.4	2
133	Recognition and management of transient ischaemic attack in primary care. British Journal of General Practice, 2013, 63, 62-63.	0.7	1
134	Restarting antithrombotic drugs after gastrointestinal haemorrhage in people with atrial fibrillation. BMJ, The, 2015, 351, h6104-h6104.	3.0	1
135	Chronic renal disease is not chronic kidney disease: implications for use of the QRISK and Joint British Societies risk scores. Family Practice, 2016, 33, 57-60.	0.8	1
136	Management of transient ischemic attacks diagnosed by early-career general practitioners: A cross-sectional study. International Journal of Stroke, 2018, 13, 313-320.	2.9	1
137	What are physiotherapists and occupational therapists doing in services that replace acute hospital admission? A systematic review. International Journal of Clinical Practice, 2020, 74, e13462.	0.8	1
138	Effect of point of care blood testing on physical health check completion in mental health services: mixed-methods evaluation. BJPsych Open, 2020, 6, e127.	0.3	1
139	Infection in older adults: a qualitative study of patient experience. British Journal of General Practice, 2020, 70, e312-e321.	0.7	1
140	Provision of acute medicine services for pregnant women in UK hospitals: Data from the Society for Acute Medicine Benchmarking Audit 2019. Obstetric Medicine, 2021, 14, 83-88.	0.5	1
141	Urgent assessment and ongoing care for infection in community-dwelling older people: a qualitative study of patient experience. BMJ Open, 2021, 11, e043541.	0.8	1
142	Long-term monitoring in primary care for chronic kidney disease and chronic heart failure: a multi-method research programme. Programme Grants for Applied Research, 2021, 9, 1-218.	0.4	1
143	NEWS2 to assess suspected COVID-19 in the community: a service evaluation of a primary care assessment centre. Family Practice, 2021, 38, i3-i8.	0.8	1
144	Incidence of symptomatic imageâ€confirmed venous thromboembolism in outpatients managed in a hospitalâ€led COVIDâ€19 virtual ward. EJHaem, 2021, 2, 794-798.	0.4	1

#	Article	IF	CITATIONS
145	Out-of-hours primary care end of life prescribing: a data linkage study. BMJ Supportive and Palliative Care, 2020, 10, e45-e45.	0.8	1
146	Meta-analysis on insulin treatment for type 2 diabetes: rushed conclusions? Reply to WÃǥner AM, Mauricio D [letter]. Diabetologia, 2010, 53, 1006-1006.	2.9	0
147	Authors' reply to Betts, Stokes, and Kleiner. BMJ, The, 2012, 345, e5431-e5431.	3.0	0
148	Stroke conference is vital for those seeking to transform care. Nursing Standard (Royal College of) Tj ETQq0 0 0 i	rgBT /Over 0.1	lock 10 Tf 50
140	Neutrophil gelatinase-associated lipocalin: primary care diagnostic technology update. British Journal	0.7	0

149	of General Practice, 2016, 66, 542-543.	0.7	0
150	Emergency multi-disciplinary units. InnovAiT, 2016, 9, 316-318.	0.0	0
151	When has service provision for transient ischaemic attack improved enough? A discrete event simulation economic modelling study. BMJ Open, 2017, 7, e018189.	0.8	0
152	Patients' anticipated actions following transient ischaemic attack symptoms: a qualitative vignette-based study. BMC Family Practice, 2017, 18, 14.	2.9	0
153	Creating an acute medicine and acute oncology interface – chief registrar as a â€~change agent'. Clinical Medicine, 2017, 17, s30.	0.8	0
154	A Questionnaire-Based Study to Investigate the Extent of Shared Decision-making During Consultations in Out-of-hours Primary Care. Journal of General Internal Medicine, 2020, 35, 2513-2515.	1.3	0
155	"Virtual ward―community outreach support for <scp>COVID</scp> â€19â€positive hemodialysis patients may delay but not prevent subsequent admission to hospital: A singleâ€center retrospective case–control pilot study. Hemodialysis International, 2022, 26, 278-280.	0.4	0
156	Title is missing!. , 2020, 17, e1003478.		0
157	Title is missing!. , 2020, 17, e1003478.		0
158	Title is missing!. , 2020, 17, e1003478.		0
159	Title is missing!. , 2020, 17, e1003478.		0
160	Title is missing!. , 2020, 17, e1003478.		0
161	Journal update monthly top five. Emergency Medicine Journal, 2022, 39, 486-487.	0.4	0