
Daniel Lasserson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1568807/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Hospital at home for acute medical illness: The 21st century acute medical unit for a changing population. Journal of Internal Medicine, 2022, 291, 438-457.	2.7	9
2	Response to winter pressures in acute services: analysis from the Winter Society for Acute Medicine Benchmarking Audit. BMC Health Services Research, 2022, 22, 17.	0.9	5
3	Frailty assessment and acute frailty service provision in the UK: results of a national †day of care' survey. BMC Geriatrics, 2022, 22, 19.	1.1	8
4	Point-of-care blood testing with secondary care decision support for frail patients. Journal of Paramedic Practice: the Clinical Monthly for Emergency Care Professionals, 2022, 14, 54-62.	0.0	3
5	Length of stay in Acute Medical Admissions: Analysis from the Society for Acute Medicine Benchmarking Audit. Acute Medicine, 2022, 21, 27-33.	0.1	3
6	Analysis of the relationship between sex and prescriptions for guideline-recommended therapy in peripheral arterial disease, in relation to 1-year all-cause mortality: a primary care cohort study. BMJ Open, 2022, 12, e055952.	0.8	5
7	"Virtual ward―community outreach support for <scp>COVID</scp> â€19â€positive hemodialysis patients may delay but not prevent subsequent admission to hospital: A singleâ€center retrospective case–control pilot study. Hemodialysis International, 2022, 26, 278-280.	0.4	0
8	Society for Acute Medicine Benchmarking Audit 2021 (SAMBA21): assessing national performance of acute medicine services. Acute Medicine, 2022, 21, 19-26.	0.1	12
9	Nurse staffing levels within acute care: results of a national day of care survey. BMC Health Services Research, 2022, 22, 493.	0.9	7
10	Examining the effect of evaluation sample size on the sensitivity and specificity of COVID-19 diagnostic tests in practice: a simulation study. Diagnostic and Prognostic Research, 2022, 6, 12.	0.8	6
11	Journal update monthly top five. Emergency Medicine Journal, 2022, 39, 486-487.	0.4	0
12	Provision of acute medicine services for pregnant women in UK hospitals: Data from the Society for Acute Medicine Benchmarking Audit 2019. Obstetric Medicine, 2021, 14, 83-88.	0.5	1
13	Where should patients with or at risk of delirium be treated in an acute care system? Comparing the rates of delirium in patients receiving usual care vs alternative care: A systematic review and metaâ€analysis. International Journal of Clinical Practice, 2021, 75, e13859.	0.8	3
14	Factors associated with admission to bed-based care: observational prospective cohort study in a multidisciplinary same day emergency care unit (SDEC). BMC Geriatrics, 2021, 21, 8.	1.1	5
15	Urgent assessment and ongoing care for infection in community-dwelling older people: a qualitative study of patient experience. BMJ Open, 2021, 11, e043541.	0.8	1
16	Variation in referral rates to emergency departments and inpatient services from a GP out of hours service and the potential impact of alternative staffing models. Emergency Medicine Journal, 2021, 38, 784-788.	0.4	7
17	Is point-of-care testing feasible and safe in care homes in England? An exploratory usability and accuracy evaluation of a point-of-care polymerase chain reaction test for SARS-CoV-2. Age and Ageing, 2021, 50, 1464-1472.	0.7	11
18	Protocol for a scoping review exploring the use of patient-reported outcomes in adult social care. BMJ Open, 2021, 11, e045206.	0.8	3

#	Article	IF	CITATIONS
19	Electronic alerts for acute kidney injury across primary and secondary care. BMJ Open Quality, 2021, 10, e000956.	0.4	6
20	COVID-19: Rapid antigen detection for SARS-CoV-2 by lateral flow assay: A national systematic evaluation of sensitivity and specificity for mass-testing. EClinicalMedicine, 2021, 36, 100924.	3.2	162
21	Patient-reported outcome measurement: a bridge between health and social care?. Journal of the Royal Society of Medicine, 2021, 114, 381-388.	1.1	10
22	†You see the empty bed which means it's either a transplant or a death': a qualitative study exploring the impact of death in the haemodialysis community. BMJ Open, 2021, 11, e046537.	0.8	3
23	Long-term monitoring in primary care for chronic kidney disease and chronic heart failure: a multi-method research programme. Programme Grants for Applied Research, 2021, 9, 1-218.	0.4	1
24	NEWS2 to assess suspected COVID-19 in the community: a service evaluation of a primary care assessment centre. Family Practice, 2021, 38, i3-i8.	0.8	1
25	The provision of hospital at home care: Results of a national survey of UK hospitals. International Journal of Clinical Practice, 2021, 75, e14814.	0.8	3
26	Effects of Antiplatelet Therapy After Stroke Caused by Intracerebral Hemorrhage. JAMA Neurology, 2021, 78, 1179.	4.5	25
27	Restricted access to the NHS during the COVID-19 pandemic: Is it time to move away from the rationed clinical response?. Lancet Regional Health - Europe, The, 2021, 8, 100201.	3.0	10
28	Azithromycin versus standard care in patients with mild-to-moderate COVID-19 (ATOMIC2): an open-label, randomised trial. Lancet Respiratory Medicine,the, 2021, 9, 1130-1140.	5.2	65
29	Effects of oral anticoagulation for atrial fibrillation after spontaneous intracranial haemorrhage in the UK: a randomised, open-label, assessor-masked, pilot-phase, non-inferiority trial. Lancet Neurology, The, 2021, 20, 842-853.	4.9	44
30	Incidence of symptomatic imageâ€confirmed venous thromboembolism in outpatients managed in a hospitalâ€led COVIDâ€19 virtual ward. EJHaem, 2021, 2, 794-798.	0.4	1
31	Point of care testing using rapid automated antigen testing for SARS-COV-2 in care homes – an exploratory safety, usability and diagnostic agreement evaluation. Journal of Patient Safety and Risk Management, 2021, 26, 243-250.	0.4	3
32	Impact of the COVID-19 pandemic on emergency department attendances and acute medical admissions. BMC Emergency Medicine, 2021, 21, 143.	0.7	59
33	One-Year Risk of Stroke After Transient Ischemic Attack or Minor Stroke in Hunter New England, Australia (INSIST Study). Frontiers in Neurology, 2021, 12, 791193.	1.1	3
34	A Questionnaire-Based Study to Investigate the Extent of Shared Decision-making During Consultations in Out-of-hours Primary Care. Journal of General Internal Medicine, 2020, 35, 2513-2515.	1.3	0
35	Ambulatory emergency oncology: A key tenet of future emergency oncology care. International Journal of Clinical Practice, 2020, 74, e13436.	0.8	15
36	Are referrals to hospital from out-of-hours primary care associated with National Early Warning Scores?. Emergency Medicine Journal, 2020, 37, emermed-2019-209069.	0.4	12

#	Article	IF	CITATIONS
37	What are physiotherapists and occupational therapists doing in services that replace acute hospital admission? A systematic review. International Journal of Clinical Practice, 2020, 74, e13462.	0.8	1
38	Measuring geographical disparities in England at the time of COVID-19: results using a composite indicator of population vulnerability. BMJ Open, 2020, 10, e039749.	0.8	23
39	Paediatric contacts with the UK out-of-hours primary care service and contact outcomes: a regional service evaluation. BMC Family Practice, 2020, 21, 144.	2.9	2
40	Effect of point of care blood testing on physical health check completion in mental health services: mixed-methods evaluation. BJPsych Open, 2020, 6, e127.	0.3	1
41	A multi-centre open-label two-arm randomised superiority clinical trial of azithromycin versus usual care in ambulatory COVID-19: study protocol for the ATOMIC2 trial. Trials, 2020, 21, 718.	0.7	25
42	Point-of-care blood tests during home visits by out-of-hours primary care clinicians; a mixed methods evaluation of a service improvement. BMJ Open, 2020, 10, e033428.	0.8	11
43	The Characteristics of Patients With Possible Transient Ischemic Attack and Minor Stroke in the Hunter and Manning Valley Regions, Australia (the INSIST Study). Frontiers in Neurology, 2020, 11, 383.	1.1	6
44	Intravenous Ceftriaxone Versus Multiple Dosing Regimes of Intravenous Anti-Staphylococcal Antibiotics for Methicillin-Susceptible Staphylococcus aureus (MSSA): A Systematic Review. Antibiotics, 2020, 9, 39.	1.5	9
45	Advance care planning in patients referred to hospital for acute medical care: Results of a national day of care survey. EClinicalMedicine, 2020, 19, 100235.	3.2	44
46	Prevalence of chronic kidney disease in the community using data from OxRen: a UK population-based cohort study. British Journal of General Practice, 2020, 70, e285-e293.	0.7	37
47	Infection in older adults: a qualitative study of patient experience. British Journal of General Practice, 2020, 70, e312-e321.	0.7	1
48	Long-term health outcomes of people with reduced kidney function in the UK: A modelling study using population health data. PLoS Medicine, 2020, 17, e1003478.	3.9	7
49	The prognostic value of national early warning scores (NEWS) during transfer of care from community settings to hospital: a retrospective service evaluation. BJGP Open, 2020, 4, bjgpopen20X101071.	0.9	14
50	Gaps in point of care ultrasound provision and the cost of ultrasound equipment provision: results of a nationwide audit of acute medical units. Acute Medicine, 2020, 19, 64-68.	0.1	5
51	Acute care service performance during winter: report from the winter SAMBA 2020 national audit of acute care. Acute Medicine, 2020, 19, 220-229.	0.1	9
52	Process of care and activity in a clinically inclusive ambulatory emergency care unit: progressive effect over time on clinical outcomes and acute medical admissions. Future Healthcare Journal, 2020, 7, 234-240.	0.6	14
53	Out-of-hours primary care end of life prescribing: a data linkage study. BMJ Supportive and Palliative Care, 2020, 10, e45-e45.	0.8	1
54	Clinical Reliability of point-of-care tests to support community based acute ambulatory care. Acute Medicine, 2020, 19, 4-14.	0.1	8

#	Article	IF	CITATIONS
55	Title is missing!. , 2020, 17, e1003478.		Ο
56	Title is missing!. , 2020, 17, e1003478.		0
57	Title is missing!. , 2020, 17, e1003478.		0
58	Title is missing!. , 2020, 17, e1003478.		0
59	Title is missing!. , 2020, 17, e1003478.		Ο
60	General practitioner referrals to one-stop clinics for symptoms that could be indicative of cancer: a systematic review of use and clinical outcomes. Family Practice, 2019, 36, 255-261.	0.8	19
61	Reference values for body composition and associations with blood pressure in Kenyan adults aged ≥50 years old. European Journal of Clinical Nutrition, 2019, 73, 558-565.	1.3	7
62	Trends in kidney function testing in UK primary care since the introduction of the quality and outcomes framework: a retrospective cohort study using CPRD. BMJ Open, 2019, 9, e028062.	0.8	11
63	The National Institute for Health Research (NIHR) Global Health Research Group on Atrial Fibrillation management. European Heart Journal, 2019, 40, 3005-3007.	1.0	4
64	Effects of antihypertensives, lipid-modifying drugs, glycaemic control drugs and sodium bicarbonate on the progression of stages 3 and 4 chronic kidney disease in adults: a systematic review and meta-analysis. BMJ Open, 2019, 9, e030596.	0.8	12
65	General practitioners' attitudes and decision making regarding admission for older adults with infection: a UK qualitative interview study. Family Practice, 2019, 36, 493-500.	0.8	8
66	Comprehensive ascertainment of bleeding in patients prescribed different combinations of dual antiplatelet therapy (DAPT) and triple therapy (TT) in the UK: study protocol for three population-based cohort studies emulating â€~target trials' (the ADAPTT Study). BMJ Open, 2019, 9, e029388.	0.8	6
67	Assessing Fluid Resuscitation in Adults with Sepsis Who Are Not Mechanically Ventilated: a Systematic Review of Diagnostic Test Accuracy Studies. Journal of General Internal Medicine, 2019, 34, 1874-1883.	1.3	4
68	Effects of antiplatelet therapy after stroke due to intracerebral haemorrhage (RESTART): a randomised, open-label trial. Lancet, The, 2019, 393, 2613-2623.	6.3	134
69	Effects of antiplatelet therapy on stroke risk by brain imaging features of intracerebral haemorrhage and cerebral small vessel diseases: subgroup analyses of the RESTART randomised, open-label trial. Lancet Neurology, The, 2019, 18, 643-652.	4.9	68
70	Experiences of Ambulatory Care for Frail, Older People and Their Carers During Acute Illness: A Qualitative, Ethnographic Study. Journal of the American Medical Directors Association, 2019, 20, 1344-1347.	1.2	3
71	Challenges and strategies for general practitioners diagnosing serious infections in older adults: a UK qualitative interview study. BMC Family Practice, 2019, 20, 56.	2.9	8
72	A retrospective analysis of outcomes in low-Âand intermediate–high-risk pulmonary embolism patients managed on an ambulatory medical unit in the UK. ERJ Open Research, 2019, 5, 00184-2018.	1.1	8

#	Article	IF	CITATIONS
73	The International comparison of Systems of care and patient outcomes In minor Stroke and Tia (InSIST) study: A community-based cohort study. International Journal of Stroke, 2019, 14, 186-190.	2.9	9
74	Contemporary prognosis of transient ischemic attack patients: A systematic review and meta-analysis. International Journal of Stroke, 2019, 14, 460-467.	2.9	11
75	SAMBA18 Report – A National Audit of Acute Medical Care in the UK. Acute Medicine, 2019, 18, 76-87.	0.1	8
76	Sepsis recognition tools in acute ambulatory care: associations with process of care and clinical outcomes in a service evaluation of an Emergency Multidisciplinary Unit in Oxfordshire. BMJ Open, 2018, 8, e020497.	0.8	11
77	Ambulatory emergency care: how should acute generalists manage risk in undifferentiated illness?. British Journal of General Practice, 2018, 68, 12-13.	0.7	5
78	Can we identify older people most vulnerable to living in cold homes during winter?. Annals of Epidemiology, 2018, 28, 1-7.e3.	0.9	4
79	What proportion of patients at the end of life contact out-of-hours primary care? A data linkage study in Oxfordshire. BMJ Open, 2018, 8, e020244.	0.8	18
80	The Suspected CANcer (SCAN) pathway: protocol for evaluating a new standard of care for patients with non-specific symptoms of cancer. BMJ Open, 2018, 8, e018168.	0.8	43
81	Systematic Review and Metaanalysis Comparing the Bias and Accuracy of the Modification of Diet in Renal Disease and Chronic Kidney Disease Epidemiology Collaboration Equations in Community-Based Populations. Clinical Chemistry, 2018, 64, 475-485.	1.5	25
82	Management of transient ischemic attacks diagnosed by early-career general practitioners: A cross-sectional study. International Journal of Stroke, 2018, 13, 313-320.	2.9	1
83	Barriers to a software reminder system for risk assessment of stroke in atrial fibrillation: a process evaluation of a cluster randomised trial in general practice. British Journal of General Practice, 2018, 68, e844-e851.	0.7	6
84	Use of primary care data to predict those most vulnerable to cold weather: a case-crossover analysis. British Journal of General Practice, 2018, 68, e146-e156.	0.7	6
85	Health-related quality of life impact of minor and major bleeding events during dual antiplatelet therapy: a systematic literature review and patient preference elicitation study. Health and Quality of Life Outcomes, 2018, 16, 191.	1.0	18
86	The evaluation of anaemia in an older primary care population: retrospective population-based study. BJGP Open, 2018, 1, bjgpopen17X101157.	0.9	5
87	Predicting clinical deterioration after initial assessment in out-of-hours primary care: a retrospective service evaluation. British Journal of General Practice, 2017, 67, e78-e85.	0.7	11
88	Automated Software System to Promote Anticoagulation and Reduce Stroke Risk. Stroke, 2017, 48, 787-790.	1.0	33
89	Clinical Characteristics of Pertussis-Associated Cough in AdultsÂandÂChildren. Chest, 2017, 152, 353-367.	0.4	22
90	Older people's experiences of falling and perceived risk of falls in the community: A narrative synthesis of qualitative research. International Journal of Older People Nursing, 2017, 12, e12151.	0.6	62

6

#	Article	IF	CITATIONS
91	Requirement for cystatin C testing in chronic kidney disease: a retrospective population-based study. British Journal of General Practice, 2017, 67, e732-e735.	0.7	6
92	Why do patients seek primary medical care in emergency departments? An ethnographic exploration of access to general practice. BMJ Open, 2017, 7, e013816.	0.8	65
93	Interface medicine: a new generalism for the NHS. British Journal of General Practice, 2017, 67, 492-493.	0.7	6
94	Predictive values of referrals for transient ischaemic attack from first-contact health care: a systematic review. British Journal of General Practice, 2017, 67, e871-e880.	0.7	6
95	Point-of-care lactate testing for sepsis at presentation to health care: a systematic review of patient outcomes. British Journal of General Practice, 2017, 67, e859-e870.	0.7	29
96	When has service provision for transient ischaemic attack improved enough? A discrete event simulation economic modelling study. BMJ Open, 2017, 7, e018189.	0.8	0
97	Continuity of Primary Care and Emergency Hospital Admissions Among Older Patients in England. Annals of Family Medicine, 2017, 15, 515-522.	0.9	39
98	Managing transient ischaemic attacks in Australia: a qualitative study. Family Practice, 2017, 34, 606-611.	0.8	3
99	Patients' anticipated actions following transient ischaemic attack symptoms: a qualitative vignette-based study. BMC Family Practice, 2017, 18, 14.	2.9	0
100	Creating an acute medicine and acute oncology interface – chief registrar as a â€~change agent'. Clinical Medicine, 2017, 17, s30.	0.8	0
101	Who breaches the four-hour emergency department wait time target? A retrospective analysis of 374,000 emergency department attendances between 2008 and 2013 at a type 1 emergency department in England. BMC Emergency Medicine, 2017, 17, 32.	0.7	28
102	Exploring the relationship between general practice characteristics and attendance at Walk-in Centres, Minor Injuries Units and Emergency Departments in England 2009/10–2012/2013: a longitudinal study. BMC Health Services Research, 2017, 17, 546.	0.9	7
103	Embedding new technologies in practice – a normalization process theory study of point of care testing. BMC Health Services Research, 2016, 16, 591.	0.9	28
104	Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0158765.	1.1	2,336
105	Neutrophil gelatinase-associated lipocalin: primary care diagnostic technology update. British Journal of General Practice, 2016, 66, 542-543.	0.7	0
106	Out-of-hours primary care use at the end of life: a descriptive study. British Journal of General Practice, 2016, 66, e654-e660.	0.7	14
107	Can continuity of primary care decrease emergency care use? A nested case-control study. Lancet, The, 2016, 388, S13.	6.3	3
108	Increase in antibiotic prescriptions in out-of-hours primary care in contrast to in-hours primary care prescriptions: service evaluation in a population of 600 000 patients. Journal of Antimicrobial Chemotherapy, 2016, 71, 2612-2619.	1.3	22

#	Article	IF	CITATIONS
109	What is the relationship between renal function and visit-to-visit blood pressure variability in primary care? Retrospective cohort study from routinely collected healthcare data. BMJ Open, 2016, 6, e010702.	0.8	9
110	Exploring the relationship between general practice characteristics, and attendance at walk-in centres, minor injuries units and EDs in England 2012/2013: a cross-sectional study. Emergency Medicine Journal, 2016, 33, 702-708.	0.4	13
111	Understanding tensions and identifying clinician agreement on improvements to early-stage chronic kidney disease monitoring in primary care: a qualitative study: TableÂ1. BMJ Open, 2016, 6, e010337.	0.8	14
112	Development of guidance on the timeliness in response to acute kidney injury warning stage test results for adults in primary care: an appropriateness ratings evaluation. BMJ Open, 2016, 6, e012865.	0.8	6
113	"Sometimes we can't fix things†a qualitative study of health care professionals' perceptions of end of life care for patients with heart failure. BMC Palliative Care, 2016, 15, 3.	0.8	30
114	Chronic renal disease is not chronic kidney disease: implications for use of the QRISK and Joint British Societies risk scores. Family Practice, 2016, 33, 57-60.	0.8	1
115	Emergency multi-disciplinary units. InnovAiT, 2016, 9, 316-318.	0.0	0
116	Patients' responses to transient ischaemic attack symptoms: a cross-sectional questionnaire study in Australian general practices. British Journal of General Practice, 2015, 65, e24-e31.	0.7	3
117	Trends in serum creatinine testing in Oxfordshire, UK, 1993–2013: a population-based cohort study. BMJ Open, 2015, 5, e009459.	0.8	5
118	Unplanned admissions and the organisational management of heart failure: a multicentre ethnographic, qualitative study. BMJ Open, 2015, 5, e007522.	0.8	30
119	Managing Patients With Heart Failure: A Qualitative Study of Multidisciplinary Teams With Specialist Heart Failure Nurses. Annals of Family Medicine, 2015, 13, 466-471.	0.9	29
120	Validation of a TIA Recognition Tool in Primary and Secondary Care: Implications for Generalizability. International Journal of Stroke, 2015, 10, 692-696.	2.9	12
121	Quality of Referrals and Guideline Compliance for Time to Consultation at an Acute Neurovascular Clinic. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 874-880.	0.7	5
122	GPs' adherence to guidelines for structured assessments of stroke survivors in the community and care homes. Family Practice, 2015, 32, cmv074.	0.8	7
123	Restarting antithrombotic drugs after gastrointestinal haemorrhage in people with atrial fibrillation. BMJ, The, 2015, 351, h6104-h6104.	3.0	1
124	Clinical prediction rules in practice: review of clinical guidelines and survey of GPs. British Journal of General Practice, 2014, 64, e233-e242.	0.7	37
125	Which features of primary care affect unscheduled secondary care use? A systematic review. BMJ Open, 2014, 4, e004746.	0.8	158

Stroke conference is vital for those seeking to transform care. Nursing Standard (Royal College of) Tj ETQq0 0 0 rg BT_0 /Overlock 10 Tf 50

#	Article	IF	CITATIONS
127	Absolute cardiovascular risk and GP decision making in TIA and minor stroke. Family Practice, 2014, 31, 664-669.	0.8	12
128	Life interrupted and life regained? Coping with stroke at a young age. International Journal of Qualitative Studies on Health and Well-being, 2014, 9, 22252.	0.6	46
129	Benefits of Aldosterone Receptor Antagonism in Chronic Ridney Disease (BARACK D) trialate a multi-centre, prospective, randomised, open, blinded end-point, 36-month study of 2,616 patients within primary care with stage 3b chronic kidney disease to compare the efficacy of spironolactone 25Âmg once daily in addition to routine care on mortality and cardiovascular outcomes versus routine care	0.7	29
130	RApid Primary care Initiation of Drug treatment for Transient Ischaemic Attack (RAPIDâ^'TIA): study protocol for a pilot randomised controlled trial. Trials, 2013, 14, 194.	0.7	6
131	Referral and Triage of Patients with Transient Ischemic Attacks to an Acute Access Clinic: Risk Stratification in an Australian Setting. International Journal of Stroke, 2013, 8, 81-89.	2.9	12
132	AUtomated Risk Assessment for Stroke in Atrial Fibrillation (AURAS-AF) - an automated software system to promote anticoagulation and reduce stroke risk: study protocol for a cluster randomised controlled trial. Trials, 2013, 14, 385.	0.7	9
133	Transient neurological symptoms in the older population: report of a prospective cohort study—the Medical Research Council Cognitive Function and Ageing Study (CFAS). BMJ Open, 2013, 3, e003195.	0.8	9
134	Suitability of emergency department attenders to be assessed in primary care: survey of general practitioner agreement in a random sample of triage records analysed in a service evaluation project. BMJ Open, 2013, 3, e003612.	0.8	29
135	Impact on cardiovascular risk follow-up from a shift to the CKD-EPI formula for eGFR reporting: a cross-sectional population-based primary care study. BMJ Open, 2013, 3, e003631.	0.8	3
136	Under-Reporting of Socioeconomic Status of Patients in Stroke Trials. Stroke, 2013, 44, 2920-2922.	1.0	16
137	The Oxford Renal (OxRen) cross-sectional study of chronic kidney disease in the UK. BMJ Open, 2013, 3, e004265.	0.8	7
138	Philosophy of science and the diagnostic process. Family Practice, 2013, 30, 501-505.	0.8	22
139	Recognition and management of transient ischaemic attack in primary care. British Journal of General Practice, 2013, 63, 62-63.	0.7	1
140	Non-Focal Neurological Symptoms Associated with Classical Presentations of Transient Ischaemic Attack: Qualitative Analysis of Interviews with Patients. PLoS ONE, 2013, 8, e66351.	1.1	8
141	Questionnaire study of the association between patient numbers and regular visiting by general practitioners in care homes. Age and Ageing, 2012, 41, 269-272.	0.7	5
142	Mythbusting sports and exercise products. BMJ, The, 2012, 345, e4848-e4848.	3.0	13
143	The evidence underpinning sports performance products: a systematic assessment. BMJ Open, 2012, 2, e001702.	0.8	38
144	Varying uses of the ABCD2 scoring system in primary and secondary care: a qualitative study. BMJ Open, 2012, 2, e001501.	0.8	6

#	Article	IF	CITATIONS
145	Late onset type 1 diabetes. BMJ, The, 2012, 344, e2827-e2827.	3.0	10
146	Assessment of central haemomodynamics from a brachial cuff in a community setting. BMC Cardiovascular Disorders, 2012, 12, 48.	0.7	46
147	Authors' reply to Betts, Stokes, and Kleiner. BMJ, The, 2012, 345, e5431-e5431.	3.0	0
148	The role of dipeptidyl peptidase-4 inhibitors. BMJ: British Medical Journal, 2012, 344, e1213-e1213.	2.4	4
149	Membranous nephropathy after use of UK-manufactured skin creams containing mercury. QJM - Monthly Journal of the Association of Physicians, 2011, 104, 893-896.	0.2	30
150	Chronic kidney disease: a large-scale population-based study of the effects of introducing the CKD-EPI formula for eGFR reporting. BMJ Open, 2011, 1, e000308-e000308.	0.8	58
151	How quickly should we titrate antihypertensive medication? Systematic review modelling blood pressure response from trial data. Heart, 2011, 97, 1771-1775.	1.2	22
152	Meta-analysis on insulin treatment for type 2 diabetes: rushed conclusions? Reply to WÃ g ner AM, Mauricio D [letter]. Diabetologia, 2010, 53, 1006-1006.	2.9	0
153	What are the basic self-monitoring components for cardiovascular risk management?. BMC Medical Research Methodology, 2010, 10, 105.	1.4	14
154	Population-Based Study of Behavior Immediately After Transient Ischemic Attack and Minor Stroke in 1000 Consecutive Patients. Stroke, 2010, 41, 1108-1114.	1.0	80
155	Initial management of suspected transient cerebral ischaemia and stroke in primary care: implications of recent research. Postgraduate Medical Journal, 2009, 85, 422-427.	0.9	6
156	Optimal insulin regimens in type 2 diabetes mellitus: systematic review and meta-analyses. Diabetologia, 2009, 52, 1990-2000.	2.9	109
157	Relative impact of clinical evidence and over-the-counter prescribing on topical antibiotic use for acute infective conjunctivitis. British Journal of General Practice, 2009, 59, 897-900.	0.7	31
158	Influence of general practice opening hours on delay in seeking medical attention after transient ischaemic attack (TIA) and minor stroke: prospective population based study. BMJ: British Medical Journal, 2008, 337, a1569-a1569.	2.4	59
159	Correlations of Regional Cerebral Metabolism With Memory Performance and Executive Function in Patients With Herpes Encephalitis or Frontal Lobe Lesions Neuropsychology, 2005, 19, 555-565.	1.0	23
160	FDG-PET Findings in the Wernicke-Korsakoff Syndrome. Cortex, 2003, 39, 1027-1045.	1.1	140
161	Population Vulnerability to Unexpected Health Shocks: Geographical Disparities in England at the Time of COVID-19. SSRN Electronic Journal, 0, , .	0.4	2