

Ya-Lun Ho

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1568828/ya-lun-ho-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49
papers

452
citations

14
h-index

18
g-index

58
ext. papers

605
ext. citations

6.8
avg, IF

4
L-index

#	Paper	IF	Citations
49	Narrowband Thermal Emission Realized through the Coupling of Cavity and Tamm Plasmon Resonances. <i>ACS Photonics</i> , 2018 , 5, 2446-2452	6.3	41
48	Mid-infrared Plasmonic Resonances in 2D VO ₂ Nanosquare Arrays. <i>Advanced Optical Materials</i> , 2015 , 3, 1759-1767	8.1	29
47	Multifunctional Effect of p-Doping, Antireflection, and Encapsulation by Polymeric Acid for High Efficiency and Stable Carbon Nanotube-Based Silicon Solar Cells. <i>Advanced Energy Materials</i> , 2020 , 10, 1902389	21.8	28
46	Self-Healing Lithographic Patterning of Perovskite Nanocrystals for Large-Area Single-Mode Laser Array. <i>Advanced Functional Materials</i> , 2021 , 31, 2006283	15.6	24
45	Hot-electron photodetector with wavelength selectivity in near-infrared via Tamm plasmon. <i>Nanoscale</i> , 2019 , 11, 17407-17414	7.7	22
44	Single-Step Electrophoretic Deposition of Non-noble Metal Catalyst Layer with Low Onset Voltage for Ethanol Electro-oxidation. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 15975-84	9.5	22
43	Hollow Plasmonic U-Cavities with High-Aspect-Ratio Nanofins Sustaining Strong Optical Vortices for Light Trapping and Sensing. <i>Advanced Optical Materials</i> , 2014 , 2, 522-528	8.1	20
42	Ultranarrow and Wavelength-Tunable Thermal Emission in a Hybrid Metal/Optical Tamm State Structure. <i>ACS Photonics</i> , 2020 , 7, 1569-1576	6.3	19
41	Plasmonic Hot-Carriers in Channel-Coupled Nanogap Structure for Metal/Semiconductor Barrier Modulation and Spectral-Selective Plasmonic Monitoring. <i>ACS Photonics</i> , 2018 , 5, 2617-2623	6.3	17
40	Optically Pumped Hybrid Plasmonic-Photonic Waveguide Modulator Using the VO ₂ Metal-Insulator Phase Transition. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-9	1.8	16
39	Spectrally selective photodetection in the near-infrared with a gold grating-based hot electron structure. <i>Applied Physics Letters</i> , 2020 , 116, 161103	3.4	15
38	Electrical tuning of metal-insulator-metal metasurface with electro-optic polymer. <i>Applied Physics Letters</i> , 2018 , 113, 231102	3.4	15
37	Spectrally Selective Photocapacitance Modulation in Plasmonic Nanochannels for Infrared Imaging. <i>Nano Letters</i> , 2016 , 16, 3094-100	11.5	14
36	On-Chip Monolithically Fabricated Plasmonic-Waveguide Nanolaser. <i>Nano Letters</i> , 2018 , 18, 7769-7776	11.5	14
35	Narrowband thermal emission from Tamm plasmons of a modified distributed Bragg reflector. <i>Applied Physics Letters</i> , 2018 , 113, 161104	3.4	14
34	Gap Plasmons Multiple Mirroring from Spheres in Pyramids for Surface-Enhanced Raman Scattering. <i>ACS Photonics</i> , 2016 , 3, 2405-2412	6.3	12
33	Fabrication, characterization, and high temperature surface enhanced Raman spectroscopic performance of SiO ₂ coated silver particles. <i>Nanoscale</i> , 2018 , 10, 5449-5456	7.7	11

32	Coupling of localized surface plasmons to U-shaped cavities for high-sensitivity and miniaturized detectors. <i>Optics Express</i> , 2013 , 21, 1531-40	3.3	11
31	Two-pair multilayer Bloch surface wave platform in the near- and mid-infrared regions. <i>Applied Physics Letters</i> , 2019 , 115, 091102	3.4	10
30	Plasmonic Hybrid Cavity-Channel Structure for Tunable Narrow-Band Optical Absorption. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 1979-1982	2.2	9
29	Plasmonic nanochannel structure for narrow-band selective thermal emitter. <i>Applied Physics Letters</i> , 2017 , 110, 251102	3.4	9
28	Metallic Nanowire Coupled CsPbBr ₃ Quantum Dots Plasmonic Nanolaser. <i>Advanced Functional Materials</i> , 2021 , 31, 2102375	15.6	9
27	Independent light-trapping cavity for ultra-sensitive plasmonic sensing. <i>Applied Physics Letters</i> , 2014 , 105, 061112	3.4	7
26	Photoinduced Metal-Like Phase of VO ₂ with Subns Recovery. <i>ACS Photonics</i> , 2020 , 7, 2395-2404	6.3	7
25	Plasmon focusing in short gold sphere nanochains for surface-enhanced Raman scattering. <i>Applied Optics</i> , 2013 , 52, 8809-16	1.7	6
24	High-Q and Tailorable Fano Resonances in a One-Dimensional Metal-Optical Tamm State Structure: From a Narrowband Perfect Absorber to a Narrowband Perfect Reflector. <i>Advanced Functional Materials</i> , 2021 , 31, 2102183	15.6	6
23	Light Switching with a Metal-Free Chiral-Sensitive Metasurface at Telecommunication Wavelengths. <i>ACS Photonics</i> , 2020 , 7, 2915-2922	6.3	5
22	Enhancing Detection Sensitivity of ZnO-Based Infrared Plasmonic Sensors Using Capped Dielectric GaO Layers for Real-Time Monitoring of Biological Interactions.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 6331-6342	4.1	5
21	Loop-Turn Optical Flows with Spectral Selectivity in Suspended Plasmonic Nanofin-Cavity Structure. <i>ACS Photonics</i> , 2015 , 2, 730-737	6.3	3
20	Single-bubble dynamics in nanopores: Transition between homogeneous and heterogeneous nucleation. <i>Physical Review Research</i> , 2020 , 2,	3.9	3
19	Water Confined in MIL-101(Cr): Unique Sorption/Desorption Behaviors Revealed by Diffuse Reflectance Infrared Spectroscopy and Molecular Dynamics Simulation. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 17786-17795	3.8	3
18	Plasmonic tooth-multilayer structure with high enhancement field for surface enhanced Raman spectroscopy. <i>Nanotechnology</i> , 2017 , 28, 125206	3.4	2
17	Light Trapping in Finite Arrays of Metallic U-Shaped Cavities for Sensing With High Figures of Merit. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 1645-1648	2.2	2
16	High sensitivity refractive index sensing with strong light confinement in high-aspect-ratio U-cavity arrays. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 137-143	8.5	2
15	Aluminum-black silicon plasmonic nano-eggs structure for deep-UV surface-enhanced resonance Raman spectroscopy. <i>Applied Physics Letters</i> , 2022 , 120, 051102	3.4	2

14	Real-Time Monitoring of Frost/Defrost Processes Using a Tapered Optical Fiber. <i>IEEE Sensors Journal</i> , 2021 , 21, 6188-6194	4	2
13	Fluid-controlled tunable infrared filtering in hollow plasmonic nanofin cavities. <i>Nanotechnology</i> , 2016 , 27, 425202	3.4	2
12	Lithographic in-mold patterning for CsPbBr nanocrystals distributed Bragg reflector single-mode laser. <i>Nanoscale</i> , 2021 , 13, 15830-15836	7.7	2
11	Plasmonics: Hollow Plasmonic U-Cavities with High-Aspect-Ratio Nanofins Sustaining Strong Optical Vortices for Light Trapping and Sensing 6/2014). <i>Advanced Optical Materials</i> , 2014 , 2, 598-598	8.1	1
10	Thresholdless behavior and linearity of the optically induced metallization of NbO ₂ . <i>Physical Review Research</i> , 2019 , 1,	3.9	1
9	Silicon Solar Cells: Multifunctional Effect of p-Doping, Antireflection, and Encapsulation by Polymeric Acid for High Efficiency and Stable Carbon Nanotube-Based Silicon Solar Cells (Adv. Energy Mater. 1/2020). <i>Advanced Energy Materials</i> , 2020 , 10, 2070005	21.8	1
8	Combination of an Axicon Fiber Tip and a Camera Device into a Sensitive Refractive Index Sensor. <i>Sensors</i> , 2019 , 19,	3.8	1
7	Sensitive Handheld Refractometer by Using Combination of a Tapered Fiber Tip and a Multimode Fiber. <i>Journal of Lightwave Technology</i> , 2021 , 39, 4179-4185	4	1
6	Self-Patterned CsPbBr ₃ Nanocrystal Based Plasmonic Hot-Carrier Photodetector at Telecommunications Wavelengths. <i>Advanced Optical Materials</i> , 2101474	8.1	1
5	Enhancing Raman signals from bacteria using dielectrophoretic force between conductive lensed fiber and black silicon. <i>Biosensors and Bioelectronics</i> , 2021 , 191, 113463	11.8	1
4	Hot electron photodetection with spectral selectivity in the C-band using a silicon channel-separated gold grating structure. <i>Nano Express</i> , 2020 , 1, 010015	2	0
3	Optimized Tamm-plasmon structure by Differential Evolution algorithm for single and dual peaks hot-electron photodetection. <i>Optical Materials</i> , 2021 , 113, 110857	3.3	0
2	Analysis and control of vapor bubble growth inside solid-state nanopores. <i>Journal of Thermal Science and Technology</i> , 2021 , 16, JTST0007-JTST0007	0.6	0
1	Self-Patterned CsPbBr ₃ Nanocrystal Based Plasmonic Hot-Carrier Photodetector at Telecommunications Wavelengths (Advanced Optical Materials 24/2021). <i>Advanced Optical Materials</i> , 2021 , 9, 2170099	8.1	