
Snezana Tomanovic

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1569320/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Persistence and Efficacy of Three Diatomaceous Earth Formulations Against <l>Sitophilus oryzae</l> (Coleoptera: Curculionidae) on Wheat and Barley. Journal of Economic Entomology, 2005, 98, 1404-1412.	1.8	76
2	Borrelia burgdorferi sensu lato, Anaplasma phagocytophilum, Francisella tularensis and their co-infections in host-seeking Ixodes ricinus ticks collected in Serbia. Experimental and Applied Acarology, 2008, 45, 171-183.	1.6	64
3	Analysis of pathogen co-occurrence in host-seeking adult hard ticks from Serbia. Experimental and Applied Acarology, 2013, 59, 367-376.	1.6	64
4	Clinical babesiosis and molecular identification of Babesia canis and Babesia gibsoni infections in dogs from Serbia. Acta Veterinaria Hungarica, 2015, 63, 199-208.	0.5	45
5	East and west separation of Rhipicephalus sanguineus mitochondrial lineages in the Mediterranean Basin. Parasites and Vectors, 2017, 10, 39.	2.5	42
6	Contributions to the phylogeny of Ixodes (Pholeoixodes) canisuga, I. (Ph.) kaiseri, I. (Ph.) hexagonus and a simple pictorial key for the identification of their females. Parasites and Vectors, 2017, 10, 545.	2.5	40
7	Acaricidal Effect of Different Diatomaceous Earth Formulations Against <l>Tyrophagus putrescentiae</l> (Astigmata: Acaridae) on Stored Wheat. Journal of Economic Entomology, 2010, 103, 190-196.	1.8	34
8	Contributions to the morphology and phylogeny of the newly discovered bat tick species, Ixodes ariadnae in comparison with I. vespertilionis and I. simplex. Parasites and Vectors, 2015, 8, 47.	2.5	25
9	First Detection of Spotted Fever Group Rickettsiae in Ticks in Serbia. Vector-Borne and Zoonotic Diseases, 2011, 11, 111-115.	1.5	24
10	Presence of <i>Leishmania</i> and <i>Brucella</i> Species in the Golden Jackal <i>Canis aureus</i> in Serbia. BioMed Research International, 2014, 2014, 1-6.	1.9	23
11	High degree of mitochondrial gene heterogeneity in the bat tick species Ixodes vespertilionis, I. ariadnae and I. simplex from Eurasia. Parasites and Vectors, 2015, 8, 457.	2.5	23
12	Golden jackals (Canis aureus) as hosts for ticks and tick-borne pathogens in Serbia. Ticks and Tick-borne Diseases, 2018, 9, 1090-1097.	2.7	23
13	Impregnation of cotton fabric with pyrethrum extract in supercritical carbon dioxide. Journal of Supercritical Fluids, 2017, 128, 66-72.	3.2	19
14	Molecular detection of Babesia spp. in ticks in northern Serbia. Archives of Biological Sciences, 2012, 64, 1591-1598.	0.5	17
15	Ticks (Acari: Argasidae, Ixodidae) parasitizing bats in the central Balkans. Experimental and Applied Acarology, 2015, 66, 281-291.	1.6	16
16	Phylogenetic relationships among Praini (Hymenoptera: Braconidae: Aphidiinae) aphid parasitoids, with redescription of two species. Insect Systematics and Evolution, 2006, 37, 213-226.	0.7	13
17	Patterns of Abundance and Host Specificity of Bat Ectoparasites in the Central Balkans. Journal of Medical Entomology, 2018, 55, 20-28.	1.8	13
18	Diversity of Lyme borreliosis spirochetes isolated from ticks in Serbia. Medical and Veterinary Entomology, 2019, 33, 512-520.	1.5	13

SNEZANA TOMANOVIC

#	Article	IF	CITATIONS
19	First evidence of tick-borne protozoan pathogens, Babesia sp. and Hepatozoon canis, in red foxes (vulpes vulpes) in Serbia. Acta Veterinaria Hungarica, 2019, 67, 70-80.	0.5	11
20	Interference of Field Evidence, Morphology, and DNA Analyses of Three Related Lysiphlebus Aphid Parasitoids (Hymenoptera: Braconidae: Aphidiinae). Journal of Insect Science, 2014, 14, 171.	1.5	9
21	Seasonal distribution of Borreliae in Ixodes ricinus ticks in the Belgrade region. Archives of Biological Sciences, 2006, 58, 183-186.	0.5	8
22	Molecular Evidence of Q Fever Agent Coxiella Burnetii in Ixodid Ticks Collected from Stray Dogs in Belgrade (Serbia). Acta Veterinaria, 2018, 68, 257-268.	0.5	8
23	Allozyme polymorphism of Mdh and Î \pm -Gpdh in Ixodes ricinus populations: comparison of borreliae-infected and uninfected ticks. Experimental and Applied Acarology, 2006, 40, 113-121.	1.6	7
24	Revision of the world Monoctonia Starý, parasitoids of gall aphids: taxonomy, distribution, host range, and phylogeny (Hymenoptera, Braconidae: Aphidiinae) . Zootaxa, 2015, 3905, 474.	0.5	7
25	Development of a sampling plan for Myzus persicae (Hemiptera: Aphidoidea) and its predator Macrolophus costalis (Hemiptera: Miridae) on tobacco. European Journal of Entomology, 2005, 102, 399-405.	1.2	7
26	Detection of Borrelia-specific 16S rRNA sequence in total RNA extracted from Ixodes ricinus ticks. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2010, 62, 862-867.	0.4	7
27	A short-term and long-term relationship between occurrence of acute canine babesiosis and meteorological parameters in Belgrade, Serbia. Ticks and Tick-borne Diseases, 2019, 10, 101273.	2.7	6
28	Consensus statement on the epidemiological situation and expected frequency of canine vector-borne diseases in Serbia. Veterinarski Glasnik, 2020, 74, 211-215.	0.3	6
29	<i>Candidatus</i> Neoehrlichia sp. (FU98) and <i>Borrelia burgdorferi</i> Sensu Lato in Red Foxes (<i>Vulpes vulpes</i>) from Serbia. Acta Veterinaria, 2019, 69, 312-324.	0.5	6
30	Potential infectivity of Anaplasma phagocytophilum strains in Ixodes ricinus ticks from Serbia. Acta Veterinaria Hungarica, 2010, 58, 231-242.	0.5	5
31	Molecular characterization of COI gene of Ixodes ricinus (Linnaeus, 1758) from Serbia. Archives of Biological Sciences, 2014, 66, 683-690.	0.5	5
32	Knowledge, Attitudes, and Practices on Tick-Borne Encephalitis Virus and Tick-Borne Diseases within Professionally Tick-Exposed Persons, Health Care Workers, and General Population in Serbia: A Questionnaire-Based Study. International Journal of Environmental Research and Public Health, 2022, 19, 867.	2.6	5
33	Ixodes ricinus immunogenic saliva protein, homologue to Amblyomma americanum AV422: Determining its potential for use in tick bite confirmation. Ticks and Tick-borne Diseases, 2017, 8, 391-395.	2.7	4
34	Assessment of the risk of contracting Lyme disease in areas with significant human presence. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2008, 60, 121-129.	0.4	4
35	Seasonal and Spatial Occurrence of Glycerol-3-Phosphate Dehydrogenase Variability inIxodes ricinus(Acari: Ixodidae) Populations. Journal of Medical Entomology, 2012, 49, 497-503.	1.8	3
36	DETECTION OF BORRELIA SPIROCHETES IN TICKS WITH q16 REAL-TIME PCR. Archives of Veterinary Medicine, 2021, 14, 85-98.	0.3	3

SNEZANA TOMANOVIC

#	Article	IF	CITATIONS
37	Assessment of using recombinant Ixodes ricinus AV422 saliva protein for confirmation of tick bites in hunting dogs as naturally infested hosts. Experimental and Applied Acarology, 2017, 72, 429-437.	1.6	2
38	Comparison of growth and morphology of <i>Borrelia burgdorferi</i> sensu lato in BSKâ€H and BSKâ€H media stored for prolonged periods. Apmis, 2020, 128, 552-557.	2.0	2
39	Borellia burgdorferi infection in removed ticks and anti-borrelia antibodies in infested patients admitted to the Pasteur institute, Novi Sad. Veterinarski Clasnik, 2020, 74, 164-177.	0.3	2
40	Climate and Vector Borne Pathogens: Challenges of the Present and of the Future. Canadian Journal of Infectious Diseases and Medical Microbiology, 2019, 2019, 1-2.	1.9	1
41	Exploring immunogenicity of tick salivary AV422 protein in persons exposed to ticks: prospects for utilization. Experimental and Applied Acarology, 2021, 85, 83-99.	1.6	1
42	Oenothera biennis l.: An invasive alien plant species as a reservoir of aphidophagous insects in agroecosystems. Archives of Biological Sciences, 2004, 56, 13P-14P.	0.5	1
43	Wild canids as hosts for ticks and tick-borne zoonotic pathogens in Serbia. Veterinarski Glasnik, 2020, 74, 144-153.	0.3	1
44	In vitro efficacy of antibiotics against different Borrelia isolates. Acta Microbiologica Et Immunologica Hungarica, 2021, , .	0.8	0
45	Molecular characterization of COI gene of Ixodes ricinus (Linnaeus, 1758) from Serbia. Archives of Biological Sciences, 2014, 66, 1243-1251.	0.5	0