

Snezana Tomanovic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1569320/publications.pdf>

Version: 2024-02-01

45
papers

696
citations

567281

15
h-index

580821

25
g-index

47
all docs

47
docs citations

47
times ranked

836
citing authors

#	ARTICLE	IF	CITATIONS
1	Knowledge, Attitudes, and Practices on Tick-Borne Encephalitis Virus and Tick-Borne Diseases within Professionally Tick-Exposed Persons, Health Care Workers, and General Population in Serbia: A Questionnaire-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 867.	2.6	5
2	In vitro efficacy of antibiotics against different <i>Borrelia</i> isolates. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2021, , .	0.8	0
3	Exploring immunogenicity of tick salivary AV422 protein in persons exposed to ticks: prospects for utilization. <i>Experimental and Applied Acarology</i> , 2021, 85, 83-99.	1.6	1
4	DETECTION OF BORRELIA SPIROCHETES IN TICKS WITH q16 REAL-TIME PCR. <i>Archives of Veterinary Medicine</i> , 2021, 14, 85-98.	0.3	3
5	Comparison of growth and morphology of <i>Borrelia burgdorferi</i> sensu lato in BSK and media stored for prolonged periods. <i>Apmis</i> , 2020, 128, 552-557.	2.0	2
6	<i>Borrelia burgdorferi</i> infection in removed ticks and anti-borrelia antibodies in infested patients admitted to the Pasteur institute, Novi Sad. <i>Veterinarski Glasnik</i> , 2020, 74, 164-177.	0.3	2
7	Consensus statement on the epidemiological situation and expected frequency of canine vector-borne diseases in Serbia. <i>Veterinarski Glasnik</i> , 2020, 74, 211-215.	0.3	6
8	Wild canids as hosts for ticks and tick-borne zoonotic pathogens in Serbia. <i>Veterinarski Glasnik</i> , 2020, 74, 144-153.	0.3	1
9	First evidence of tick-borne protozoan pathogens, <i>Babesia</i> sp. and <i>Hepatozoon canis</i> , in red foxes (<i>Vulpes vulpes</i>) in Serbia. <i>Acta Veterinaria Hungarica</i> , 2019, 67, 70-80.	0.5	11
10	A short-term and long-term relationship between occurrence of acute canine babesiosis and meteorological parameters in Belgrade, Serbia. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 101273.	2.7	6
11	Diversity of Lyme borreliosis spirochetes isolated from ticks in Serbia. <i>Medical and Veterinary Entomology</i> , 2019, 33, 512-520.	1.5	13
12	Climate and Vector Borne Pathogens: Challenges of the Present and of the Future. <i>Canadian Journal of Infectious Diseases and Medical Microbiology</i> , 2019, 2019, 1-2.	1.9	1
13	<i>Candidatus</i> <i>Neoehrlichia</i> sp. (FU98) and <i>Borrelia burgdorferi</i> Sensu Lato in Red Foxes (<i>Vulpes vulpes</i>) from Serbia. <i>Acta Veterinaria</i> , 2019, 69, 312-324.	0.5	6
14	Golden jackals (<i>Canis aureus</i>) as hosts for ticks and tick-borne pathogens in Serbia. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1090-1097.	2.7	23
15	Patterns of Abundance and Host Specificity of Bat Ectoparasites in the Central Balkans. <i>Journal of Medical Entomology</i> , 2018, 55, 20-28.	1.8	13
16	Molecular Evidence of Q Fever Agent <i>Coxiella Burnetii</i> in Ixodid Ticks Collected from Stray Dogs in Belgrade (Serbia). <i>Acta Veterinaria</i> , 2018, 68, 257-268.	0.5	8
17	<i>Ixodes ricinus</i> immunogenic saliva protein, homologue to <i>Amblyomma americanum</i> AV422: Determining its potential for use in tick bite confirmation. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 391-395.	2.7	4
18	East and west separation of <i>Rhipicephalus sanguineus</i> mitochondrial lineages in the Mediterranean Basin. <i>Parasites and Vectors</i> , 2017, 10, 39.	2.5	42

#	ARTICLE	IF	CITATIONS
19	Impregnation of cotton fabric with pyrethrum extract in supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , 2017, 128, 66-72.	3.2	19
20	Assessment of using recombinant <i>Ixodes ricinus</i> AV422 saliva protein for confirmation of tick bites in hunting dogs as naturally infested hosts. <i>Experimental and Applied Acarology</i> , 2017, 72, 429-437.	1.6	2
21	Contributions to the phylogeny of <i>Ixodes</i> (<i>Pholeoixodes</i>) <i>canisuga</i> , <i>I.</i> (<i>Ph.</i>) <i>kaiseri</i> , <i>I.</i> (<i>Ph.</i>) <i>hexagonus</i> and a simple pictorial key for the identification of their females. <i>Parasites and Vectors</i> , 2017, 10, 545.	2.5	40
22	Clinical babesiosis and molecular identification of <i>Babesia canis</i> and <i>Babesia gibsoni</i> infections in dogs from Serbia. <i>Acta Veterinaria Hungarica</i> , 2015, 63, 199-208.	0.5	45
23	Revision of the world <i>Monoctonia</i> StarÅ½, parasitoids of gall aphids: taxonomy, distribution, host range, and phylogeny (Hymenoptera, Braconidae: Aphidiinae). <i>Zootaxa</i> , 2015, 3905, 474.	0.5	7
24	Ticks (Acari: Argasidae, Ixodidae) parasitizing bats in the central Balkans. <i>Experimental and Applied Acarology</i> , 2015, 66, 281-291.	1.6	16
25	Contributions to the morphology and phylogeny of the newly discovered bat tick species, <i>Ixodes ariadnae</i> in comparison with <i>I. vespertilionis</i> and <i>I. simplex</i> . <i>Parasites and Vectors</i> , 2015, 8, 47.	2.5	25
26	High degree of mitochondrial gene heterogeneity in the bat tick species <i>Ixodes vespertilionis</i> , <i>I. ariadnae</i> and <i>I. simplex</i> from Eurasia. <i>Parasites and Vectors</i> , 2015, 8, 457.	2.5	23
27	Presence of <i>Leishmania</i> and <i>Brucella</i> Species in the Golden Jackal <i>Canis aureus</i> in Serbia. <i>BioMed Research International</i> , 2014, 2014, 1-6.	1.9	23
28	Interference of Field Evidence, Morphology, and DNA Analyses of Three Related <i>Lysiphlebus</i> Aphid Parasitoids (Hymenoptera: Braconidae: Aphidiinae). <i>Journal of Insect Science</i> , 2014, 14, 171.	1.5	9
29	Molecular characterization of COI gene of <i>Ixodes ricinus</i> (Linnaeus, 1758) from Serbia. <i>Archives of Biological Sciences</i> , 2014, 66, 683-690.	0.5	5
30	Molecular characterization of COI gene of <i>Ixodes ricinus</i> (Linnaeus, 1758) from Serbia. <i>Archives of Biological Sciences</i> , 2014, 66, 1243-1251.	0.5	0
31	Analysis of pathogen co-occurrence in host-seeking adult hard ticks from Serbia. <i>Experimental and Applied Acarology</i> , 2013, 59, 367-376.	1.6	64
32	Seasonal and Spatial Occurrence of Glycerol-3-Phosphate Dehydrogenase Variability in <i>Ixodes ricinus</i> (Acari: Ixodidae) Populations. <i>Journal of Medical Entomology</i> , 2012, 49, 497-503.	1.8	3
33	Molecular detection of <i>Babesia</i> spp. in ticks in northern Serbia. <i>Archives of Biological Sciences</i> , 2012, 64, 1591-1598.	0.5	17
34	First Detection of Spotted Fever Group Rickettsiae in Ticks in Serbia. <i>Vector-Borne and Zoonotic Diseases</i> , 2011, 11, 111-115.	1.5	24
35	Potential infectivity of <i>Anaplasma phagocytophilum</i> strains in <i>Ixodes ricinus</i> ticks from Serbia. <i>Acta Veterinaria Hungarica</i> , 2010, 58, 231-242.	0.5	5
36	Acaricidal Effect of Different Diatomaceous Earth Formulations Against <i>Tyrophagus putrescentiae</i> (Astigmata: Acaridae) on Stored Wheat. <i>Journal of Economic Entomology</i> , 2010, 103, 190-196.	1.8	34

#	ARTICLE	IF	CITATIONS
37	Detection of <i>Borrelia</i> -specific 16S rRNA sequence in total RNA extracted from <i>Ixodes ricinus</i> ticks. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2010, 62, 862-867.	0.4	7
38	<i>Borrelia burgdorferi</i> sensu lato, <i>Anaplasma phagocytophilum</i> , <i>Francisella tularensis</i> and their co-infections in host-seeking <i>Ixodes ricinus</i> ticks collected in Serbia. <i>Experimental and Applied Acarology</i> , 2008, 45, 171-183.	1.6	64
39	Assessment of the risk of contracting Lyme disease in areas with significant human presence. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2008, 60, 121-129.	0.4	4
40	Phylogenetic relationships among <i>Praini</i> (Hymenoptera: Braconidae: Aphidiinae) aphid parasitoids, with redescription of two species. <i>Insect Systematics and Evolution</i> , 2006, 37, 213-226.	0.7	13
41	Allozyme polymorphism of Mdh and $\hat{I}\pm$ -Gpdh in <i>Ixodes ricinus</i> populations: comparison of <i>borreliae</i> -infected and uninfected ticks. <i>Experimental and Applied Acarology</i> , 2006, 40, 113-121.	1.6	7
42	Seasonal distribution of <i>Borreliae</i> in <i>Ixodes ricinus</i> ticks in the Belgrade region. <i>Archives of Biological Sciences</i> , 2006, 58, 183-186.	0.5	8
43	Persistence and Efficacy of Three Diatomaceous Earth Formulations Against <i>Sitophilus oryzae</i> (Coleoptera: Curculionidae) on Wheat and Barley. <i>Journal of Economic Entomology</i> , 2005, 98, 1404-1412.	1.8	76
44	Development of a sampling plan for <i>Myzus persicae</i> (Hemiptera: Aphidoidea) and its predator <i>Macrolophus costalis</i> (Hemiptera: Miridae) on tobacco. <i>European Journal of Entomology</i> , 2005, 102, 399-405.	1.2	7
45	<i>Oenothera biennis</i> L.: An invasive alien plant species as a reservoir of aphidophagous insects in agroecosystems. <i>Archives of Biological Sciences</i> , 2004, 56, 13P-14P.	0.5	1