

Pan Chi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1569600/publications.pdf>

Version: 2024-02-01

35
papers

371
citations

840776

11
h-index

888059

17
g-index

53
all docs

53
docs citations

53
times ranked

501
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Laparoscopic Extralevator Abdominoperineal Resection for Rectal Carcinoma with Transabdominal Levator Transection. <i>Annals of Surgical Oncology</i> , 2013, 20, 1560-1566. | 1.5 | 36 |
| 2 | Hypermethylated and downregulated MEIS2 are involved in stemness properties and oxaliplatin-based chemotherapy resistance of colorectal cancer. <i>Journal of Cellular Physiology</i> , 2019, 234, 18180-18191. | 4.1 | 31 |
| 3 | The impact of circumferential tumour location on the clinical outcome of rectal cancer patients managed with neoadjuvant chemoradiotherapy followed by total mesorectal excision. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1118-1123. | 1.0 | 29 |
| 4 | Laparoscopic Transabdominal Approach Partial Intersphincteric Resection for Low Rectal Cancer: Surgical Feasibility and Intermediate-Term Outcome. <i>Annals of Surgical Oncology</i> , 2015, 22, 944-951. | 1.5 | 28 |
| 5 | Role of miR-196 and its target gene HoxB8 in the development and proliferation of human colorectal cancer and the impact of neoadjuvant chemotherapy with FOLFOX4 on their expression. <i>Oncology Letters</i> , 2016, 12, 4041-4047. | 1.8 | 22 |
| 6 | Downregulated SPINK4 is associated with poor survival in colorectal cancer. <i>BMC Cancer</i> , 2019, 19, 1258. | 2.6 | 21 |
| 7 | Subtotal colectomy, extended right hemicolectomy, left hemicolectomy, or splenic flexure colectomy for splenic flexure tumors: a network meta-analysis. <i>International Journal of Colorectal Disease</i> , 2021, 36, 311-322. | 2.2 | 21 |
| 8 | Coexpression network analysis linked H2AFJ to chemoradiation resistance in colorectal cancer. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 10351-10362. | 2.6 | 20 |
| 9 | A Comprehensive Repertoire of Transfer RNA-Derived Fragments and Their Regulatory Networks in Colorectal Cancer. <i>Journal of Computational Biology</i> , 2020, 27, 1644-1655. | 1.6 | 17 |
| 10 | Effect of Interval between Neoadjuvant Chemoradiotherapy and Surgery on Oncological Outcome for Rectal Cancer: A Systematic Review and Meta-Analysis. <i>Gastroenterology Research and Practice</i> , 2016, 2016, 1-13. | 1.5 | 16 |
| 11 | Survival outcome of adjuvant radiotherapy after local excision for T2 early rectal cancer: An analysis based on the surveillance, epidemiology, and end result registry database. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1865-1872. | 1.0 | 13 |
| 12 | Timing to achieve the best recurrence-free survival after neoadjuvant chemoradiotherapy in locally advanced rectal cancer: experience in a large-volume center in China. <i>International Journal of Colorectal Disease</i> , 2021, 36, 1007-1016. | 2.2 | 12 |
| 13 | Upregulated NLGN1 predicts poor survival in colorectal cancer. <i>BMC Cancer</i> , 2021, 21, 884. | 2.6 | 11 |
| 14 | Knockdown of KLK11 inhibits cell proliferation and increases oxaliplatin sensitivity in human colorectal cancer. <i>Experimental and Therapeutic Medicine</i> , 2016, 12, 2855-2860. | 1.8 | 10 |
| 15 | Incidence of and Risk Factors for Gastroepiploic Lymph Node Involvement in Patients with Cancer of the Transverse Colon Including the Hepatic Flexure. <i>World Journal of Surgery</i> , 2021, 45, 1514-1525. | 1.6 | 10 |
| 16 | Para-aortic lymph node dissection in left-sided colorectal cancer: Risk factors, prognostic impact, and therapeutic value. <i>Journal of Surgical Oncology</i> , 2022, 125, 1251-1259. | 1.7 | 8 |
| 17 | Transanal Total Mesorectal Excision. <i>Annals of Surgery</i> , 2017, 266, e87-e88. | 4.2 | 6 |
| 18 | A nomogram for predicting rectovaginal fistula after low anterior resection for rectal cancer. <i>Surgery Today</i> , 2020, 50, 1206-1212. | 1.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | A scoring system basing pathological parameters to predict regional lymph node metastasis after preoperative chemoradiotherapy for locally advanced rectal cancer: implication for local excision. <i>Oncotarget</i> , 2016, 7, 78487-78498. | 1.8 | 5 |
| 20 | An Integrated miRNA-lncRNA Signature Predicts the Survival of Stage II Colon Cancer. <i>Annals of Clinical and Laboratory Science</i> , 2019, 49, 730-739. | 0.2 | 5 |
| 21 | Impact of Body Mass Index on Surgical and Oncological Outcomes in Laparoscopic Total Mesorectal Excision for Locally Advanced Rectal Cancer after Neoadjuvant 5-Fluorouracil-Based Chemoradiotherapy. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-9. | 1.5 | 4 |
| 22 | Comparative Outcomes of Preoperative Chemoradiotherapy and Selective Postoperative Chemoradiotherapy in Clinical Stage T3N0 Low and Mid Rectal Cancer. <i>Journal of Investigative Surgery</i> , 2019, 32, 679-687. | 1.3 | 4 |
| 23 | Combined laparoscopic lymphadenectomy of lateral pelvic and inguinal nodal metastases using indocyanine green fluorescence imaging guidance in low rectal cancer after preoperative chemoradiotherapy: a case report. <i>BMC Gastroenterology</i> , 2022, 22, 123. | 2.0 | 4 |
| 24 | Prognostic significance of lymph node yield in patients with synchronous colorectal carcinomas. <i>International Journal of Colorectal Disease</i> , 2020, 35, 2273-2282. | 2.2 | 3 |
| 25 | Prediction of prolonged resolution of chylous ascites after radical D3 resection for colorectal cancer: A population-based experience from a high-volume center. <i>European Journal of Surgical Oncology</i> , 2022, 48, 204-210. | 1.0 | 3 |
| 26 | Impact of Surgical Approach on Surgical Resection Quality in Mid- and Low Rectal Cancer, A Bayesian Network Meta-Analysis. <i>Frontiers in Oncology</i> , 2021, 11, 699200. | 2.8 | 3 |
| 27 | Silencing Signal Transducer and Activator of Transcription 3 (STAT3) and Use of Anti-Programmed Cell Death-Ligand 1 (PD-L1) Antibody Induces Immune Response and Anti-Tumor Activity. <i>Medical Science Monitor</i> , 2020, 26, e915854. | 1.1 | 3 |
| 28 | Effect of Neoadjuvant Chemoradiotherapy on Locally Advanced Rectal Mucinous Adenocarcinoma: A Propensity Score-Matched Study. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-10. | 1.5 | 2 |
| 29 | Clinical significance of 206 station lymph node in transverse colon cancer. <i>Cancer Medicine</i> , 2022, , . | 2.8 | 2 |
| 30 | Surgeon Technical Skills, a Potential Confounder in Clinical Trials. <i>JAMA Surgery</i> , 2021, 156, 500. | 4.3 | 1 |
| 31 | Exploring Better Strategies for RAS Mutation-Associated EGFR-Targeted Resistance in Colorectal Cancer: From the Perspective of Cancer Community Ecology. <i>Frontiers in Oncology</i> , 2021, 11, 754220. | 2.8 | 1 |
| 32 | Identification of proteins associated with treatment response of neoadjuvant chemoradiotherapy in rectal mucinous adenocarcinoma by co-expression network analysis based on proteomic analysis. <i>Journal of Proteomics</i> , 2022, 254, 104472. | 2.4 | 1 |
| 33 | Chylous ascites after complete mesocolic excision for right-sided colon cancer with D3 lymphadenectomy: A retrospective cohort study. <i>Colorectal Disease</i> , 2022, 24, 461-469. | 1.4 | 1 |
| 34 | Time to Negate the Complete Mesocolic Excision for Sigmoid Colon Cancer?. <i>Colorectal Disease</i> , 0, , . | 1.4 | 1 |
| 35 | Reply to: The impact of circumferential tumor location on the clinical outcomes of rectal cancers receiving neoadjuvant chemoradiation and surgery-does is really matter?. <i>European Journal of Surgical Oncology</i> , 2020, 46, 2341-2342. | 1.0 | 0 |