

Siegfried Kasper

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1570572/siegfried-kasper-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

848

papers

28,262

citations

84

h-index

126

g-index

1,004

ext. papers

32,928

ext. citations

4.2

avg, IF

7.1

L-index

#	Paper	IF	Citations
848	Epidemiological findings of seasonal changes in mood and behavior. A telephone survey of Montgomery County, Maryland. <i>Archives of General Psychiatry</i> , 1989 , 46, 823-33		492
847	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451
846	A pooled analysis of 2 placebo-controlled 18-month trials of lamotrigine and lithium maintenance in bipolar I disorder. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 432-41	4.6	365
845	Social functioning in depression: a review. <i>Journal of Clinical Psychiatry</i> , 2000 , 61, 268-75	4.6	363
844	Clinical factors associated with treatment resistance in major depressive disorder: results from a European multicenter study. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1062-70	4.6	313
843	Reduced resting-state functional connectivity between amygdala and orbitofrontal cortex in social anxiety disorder. <i>NeuroImage</i> , 2011 , 56, 881-9	7.9	289
842	CYP2D6 and CYP2C19 genotype-based dose recommendations for antidepressants: a first step towards subpopulation-specific dosages. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 173-92	6.5	285
841	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders: update 2012 on the long-term treatment of bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 154-219	3.8	284
840	Circadian clock-related polymorphisms in seasonal affective disorder and their relevance to diurnal preference. <i>Neuropsychopharmacology</i> , 2003 , 28, 734-9	8.7	276
839	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2010 on the treatment of acute bipolar depression. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 81-109	3.8	256
838	Guidelines for the pharmacological treatment of anxiety disorders, obsessive-compulsive disorder and posttraumatic stress disorder in primary care. <i>International Journal of Psychiatry in Clinical Practice</i> , 2012 , 16, 77-84	2.4	255
837	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders: update 2009 on the treatment of acute mania. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 85-116	3.8	251
836	The serotonin-1A receptor in anxiety disorders. <i>Biological Psychiatry</i> , 2009 , 66, 627-35	7.9	240
835	Reduced serotonin-1A receptor binding in social anxiety disorder. <i>Biological Psychiatry</i> , 2007 , 61, 1081-9	7.9	232
834	Efficacy and safety of aripiprazole vs. haloperidol for long-term maintenance treatment following acute relapse of schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2003 , 6, 325-37	5.8	226
833	Phototherapy in individuals with and without subsyndromal seasonal affective disorder. <i>Archives of General Psychiatry</i> , 1989 , 46, 837-44		202
832	Three circadian clock genes Per2, Arntl, and Npas2 contribute to winter depression. <i>Annals of Medicine</i> , 2007 , 39, 229-38	1.5	193

831	Reward and the serotonergic system. <i>Neuroscience</i> , 2010 , 166, 1023-35	3.9	189
830	Serotonin and neuroplasticity - Links between molecular, functional and structural pathophysiology in depression. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 77, 317-326	9	181
829	Efficacy of the novel antidepressant agomelatine on the circadian rest-activity cycle and depressive and anxiety symptoms in patients with major depressive disorder: a randomized, double-blind comparison with sertraline. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 109-20	4.6	179
828	[123I]-beta-CIT SPECT imaging shows reduced brain serotonin transporter availability in drug-free depressed patients with seasonal affective disorder. <i>Biological Psychiatry</i> , 2000 , 47, 482-9	7.9	176
827	Neurobiological and clinical effects of the antidepressant tianeptine. <i>CNS Drugs</i> , 2008 , 22, 15-26	6.7	174
826	Updated European Consensus Statement on diagnosis and treatment of adult ADHD. <i>European Psychiatry</i> , 2019 , 56, 14-34	6	170
825	Association between serotonin transporter gene promoter polymorphism (5HTTLPR) and behavioral responses to tryptophan depletion in healthy women with and without family history of depression. <i>Archives of General Psychiatry</i> , 2002 , 59, 613-20		165
824	Efficacy of agomelatine, a MT1/MT2 receptor agonist with 5-HT2C antagonistic properties, in major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10, 661-73	5.8	162
823	Bright-light therapy in the treatment of mood disorders. <i>Neuropsychobiology</i> , 2011 , 64, 152-62	4	153
822	Efficacy and safety of pregabalin in the treatment of generalized anxiety disorder: a 6-week, multicenter, randomized, double-blind, placebo-controlled comparison of pregabalin and venlafaxine. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 771-82	4.6	151
821	Assessment and management of agitation in psychiatry: Expert consensus. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 86-128	3.8	146
820	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of bipolar disorders. Part I: Treatment of bipolar depression. <i>World Journal of Biological Psychiatry</i> , 2002 , 3, 115-24	3.8	139
819	The role of noradrenaline and selective noradrenaline reuptake inhibition in depression. <i>European Neuropsychopharmacology</i> , 2002 , 12, 461-75	1.2	138
818	Application of transcranial magnetic stimulation in treatment of drug-resistant major depression: report of two cases. <i>Human Psychopharmacology</i> , 1993 , 8, 361-365	2.3	138
817	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the pharmacological treatment of anxiety, obsessive-compulsive and posttraumatic stress disorders. <i>World Journal of Biological Psychiatry</i> , 2002 , 3, 171-99	3.8	133
816	Partial response and nonresponse to antidepressant therapy: current approaches and treatment options. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 826-37	4.6	133
815	Bright light therapy stabilizes the antidepressant effect of partial sleep deprivation. <i>Biological Psychiatry</i> , 1996 , 39, 16-21	7.9	128
814	Evaluation of seasonality in six clinical populations and two normal populations. <i>Journal of Psychiatric Research</i> , 1991 , 25, 75-87	5.2	128

813	Prognosis and improved outcomes in major depression: a review. <i>Translational Psychiatry</i> , 2019 , 9, 127	8.6	127
812	Lavender oil preparation Silexan is effective in generalized anxiety disorder--a randomized, double-blind comparison to placebo and paroxetine. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 859-69	5.8	126
811	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the pharmacological treatment of eating disorders. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 400-43	3.8	125
810	Effects of tryptophan depletion vs catecholamine depletion in patients with seasonal affective disorder in remission with light therapy. <i>Archives of General Psychiatry</i> , 1998 , 55, 524-30		125
809	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders, Part II: Treatment of Mania. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 5-13	3.8	124
808	[123I] beta-CIT and single photon emission computed tomography reveal reduced brain serotonin transporter availability in bulimia nervosa. <i>Biological Psychiatry</i> , 2001 , 49, 326-32	7.9	123
807	Quantification of metabolic differences in the frontal brain of depressive patients and controls obtained by 1H-MRS at 3 Tesla. <i>Investigative Radiology</i> , 2003 , 38, 403-8	10.1	122
806	Abnormal pituitary-adrenal responses to corticotropin-releasing hormone in patients with seasonal affective disorder: clinical and pathophysiological implications. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1991 , 72, 1382-7	5.6	121
805	Inverse relationship between serotonin 5-HT(1A) receptor binding and anxiety: a [(11C)WAY-100635 PET investigation in healthy volunteers. <i>American Journal of Psychiatry</i> , 2001 , 158, 1326-8	11.9	120
804	Transcranial magnetic stimulation (TMS) in the treatment of major depression B pilot study. <i>Human Psychopharmacology</i> , 1995 , 10, 305-310	2.3	120
803	Regional sex differences in grey matter volume are associated with sex hormones in the young adult human brain. <i>NeuroImage</i> , 2010 , 49, 1205-12	7.9	118
802	Escitalopram in the treatment of social anxiety disorder: randomised, placebo-controlled, flexible-dosage study. <i>British Journal of Psychiatry</i> , 2005 , 186, 222-6	5.4	118
801	Citalopram 20 mg, 40 mg and 60 mg are all effective and well tolerated compared with placebo in obsessive-compulsive disorder. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 75-86	2.2	117
800	A meta-analysis of randomized controlled trials of tianeptine versus SSRI in the short-term treatment of depression. <i>European Psychiatry</i> , 2002 , 17 Suppl 3, 331-40	6	116
799	Buprenorphine versus methadone maintenance for the treatment of opioid dependence. <i>Addiction</i> , 1999 , 94, 1337-47	4.6	116
798	Brain serotonin 5-HT(1A) receptor binding in schizophrenia measured by positron emission tomography and [11C]WAY-100635. <i>Archives of General Psychiatry</i> , 2002 , 59, 514-20		115
797	Esketamine Nasal Spray for Rapid Reduction of Depressive Symptoms in Patients With Major Depressive Disorder Who Have Active Suicide Ideation With Intent: Results of a Phase 3, Double-Blind, Randomized Study (ASPIRE II). <i>International Journal of Neuropsychopharmacology</i> , 2021 , 24, 22-31	5.8	113
796	Reboxetine: the first selective noradrenaline re-uptake inhibitor. <i>Expert Opinion on Pharmacotherapy</i> , 2000 , 1, 771-82	4	112

795	No evidence for in vivo regulation of midbrain serotonin transporter availability by serotonin transporter promoter gene polymorphism. <i>Biological Psychiatry</i> , 2001 , 50, 8-12	7.9	112
794	The serotonin transporter in psychiatric disorders: insights from PET imaging. <i>Lancet Psychiatry</i> , 2015 , 2, 743-755	23.3	110
793	Effects of tryptophan depletion on drug-free patients with seasonal affective disorder during a stable response to bright light therapy. <i>Archives of General Psychiatry</i> , 1997 , 54, 133-8		110
792	Rediscovering trazodone for the treatment of major depressive disorder. <i>CNS Drugs</i> , 2012 , 26, 1033-49	6.7	109
791	Anger attacks in depression--evidence for a male depressive syndrome. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 303-7	9.4	107
790	Comparison of compliance between serotonin reuptake inhibitors and tricyclic antidepressants: a meta-analysis. <i>International Clinical Psychopharmacology</i> , 1995 , 9 Suppl 4, 33-40	2.2	106
789	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders, part III: maintenance treatment. <i>World Journal of Biological Psychiatry</i> , 2004 , 5, 120-35	3.8	104
788	Which antidepressants have demonstrated superior efficacy? A review of the evidence. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 323-9	2.2	103
787	beta-CIT SPECT demonstrates blockade of 5HT-uptake sites by citalopram in the human brain in vivo. <i>Journal of Neural Transmission</i> , 1995 , 100, 247-56	4.3	103
786	Genetic polymorphisms for drug metabolism (CYP2D6) and tardive dyskinesia in schizophrenia. <i>Schizophrenia Research</i> , 1998 , 32, 101-6	3.6	102
785	The International College of Neuro-Psychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 3: The Clinical Guidelines. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 180-195	5.8	102
784	Antipsychotic augmentation of serotonin reuptake inhibitors in treatment-resistant obsessive-compulsive disorder: a meta-analysis of double-blind, randomized, placebo-controlled trials. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 557-74	5.8	101
783	Silexan, an orally administered Lavandula oil preparation, is effective in the treatment of subthreshold anxiety disorder: a randomized, double-blind, placebo controlled trial. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 277-87	2.2	100
782	Dopamine D3 receptor gene polymorphism and response to clozapine in schizophrenic Pakistani patients. <i>European Neuropsychopharmacology</i> , 1999 , 10, 17-20	1.2	100
781	Prediction of SSRI treatment response in major depression based on serotonin transporter interplay between median raphe nucleus and projection areas. <i>NeuroImage</i> , 2012 , 63, 874-81	7.9	99
780	Social phobia: diagnosis and epidemiology, neurobiology and pharmacology, comorbidity and treatment. <i>Journal of Affective Disorders</i> , 2000 , 60, 61-74	6.6	97
779	Comparative efficacy of antidepressants. <i>Drugs</i> , 1992 , 43 Suppl 2, 11-22; discussion 22-3	12.1	97
778	Area-specific modulation of neural activation comparing escitalopram and citalopram revealed by pharmacofMRI: a randomized cross-over study. <i>NeuroImage</i> , 2010 , 49, 1161-70	7.9	95

777	Efficacy and tolerability of Hypericum extract for the treatment of mild to moderate depression. <i>European Neuropsychopharmacology</i> , 2010 , 20, 747-65	1.2	94
776	Severe depression and antidepressants: focus on a pooled analysis of placebo-controlled studies on agomelatine. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 283-91	2.2	94
775	Efficacy of pharmacotherapy in bipolar disorder: a report by the WPA section on pharmacopsychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262 Suppl 1, 1-48	5.1	93
774	Serotonin 5-HT _{1A} receptor binding potential declines with age as measured by [¹¹ C]WAY-100635 and PET. <i>Neuropsychopharmacology</i> , 2001 , 24, 522-30	8.7	93
773	Differential modulation of the default mode network via serotonin-1A receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 2619-24	11.5	92
772	European Group for the Study of Resistant Depression (GSRD)--where have we gone so far: review of clinical and genetic findings. <i>European Neuropsychopharmacology</i> , 2012 , 22, 453-68	1.2	91
771	Genome scan for susceptibility loci for schizophrenia and bipolar disorder. <i>Biological Psychiatry</i> , 2002 , 52, 40-52	7.9	89
770	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Acute and long-term treatment of mixed states in bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 2-58	3.8	89
769	Agomelatine in the treatment of seasonal affective disorder. <i>Psychopharmacology</i> , 2007 , 190, 575-9	4.7	86
768	Dopamine transporter availability in symptomatic depressed patients with seasonal affective disorder and healthy controls. <i>Psychological Medicine</i> , 2001 , 31, 1467-73	6.9	85
767	Global decrease of serotonin-1A receptor binding after electroconvulsive therapy in major depression measured by PET. <i>Molecular Psychiatry</i> , 2013 , 18, 93-100	15.1	84
766	Escitalopram in the Treatment of Depressed Elderly Patients. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 884-891	6.5	84
765	A polymorphism (5-HTTLPR) in the serotonin transporter promoter gene is associated with DSM-IV depression subtypes in seasonal affective disorder. <i>Molecular Psychiatry</i> , 2003 , 8, 942-6	15.1	84
764	Myo-inositol in depressive and healthy subjects determined by frontal 1H-magnetic resonance spectroscopy at 1.5 tesla. <i>Journal of Psychiatric Research</i> , 1998 , 32, 411-20	5.2	83
763	Guided self-help versus cognitive-behavioral group therapy in the treatment of bulimia nervosa. <i>International Journal of Eating Disorders</i> , 2004 , 35, 522-37	6.3	80
762	Normative database of the serotonergic system in healthy subjects using multi-tracer PET. <i>NeuroImage</i> , 2012 , 63, 447-59	7.9	78
761	Obituary [Prof. Dr. Hanns Hippus (1925 -2021)]. <i>International Journal of Neuropsychopharmacology</i> , 2021 , 24, 856-857	5.8	78
760	Torgny Svensson, a superb mind and an inspiring colleague. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 543-544	5.8	78

759	PM478. Imaging the effects of d-amphetamine in the human brain for modelling dopaminergic alterations in schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19, 74-74	5.8	78
758	PS168. Hybrid PET/MR imaging of serotonin transporter occupancy and brain activation to elucidate the mechanism of action of selective serotonin reuptake inhibitors. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19, 60-61	5.8	78
757	Silexan in anxiety disorders: Clinical data and pharmacological background. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 412-420	3.8	76
756	White matter microstructure in transsexuals and controls investigated by diffusion tensor imaging. <i>Journal of Neuroscience</i> , 2014 , 34, 15466-75	6.6	76
755	Influence of escitalopram treatment on 5-HT 1A receptor binding in limbic regions in patients with anxiety disorders. <i>Molecular Psychiatry</i> , 2009 , 14, 1040-50	15.1	76
754	Effects of olanzapine and ziprasidone on glucose tolerance in healthy volunteers. <i>Neuropsychopharmacology</i> , 2008 , 33, 1633-41	8.7	76
753	Enhanced serotonin transporter function during depression in seasonal affective disorder. <i>Neuropsychopharmacology</i> , 2008 , 33, 1503-13	8.7	75
752	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of substance use and related disorders. Part 2: Opioid dependence. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 160-87	3.8	73
751	Review of quetiapine and its clinical applications in schizophrenia. <i>Expert Opinion on Pharmacotherapy</i> , 2000 , 1, 783-801	4	73
750	St John's wort extract (LI 160) in somatoform disorders: results of a placebo-controlled trial. <i>Psychopharmacology</i> , 2002 , 164, 294-300	4.7	72
749	Comparative studies with milnacipran and tricyclic antidepressants in the treatment of patients with major depression: a summary of clinical trial results. <i>International Clinical Psychopharmacology</i> , 1996 , 11 Suppl 4, 35-9	2.2	72
748	Neurobiology of seasonal affective disorder and phototherapy. <i>Journal of Biological Rhythms</i> , 1988 , 3, 135-54	3.2	72
747	Switching antidepressant class does not improve response or remission in treatment-resistant depression. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 512-6	1.7	71
746	Receptor and transporter imaging studies in schizophrenia, depression, bulimia and Tourette's disorder--implications for psychopharmacology. <i>World Journal of Biological Psychiatry</i> , 2002 , 3, 133-46	3.8	70
745	Aggression is related to frontal serotonin-1A receptor distribution as revealed by PET in healthy subjects. <i>Human Brain Mapping</i> , 2009 , 30, 2558-70	5.9	69
744	Hypericum in the treatment of seasonal affective disorders. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1994 , 7 Suppl 1, S29-33	3.8	69
743	Efficacy of pregabalin and venlafaxine-XR in generalized anxiety disorder: results of a double-blind, placebo-controlled 8-week trial. <i>International Clinical Psychopharmacology</i> , 2009 , 24, 87-96	2.2	68
742	Neurotransmitters and electroconvulsive therapy. <i>Journal of ECT</i> , 2014 , 30, 116-21	2	67

741	Synthesizing the Evidence for Ketamine and Esketamine in Treatment-Resistant Depression: An International Expert Opinion on the Available Evidence and Implementation. <i>American Journal of Psychiatry</i> , 2021 , 178, 383-399	11.9	67
740	Antipsychotic Augmentation of Serotonin Reuptake Inhibitors in Treatment-Resistant Obsessive-Compulsive Disorder: An Update Meta-Analysis of Double-Blind, Randomized, Placebo-Controlled Trials. <i>International Journal of Neuropsychopharmacology</i> , 2015 , 18,	5.8	66
739	Reduced default mode network suppression during a working memory task in remitted major depression. <i>Journal of Psychiatric Research</i> , 2015 , 64, 9-18	5.2	66
738	Low frontal electroencephalographic coherence in neuroleptic-free schizophrenic patients. <i>Biological Psychiatry</i> , 1998 , 44, 438-47	7.9	66
737	Striatal dopamine-2 receptor occupancy as measured with [123I]iodobenzamide and SPECT predicted the occurrence of EPS in patients treated with atypical antipsychotics and haloperidol. <i>Psychopharmacology</i> , 2002 , 162, 42-9	4.7	65
736	Effects of fluoxetine versus bright light in the treatment of seasonal affective disorder. <i>Psychological Medicine</i> , 1998 , 28, 923-33	6.9	65
735	The citalopram challenge test in patients with major depression and in healthy controls. <i>Psychiatry Research</i> , 1999 , 88, 75-88	9.9	65
734	Nocturnal TSH and prolactin secretion during sleep deprivation and prediction of antidepressant response in patients with major depression. <i>Biological Psychiatry</i> , 1988 , 24, 631-41	7.9	65
733	The identification, assessment and management of difficult-to-treat depression: An international consensus statement. <i>Journal of Affective Disorders</i> , 2020 , 267, 264-282	6.6	64
732	Lateralization of the serotonin-1A receptor distribution in language areas revealed by PET. <i>NeuroImage</i> , 2009 , 45, 598-605	7.9	64
731	Do SSRIs or antidepressants in general increase suicidality? WPA Section on Pharmacopsychiatry: consensus statement. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258 Suppl 3, 3-23	5.1	64
730	The effects of light therapy on mini-mental state examination scores in demented patients. <i>Biological Psychiatry</i> , 2001 , 50, 725-7	7.9	64
729	In vivo imaging of serotonin transporter occupancy by means of SPECT and [123I]ADAM in healthy subjects administered different doses of escitalopram or citalopram. <i>Psychopharmacology</i> , 2006 , 188, 263-72	4.7	63
728	Genome scan for susceptibility loci for schizophrenia. <i>Neuropsychobiology</i> , 2000 , 42, 175-82	4	63
727	In vivo 123I IBZM SPECT imaging of striatal dopamine-2 receptor occupancy in schizophrenic patients treated with olanzapine in comparison to clozapine and haloperidol. <i>Psychopharmacology</i> , 1999 , 141, 175-81	4.7	63
726	Effects of light treatment on core body temperature in seasonal affective disorder. <i>Biological Psychiatry</i> , 1990 , 27, 39-50	7.9	63
725	Administration of ketamine for unipolar and bipolar depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017 , 21, 2-12	2.4	62
724	Ketamine-Induced Modulation of the Thalamo-Cortical Network in Healthy Volunteers As a Model for Schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2015 , 18,	5.8	62

723	Beyond the monoaminergic hypothesis: agomelatine, a new antidepressant with an innovative mechanism of action. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 117-26	3.8	62
722	Hypericum perforatum--a review of clinical studies. <i>Pharmacopsychiatry</i> , 2001 , 34 Suppl 1, S51-5	2	62
721	Carbohydrate-deficient transferrin as a marker of alcohol intake: a study with healthy subjects. <i>Alcohol and Alcoholism</i> , 1996 , 31, 265-71	3.5	62
720	The International College of Neuro-Psychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 2: Review, Grading of the Evidence, and a Precise Algorithm. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 121-179	5.8	61
719	Superior efficacy of St John's wort extract WS 5570 compared to placebo in patients with major depression: a randomized, double-blind, placebo-controlled, multi-center trial [ISRCTN77277298]. <i>BMC Medicine</i> , 2006 , 4, 14	11.4	61
718	Seasonal variation of availability of serotonin transporter binding sites in healthy female subjects as measured by [¹²³ I]-2 beta-carbomethoxy-3 beta-(4-iodophenyl)tropane and single photon emission computed tomography. <i>Biological Psychiatry</i> , 2000 , 47, 158-60	7.9	61
717	Evidence-based pharmacotherapy of treatment-resistant unipolar depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017 , 21, 13-23	2.4	60
716	Brain-derived neurotrophic factor gene polymorphisms: influence on treatment response phenotypes of major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2011 , 26, 1-10	2.2	60
715	A review of the evidence for carbamazepine and oxcarbazepine in the treatment of bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2004 , 7, 507-22	5.8	60
714	Clinical efficacy of mirtazapine: a review of meta-analyses of pooled data. <i>International Clinical Psychopharmacology</i> , 1995 , 10 Suppl 4, 25-35	2.2	60
713	Circuit Mechanisms of Reward, Anhedonia, and Depression. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 105-118	5.8	60
712	Structural Connectivity Networks of Transgender People. <i>Cerebral Cortex</i> , 2015 , 25, 3527-34	5.1	59
711	The anticholinergic biperiden in depressive disorders. <i>Pharmacopsychiatry</i> , 1981 , 14, 195-8	2	59
710	Esketamine Nasal Spray Plus Oral Antidepressant in Patients With Treatment-Resistant Depression: Assessment of Long-Term Safety in a Phase 3, Open-Label Study (SUSTAIN-2). <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	59
709	The combined effect of genetic polymorphisms and clinical parameters on treatment outcome in treatment-resistant depression. <i>European Neuropsychopharmacology</i> , 2015 , 25, 441-53	1.2	58
708	Brightening depression. <i>Science</i> , 2004 , 303, 467-9	33.3	58
707	Refining Prediction in Treatment-Resistant Depression: Results of Machine Learning Analyses in the TRD III Sample. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	58
706	Cytochrome P450 CYP1A2, CYP2C9, CYP2C19 and CYP2D6 genes are not associated with response and remission in a sample of depressive patients. <i>International Clinical Psychopharmacology</i> , 2009 , 24, 250-6	2.2	57

705	A placebo-controlled study of sertraline in the treatment of outpatients with seasonal affective disorder. <i>Psychopharmacology</i> , 2004 , 171, 390-7	4.7	57
704	High-Dose Testosterone Treatment Increases Serotonin Transporter Binding in Transgender People. <i>Biological Psychiatry</i> , 2015 , 78, 525-33	7.9	55
703	Brain-derived neurotrophic factor (BDNF)-epigenetic regulation in unipolar and bipolar affective disorder. <i>Journal of Affective Disorders</i> , 2014 , 168, 399-406	6.6	55
702	Testosterone in the brain: neuroimaging findings and the potential role for neuropsychopharmacology. <i>European Neuropsychopharmacology</i> , 2013 , 23, 79-88	1.2	55
701	IBZM SPECT imaging of striatal dopamine-2 receptors in psychotic patients treated with the novel antipsychotic substance quetiapine in comparison to clozapine and haloperidol. <i>Psychopharmacology</i> , 1997 , 133, 323-8	4.7	55
700	Actigraphy in patients with seasonal affective disorder and healthy control subjects treated with light therapy. <i>Biological Psychiatry</i> , 2005 , 58, 331-6	7.9	55
699	Socio-demographic and clinical predictors of treatment resistant depression: A prospective European multicenter study. <i>Journal of Affective Disorders</i> , 2016 , 189, 224-32	6.6	54
698	Cerebral CT findings in male opioid-dependent patients: stereological, planimetric and linear measurements. <i>Psychiatry Research - Neuroimaging</i> , 1998 , 83, 139-47	2.9	54
697	Onset of action of escitalopram compared with other antidepressants: results of a pooled analysis. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 105-10	2.2	54
696	Plasma concentrations of fluvoxamine and maprotiline in major depression: implications on therapeutic efficacy and side effects. <i>European Neuropsychopharmacology</i> , 1993 , 3, 13-21	1.2	54
695	Second-Generation Antipsychotic Drugs in Anorexia Nervosa: A Meta-Analysis of Randomized Controlled Trials. <i>Psychotherapy and Psychosomatics</i> , 2015 , 84, 110-116	9.4	53
694	Higher serotonin transporter occupancy after multiple dose administration of escitalopram compared to citalopram: an [¹²³ I]ADAM SPECT study. <i>Psychopharmacology</i> , 2007 , 191, 333-9	4.7	53
693	Effects of tryptophan depletion in drug-free depressed patients who responded to total sleep deprivation. <i>Archives of General Psychiatry</i> , 1998 , 55, 167-72		53
692	Possible association between childhood absence epilepsy and the gene encoding GABRB3. <i>Biological Psychiatry</i> , 1999 , 46, 997-1002	7.9	53
691	Additive gene-environment effects on hippocampal structure in healthy humans. <i>Journal of Neuroscience</i> , 2014 , 34, 9917-26	6.6	52
690	Cognitive effects and antipsychotic treatment. <i>Psychoneuroendocrinology</i> , 2003 , 28 Suppl 1, 27-38	5	52
689	Clinical factors predicting treatment resistant depression: affirmative results from the European multicenter study. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 78-88	6.5	52
688	Results of the European Group for the Study of Resistant Depression (GSRD) - basis for further research and clinical practice. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 427-448	3.8	51

687	Extended-release quetiapine fumarate (quetiapine XR) monotherapy and quetiapine XR or lithium as add-on to antidepressants in patients with treatment-resistant major depressive disorder. <i>Journal of Affective Disorders</i> , 2013 , 151, 209-19	6.6	51
686	Hyponatraemia during psychopharmacological treatment: results of a drug surveillance programme. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 739-48	5.8	51
685	The role of pharmacogenetics in the treatment of depression and anxiety disorders. <i>International Clinical Psychopharmacology</i> , 2009 , 24, 277-88	2.2	51
684	Monoaminergic function in the pathogenesis of seasonal affective disorder. <i>International Journal of Neuropsychopharmacology</i> , 2001 , 4, 409-20	5.8	51
683	Transcultural study of schizophrenic delusions. Tokyo versus Vienna and Tübingen (Germany). <i>Psychopathology</i> , 1998 , 31, 59-68	3.4	51
682	The effects of phototherapy in the general population. <i>Journal of Affective Disorders</i> , 1990 , 18, 211-9	6.6	51
681	Dexamethasone suppression test in a pluridiagnostic approach: its relationship to psychopathological and clinical variables. <i>Acta Psychiatrica Scandinavica</i> , 1983 , 68, 31-7	6.5	51
680	The serotonin-1A receptor distribution in healthy men and women measured by PET and [carbonyl-11C]WAY-100635. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008 , 35, 2159-68	8.8	50
679	Osteopenia in anorexia nervosa: specific mechanisms of bone loss. <i>Journal of Psychiatric Research</i> , 1999 , 33, 349-56	5.2	50
678	[123I]IBZM SPECT for imaging of striatal D2 dopamine receptors in 56 schizophrenic patients taking various neuroleptics. <i>American Journal of Psychiatry</i> , 1996 , 153, 183-90	11.9	50
677	The relevance of mixed anxiety and depression as a diagnostic category in clinical practice. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 725-736	5.1	50
676	The hidden third: improving outcome in treatment-resistant depression. <i>Journal of Psychopharmacology</i> , 2012 , 26, 587-602	4.6	49
675	A risk-benefit assessment of mirtazapine in the treatment of depression. <i>Drug Safety</i> , 1997 , 17, 251-64	5.1	49
674	White matter hyperintensities and chronicity of depression. <i>Journal of Psychiatric Research</i> , 2005 , 39, 285-93	5.2	49
673	Contrasts between symptoms of summer depression and winter depression. <i>Journal of Affective Disorders</i> , 1991 , 23, 173-83	6.6	49
672	A New Prediction Model for Evaluating Treatment-Resistant Depression. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 215-222	4.6	49
671	Placebo-controlled studies in depression: necessary, ethical and feasible. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003 , 253, 22-8	5.1	48
670	Effective open-label treatment of tourette disorder with olanzapine. <i>International Clinical Psychopharmacology</i> , 2000 , 15, 23-8	2.2	48

669	Effects of tryptophan depletion in fully remitted patients with seasonal affective disorder during summer. <i>Psychological Medicine</i> , 1998 , 28, 257-64	6.9	48
668	Structural changes in amygdala nuclei, hippocampal subfields and cortical thickness following electroconvulsive therapy in treatment-resistant depression: longitudinal analysis. <i>British Journal of Psychiatry</i> , 2019 , 214, 159-167	5.4	48
667	Effects of sunshine on suicide rates. <i>Comprehensive Psychiatry</i> , 2012 , 53, 535-9	7.3	47
666	A meta-analysis of clinical trials comparing reboxetine, a norepinephrine reuptake inhibitor, with selective serotonin reuptake inhibitors for the treatment of major depressive disorder. <i>European Neuropsychopharmacology</i> , 2008 , 18, 122-7	1.2	47
665	Non-association of dopamine D4 and D2 receptor genes with personality in healthy individuals. <i>Psychiatric Genetics</i> , 2000 , 10, 131-7	2.9	47
664	Pathological regional cerebral blood flow in opiate-dependent patients during withdrawal: a HMPAO-SPECT study. <i>Neuropsychobiology</i> , 1998 , 37, 194-9	4	47
663	Clinical characteristics and treatment outcomes of patients with major depressive disorder and comorbid anxiety disorders - results from a European multicenter study. <i>Journal of Psychiatric Research</i> , 2017 , 91, 1-13	5.2	46
662	Psychopharmacological treatment of 2195 in-patients with borderline personality disorder: A comparison with other psychiatric disorders. <i>European Neuropsychopharmacology</i> , 2015 , 25, 763-72	1.2	46
661	Fully exploratory network independent component analysis of the 1000 functional connectomes database. <i>Frontiers in Human Neuroscience</i> , 2012 , 6, 301	3.3	46
660	Sex-specific predictors of criminal recidivism in a representative sample of incarcerated youth. <i>Comprehensive Psychiatry</i> , 2009 , 50, 400-7	7.3	46
659	Efficacy and safety of silexan, a new, orally administered lavender oil preparation, in subthreshold anxiety disorder - evidence from clinical trials. <i>Wiener Medizinische Wochenschrift</i> , 2010 , 160, 547-56	2.9	46
658	Evaluation of the Two-Way Communication Checklist as a clinical intervention. Results of a multinational, randomised controlled trial. <i>British Journal of Psychiatry</i> , 2004 , 184, 79-83	5.4	46
657	Predictors of response to pharmacotherapy with citalopram in obsessive-compulsive disorder. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 357-61	2.2	46
656	Efficacy of orally administered Silexan in patients with anxiety-related restlessness and disturbed sleep--A randomized, placebo-controlled trial. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1960-7	1.2	45
655	Spatial analysis and high resolution mapping of the human whole-brain transcriptome for integrative analysis in neuroimaging. <i>NeuroImage</i> , 2018 , 176, 259-267	7.9	45
654	Current issues in bipolar disorder: a critical review. <i>European Neuropsychopharmacology</i> , 2007 , 17, 687-95.2	5.2	45
653	No change in striatal dopamine re-uptake site density in psychotropic drug naive and in currently treated Tourette® disorder patients: a [(123)I]-beta-CIT SPECT-study. <i>European Neuropsychopharmacology</i> , 2001 , 11, 69-74	1.2	45
652	Cardiovascular adverse reactions during antidepressant treatment: a drug surveillance report of German-speaking countries between 1993 and 2010. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	44

651	Novel antipsychotics specificity profile: A clinically oriented review of lurasidone, brexpiprazole, cariprazine and lumateperone. <i>European Neuropsychopharmacology</i> , 2019 , 29, 971-985	1.2	44
650	Differences in the dynamics of serotonin reuptake transporter occupancy may explain superior clinical efficacy of escitalopram versus citalopram. <i>International Clinical Psychopharmacology</i> , 2009 , 24, 119-25	2.2	44
649	The impact of catechol-O-methyltransferase SNPs and haplotypes on treatment response phenotypes in major depressive disorder: a case-control association study. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 218-27	2.2	44
648	Opioid addiction changes cerebral blood flow symmetry. <i>Neuropsychobiology</i> , 2002 , 45, 67-73	4	44
647	Light-dependent alteration of serotonin-1A receptor binding in cortical and subcortical limbic regions in the human brain. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 413-22	3.8	43
646	A preliminary investigation of the influence of CREB1 gene on treatment resistance in major depression. <i>Journal of Affective Disorders</i> , 2011 , 128, 56-63	6.6	43
645	Sertindole and dopamine D2 receptor occupancy in comparison to risperidone, clozapine and haloperidol - a 123I-IBZM SPECT study. <i>Psychopharmacology</i> , 1998 , 136, 367-73	4.7	43
644	Cortisol plasma levels in social anxiety disorder patients correlate with serotonin-1A receptor binding in limbic brain regions. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 1129-43	5.8	42
643	Regional differences in SERT occupancy after acute and prolonged SSRI intake investigated by brain PET. <i>NeuroImage</i> , 2014 , 88, 252-62	7.9	41
642	Effects of Selective Serotonin Reuptake Inhibitors on Interregional Relation of Serotonin Transporter Availability in Major Depression. <i>Frontiers in Human Neuroscience</i> , 2017 , 11, 48	3.3	41
641	Rapid tryptophan depletion in drug-free depressed patients with seasonal affective disorder. <i>American Journal of Psychiatry</i> , 1997 , 154, 1153-5	11.9	41
640	Carbohydrate-deficient transferrin as a screening marker for drinking in a general hospital population. <i>Alcohol and Alcoholism</i> , 1996 , 31, 249-56	3.5	41
639	Default mode network deactivation during emotion processing predicts early antidepressant response. <i>Translational Psychiatry</i> , 2017 , 7, e1008	8.6	40
638	Suicidal tendencies as a complication of light therapy for seasonal affective disorder: a report of three cases. <i>Journal of Clinical Psychiatry</i> , 1997 , 58, 389-92	4.6	40
637	Efficacy of Silexan in mixed anxiety-depression--A randomized, placebo-controlled trial. <i>European Neuropsychopharmacology</i> , 2016 , 26, 331-340	1.2	40
636	Gray matter and intrinsic network changes in the posterior cingulate cortex after selective serotonin reuptake inhibitor intake. <i>NeuroImage</i> , 2014 , 84, 236-44	7.9	39
635	Escitalopram enhances the association of serotonin-1A autoreceptors to heteroreceptors in anxiety disorders. <i>Journal of Neuroscience</i> , 2010 , 30, 14482-9	6.6	39
634	Low plasma thyroid indices of depressed patients are attenuated by antidepressant drugs and influence treatment outcome. <i>Pharmacopsychiatry</i> , 1996 , 29, 180-6	2	39

633	Prevalence of premenstrual dysphoric disorder in female patients with seasonal affective disorder. <i>Journal of Affective Disorders</i> , 2001 , 63, 239-42	6.6	39
632	Guidelines for biological treatment of substance use and related disorders, part 1: Alcoholism, first revision. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 86-119	3.8	38
631	Attenuated serotonin transporter association between dorsal raphe and ventral striatum in major depression. <i>Human Brain Mapping</i> , 2014 , 35, 3857-66	5.9	38
630	Meta-analysis: fact or fiction? How to interpret meta-analyses. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 188-200	3.8	38
629	No association of clock gene T3111C polymorphism and affective disorders. <i>European Neuropsychopharmacology</i> , 2005 , 15, 51-5	1.2	38
628	Circadian profiles of cortisol, prolactin, and thyrotropin in seasonal affective disorder. <i>Biological Psychiatry</i> , 1996 , 39, 157-70	7.9	38
627	Quantification of Task-Specific Glucose Metabolism with Constant Infusion of 18F-FDG. <i>Journal of Nuclear Medicine</i> , 2016 , 57, 1933-1940	8.9	38
626	Subcortical gray matter changes in transgender subjects after long-term cross-sex hormone administration. <i>Psychoneuroendocrinology</i> , 2016 , 74, 371-379	5	38
625	Pregabalin for generalized anxiety disorder: an updated systematic review and meta-analysis. <i>International Clinical Psychopharmacology</i> , 2017 , 32, 49-55	2.2	37
624	Anxiety disorders: under-diagnosed and insufficiently treated. <i>International Journal of Psychiatry in Clinical Practice</i> , 2006 , 10 Suppl 1, 3-9	2.4	37
623	In vivo visualization of serotonin transporters in the human brain during fluoxetine treatment. <i>European Neuropsychopharmacology</i> , 1999 , 9, 177-9	1.2	37
622	Effects of Silexan on the serotonin-1A receptor and microstructure of the human brain: a randomized, placebo-controlled, double-blind, cross-over study with molecular and structural neuroimaging. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	36
621	The International College of Neuropsychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 4: Unmet Needs in the Treatment of Bipolar Disorder and Recommendations for Future Research. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 196-205	5.8	36
620	Suicide by antidepressant intoxication identified at autopsy in Vienna from 1991-1997: the favourable consequences of the increasing use of SSRIs. <i>European Neuropsychopharmacology</i> , 2000 , 10, 133-42	1.2	36
619	A 28-week, double-blind, placebo-controlled study with Cerebrolysin in patients with mild to moderate Alzheimer® disease. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 253-63	2.2	36
618	Risperidone and olanzapine. <i>International Clinical Psychopharmacology</i> , 1998 , 13, 253-262	2.2	36
617	Risperidone for Tourette® syndrome. <i>Lancet, The</i> , 1994 , 344, 1577-8	4.0	36
616	Response to total sleep deprivation before and during treatment with fluvoxamine or maprotiline in patients with major depression--results of a double-blind study. <i>Pharmacopsychiatry</i> , 1990 , 23, 135-42 ²		36

615	Evaluation of the role of MAPK1 and CREB1 polymorphisms on treatment resistance, response and remission in mood disorder patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 44, 271-8	5.5	35
614	The norepinephrine transporter in attention-deficit/hyperactivity disorder investigated with positron emission tomography. <i>JAMA Psychiatry</i> , 2014 , 71, 1340-1349	14.5	35
613	Better tolerability of St. John's wort extract WS 5570 compared to treatment with SSRIs: a reanalysis of data from controlled clinical trials in acute major depression. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 204-13	2.2	35
612	Continuation and long-term maintenance treatment with Hypericum extract WS 5570 after recovery from an acute episode of moderate depression--a double-blind, randomized, placebo controlled long-term trial. <i>European Neuropsychopharmacology</i> , 2008 , 18, 803-13	1.2	35
611	Treatment of seasonal affective disorder. <i>Expert Review of Neurotherapeutics</i> , 2006 , 6, 1039-48	4.3	35
610	Cluster analysis of symptoms during antidepressant treatment with Hypericum extract in mildly to moderately depressed out-patients. A meta-analysis of data from three randomized, placebo-controlled trials. <i>Psychopharmacology</i> , 2002 , 164, 301-8	4.7	35
609	C825T polymorphism in the G protein beta3-subunit gene is associated with seasonal affective disorder. <i>Biological Psychiatry</i> , 2003 , 54, 682-6	7.9	35
608	Panic disorder: the place of benzodiazepines and selective serotonin reuptake inhibitors. <i>European Neuropsychopharmacology</i> , 2001 , 11, 307-21	1.2	35
607	Dopamine- and serotonin-receptors in schizophrenia: results of imaging-studies and implications for pharmacotherapy in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1999 , 249 Suppl 4, 83-9	5.1	35
606	Voxel-based morphometry at ultra-high fields. a comparison of 7T and 3T MRI data. <i>NeuroImage</i> , 2015 , 113, 207-16	7.9	34
605	Citalopram versus desipramine in treatment resistant depression: effect of continuation or switching strategies: a randomized open study. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 364-75	3.8	34
604	5HT1A and 5HT2A receptor genes in treatment response phenotypes in major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 228-31	2.2	34
603	Escitalopram in the treatment of social anxiety disorder: analysis of efficacy for different clinical subgroups and symptom dimensions. <i>Depression and Anxiety</i> , 2004 , 20, 175-81	8.4	34
602	Temporal lobe dysfunction and correlation of regional cerebral blood flow abnormalities with psychopathology in schizophrenia and major depression--a study with single photon emission computed tomography. <i>Psychiatry Research - Neuroimaging</i> , 1996 , 68, 1-10	2.9	34
601	Safety and antidepressant efficacy of selective serotonin re-uptake inhibitors. <i>Human Psychopharmacology</i> , 1994 , 9, 1-12	2.3	34
600	Management of mild cognitive impairment (MCI): The need for national and international guidelines. <i>World Journal of Biological Psychiatry</i> , 2020 , 21, 579-594	3.8	33
599	Pharmacological treatment strategies in unipolar depression in European tertiary psychiatric treatment centers - A pharmacoepidemiological cross-sectional multicenter study. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1960-1971	1.2	33
598	An orally administered lavender oil preparation (Silexan) for anxiety disorder and related conditions: an evidence based review. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013 , 17 Suppl 1, 15-22	2.4	33

597	Application of image-derived and venous input functions in major depression using [carbonyl-(11C)]WAY-100635. <i>Nuclear Medicine and Biology</i> , 2013 , 40, 371-7	2.1	33
596	The diagnosis and treatment of generalized anxiety disorder. <i>Deutsches A&#x0308;rztblatt International</i> , 2013 , 110, 300-9; quiz 310	2.5	33
595	A comparative, randomised, double-blind study of trazodone prolonged-release and paroxetine in the treatment of patients with major depressive disorder. <i>Current Medical Research and Opinion</i> , 2005 , 21, 1139-46	2.5	33
594	The serotonin transporter promoter repeat length polymorphism, seasonal affective disorder and seasonality. <i>Psychological Medicine</i> , 2003 , 33, 785-92	6.9	33
593	Antidepressant efficacy in relation to item analysis and severity of depression: a placebo-controlled trial of fluvoxamine versus imipramine. <i>International Clinical Psychopharmacology</i> , 1995 , 9 Suppl 4, 3-12	2.2	33
592	Seasonal changes in mood and behavior: a cluster analytic approach. <i>Psychiatry Research</i> , 1989 , 28, 227-39	3.9	33
591	Seasonality in major depressed inpatients. <i>Journal of Affective Disorders</i> , 1990 , 19, 243-8	6.6	33
590	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. <i>British Journal of Psychiatry</i> , 2019 , 214, 27-35	5.4	33
589	Therapeutic efficacy of the Ginkgo special extract EGb761 within the framework of the mitochondrial cascade hypothesis of Alzheimer's disease. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 173-189	3.8	33
588	Major Depression and the Degree of Suicidality: Results of the European Group for the Study of Resistant Depression (GSRD). <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 539-549	5.8	32
587	The impact of COMT gene polymorphisms on suicidality in treatment resistant major depressive disorder--a European multicenter study. <i>European Neuropsychopharmacology</i> , 2012 , 22, 259-66	1.2	32
586	Imaging treatment effects in depression. <i>Reviews in the Neurosciences</i> , 2012 , 23, 227-52	4.7	32
585	Antidepressant efficacy of agomelatine versus SSRI/SNRI: results from a pooled analysis of head-to-head studies without a placebo control. <i>International Clinical Psychopharmacology</i> , 2013 , 28, 12-9	2.2	32
584	Multimodal imaging of human early visual cortex by combining functional and molecular measurements with fMRI and PET. <i>NeuroImage</i> , 2008 , 41, 204-11	7.9	32
583	Hypericum in the Treatment of Seasonal Affective Disorders. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1994 , 7, 29-33	3.8	32
582	The Efficacy of Light Therapy in the Treatment of Seasonal Affective Disorder: A Meta-Analysis of Randomized Controlled Trials. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 17-24	9.4	32
581	Drug-Induced Liver Injury during Antidepressant Treatment: Results of AMSP, a Drug Surveillance Program. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	31
580	International Union of Basic and Clinical Pharmacology CIV: The Neurobiology of Treatment-resistant Depression: From Antidepressant Classifications to Novel Pharmacological Targets. <i>Pharmacological Reviews</i> , 2018 , 70, 475-504	22.5	31

579	PPP3CC gene: a putative modulator of antidepressant response through the B-cell receptor signaling pathway. <i>Pharmacogenomics Journal</i> , 2014 , 14, 463-72	3.5	31
578	Cost-effectiveness analysis of escitalopram: a new SSRI in the first-line treatment of major depressive disorder in Austria. <i>Current Medical Research and Opinion</i> , 2004 , 20, 869-78	2.5	31
577	Gender differences in the psychopathology of depressed inpatients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004 , 254, 209-14	5.1	31
576	Role of family history and 5-HTTLPR polymorphism in female seasonal affective disorder patients with and without premenstrual dysphoric disorder. <i>European Neuropsychopharmacology</i> , 2002 , 12, 129-34 ²	1.2	31
575	Treatment of severe mania with intravenous magnesium sulphate as a supplementary therapy. <i>Psychiatry Research</i> , 1999 , 89, 239-46	9.9	31
574	Temperament and character profiles in bipolar I, bipolar II and major depressive disorder: Impact over illness course, comorbidity pattern and psychopathological features of depression. <i>Journal of Affective Disorders</i> , 2015 , 184, 51-9	6.6	30
573	(S)-citalopram influences amygdala modulation in healthy subjects: a randomized placebo-controlled double-blind fMRI study using dynamic causal modeling. <i>NeuroImage</i> , 2015 , 108, 243-50	7.9	30
572	Efficacy of antidepressants in the treatment of severe depression: the place of mirtazapine. <i>Journal of Clinical Psychopharmacology</i> , 1997 , 17 Suppl 1, 19S-28S	1.7	30
571	Reduced task durations in functional PET imaging with [F]FDG approaching that of functional MRI. <i>NeuroImage</i> , 2018 , 181, 323-330	7.9	30
570	Effects of norepinephrine transporter gene variants on NET binding in ADHD and healthy controls investigated by PET. <i>Human Brain Mapping</i> , 2016 , 37, 884-95	5.9	29
569	General and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders: a report by the WPA section of pharmacopsychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261 Suppl 3, 207-45	5.1	29
568	A comparison of the Major Depression Inventory (MDI) and the Beck Depression Inventory (BDI) in severely depressed patients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2011 , 15, 56-61	2.4	29
567	Pramipexole as adjunct to haloperidol in schizophrenia. Safety and efficacy. <i>European Neuropsychopharmacology</i> , 1997 , 7, 65-70	1.2	29
566	Quetiapine is effective against anxiety and depressive symptoms in long-term treatment of patients with schizophrenia. <i>Depression and Anxiety</i> , 2004 , 20, 44-7	8.4	29
565	Changes of clinical pattern in seasonal affective disorder (SAD) over time in a German-speaking sample. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2002 , 252, 54-62	5.1	29
564	Changing aspects of psychiatric inpatient treatment. A census investigation in five European countries. <i>European Psychiatry</i> , 2004 , 19, 483-8	6	29
563	Increase of antipsychotic medication in depressive inpatients from 2000 to 2007: results from the AMSP International Pharmacovigilance Program. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 449-57	5.8	28
562	Recurrent brief depressive disorder reinvestigated: a community sample of adolescents and young adults. <i>Psychological Medicine</i> , 2003 , 33, 407-18	6.9	28

561	Clonazepam in the long-term treatment of patients with unipolar depression, bipolar and schizoaffective disorder. <i>European Neuropsychopharmacology</i> , 2003 , 13, 129-34	1.2	28
560	Multiple hormone responses to stimulation with dl-fenfluramine in patients with major depression before and after antidepressive treatment. <i>Pharmacopsychiatry</i> , 1990 , 23, 76-84	2	28
559	Escitalopram in the treatment of depressed elderly patients. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 884-91	6.5	28
558	International Consensus Group on Bipolar I Depression Treatment Guidelines. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 571-9	4.6	28
557	RESCALE: Voxel-specific task-fMRI scaling using resting state fluctuation amplitude. <i>NeuroImage</i> , 2013 , 70, 80-8	7.9	27
556	Task-relevant brain networks identified with simultaneous PET/MR imaging of metabolism and connectivity. <i>Brain Structure and Function</i> , 2018 , 223, 1369-1378	4	27
555	Ketamine-dependent neuronal activation in healthy volunteers. <i>Brain Structure and Function</i> , 2017 , 222, 1533-1542	4	27
554	Position statement of the European Psychiatric Association (EPA) on the value of antidepressants in the treatment of unipolar depression. <i>European Psychiatry</i> , 2012 , 27, 114-28	6	27
553	COMT and age at onset in mood disorders: a replication and extension study. <i>Neuroscience Letters</i> , 2011 , 498, 218-21	3.3	27
552	Outcome in delusional depression comparing trimipramine monotherapy with a combination of amitriptyline and haloperidol—a double-blind multicenter trial. <i>Journal of Psychiatric Research</i> , 2009 , 43, 702-10	5.2	27
551	Inverse relation between stimulus intensity and seizure duration: implications for ECT procedure. <i>Journal of ECT</i> , 2001 , 17, 102-8	2	27
550	Testosterone affects language areas of the adult human brain. <i>Human Brain Mapping</i> , 2016 , 37, 1738-48	5.9	27
549	Efficacy of Silexan in subthreshold anxiety: meta-analysis of randomised, placebo-controlled trials. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 183-193	5.1	27
548	Oppositional COMT Val158Met effects on resting state functional connectivity in adolescents and adults. <i>Brain Structure and Function</i> , 2016 , 221, 103-14	4	26
547	Epidemiology and socioeconomic impact of seasonal affective disorder in Austria. <i>European Psychiatry</i> , 2016 , 32, 28-33	6	26
546	Efficacy of escitalopram compared to citalopram: a meta-analysis. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 261-8	5.8	26
545	Efficacy of St. John's wort extract WS 5570 in acute treatment of mild depression: a reanalysis of data from controlled clinical trials. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 59-63	5.1	26
544	Quetiapine in the treatment of borderline personality disorder. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 42-4	3.8	26

543	Cost-effectiveness of escitalopram versus citalopram in the treatment of severe depression. <i>Annals of Pharmacotherapy</i> , 2004 , 38, 954-60	2.9	26
542	Bright light therapy in seasonal affective disorder--does it suffice?. <i>European Neuropsychopharmacology</i> , 2004 , 14, 347-51	1.2	26
541	Schizophrenia and the dopamine-beta-hydroxylase gene: results of a linkage and association study. <i>Psychiatric Genetics</i> , 1996 , 6, 17-22	2.9	26
540	Seasonality of birth in seasonal affective disorder. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1389-93	4.6	26
539	Dose Escalation of Antidepressants in Unipolar Depression: A Meta-Analysis of Double-Blind, Randomized Controlled Trials. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 283-291	9.4	25
538	Neuronal cell adhesion genes and antidepressant response in three independent samples. <i>Pharmacogenomics Journal</i> , 2015 , 15, 538-48	3.5	25
537	Clinical correlates of augmentation/combination treatment strategies in major depressive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 401-412	6.5	25
536	Comorbid thyroid disease in patients with major depressive disorder - results from the European Group for the Study of Resistant Depression (GSRD). <i>European Neuropsychopharmacology</i> , 2018 , 28, 752-760	1.2	25
535	A pooled analysis of six month comparative efficacy and tolerability in four randomized clinical trials: agomelatine versus escitalopram, fluoxetine, and sertraline. <i>CNS Spectrums</i> , 2013 , 18, 163-70	1.8	25
534	Pharmacological treatment of severely depressed patients: a meta-analysis comparing efficacy of mirtazapine and amitriptyline. <i>European Neuropsychopharmacology</i> , 1997 , 7, 115-24	1.2	25
533	Risperidone olanzapine drug outcomes studies in schizophrenia (RODOS): efficacy and tolerability results of an international naturalistic study. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 179-87	2.2	25
532	Recurrent brief depression and its relationship to seasonal affective disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1992 , 242, 20-6	5.1	25
531	Phototherapy in subsyndromal seasonal affective disorder (S-SAD) and "diagnosed" controls. <i>Pharmacopsychiatry</i> , 1988 , 21, 428-9	2	25
530	Cerebral serotonin transporter asymmetry in females, males and male-to-female transsexuals measured by PET in vivo. <i>Brain Structure and Function</i> , 2014 , 219, 171-83	4	24
529	The genetic blueprint of major depressive disorder: contributions of imaging genetics studies. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 474-88	3.8	24
528	The European post-marketing observational sertindole study: an investigation of the safety of antipsychotic drug treatment. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 59-68	5.1	24
527	Treatment of seasonal affective disorder (SAD) with hypericum extract. <i>Pharmacopsychiatry</i> , 1997 , 30 Suppl 2, 89-93	2	24
526	Anticipation in schizophrenia. <i>Schizophrenia Research</i> , 1999 , 35, 25-32	3.6	24

525	Psychiatric patients' Perception of physical restraint. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 221-31	6.5	24
524	Genome-wide association study of treatment-resistance in depression and meta-analysis of three independent samples. <i>British Journal of Psychiatry</i> , 2019 , 214, 36-41	5.4	24
523	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part II: Cognition, neuroimaging and genetics. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 406-28	3.8	23
522	Optimizing antidepressant treatment: are two actions better than one?. <i>International Clinical Psychopharmacology</i> , 2002 , 17, 1	2.2	23
521	Reboxetine in seasonal affective disorder: an open trial. <i>European Neuropsychopharmacology</i> , 2001 , 11, 1-5	1.2	23
520	Thyroid hormones, body temperature, and antidepressant treatment. <i>Biological Psychiatry</i> , 1992 , 31, 859-62	7.9	23
519	Definition of treatment-resistant depression - Asia Pacific perspectives. <i>Journal of Affective Disorders</i> , 2019 , 245, 626-636	6.6	23
518	Combination of intravenous S-ketamine and oral tranylcypromine in treatment-resistant depression: A report of two cases. <i>European Neuropsychopharmacology</i> , 2015 , 25, 2183-4	1.2	22
517	Bipolar II disorder as a risk factor for postpartum depression. <i>Journal of Affective Disorders</i> , 2016 , 204, 54-8	6.6	22
516	Pregabalin long-term treatment and assessment of discontinuation in patients with generalized anxiety disorder. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 685-95	5.8	22
515	Superiority of escitalopram to paroxetine in the treatment of depression. <i>European Neuropsychopharmacology</i> , 2009 , 19, 229-37	1.2	22
514	Risperidone in the treatment of schizophrenia: results of a study of patients from Germany, Austria, and Switzerland. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1997 , 247, 291-6	5.1	22
513	Treatment of seasonal affective disorder with duloxetine: an open-label study. <i>Pharmacopsychiatry</i> , 2008 , 41, 100-5	2	22
512	Gender-specific symptoms of depression and anger attacks. <i>The Journal of Men's Health & Gender: the Official Journal of the International Society for Men's Health & Gender</i> , 2006 , 3, 19-24		22
511	Seasonal affective disorder and the G-protein beta-3-subunit C825T polymorphism. <i>Biological Psychiatry</i> , 2004 , 55, 317-9	7.9	22
510	Reboxetine in the treatment of bulimia nervosa: a report of seven cases. <i>International Clinical Psychopharmacology</i> , 2000 , 15, 351-6	2.2	22
509	Quetiapine: efficacy and tolerability in schizophrenia. <i>European Neuropsychopharmacology</i> , 2001 , 11 Suppl 4, S405-13	1.2	22
508	D2-dopamine receptor occupancy measured by IBZM-SPECT in relation to extrapyramidal side effects. <i>Pharmacopsychiatry</i> , 1998 , 31, 159-62	2	22

507	Efficacy of new generation antidepressants: meta-analysis of imipramine-controlled studies. <i>Pharmacopsychiatry</i> , 1994 , 27, 215-23	2	22
506	Trazodone and amitriptyline in treatment of depressed inpatients. A double-blind study. <i>Pharmacopsychiatry</i> , 1981 , 14, 167-71	2	22
505	Stress management and the role of : a review. <i>International Journal of Psychiatry in Clinical Practice</i> , 2018 , 22, 242-252	2.4	21
504	Meta-analysis of the COMT Val158Met polymorphism in major depressive disorder: the role of gender. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 147-58	3.8	21
503	Making Sense of: Sensitization in Schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 1-10	5.8	21
502	Influence of COX-2 and OXTR polymorphisms on treatment outcome in treatment resistant depression. <i>Neuroscience Letters</i> , 2012 , 516, 85-8	3.3	21
501	Serotonin-1A receptor binding is positively associated with gray matter volume -- a multimodal neuroimaging study combining PET and structural MRI. <i>NeuroImage</i> , 2012 , 63, 1091-8	7.9	21
500	Phenomenology of psychotic mood disorders: lifetime and major depressive episode features. <i>Journal of Affective Disorders</i> , 2011 , 135, 241-50	6.6	21
499	Longitudinal analysis of the suicidal behaviour risk in short-term placebo-controlled studies of mirtazapine in major depressive disorder. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 36-44	3.8	21
498	Risperidone olanzapine drug outcomes studies in schizophrenia (RODOS): health economic results of an international naturalistic study. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 189-96	2.2	21
497	Association of Protein Distribution and Gene Expression Revealed by PET and Post-Mortem Quantification in the Serotonergic System of the Human Brain. <i>Cerebral Cortex</i> , 2017 , 27, 117-130	5.1	20
496	Prefrontal networks dynamically related to recovery from major depressive disorder: a longitudinal pharmacological fMRI study. <i>Translational Psychiatry</i> , 2019 , 9, 64	8.6	20
495	Pleiotropic genes in psychiatry: Calcium channels and the stress-related FKBP5 gene in antidepressant resistance. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 81, 203-210	5.5	20
494	Monitoring for antidepressant-associated adverse events in the treatment of patients with major depressive disorder: An international consensus statement. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 330-348	3.8	20
493	Striatal dopaminergic alterations in Tourette syndrome: a meta-analysis based on 16 PET and SPECT neuroimaging studies. <i>Translational Psychiatry</i> , 2018 , 8, 143	8.6	20
492	Influence of family history of major depression, bipolar disorder, and suicide on clinical features in patients with major depression and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 93-103	5.1	20
491	Physical co-morbidity among treatment resistant vs. treatment responsive patients with major depressive disorder. <i>European Neuropsychopharmacology</i> , 2013 , 23, 895-901	1.2	20
490	Acute psychotropic effects of oral cannabis extract with a defined content of Delta9-tetrahydrocannabinol (THC) in healthy volunteers. <i>Pharmacopsychiatry</i> , 2010 , 43, 24-32	2	20

489	Failure to replicate influence of GRIK4 and GNB3 polymorphisms on treatment outcome in major depression. <i>Neuropsychobiology</i> , 2012 , 65, 70-5	4	20
488	Social phobia: the nature of the disorder. <i>Journal of Affective Disorders</i> , 1998 , 50 Suppl 1, S3-9	6.6	20
487	Escitalopram in seasonal affective disorder: results of an open trial. <i>Pharmacopsychiatry</i> , 2007 , 40, 20-4	2	20
486	Tardive Dyskinesia: analysis of outpatients with schizophrenia from Africa and the Middle East, Asia, Central and Eastern Europe, and Latin America. <i>Schizophrenia Research</i> , 2006 , 81, 139-43	3.6	20
485	Different fatal toxicity of neuroleptics identified by autopsy. <i>European Neuropsychopharmacology</i> , 2001 , 11, 117-24	1.2	20
484	Auditory evoked potentials and total sleep deprivation in depressed patients. <i>Psychiatry Research</i> , 1988 , 25, 91-100	9.9	20
483	A longitudinal view of triggers and thresholds of suicidal behavior in depression. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 866-73	4.6	20
482	Early improvement and response to antidepressant medications in adults with major depressive disorder. Meta-analysis and study of a sample with treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2018 , 227, 777-786	6.6	20
481	Phytopharmaceutical treatment of anxiety, depression, and dementia in the elderly: evidence from randomized, controlled clinical trials. <i>Wiener Medizinische Wochenschrift</i> , 2015 , 165, 217-28	2.9	19
480	Comparison of continuously acquired resting state and extracted analogues from active tasks. <i>Human Brain Mapping</i> , 2015 , 36, 4053-63	5.9	19
479	The International College of Neuropsychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 1: Background and Methods of the Development of Guidelines. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 98-120	5.8	19
478	Dose escalation of antipsychotic drugs in schizophrenia: a meta-analysis of randomized controlled trials. <i>Schizophrenia Research</i> , 2015 , 166, 187-93	3.6	19
477	2-COM: an instrument to facilitate patient-professional communication in routine clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 446-52	6.5	19
476	Maintenance of long-term efficacy and safety of quetiapine in the open-label treatment of schizophrenia. <i>International Clinical Psychopharmacology</i> , 2004 , 19, 281-9	2.2	19
475	Mirtazapine in seasonal affective disorder (SAD): a preliminary report. <i>Human Psychopharmacology</i> , 1999 , 14, 59-62	2.3	19
474	Risk of suicide in depression and its implication for psychopharmacological treatment. <i>International Clinical Psychopharmacology</i> , 1996 , 11, 71-9	2.2	19
473	Effects of sex hormone treatment on white matter microstructure in individuals with gender dysphoria. <i>NeuroImage</i> , 2017 , 150, 60-67	7.9	18
472	Staging of Schizophrenia With the Use of PANSS: An International Multi-Center Study. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 681-697	5.8	18

471	Acute and subsequent continuation electroconvulsive therapy elevates serum BDNF levels in patients with major depression. <i>Brain Stimulation</i> , 2019 , 12, 1041-1050	5.1	18
470	Milnacipran: a unique antidepressant?. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 6, 23-31	3.1	18
469	Is dopamine neurotransmission altered in prodromal schizophrenia? A review of the evidence. <i>Current Pharmaceutical Design</i> , 2012 , 18, 1568-79	3.3	18
468	Escitalopram in the long-term treatment of major depressive disorder in elderly patients. <i>Neuropsychobiology</i> , 2006 , 54, 152-9	4	18
467	Recurrent brief depression revisited. <i>International Review of Psychiatry</i> , 2005 , 17, 63-70	3.6	18
466	Placebo-controlled trials in major depression are necessary and ethically justifiable: how to improve the communication between researchers and ethical committees. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 258-60	5.1	18
465	Prevalence and distribution of hepatitis C subtypes in patients with opioid dependence. <i>European Addiction Research</i> , 2000 , 6, 198-204	4.6	18
464	Enlarged cerebrospinal fluid spaces in opiate-dependent male patients: a stereological CT study. <i>Neuropsychobiology</i> , 1998 , 38, 80-3	4	18
463	Benefit-risk evaluation of olanzapine, risperidone and sertindole in the treatment of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1999 , 249 Suppl 2, I11-I14	5.1	18
462	Tissue-specific regulation of vasoactive intestinal peptide messenger ribonucleic acid levels by estrogen in the rat. <i>Endocrinology</i> , 1992 , 130, 1796-801	4.8	18
461	Low platelet MAO activity and schizophrenia: sex differences. <i>Acta Psychiatrica Scandinavica</i> , 1981 , 64, 167-74	6.5	18
460	Psychotic Features in Patients With Major Depressive Disorder: A Report From the European Group for the Study of Resistant Depression. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	18
459	Gender transition affects neural correlates of empathy: A resting state functional connectivity study with ultra high-field 7T MR imaging. <i>NeuroImage</i> , 2016 , 138, 257-265	7.9	18
458	On the relationship of first-episode psychosis to the amphetamine-sensitized state: a dopamine D receptor agonist radioligand study. <i>Translational Psychiatry</i> , 2020 , 10, 2	8.6	17
457	Machine learning classification of ADHD and HC by multimodal serotonergic data. <i>Translational Psychiatry</i> , 2020 , 10, 104	8.6	17
456	Anti-Oxidative Effects of Melatonin Receptor Agonist and Omega-3 Polyunsaturated Fatty Acids in Neuronal SH-SY5Y Cells: Deciphering Synergic Effects on Anti-Depressant Mechanisms. <i>Molecular Neurobiology</i> , 2018 , 55, 7271-7284	6.2	17
455	Psychopharmacological Treatment of Schizophrenia Over Time in 30 908 Inpatients: Data From the AMSP Study. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 560-573	5.8	17
454	Executive summary of the report by the WPA section on pharmacopsychiatry on general and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 13-22	5.1	17

453	Report of the WPA section of pharmacopsychiatry on the relationship of antiepileptic drugs with suicidality in epilepsy. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015 , 19, 158-67	2.4	17
452	Effects of hormone replacement therapy on cerebral serotonin-1A receptor binding in postmenopausal women examined with [carbonyl- ¹¹ C]WAY-100635. <i>Psychoneuroendocrinology</i> , 2014 , 45, 1-10	5	17
451	Therapeutic effects of escitalopram and reboxetine in seasonal affective disorder: a pooled analysis. <i>Journal of Psychiatric Research</i> , 2009 , 43, 792-7	5.2	17
450	Optimisation of long-term treatment in schizophrenia: treating the true spectrum of symptoms. <i>European Neuropsychopharmacology</i> , 2006 , 16 Suppl 3, S135-41	1.2	17
449	Intravenous antidepressant treatment: focus on citalopram. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2002 , 252, 105-9	5.1	17
448	Milnacipran in the treatment of bulimia nervosa: a report of 16 cases. <i>European Neuropsychopharmacology</i> , 2003 , 13, 73-9	1.2	17
447	Poststroke depression and fluoxetine. <i>American Journal of Psychiatry</i> , 1996 , 153, 446-7	11.9	17
446	Silexan in generalized anxiety disorder: investigation of the therapeutic dosage range in a pooled data set. <i>International Clinical Psychopharmacology</i> , 2017 , 32, 195-204	2.2	17
445	Suicidal Ideation and Suicidal Behavior as Rare Adverse Events of Antidepressant Medication: Current Report from the AMSP Multicenter Drug Safety Surveillance Project. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 814-821	5.8	17
444	Pharmacokinetic-pharmacodynamic modeling of tolerance to the prolactin-secreting effect of chlorprothixene after different modes of drug administration. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1999 , 291, 547-54	4.7	17
443	Simple and rapid quantification of serotonin transporter binding using [C]DASB bolus plus constant infusion. <i>NeuroImage</i> , 2017 , 149, 23-32	7.9	16
442	The influence of the rs6295 gene polymorphism on serotonin-1A receptor distribution investigated with PET in patients with major depression applying machine learning. <i>Translational Psychiatry</i> , 2017 , 7, e1150	8.6	16
441	Imaging the neuroplastic effects of ketamine with VBM and the necessity of placebo control. <i>NeuroImage</i> , 2017 , 147, 198-203	7.9	16
440	World Federation of Societies of Biological Psychiatry guidelines for the pharmacological treatment of dementias in primary care. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015 , 19, 2-7	2.4	16
439	A polygenic predictor of treatment-resistant depression using whole exome sequencing and genome-wide genotyping. <i>Translational Psychiatry</i> , 2020 , 10, 50	8.6	16
438	Relation of progesterone and DHEAS serum levels to 5-HT _{1A} receptor binding potential in pre- and postmenopausal women. <i>Psychoneuroendocrinology</i> , 2014 , 46, 52-63	5	16
437	Progesterone level predicts serotonin-1a receptor binding in the male human brain. <i>Neuroendocrinology</i> , 2011 , 94, 84-8	5.6	16
436	Striatal D(2) receptor occupancy in bipolar patients treated with olanzapine. <i>European Neuropsychopharmacology</i> , 2007 , 17, 102-7	1.2	16

435	Effectiveness, tolerability, and safety of ziprasidone in patients with schizophrenia or schizoaffective disorder: results of a multi-centre observational trial. <i>European Psychiatry</i> , 2007 , 22, 195-202	6	16
434	Possible linkage of schizophrenia and bipolar affective disorder to chromosome 3q29; a follow-up. <i>Journal of Psychiatric Research</i> , 2004 , 38, 357-64	5.2	16
433	Serotonin transporter promoter gene polymorphic region (5-HTTLPR) and personality in female patients with seasonal affective disorder and in healthy controls. <i>European Neuropsychopharmacology</i> , 2004 , 14, 53-8	1.2	16
432	Biophotons, microtubules and CNS, is our brain a "holographic computer"?. <i>Medical Hypotheses</i> , 2004 , 62, 169-72	3.8	16
431	Therapy of treatment resistant depression: focus on the management of TRD with atypical antipsychotics. <i>CNS Spectrums</i> , 2004 , 9, 823-32	1.8	16
430	Striatal dopamine-2 receptor occupancy in psychotic patients treated with risperidone. <i>Psychiatry Research - Neuroimaging</i> , 1996 , 68, 23-30	2.9	16
429	Efficacy, safety, and indications for tricyclic and newer antidepressants. <i>Depression</i> , 1994 , 2, 127-137		16
428	Do SSRIs differ in their antidepressant efficacy. <i>Human Psychopharmacology</i> , 1995 , 10 Suppl 3, S163-S172.3		16
427	Platelet serotonin transporter function predicts default-mode network activity. <i>PLoS ONE</i> , 2014 , 9, e92543	4.7	16
426	Comments on "Double-blind comparison of olanzapine versus risperidone in the treatment of schizophrenia and other psychotic disorders" by Tran and Associates. <i>Journal of Clinical Psychopharmacology</i> , 1998 , 18, 353-6	1.7	16
425	The impact of serotonin receptor 1A and 2A gene polymorphisms and interactions on suicide attempt and suicide risk in depressed patients with insufficient response to treatment--a European multicentre study. <i>International Clinical Psychopharmacology</i> , 2016 , 31, 1-7	2.2	16
424	Hippocampal GABA levels correlate with retrieval performance in an associative learning paradigm. <i>NeuroImage</i> , 2020 , 204, 116244	7.9	16
423	A new nomenclature for classifying psychotropic drugs. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1614-1616	3.8	15
422	Paternal and maternal age as risk factors for schizophrenia: a case-control study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2018 , 22, 170-176	2.4	15
421	Neuropsychiatric deep brain stimulation for translational neuroimaging. <i>NeuroImage</i> , 2013 , 79, 30-41	7.9	15
420	Influence of Sex on Suicidal Phenotypes in Affective Disorder Patients with Traumatic Childhood Experiences. <i>PLoS ONE</i> , 2015 , 10, e0137763	3.7	15
419	Previous treatment as a confounding variable in studies with novel antipsychotics: two cases of high dopamine-2 receptor occupancy with quetiapine. <i>Psychopharmacology</i> , 1997 , 133, 102-5	4.7	15
418	Effects of tryptophan depletion and catecholamine depletion on immune parameters in patients with seasonal affective disorder in remission with light therapy. <i>Biological Psychiatry</i> , 2003 , 53, 332-7	7.9	15

417	Fluoxetine treatment in patients with recurrent brief depression. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 221-6	2.2	15
416	Mirtazapine in recurrent brief depression. <i>International Clinical Psychopharmacology</i> , 1998 , 13, 39-40	2.2	15
415	Use of light therapy in German psychiatric hospitals. <i>European Psychiatry</i> , 1994 , 9, 288-292	6	15
414	Reconfiguration of functional brain networks and metabolic cost converge during task performance. <i>ELife</i> , 2020 , 9,	8.9	15
413	WFSBP guidelines on how to grade treatment evidence for clinical guideline development. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 2-16	3.8	15
412	Neuroplasticity and second messenger pathways in antidepressant efficacy: pharmacogenetic results from a prospective trial investigating treatment resistance. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 723-735	5.1	14
411	The impact of comorbid post-traumatic stress disorder in patients with major depressive disorder on clinical features, pharmacological treatment strategies, and treatment outcomes - Results from a cross-sectional European multicenter study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 625-632	1.2	14
410	Temperament and character influence on depression treatment outcome. <i>Journal of Affective Disorders</i> , 2019 , 252, 464-474	6.6	14
409	What to expect from a third step in treatment resistant depression: A prospective open study on escitalopram. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 472-82	3.8	14
408	Bipolar and related disorders in DSM-5 and ICD-10. <i>CNS Spectrums</i> , 2016 , 21, 318-23	1.8	14
407	Actigraphy in patients with treatment-resistant depression undergoing electroconvulsive therapy. <i>Journal of Psychiatric Research</i> , 2014 , 57, 96-100	5.2	14
406	Individual diversity of functional brain network economy. <i>Brain Connectivity</i> , 2015 , 5, 156-65	2.7	14
405	Combining image-derived and venous input functions enables quantification of serotonin-1A receptors with [carbonyl-11C]WAY-100635 independent of arterial sampling. <i>NeuroImage</i> , 2012 , 62, 199-206	7.9	14
404	Trazodone-induced cardiac arrhythmias: a report of two cases. <i>Human Psychopharmacology</i> , 2006 , 21, 61-2	2.3	14
403	Quetiapine in combination with citalopram in patients with unipolar psychotic depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 242-7	5.5	14
402	The Korean Medication Algorithm for Major Depressive Disorder (KMA-MDD): Report of the Korean Society of Depressive and Bipolar Disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 2006 , 10, 186-94	2.4	14
401	Issues in the treatment of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2003 , 13 Suppl 2, S37-42	2	14
400	In vivo (123)I IBZM SPECT imaging of striatal dopamine 2 receptor occupancy in schizophrenic patients. <i>Psychopharmacology</i> , 2001 , 157, 236-42	4.7	14

399	Tryptophan depletion. <i>International Clinical Psychopharmacology</i> , 1999 , 14, 313-316	2.2	14
398	A controlled study of the efficacy and safety of mianserin and amitriptyline in depressive inpatients. <i>Pharmacopsychiatry</i> , 1995 , 28, 249-52	2	14
397	Therapeutic sleep deprivation and antidepressant medication in patients with major depression. <i>European Neuropsychopharmacology</i> , 1991 , 1, 107-11	1.2	14
396	Life-long epigenetic programming of cortical architecture by maternal Western diet during pregnancy. <i>Molecular Psychiatry</i> , 2020 , 25, 22-36	15.1	14
395	The pulvinar nucleus and antidepressant treatment: dynamic modeling of antidepressant response and remission with ultra-high field functional MRI. <i>Molecular Psychiatry</i> , 2019 , 24, 746-756	15.1	14
394	The Genetics of Treatment-Resistant Depression: A Critical Review and Future Perspectives. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 93-104	5.8	14
393	Brain monoamine oxidase A in seasonal affective disorder and treatment with bright light therapy. <i>Translational Psychiatry</i> , 2018 , 8, 198	8.6	14
392	Practical recommendations for the management of treatment-resistant depression with esketamine nasal spray therapy: Basic science, evidence-based knowledge and expert guidance. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 468-482	3.8	13
391	Effects of testosterone treatment on hypothalamic neuroplasticity in female-to-male transgender individuals. <i>Brain Structure and Function</i> , 2018 , 223, 321-328	4	13
390	A multivariate approach linking reported side effects of clinical antidepressant and antipsychotic trials to in vitro binding affinities. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1463-74	1.2	13
389	Altered interregional molecular associations of the serotonin transporter in attention deficit/hyperactivity disorder assessed with PET. <i>Human Brain Mapping</i> , 2017 , 38, 792-802	5.9	13
388	A highly parallelized framework for computationally intensive MR data analysis. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2012 , 25, 313-20	2.8	13
387	Hypothalamic serotonin-1A receptor binding measured by PET predicts the plasma level of dehydroepiandrosterone sulfate in healthy women. <i>Neuroscience Letters</i> , 2010 , 476, 161-5	3.3	13
386	Polymorphisms of the 5-HT2A receptor gene and clinical response to olanzapine in paranoid schizophrenia. <i>Neuropsychobiology</i> , 2011 , 64, 202-10	4	13
385	Successful treatment of reboxetine-induced urinary hesitancy with tamsulosin. <i>European Neuropsychopharmacology</i> , 2002 , 12, 119-22	1.2	13
384	Efficacy, cardiac safety and tolerability of sertindole: a drug surveillance. <i>International Clinical Psychopharmacology</i> , 2000 , 15, 207-14	2.2	13
383	Maintenance ECT for treatment of therapy-resistant paranoid schizophrenia and Parkinson disease. <i>Biological Psychiatry</i> , 1995 , 37, 892-4	7.9	13
382	The effect of electroconvulsive therapy on cerebral monoamine oxidase A expression in treatment-resistant depression investigated using positron emission tomography. <i>Brain Stimulation</i> , 2019 , 12, 714-723	5.1	13

381	Clinical factors associated with augmentation treatment with second-generation antipsychotics and lithium in major depression - Results from a European multicenter study. <i>European Neuropsychopharmacology</i> , 2018 , 28, 1305-1313	1.2	13
380	Comorbid hypertension in patients with major depressive disorder - Results from a European multicenter study. <i>European Neuropsychopharmacology</i> , 2019 , 29, 777-785	1.2	12
379	A randomized, double-blind study comparing the efficacy and safety of trazodone once-a-day and venlafaxine extended-release for the treatment of patients with major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 137-146	2.2	12
378	Multicenter, open-label, exploratory clinical trial with extract in patients suffering from burnout symptoms. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 889-898	3.1	12
377	Assessment of Ketamine Binding of the Serotonin Transporter in Humans with Positron Emission Tomography. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 145-153	5.8	12
376	The impact of Cytochrome P450 CYP1A2, CYP2C9, CYP2C19 and CYP2D6 genes on suicide attempt and suicide risk-a European multicentre study on treatment-resistant major depressive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 385-91	5.1	12
375	Impact of COMT genotype on serotonin-1A receptor binding investigated with PET. <i>Brain Structure and Function</i> , 2014 , 219, 2017-28	4	12
374	On the application of light therapy in German-speaking countries. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 501-5	5.1	12
373	Psychosocial background in incarcerated adolescents from Austria, Turkey and former Yugoslavia. <i>Psychiatry Research</i> , 2011 , 185, 193-9	9.9	12
372	Interaction between serotonin 5-HT2A receptor gene and dopamine transporter (DAT1) gene polymorphisms influences personality trait of persistence in Austrian Caucasians. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 417-24	3.8	12
371	Actigraphic measurements in opioid detoxification with methadone or buprenorphine. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 75-82	1.7	12
370	Identification of clinical factors associated with resistance to antidepressants in bipolar depression: results from an European Multicentre Study. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 297-301 ²	3.2	12
369	Addressing the limitations of the CATIE study. <i>World Journal of Biological Psychiatry</i> , 2006 , 7, 126-7	3.8	12
368	Pharmacotherapy of seasonal affective disorder. <i>CNS Spectrums</i> , 2005 , 10, 664-9; quiz 672	1.8	12
367	Successful treatment of recurrent brief depression with reboxetine -- a single case analysis. <i>Pharmacopsychiatry</i> , 2002 , 35, 75-6	2	12
366	Association study of schizophrenia spectrum disorders and dopamine D3 receptor gene: is schizoaffective disorder special?. <i>Psychiatry Research</i> , 2000 , 96, 179-83	9.9	12
365	Immunological correlates of seasonal fluctuations in mood and behavior and their relationship to phototherapy. <i>Psychiatry Research</i> , 1991 , 36, 253-64	9.9	12
364	Serotonergically induced hormonal responses and the antidepressant effect of total sleep deprivation in patients with major depression. <i>Psychopharmacology Bulletin</i> , 1988 , 24, 450-3	0.9	12

363	Making Sense of Connectivity. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 194-207	5.8	12
362	Sex Matters: A Multivariate Pattern Analysis of Sex- and Gender-Related Neuroanatomical Differences in Cis- and Transgender Individuals Using Structural Magnetic Resonance Imaging. <i>Cerebral Cortex</i> , 2020 , 30, 1345-1356	5.1	12
361	Algorithms for the treatment of subtypes of unipolar major depression. <i>Psychopharmacology Bulletin</i> , 1995 , 31, 475-82	0.9	12
360	A proposal for a psychopharmacology-pharmacotherapy catalogue of learning objectives and a curriculum in Europe. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 29-38	3.8	11
359	Manifesto for an international digital mental health network 2019 , 2, 14-24		11
358	Hippocampal Subfields in Acute and Remitted Depression-an Ultra-High Field Magnetic Resonance Imaging Study. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 513-522	5.8	11
357	Major Depression and Comorbid Diabetes - Findings from the European Group for the Study of Resistant Depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 94, 109638	5.5	11
356	A clinical approach to treatment resistance in depressed patients: What to do when the usual treatments don't work well enough?. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 483-494	3.8	11
355	Treatment Response of Add-On Esketamine Nasal Spray in Resistant Major Depression in Relation to Add-On Second-Generation Antipsychotic Treatment. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 440-445	5.8	11
354	Venous thromboembolism during treatment with antipsychotics: Results of a drug surveillance programme. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 175-186	3.8	11
353	Repetitive enhancement of serum BDNF subsequent to continuation ECT. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 426-434	6.5	11
352	Has the existence of seasonal affective disorder been disproven?. <i>Journal of Affective Disorders</i> , 2017 , 208, 54-55	6.6	11
351	Improvement of the noradrenergic symptom cluster following treatment with milnacipran. <i>Neuropsychiatric Disease and Treatment</i> , 2011 , 7, 21-7	3.1	11
350	Ranking antidepressants. <i>Lancet, The</i> , 2009 , 373, 1760-1; author reply 1761-2	4.0	11
349	Maintenance treatment in depression: the role of pharmacological and psychological treatment. <i>Current Opinion in Psychiatry</i> , 2002 , 15, 63-68	4.9	11
348	Occurrence of mirtazapine-induced delirium in organic brain disorder. <i>International Clinical Psychopharmacology</i> , 2000 , 15, 239-43	2.2	11
347	The importance of treatment acceptability to patients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000 , 4, 25-34	2.4	11
346	Topiramate as a mood stabilizer. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 295-8	2.2	11

345	Weak antidepressant response after buspirone augmentation of serotonin reuptake inhibitors in refractory severe depression. <i>International Clinical Psychopharmacology</i> , 1998 , 13, 83-6	2.2	11
344	Dimensions of Delusions in Major Depression: Socio-demographic and Clinical Correlates in an Unipolar-Bipolar Sample. <i>Clinical Psychopharmacology and Neuroscience</i> , 2015 , 13, 48-52	3.4	11
343	Schlafentzugstherapie Eine Chance bei Antidepressiva-Nonresponse? 1990 , 149-166		11
342	The CINP Guidelines on the Definition and Evidence-Based Interventions for Treatment-Resistant Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 230-256	5.8	11
341	Association of norepinephrine transporter methylation with in vivo NET expression and hyperactivity-impulsivity symptoms in ADHD measured with PET. <i>Molecular Psychiatry</i> , 2021 , 26, 1009-1018	15.1	11
340	Social anxiety disorder: epidemiology, biology and treatment. <i>Psychiatria Danubina</i> , 2009 , 21, 533-42	1.8	11
339	Compliance as a stable function in the treatment course of bipolar disorder in patients stabilized on olanzapine: results from a 24-month observational study. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 13	5.4	10
338	Factors contributing to the increasing placebo response in antidepressant trials. <i>World Psychiatry</i> , 2015 , 14, 304-6	14.4	10
337	Anger attacks in seasonal affective disorder. <i>International Journal of Neuropsychopharmacology</i> , 2006 , 9, 215-9	5.8	10
336	Validation of a simplified definition of anger attacks. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 103-6	9.4	10
335	Early clinical results with the neuroleptic roxindole (EMD 49,980) in the treatment of schizophrenia--an open study. <i>European Neuropsychopharmacology</i> , 1992 , 2, 91-5	1.2	10
334	Personality as a dimension of summer and winter depression. <i>Psychopharmacology Bulletin</i> , 1988 , 24, 476-83	0.9	10
333	Exploring the impact of BDNF Val66Met genotype on serotonin transporter and serotonin-1A receptor binding. <i>PLoS ONE</i> , 2014 , 9, e106810	3.7	10
332	Neuroscience-based Nomenclature (NbN): A call for action. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 318-20	3.8	10
331	Prediction of Autopsy Verified Neuropathological Change of Alzheimer's Disease Using Machine Learning and MRI. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 406	5.3	10
330	Prevention of seasonal affective disorder in daily clinical practice: results of a survey in German-speaking countries. <i>BMC Psychiatry</i> , 2017 , 17, 247	4.2	9
329	The Impact of COMT and Childhood Maltreatment on Suicidal Behaviour in Affective Disorders. <i>Scientific Reports</i> , 2018 , 8, 692	4.9	9
328	Variation in the HTR1A and HTR2A genes and social adjustment in depressed patients. <i>Journal of Affective Disorders</i> , 2013 , 150, 649-52	6.6	9

327	The impact of adverse life events on clinical features and interaction with gene variants in mood disorder patients. <i>Psychopathology</i> , 2013 , 46, 384-9	3.4	9
326	No influence of PTGS2 polymorphisms on response and remission to antidepressants in major depression. <i>Psychiatry Research</i> , 2011 , 188, 166-9	9.9	9
325	Intensive care in psychiatry. <i>European Psychiatry</i> , 2011 , 26, 260-4	6	9
324	New aspects of diagnosis and pharmacotherapy of eating disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 1997 , 1, 21-35	2.4	9
323	Humoral phototransduction: light transportation in the blood, and possible biological effects. <i>Medical Hypotheses</i> , 2008 , 71, 314-7	3.8	9
322	Paranoid delusions and hallucinations and bright light therapy in Alzheimer® disease. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 1071-2	3.9	9
321	ECNP Consensus Meeting, March 2003. Guidelines for the investigation of efficacy in social anxiety disorder. <i>European Neuropsychopharmacology</i> , 2004 , 14, 425-33	1.2	9
320	Intravenous mirtazapine in the treatment of depressed inpatients. <i>European Neuropsychopharmacology</i> , 2002 , 12, 57-60	1.2	9
319	Adverse effects of Δ -tetrahydrocannabinol on neuronal bioenergetics during postnatal development. <i>JCI Insight</i> , 2020 , 5,	9.9	9
318	Add-on benzodiazepine treatment in patients with major depressive disorder - results from a European cross-sectional multicenter study. <i>European Neuropsychopharmacology</i> , 2020 , 41, 70-80	1.2	9
317	Cardiovascular Adverse Reactions During Antipsychotic Treatment: Results of AMSP, A Drug Surveillance Program Between 1993 and 2013. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 67-75	5.8	9
316	Higher polygenic risk scores for schizophrenia may be suggestive of treatment non-response in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 108, 110170	5.5	9
315	Combining machine learning algorithms for prediction of antidepressant treatment response. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 36-49	6.5	9
314	Evidence for the Efficacy of Bright Light Therapy for Bipolar Depression. <i>American Journal of Psychiatry</i> , 2018 , 175, 905-906	11.9	9
313	Bioequivalence and absolute bioavailability of oblong and coated levomepromazine tablets in CYP2D6 phenotyped subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 1995 , 33, 646-52	2	9
312	First-episode schizophrenia: the importance of early intervention and subjective tolerability. <i>Journal of Clinical Psychiatry</i> , 1999 , 60 Suppl 23, 5-9	4.6	9
311	The Impact of BDNF Polymorphisms on Suicidality in Treatment-Resistant Major Depressive Disorder: A European Multicenter Study. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 782-787	5.8	8
310	Modeling the acute pharmacological response to selective serotonin reuptake inhibitors in human brain using simultaneous PET/MR imaging. <i>European Neuropsychopharmacology</i> , 2019 , 29, 711-719	1.2	8

309	A case-control study of paternal and maternal age as risk factors in mood disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 2019 , 23, 90-98	2.4	8
308	DiGeorge syndrome : Relevance of psychiatric symptoms in undiagnosed adult patients. <i>Wiener Klinische Wochenschrift</i> , 2018 , 130, 283-287	2.3	8
307	The efficacy of agomelatine in previously-treated depressed patients. <i>European Neuropsychopharmacology</i> , 2013 , 23, 814-21	1.2	8
306	Increasing placebo response in antipsychotic trials: a clinical perspective. <i>Evidence-Based Mental Health</i> , 2015 , 18, 77-9	11.1	8
305	Season of birth in siblings of patients with seasonal affective disorder. A test of the parental conception habits hypothesis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 378-82	5.1	8
304	Additional support for linkage of schizophrenia and bipolar disorder to chromosome 3q29. <i>European Neuropsychopharmacology</i> , 2007 , 17, 501-5	1.2	8
303	Menstrual disturbances a rare side-effect of bright-light therapy. <i>International Journal of Neuropsychopharmacology</i> , 2004 , 7, 239-40	5.8	8
302	Sertindole: safety and tolerability profile. <i>International Journal of Psychiatry in Clinical Practice</i> , 2002 , 6, 27-32	2.4	8
301	How much do novel antipsychotics benefit the patients?. <i>International Clinical Psychopharmacology</i> , 1998 , 13 Suppl 3, S71-7	2.2	8
300	Seasonal affective disorder in a tropical country: a case report. <i>Psychiatry Research</i> , 1995 , 56, 11-5	9.9	8
299	Jahreszeit und Befindlichkeit in der Allgemeinbevölkerung. <i>Monographien Aus Dem Gesamtgebiete Der Psychiatrie</i> , 1991 ,		8
298	Silexan does not cause withdrawal symptoms even when abruptly discontinued. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017 , 21, 177-180	2.4	7
297	Interaction between 5-HTTLPR and 5-HT1B genotype status enhances cerebral 5-HT1A receptor binding. <i>NeuroImage</i> , 2015 , 111, 505-12	7.9	7
296	Association study of CREB1 polymorphisms and suicidality in MDD: results from a European multicenter study on treatment resistant depression. <i>International Journal of Neuroscience</i> , 2015 , 125, 336-43	2	7
295	Association between dynamic resting-state functional connectivity and ketamine plasma levels in visual processing networks. <i>Scientific Reports</i> , 2019 , 9, 11484	4.9	7
294	Combining escitalopram with gaboxadol provides no additional benefit in the treatment of patients with severe major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 715-25	5.8	7
293	Do we need another atypical antipsychotic?. <i>European Neuropsychopharmacology</i> , 2008 , 18 Suppl 3, S146-52	4.5	7
292	Escitalopram in a working population: results from an observational study of 2378 outpatients in Austria. <i>Human Psychopharmacology</i> , 2007 , 22, 245-51	2.3	7

291	A Cys 23-Ser 23 substitution in the 5-HT _{2C} receptor gene influences body weight regulation in females with seasonal affective disorder: an Austrian-Canadian collaborative study. <i>Journal of Psychiatric Research</i> , 2005 , 39, 561-7	5.2	7
290	Occurrence of trazodone-induced delirium. <i>International Clinical Psychopharmacology</i> , 1998 , 13, 225-8	2.2	7
289	Clinical response to sleep deprivation and auditory-evoked potentials--preliminary results. <i>Pharmacopsychiatry</i> , 1994 , 27, 70-1	2	7
288	Trigeminal neuralgic syndrome after bright light therapy. <i>American Journal of Psychiatry</i> , 1995 , 152, 1237-41	1.9	7
287	Social dysfunction in mood disorders and schizophrenia: Clinical modulators in four independent samples. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 99, 109835	5.5	7
286	Prognosis and Improved Outcomes in Major Depression: A Review. <i>Focus (American Psychiatric Publishing)</i> , 2020 , 18, 220-235	1.1	7
285	High occupational level is associated with poor response to treatment of depression. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1320-6	1.2	7
284	Parcellation of the Human Cerebral Cortex Based on Molecular Targets in the Serotonin System Quantified by Positron Emission Tomography In vivo. <i>Cerebral Cortex</i> , 2019 , 29, 372-382	5.1	7
283	Extrapyramidal reactions following treatment with antidepressants: Results of the AMSP multinational drug surveillance programme. <i>World Journal of Biological Psychiatry</i> , 2020 , 21, 308-316	3.8	7
282	Reconceptualising treatment-resistant depression as difficult-to-treat depression. <i>Lancet Psychiatry</i> , 2021 , 8, 14-15	23.3	7
281	Implementing prevention of seasonal affective disorder from patients and physicians perspectives - a qualitative study. <i>BMC Psychiatry</i> , 2018 , 18, 372	4.2	7
280	Monoamine depletion in non-pharmacological treatments for depression. <i>Advances in Experimental Medicine and Biology</i> , 1999 , 467, 29-33	3.6	7
279	Treatment of depressive symptoms in patients with schizophrenia: a randomized, open-label, parallel-group, flexible-dose subgroup analysis of patients treated with extended-release quetiapine fumarate or risperidone. <i>International Clinical Psychopharmacology</i> , 2015 , 30, 14-22	2.2	6
278	The report of the joint WPA/CINP workgroup on the use and usefulness of antipsychotic medication in the treatment of schizophrenia. <i>CNS Spectrums</i> , 2020 , 1-25	1.8	6
277	Topologically Guided Prioritization of Candidate Gene Transcripts Coexpressed with the 5-HT _{1A} Receptor by Combining In Vivo PET and Allen Human Brain Atlas Data. <i>Cerebral Cortex</i> , 2020 , 30, 3771-3780	5.1	6
276	Probing the association between serotonin-1A autoreceptor binding and amygdala reactivity in healthy volunteers. <i>NeuroImage</i> , 2018 , 171, 1-5	7.9	6
275	Influence of CRHR1 Polymorphisms and Childhood Abuse on Suicide Attempts in Affective Disorders: A GxE Approach. <i>Frontiers in Psychiatry</i> , 2018 , 9, 165	5	6
274	Rapid antidepressant effect of S-ketamine in schizophrenia. <i>European Neuropsychopharmacology</i> , 2018 , 28, 980-982	1.2	6

273	Usage of Therapeutic Sleep Deprivation: A Survey in Psychiatric Hospitals in Austria, Germany, and Switzerland. <i>Behavioral Sleep Medicine</i> , 2019 , 17, 713-720	4.2	6
272	Alcohol consumption in Austrian physicians. <i>Annals of General Psychiatry</i> , 2019 , 18, 22	3.4	6
271	How well do randomized controlled trial data generalize to real-world clinical practice settings? A comparison of two generalized anxiety disorder studies. <i>European Neuropsychopharmacology</i> , 2014 , 24, 125-32	1.2	6
270	Impact of electroconvulsive therapy on 5-HT _{1A} receptor binding in major depression. <i>Molecular Psychiatry</i> , 2013 , 18, 1	15.1	6
269	Ketamine for the Treatment of Depression. <i>JAMA Psychiatry</i> , 2017 , 74, 970	14.5	6
268	The psychiatrist confronted with a fibromyalgia patient. <i>Human Psychopharmacology</i> , 2009 , 24 Suppl 1, S25-30	2.3	6
267	Clinical data in early intervention. <i>International Psychogeriatrics</i> , 2012 , 24 Suppl 1, S41-5	3.4	6
266	Diagnosis and Treatment of Subsyndromal Seasonal Affective Disorder 1997 , 167, 11-20		6
265	The Place of Milnacipran in the Treatment of Depression. <i>Human Psychopharmacology</i> , 1997 , 12, S135-S141		6
264	Placebo controlled continuation treatment with Hypericum extract WS 5570 after recovery from a mild or moderate depressive episode. <i>Wiener Medizinische Wochenschrift</i> , 2007 , 157, 362-6	2.9	6
263	Binding kinetics of ¹²³ I[ADAM] in healthy controls: a selective SERT radioligand. <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10, 211-8	5.8	6
262	Effect of intravenous magnesium sulphate in reducing irritability and restlessness in pure and polysubstance opiate detoxification. <i>Psychiatry Research</i> , 2005 , 135, 53-63	9.9	6
261	Case report: intestinal atonia as an unusual symptom of malignant catatonia responsive to electroconvulsive therapy. <i>Schizophrenia Research</i> , 2006 , 84, 178-9	3.6	6
260	Managing reboxetine-associated urinary hesitancy in a patient with major depressive disorder: a case study. <i>Psychopharmacology</i> , 2002 , 159, 445-6	4.7	6
259	Zotepine in the treatment of acute hospitalized schizophrenic episodes. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 163-8	2.2	6
258	Evidence for a seasonal form of recurrent brief depression (RBD-seasonal). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1994 , 244, 205-10	5.1	6
257	Paroxetine in a patient with obsessive-compulsive disorder, anorexia nervosa and schizotypal personality disorder. <i>Journal of Psychiatry and Neuroscience</i> , 1998 , 23, 179-80	4.5	6
256	Changes in White Matter Microstructure After Electroconvulsive Therapy for Treatment-Resistant Depression. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 20-25	5.8	6

255	Opinion paper: poor response to treatment of depression in people in high occupational levels. <i>Psychological Medicine</i> , 2019 , 49, 49-54	6.9	6
254	Drug repositioning for treatment-resistant depression: Hypotheses from a pharmacogenomic study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 104, 110050	5.5	6
253	The serotonin transporter and the activity regulated cytoskeleton-associated protein genes in antidepressant response and resistance: 5-HTTLPR and other variants. <i>Human Psychopharmacology</i> , 2018 , 33, e2682	2.3	6
252	Risperidone and olanzapine: optimal dosing for efficacy and tolerability in patients with schizophrenia. <i>International Clinical Psychopharmacology</i> , 1998 , 13, 253-62	2.2	6
251	Epistasis of HTR1A and BDNF risk genes alters cortical 5-HT1A receptor binding: PET results link genotype to molecular phenotype in depression. <i>Translational Psychiatry</i> , 2019 , 9, 5	8.6	5
250	Association of dopamine D receptor binding potential measured using PET and [C]-(+)-PHNO with post-mortem DRD gene expression in the human brain. <i>NeuroImage</i> , 2020 , 223, 117270	7.9	5
249	Low comorbid obsessive-compulsive disorder in patients with major depressive disorder - Findings from a European multicenter study. <i>Journal of Affective Disorders</i> , 2018 , 227, 254-259	6.6	5
248	Use of Light Therapy by Office-Based Physicians. <i>Neuropsychobiology</i> , 2016 , 74, 182-187	4	5
247	The best next drug in the course of generalized anxiety disorders: the "PN-GAD-algorithm". <i>International Journal of Psychiatry in Clinical Practice</i> , 2013 , 17, 78-89	2.4	5
246	Extended-release quetiapine fumarate (quetiapine XR) versus risperidone in the treatment of depressive symptoms in patients with schizoaffective disorder or schizophrenia: a randomized, open-label, parallel-group, flexible-dose study. <i>International Clinical Psychopharmacology</i> , 2014 , 29, 166-76	2.2	5
245	Treatment of unipolar major depression: Algorithms for pharmacotherapy. <i>International Journal of Psychiatry in Clinical Practice</i> , 1997 , 1 Suppl 1, S5-7	2.4	5
244	Serum lipid levels in seasonal affective disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 197-202	5.1	5
243	Typical neuroleptics vs. atypical antipsychotics in the treatment of acute mania in a natural setting. <i>International Journal of Neuropsychopharmacology</i> , 2006 , 9, 529-37	5.8	5
242	Continuation and long-term maintenance treatment with Hypericum extract WS 5570 after successful acute treatment of mild to moderate depression--rationale and study design. <i>International Journal of Methods in Psychiatric Research</i> , 2004 , 13, 176-83	4.3	5
241	A time of opportunity in schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000 , 4, 63-5	2.4	5
240	IBZM-SPECT imaging of dopamine D(2) receptors with typical and atypical antipsychotics. <i>European Psychiatry</i> , 1998 , 13, 9s-14s	6	5
239	Is paranoid schizophrenia the most common subtype? Comparison of subtype diagnoses by Japanese and European psychiatrists, using the summaries of the same patients. <i>Psychopathology</i> , 1999 , 32, 98-106	3.4	5
238	Recurrent Brief Depression. <i>CNS Drugs</i> , 1995 , 4, 222-229	6.7	5

237	Treatment of patients with delirium. <i>American Journal of Psychiatry</i> , 2000 , 157, 1711	11.9	5
236	Drug treatment of seasonal affective disorder 2009 , 281-296		5
235	Predicting Antidepressant Citalopram Treatment Response via Changes in Brain Functional Connectivity After Acute Intravenous Challenge. <i>Frontiers in Computational Neuroscience</i> , 2020 , 14, 554188	3.5	5
234	The Influence of Acute SSRI Administration on White Matter Microstructure in Patients Suffering From Major Depressive Disorder and Healthy Controls. <i>International Journal of Neuropsychopharmacology</i> , 2021 , 24, 542-550	5.8	5
233	Sex-related effects in major depressive disorder: Results of the European Group for the Study of Resistant Depression. <i>Depression and Anxiety</i> , 2021 , 38, 896-906	8.4	5
232	Attenuation Correction Approaches for Serotonin Transporter Quantification With PET/MRI. <i>Frontiers in Physiology</i> , 2019 , 10, 1422	4.6	5
231	Efficacy of Add-on Pregabalin in the Treatment of Patients with Generalized Anxiety Disorder and Unipolar Major Depression With an Early Nonresponse to Escitalopram: A Double-Blind Placebo-Controlled Study. <i>Pharmacopsychiatry</i> , 2019 , 52, 193-202	2	5
230	Cutaneous adverse drug reactions to psychotropic drugs and their risk factors - a case-control study. <i>European Neuropsychopharmacology</i> , 2019 , 29, 111-121	1.2	5
229	Therapeutic effects of Silexan on somatic symptoms and physical health in patients with anxiety disorders: A meta-analysis. <i>Brain and Behavior</i> , 2021 , 11, e01997	3.4	5
228	Meta-analysis of brain structural changes after electroconvulsive therapy in depression. <i>Brain Stimulation</i> , 2021 , 14, 927-937	5.1	5
227			5
226	Depression: a long-term illness and its treatment. <i>International Clinical Psychopharmacology</i> , 1998 , 13 Suppl 6, S23-6	2.2	5
225	Treatment resistance in severe unipolar depression: no association with psychotic or melancholic features. <i>Annals of Clinical Psychiatry</i> , 2013 , 25, 97-106	1.4	5
224	Clinician guidelines for the treatment of psychiatric disorders with nutraceuticals and phytochemicals: The World Federation of Societies of Biological Psychiatry (WFSBP) and Canadian Network for Mood and Anxiety Treatments (CANMAT) Taskforce.. <i>World Journal of Biological Psychiatry</i> , 2022 , 1-32	3.8	5
223	Genetic variants associated with psychotic symptoms across psychiatric disorders. <i>Neuroscience Letters</i> , 2020 , 720, 134754	3.3	4
222	Diversity matters: combinatorial information coding by GABA receptor subunits during spatial learning and its allosteric modulation. <i>Cellular Signalling</i> , 2018 , 50, 142-159	4.9	4
221	Family history of major depression and residual symptoms in responder and non-responder depressed patients. <i>Comprehensive Psychiatry</i> , 2014 , 55, 51-5	7.3	4
220	Definitions and Predictors of Treatment-resistant Depression 2013 , 1-20		4

219	Robust Antidepressant Effect Following Alternating Intravenous Racemic Ketamine and Electroconvulsive Therapy in Treatment-Resistant Depression: A Case Report. <i>Journal of ECT</i> , 2017 , 33, e31-e32	2	4
218	Pharmacotherapy Update: Pregabalin in the Treatment of Generalized Anxiety Disorder. <i>Clinical Medicine Insights Therapeutics</i> , 2010 , 2, CMT.S1103	0	4
217	How to improve adherence to antipsychotic treatment: Outcomes of the IMPROVING PATIENT OUTCOMES in psychiatry (IMPACT) Berlin 2009 meeting workshop. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009 , 13, 245-52	2.4	4
216	Widespread methodological problems limit validity of meta-analytic results. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 246; author reply 247-8	9.4	4
215	Intravenous mirtazapine is safe and effective in the treatment of depressed inpatients. <i>Neuropsychobiology</i> , 2006 , 53, 83-7	4	4
214	Psychosis as a possible side-effect of treatment with glatiramer acetate. <i>International Journal of Neuropsychopharmacology</i> , 2005 , 8, 487-8	5.8	4
213	Unique mechanism of action for escitalopram: does it hold the promise?. <i>International Journal of Psychiatry in Clinical Practice</i> , 2004 , 8 Suppl 1, 15-8	2.4	4
212	Recurrent brief depression: A frequent syndrome in clinical practice. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000 , 4, 195-9	2.4	4
211	Study of family history in seasonal affective disorder. <i>Neuropsychobiology</i> , 2001 , 44, 65-9	4	4
210	Is severe depression a different illness? The pharmacological evidence. <i>European Neuropsychopharmacology</i> , 1993 , 3, 215-217	1.2	4
209	St John's wort extract: an effective and well-tolerated antidepressant. <i>Primary Care and Community Psychiatry</i> , 2001 , 7, 39-42		4
208	Higher polygenic risk scores for schizophrenia may be suggestive of treatment non-response in major depressive disorder		4
207	Translating the immediate effects of S-Ketamine using hippocampal subfield analysis in healthy subjects-results of a randomized controlled trial. <i>Translational Psychiatry</i> , 2021 , 11, 200	8.6	4
206	Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , 2021 , 26, 290-298	1.8	4
205	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		4
204	Mixed, melancholic, and anxious features in depression: a cross-sectional study of sociodemographic and clinical correlates. <i>Annals of Clinical Psychiatry</i> , 2014 , 26, 243-53	1.4	4
203	Seasonality of antidepressant prescriptions and sick leaves. <i>Journal of Psychiatric Research</i> , 2019 , 111, 128-133	5.2	3
202	On the suitability of medical analogies, from hypertension to broken leg. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 171-172	3.8	3

201	Pharmacotherapy of anxiety disorders in German-speaking countries: current status and changes between 1994 and 2011. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 199-208	5.1	3
200	Changes over time of the diagnostic and therapeutic characteristics of patients of a psychiatric intensive care unit in Austria. <i>Comprehensive Psychiatry</i> , 2019 , 93, 20-26	7.3	3
199	Serotonin Transporter Binding in the Human Brain After Pharmacological Challenge Measured Using PET and PET/MR. <i>Frontiers in Molecular Neuroscience</i> , 2019 , 12, 172	6.1	3
198	Imaging brain circuits in anxiety disorders. <i>Lancet Psychiatry</i> , 2014 , 1, 251-2	23.3	3
197	Reduced connectivity in the uncinate fiber tract between the frontal cortex and limbic subcortical areas in social phobia. <i>European Psychiatry</i> , 2011 , 26, 182-182	6	3
196	Dysbindin gene (DTNBP1) in major depressive disorder (MDD) patients: lack of association with clinical phenotypes. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 985-90	3.8	3
195	Psycho-pharmacotherapy for anxiety and obsessive-compulsive disorder: the issue of prolonged barbiturate retention. <i>Current Medical Research and Opinion</i> , 2009 , 25, 2281-5	2.5	3
194	EPOS: Increasing our understanding of the treatment of schizophrenia; Start of a prospective referenced cohort study of sertindole in clinical practice. <i>International Journal of Psychiatry in Clinical Practice</i> , 1997 , 1, 197-202	2.4	3
193	Sertindole and dopamine D2 receptor occupancy. <i>Biological Psychiatry</i> , 1997 , 42, 161S	7.9	3
192	Treatment of depressive symptoms with quetiapine. <i>Expert Review of Neurotherapeutics</i> , 2003 , 3, 417-23	4.3	3
191	Diagnosis and clinical course in mood disorders and depression subtypes. <i>Depression</i> , 1995 , 3, 125-128		3
190	P-4-32 IBZM-SPECT and D2 dopamine receptor occupancy: Different profiles with atypical neuroleptics. <i>European Neuropsychopharmacology</i> , 1995 , 5, 337	1.2	3
189	A meta-analysis of polygenic risk scores for mood disorders, neuroticism, and schizophrenia in antidepressant response. <i>European Neuropsychopharmacology</i> , 2021 , 55, 86-95	1.2	3
188	Silexan (WSN 1265) vermindert begleitende depressive Symptome bei Patienten mit Angsterkrankungen. <i>Zeitschrift Fur Phytotherapie: Offizielles Organ Der Ges F Phytotherapie E V</i> , 2013 , 34,	0.1	3
187	The Role of Relationship Status in Major Depressive Disorder - Results of the European Group for the Study of Resistant Depression. <i>Journal of Affective Disorders</i> , 2021 , 286, 149-157	6.6	3
186	Big Data Guided Interventions: Predicting Treatment Response 2019 , 53-76		3
185	Brain glucose uptake during transcranial direct current stimulation measured with functional [F]FDG-PET. <i>Brain Imaging and Behavior</i> , 2020 , 14, 477-484	4.1	3
184	No Abuse Potential of Silexan in Healthy Recreational Drug Users: A Randomized Controlled Trial. <i>International Journal of Neuropsychopharmacology</i> , 2021 , 24, 171-180	5.8	3

183	Plant-based Medicines (Phytoceuticals) in the Treatment of Psychiatric Disorders: A Meta-review of Meta-analyses of Randomized Controlled Trials: Les médicaments à base de plantes (phytoceutiques) dans le traitement des troubles psychiatriques: une méta-revue des méta-analyses d'essais randomisés contrôlés. <i>Canadian Journal of Psychiatry</i> , 2021 , 66, 849-862	4.8	3
182	Melancholic features in major depression - a European multicenter study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 110, 110285	5.5	3
181	Combining psychopharmacotherapy and psychotherapy is not associated with better treatment outcome in major depressive disorder - evidence from the European Group for the Study of Resistant Depression. <i>Journal of Psychiatric Research</i> , 2021 , 141, 167-175	5.2	3
180	Light Treatment in Depression(SAD, s-SAD & non-SAD) 1999 , 409-416		3
179	Higher than recommended dosages of antipsychotics in male patients with schizophrenia are associated with increased depression but no major neurocognitive side effects: Results of a cross-sectional pilot naturalistic study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 75, 113-119	5.5	2
178	Electroconvulsive therapy with S-ketamine anesthesia for catatonia in coexisting depression and dementia. <i>International Psychogeriatrics</i> , 2017 , 29, 1223-1225	3.4	2
177	High occupational level is associated with poor response to the treatment of depression: A replication study. <i>European Neuropsychopharmacology</i> , 2019 , 29, 349-355	1.2	2
176	Choosing among second-generation antidepressant treatments for depressed patients with cardiac diseases. <i>International Journal of Psychiatry in Clinical Practice</i> , 2019 , 23, 134-148	2.4	2
175	Intramuscular maintenance treatment with ultra-high-dose long-acting injectable aripiprazole in an elderly patient suffering from chronic refractory schizophrenia: A case report. <i>European Psychiatry</i> , 2016 , 33, S573-S573	6	2
174	Are all first-generation antipsychotics equally effective in treating schizophrenia? A meta-analysis of randomised, haloperidol-controlled trials. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 210-20	3.8	2
173	Social adjustment among treatment responder patients with mood disorders. <i>Journal of Affective Disorders</i> , 2013 , 150, 961-6	6.6	2
172	Lithium, Thyroid Hormones and Further Augmentation Strategies in Treatment-resistant Depression 2013 , 129-157		2
171	The Role of Nonpharmacological Interventions in Treatment-resistant Depression 2013 , 159-182		2
170	Editorial. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017 , 21, 1	2.4	2
169	Mortality and employment after in-patient opiate detoxification. <i>European Psychiatry</i> , 2012 , 27, 294-3006		2
168	Self-poisonings with tricyclic antidepressants and selective serotonin reuptake inhibitors in Tehran, Iran. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 302-12	3.8	2
167	Treatment of obsessive compulsive disorder: Algorithms for pharmacotherapy. <i>International Journal of Psychiatry in Clinical Practice</i> , 1997 , 1 Suppl 1, S17-23	2.4	2
166	P.2.069 123I IBZM spect imaging of dopamine-2 receptors in psychotic patients treated with zotepine. <i>European Neuropsychopharmacology</i> , 1997 , 7, S215	1.2	2

165	P.6.078 Personality traits in affective disorders as hints to biological disturbances. <i>European Neuropsychopharmacology</i> , 1997 , 7, S288	1.2	2
164	Relationship between power spectra of the awake EEG and psychomotor activity patterns measured by short-term actigraphy. <i>Neuropsychobiology</i> , 2003 , 48, 176-81	4	2
163	Rapid transcranial magnetic stimulation (r-TMS): A novel treatment option for seasonal affective disorder (SAD)?. <i>European Neuropsychopharmacology</i> , 2002 , 12, 252	1.2	2
162	Focus on social functioning in depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 1998 , 2, 241-3	2.4	2
161	Atypical eating disorder in a male patient. <i>International Journal of Psychiatry in Clinical Practice</i> , 1999 , 3, 137-9	2.4	2
160	D2 Receptor imaging (SPECT) as a tool for measuring the efficacy and side-effect profile of treatment with neuroleptics. <i>Biological Psychiatry</i> , 1996 , 39, 564	7.9	2
159	Antidepressant side effects and adverse reactions. <i>Depression</i> , 1994 , 2, 138-144		2
158	The sociodemographic and clinical profile of patients with major depressive disorder receiving SSRIs as first-line antidepressant treatment in European countries.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	2
157	Metabolizing status of CYP2C19 in response and side effects to medications for depression: Results from a naturalistic study.. <i>European Neuropsychopharmacology</i> , 2022 , 56, 100-111	1.2	2
156	Nicht-trizyklische Antidepressiva 1993 , 105-268		2
155	Psychopharmakotherapie [Klinisch-empirische Grundlagen 2011 , 731-766		2
154	Clinical Correlates and Outcome of Major Depressive Disorder and Comorbid Migraine: A Report of the European Group for the Study of Resistant Depression. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 571-577	5.8	2
153	Silexan does not affect driving performance after single and multiple dose applications: Results from a double-blind, placebo and reference-controlled study in healthy volunteers. <i>Journal of Psychiatric Research</i> , 2021 , 136, 543-551	5.2	2
152	Cost-effectiveness of genetic and clinical predictors for choosing combined psychotherapy and pharmacotherapy in major depression. <i>Journal of Affective Disorders</i> , 2021 , 279, 722-729	6.6	2
151	Pharmacokinetics of chlorprothixene after single intravenous and oral administration of three galenic preparations. <i>Arzneimittelforschung</i> , 1996 , 46, 247-50		2
150	Dopaminergic deficit and the role of amisulpride in the treatment of schizophrenia. <i>International Clinical Psychopharmacology</i> , 2002 , 17 Suppl 4, S19-26	2.2	2
149	Predicting Ventral Striatal Activation During Reward Anticipation From Functional Connectivity at Rest. <i>Frontiers in Human Neuroscience</i> , 2019 , 13, 289	3.3	1
148	Molecular neuroimaging of the serotonergic system with Positron Emission Tomography. <i>Handbook of Behavioral Neuroscience</i> , 2020 , 31, 175-194	0.7	1

147	Personalised and precision psychiatry: what do the CINP bipolar guidelines suggest?. <i>International Journal of Psychiatry in Clinical Practice</i> , 2019 , 23, 80-81	2.4	1
146	Testosterone, neural circuits, and male depression. <i>Biological Psychiatry</i> , 2014 , 76, 272-3	7.9	1
145	Treatment-resistant Depression 2013 , 21-41		1
144	Genetics of Treatment-resistant Depression 2013 , 43-90		1
143	Monoamine oxidase A distribution volume as a correlate for electroconvulsive therapy □ preliminary results. <i>European Neuropsychopharmacology</i> , 2017 , 27, S708-S709	1.2	1
142	The viennese psychiatric intensive care unit - diagnostic distribution. <i>European Psychiatry</i> , 2011 , 26, 1763-1763	1	1
141	Orbitofrontal hyperactivity in social anxiety disorder patients: An fmri study. <i>European Psychiatry</i> , 2011 , 26, 179-179	6	1
140	FC29-05 - Season, sunlight, and brain serotonin function. <i>European Psychiatry</i> , 2011 , 26, 1981-1981	6	1
139	P.1.16 Serotonin-1A receptor binding potential in dorsal raphe nuclei predicts orbitofrontal reactivity in healthy subjects. <i>European Neuropsychopharmacology</i> , 2009 , 19, S15-S16	1.2	1
138	P.2.c.002 Serotonin or noradrenalin reuptake inhibition in seasonal affective disorder: escitalopram versus reboxetine. <i>European Neuropsychopharmacology</i> , 2009 , 19, S404	1.2	1
137	Everyday problems in treating depression: focus on SNRIs. Introduction. <i>CNS Spectrums</i> , 2008 , 13, 4	1.8	1
136	Management of acutely ill patients in the hospital setting: focus on quetiapine. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007 , 11, 61-72	2.4	1
135	Physical signs in psychiatry: a step towards evidence-based medicine. <i>International Journal of Psychiatry in Clinical Practice</i> , 2002 , 6, 69-72	2.4	1
134	Treatment indications for light therapy. <i>Acta Neuropsychiatrica</i> , 1995 , 7, 44-6	3.9	1
133	Involvement of mesial-temporal structures in rapid cycling mood disorders?. <i>Human Psychopharmacology</i> , 1995 , 10, 475-480	2.3	1
132	Judgement of the hypothalamic-pituitary-adrenocortical function in psychiatric patients by betamethasone-induced cortisol suppressibility. <i>Journal of Neural Transmission</i> , 1988 , 74, 161-74	4.3	1
131	Evidence on sociodemographic and clinical correlates of antidepressant combination or augmentation with second-generation antipsychotics in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 114, 110480	5.5	1
130	The Choice of either Quetiapine or Aripiprazole as Augmentation Treatment in a European Naturalistic Sample of Patients with Major Depressive Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2021 ,	5.8	1

129	Hormonelle Verlaufsparemeter unter Elektrokrampftherapie bei Patientinnen mit therapieresistenter Depression 1993 , 186-190		1
128	Sicherheit und antidepressive Wirksamkeit von spezifischen Serotonin-Wiederaufnahmehemmern (SSRIs) 1993 , 163-182		1
127	Quantitatives EEG und Ansprechen auf therapeutischen Schlafentzug bei depressiven Patienten 1993 , 217-220		1
126	Behandlungsergebnisse mit präsynaptischen und postsynaptischen Dopamin-Agonisten bei Minussymptomatik 1994 , 221-239		1
125	Reliability of task-specific neuronal activation assessed with functional PET, ASL and BOLD imaging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 41, 2986-2999	7.3	1
124	How to prevent and manage hyperammonemic encephalopathies in valproate therapy. <i>Journal of Affective Disorders Reports</i> , 2021 , 5, 100186	1.4	1
123	Pregabalin in Tourette® Syndrome: A Case Series. <i>American Journal of Psychiatry</i> , 2016 , 173, 1242-1243	11.9	1
122	Case Report: Bupropion Reduces the [1]FP-CIT Binding to Striatal Dopamine Transporter. <i>Frontiers in Psychiatry</i> , 2021 , 12, 631357	5	1
121	Subsyndromal generalised anxiety disorder: operationalisation and epidemiology - a systematic literature survey. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021 , 1-10	2.4	1
120	Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , 2021 , 1-8	1.8	1
119	Research Domain Criteria (RDoC): A Perspective to Probe the Biological Background behind Treatment Efficacy in Depression. <i>Current Medicinal Chemistry</i> , 2021 , 28, 4296-4320	4.3	1
118	Predictors of sick leave days in patients affected by major depressive disorder receiving antidepressant treatment in general practice setting in Germany. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021 , 25, 393-402	2.4	1
117	Atypical antipsychotics in mood disorders. <i>International Clinical Psychopharmacology</i> , 2002 , 17 Suppl 3, S1-10	2.2	1
116	IBZM-SPECT imaging of dopamine D(2) receptors with typical and atypical antipsychotics. <i>European Psychiatry</i> , 1998 , 13 Suppl 1, 9s-14s	6	1
115	A gap analysis for future supply of and demand for psychiatrists in Austria. <i>Journal of Mental Health Policy and Economics</i> , 2014 , 17, 9-18	1.3	1
114	Dear Doctor Letters regarding citalopram and escitalopram: guidelines vs real-world data.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	1
113	Beneficial effects of Silexan on co-occurring depressive symptoms in patients with subthreshold anxiety and anxiety disorders: randomized, placebo-controlled trials revisited.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	1
112	Sick leave duration as a potential marker of functionality and disease severity in depression.. <i>International Journal of Psychiatry in Clinical Practice</i> , 2022 , 1-11	2.4	1

111	Is treatment-resistant depression really resistant?. <i>European Neuropsychopharmacology</i> , 2022 , 58, 44-46	1.2	1
110	Case Report: ECT in a Patient With Primary Parkinsonian Syndrome and Schizophrenia. <i>Journal of ECT</i> , 2017 , 33, e2-e3	2	0
109	CREB-regulated diurnal activity patterns are not indicative for depression-like symptoms in mice and men. <i>Medical Hypotheses</i> , 2008 , 70, 117-21	3.8	0
108	Quetiapine in a delusional depressed elderly patient: no EPS and a favourable outcome. <i>International Journal of Neuropsychopharmacology</i> , 2003 , 6, 199-200	5.8	0
107	Intravenous Esketamine Leads to an Increase in Impulsive and Suicidal Behavior in a Patient with Recurrent Major Depression and Borderline Personality Disorder.. <i>World Journal of Biological Psychiatry</i> , 2022 , 1-9	3.8	0
106	Urological adverse drug reactions of psychotropic medication in psychiatric inpatients - A drug surveillance report from German-speaking countries. <i>Journal of Psychiatric Research</i> , 2021 , 144, 412-420	5.2	0
105	Psychopharmakotherapie [Klinisch-empirische Grundlagen 2008 , 627-667		0
104	Oral Ketamine as a Treatment Option in Patients With Treatment Resistant Depression and Comorbid Arterial Hypertension. <i>Journal of Clinical Psychopharmacology</i> , 2020 , 40, 418-420	1.7	0
103	Attenuation of habenula default mode network connectivity by selective serotonin reuptake inhibitors, a pharmacological hybrid PET/MR study. <i>European Neuropsychopharmacology</i> , 2016 , 26, S317	1.2	0
102	Disrupted relationship between blood glucose and brain dopamine D2/3 receptor binding in patients with first-episode schizophrenia. <i>NeuroImage: Clinical</i> , 2021 , 32, 102813	5.3	0
101	BDNF gene polymorphisms predicting treatment response to CBT-based rehabilitation of depression: to be submitted to: <i>European Neuropsychopharmacology</i> .. <i>European Neuropsychopharmacology</i> , 2022 , 58, 103-108	1.2	0
100	Norepinephrine transporter gene and protein expression of the human brain investigated with postmortem data and PET. <i>European Neuropsychopharmacology</i> , 2017 , 27, S73-S74	1.2	
99	Characterization of pharmacological response to selective serotonin reuptake inhibitors using clustering of resting-state hybrid PET/MR data. <i>European Neuropsychopharmacology</i> , 2019 , 29, S603-S604	1.2	
98	P.1.i.037 Effects of norepinephrine transporter gene variants on protein binding in patients with ADHD using PET. <i>European Neuropsychopharmacology</i> , 2015 , 25, S321-S322	1.2	
97	A European psychopharmacology curriculum: The young psychiatrist's point of view. <i>European Psychiatry</i> , 2016 , 33, S63-S63	6	
96	P.1.i.047 Interregional changes in serotonin transporter availability upon treatment with selective serotonin reuptake inhibitors. <i>European Neuropsychopharmacology</i> , 2015 , 25, S327-S328	1.2	
95	P.1.i.034 Gene expression and protein distribution of serotonergic key proteins in the human brain revealed by PET in vivo and postmortem quantification. <i>European Neuropsychopharmacology</i> , 2015 , 25, S319-S320	1.2	
94	P.2.b.044 Serotonin transporter association between dorsal raphe and ventral striatum is diminished in major depression. <i>European Neuropsychopharmacology</i> , 2013 , 23, S345	1.2	

- 93 Is There a Role for Switching Antidepressants in Treatment-resistant Depression? **2013**, 91-105
- 92 The Role of Psychotherapy in the Management of Treatment-resistant Depression **2013**, 183-208
- 91 Systematic evaluation of dose-escalation strategies after initial non-response to standard-dose pharmacotherapy in schizophrenia. *European Psychiatry*, **2017**, 41, S193-S193 6
- 90 Alternating intravenous racemic ketamine and electroconvulsive therapy in treatment resistant depression: A case report. *European Psychiatry*, **2017**, 41, S522-S522 6
- 89 Influence of serotonergic gene variants on serotonin transporter binding in ADHD. *European Neuropsychopharmacology*, **2017**, 27, S707 1.2
- 88 Reduced gray matter in subcortical brain regions in MDD: preliminary results of an ultra-high field 7 Tesla MRI Study. *European Neuropsychopharmacology*, **2017**, 27, S719-S720 1.2
- 87 Investigating dose dependency of ketamine binding on the serotonin transporter with positron emission tomography. *European Neuropsychopharmacology*, **2017**, 27, S779 1.2
- 86 Ähnlich stark wirksam wie synthetische Stoffe und besser verträglich?. *Der Neurologe Und Psychiater*, **2015**, 16, 39-46 0
- 85 P.4.002 Serotonin transporter ratio between raphe nuclei and projection areas predicts SSRI treatment response in major depression. *European Neuropsychopharmacology*, **2012**, 22, S85 1.2
- 84 Database of MNI stereotactic coordinates for deep brain stimulation targets in neuropsychiatric disorders. *European Psychiatry*, **2011**, 26, 1149-1149 6
- 83 The viennese psychiatric intensive care unit - therapeutic modalities. *European Psychiatry*, **2011**, 26, 1764-1764
- 82 Antidepressant self-poisonings in iran. *European Psychiatry*, **2011**, 26, 1268-1268 6
- 81 FC04-06 - Candidate gene association study of suicidality in treatment resistant MDD. *European Psychiatry*, **2011**, 26, 1833-1833 6
- 80 JS03-01 - Diagnosis and Treatment of Depression in Europe. *European Psychiatry*, **2011**, 26, 2003-2003 6
- 79 JS02-01 - Psychiatric intensive care. *European Psychiatry*, **2011**, 26, 1999-1999 6
- 78 Antipsychotics in obsessive-compulsive disorder - an auspicious approach for treatment-resistant patients?. *European Psychiatry*, **2011**, 26, 1236-1236 6
- 77 SS05-03 - Proven antidepressant efficacy of agomelatine against the full range of symptoms. *European Psychiatry*, **2011**, 26, 2179-2179 6
- 76 Biological alterations during remission of major depressive disorder. *European Psychiatry*, **2011**, 26, 633-633

75	Are there structural brain changes following 10 days of SSRI administration investigated by voxel-based morphometry?. <i>European Psychiatry</i> , 2011 , 26, 913-913	6
74	Increased functional coupling between basal ganglia and cingulate and prefrontal cortex during resting state conditions in remitted major depressive disorder. <i>European Psychiatry</i> , 2011 , 26, 915-915	6
73	Cortisol plasma levels are associated with serotonin - 1A receptor binding in postmenopausal women. <i>European Psychiatry</i> , 2011 , 26, 933-933	6
72	Extended-release quetiapine fumarate (quetiapine XR) versus risperidone in the treatment of depressive symptoms in schizophrenic or schizoaffective patients. <i>European Psychiatry</i> , 2011 , 26, 1415-1415	6
71	P.1.e.027 Serotonin -1A receptor binding in the dorsal raphe nucleus is associated with hippocampal grey matter volume. <i>European Neuropsychopharmacology</i> , 2011 , 21, S318-S319	1.2
70	P.1.e.028 Resting -state functional connectivity of the raphe nuclei. <i>European Neuropsychopharmacology</i> , 2011 , 21, S319-S320	1.2
69	Treatment Resistance in Depression. <i>European Psychiatry</i> , 2011 , 26, 2022-2022	6
68	Meta-analysis on the dissection table. <i>European Psychiatry</i> , 2011 , 26, 1240-1240	6
67	SS06-01 - Are we getting the most out of combination therapy in the short-term and long-term treatment of mania?. <i>European Psychiatry</i> , 2011 , 26, 2181-2181	6
66	FC07-06 - Differences in the modulatory role of escitalopram and citalopram revealed by effective connectivity analysis. <i>European Psychiatry</i> , 2011 , 26, 1851-1851	6
65	Pharmacological Properties of Psychopharmaca in Relationship to their Clinical Indications. <i>European Psychiatry</i> , 2009 , 24, 1-1	6
64	Neuroimaging Findings and Diagnosis. <i>European Psychiatry</i> , 2009 , 24, 1-1	6
63	S.07.02 Therapeutic sleep deprivation: Lessons for psychopharmacology?. <i>European Neuropsychopharmacology</i> , 1997 , 7, S91-S92	1.2
62	P.6.079 Risperidone in Gilles de la Tourette syndrome patients unresponsive to typical neuroleptics. <i>European Neuropsychopharmacology</i> , 1997 , 7, S288	1.2
61	P.6.083 Enhanced striatal dopamine transporter activity in drug naive and previously treated patients with gilles de la tourette syndrome (GTS): A [¹²³ I]-ECIT SPECT-study. <i>European Neuropsychopharmacology</i> , 1997 , 7, S289-S290	1.2
60	What young men do. <i>International Journal of Psychiatry in Clinical Practice</i> , 1998 , 2, 156	2.4
59	S.07.04 Progesterone and estradiol plasma levels modulate serotonin-1A binding in the human brain. <i>European Neuropsychopharmacology</i> , 2008 , 18, S168	1.2
58	Sonstige biologische Therapieverfahren (EKT, TMS, VNS, Schlafentzugsbehandlung, Lichttherapie): theoretische und empirische Grundlagen sowie klinische Anwendungsprinzipien 2003 , 610-629	

- 57 Is SAD Lost to SAD?. *CNS Spectrums*, **2005**, 10, 622 1.8
- 56 Clinical efficacy in depression **2005**, 123-131
- 55 IBZM-SPECT imaging of dopamine D2 receptors with typical and atypical antipsychotics. *European Psychiatry*, **1998**, 13, 9s-14s 6
- 54 Risperidone in the treatment of Gilles de la Tourette Syndrome. *European Neuropsychopharmacology*, **1996**, 6, S4-163 1.2
- 53 Hormonal markers of response to antidepressive treatment. *European Neuropsychopharmacology*, **1993**, 3, 321-322 1.2
- 52 Prinzipien der Psychopharmakotherapie **2005**, 1311-1317
- 51 Rezidivierende kurze depressive Episoden und Rapid Cycling **2005**, 503-510
- 50 Prinzipien der Psychopharmakotherapie **2007**, 1474-1481
- 49 Nichtpharmakologische somatische Therapien **2008**, 727-750
- 48 Letter to BJPsych in response to Horowitz and Moncrieff.. *British Journal of Psychiatry*, **2021**, 219, 619-620 34
- 47 Aminprkursoren **2002**, 627-649
- 46 Serotonin-selektive Antidepressiva(SSRI, DSA) **2002**, 223-363
- 45 Psychiatrische Erkrankungen **2003**, 1265-1384
- 44 Notfälle in der Psychiatrie **2003**, 429-442
- 43 Demenzen **2004**, 250-280
- 42 Diagnose und Behandlung der subsyndromalen SAD **2004**, 33-40
- 41 Epidemiologie der saisonal abhängigen Depression (SAD) und ihrer subsyndromalen Form (S-SAD) **2004**, 23-32
- 40 Prolaktin **2004**, 88-108

- 39 Bipolare affektive Störungen **2004**, 189-222
- 38 Pharmakodynamik **2004**, 368-376
- 37 Sonstige biologische Therapieverfahren (EKT, Schlafentzugsbehandlung, Lichttherapie, TMS, VNS)
□Theoretische und empirische Grundlagen sowie klinische Anwendungsprinzipien **2008**, 669-690
- 36 The Impact of Genetic Polymorphisms on Neuroreceptor Binding: Results from PET and SPECT
Neuroreceptor Imaging Studies **2021**, 153-190
- 35 Neuroimaging in Seasons and Winter Depression **2021**, 245-259
- 34 Therapeutischer Schlafentzug und Resistenz auf Antidepressiva □Neuroendokrinologische und
klinische Befunde **1992**, 446-448
- 33 Reduzierte Amplitude zirkadianer Hormonprofile bei Patienten mit saisonal abhängiger Depression
(SAD) **1992**, 356-359
- 32 Mapping von EEG und EP unter therapeutischem Schlafentzug bei Patienten mit Major Depression
□Erste Ergebnisse **1992**, 285-288
- 31 Objektivierung der quantitativen Lichtexposition während Lichttherapie durch kontinuierliche
photometrische Aufzeichnung **1993**, 268-271
- 30 Therapeutischer Schlafentzug und antidepressive Medikation **1996**, 55-67
- 29 Schlafentzug bei Therapieresistenz auf Antidepressiva **1996**, 107-122
- 28 Die Diagnose der rezidivierenden kurzdauernden Depression bei einem ambulanten Patientengut
1996, 209-211
- 27 Nebenwirkungen der Lichttherapie bei der Behandlung psychischer Erkrankungen **1996**, 232-236
- 26 Kombination von Schlafentzug und Lichttherapie zur Behandlung depressiver Störungen **1996**, 69-80
- 25 Rückfallverhütung nach Schlafentzug **1996**, 466-469
- 24 Metabolismustheorie des therapeutischen Schlafentzugs **1996**, 460-465
- 23 (Potentielle) Antipsychotika mit neuartigen Wirkmechanismen **1998**, 489-499
- 22 Psychopharmakotherapie □klinisch-empirische Grundlagen **2015**, 1-48

- 21 Hirnstimulationsverfahren, Elektrokonvulsionstherapie **2016**, 1-23
- 20 Lichttherapie **2016**, 1-8
- 19 Schlafentzugsbehandlung **2016**, 1-7
- 18 Elektrokonvulsionstherapie, Hirnstimulationsverfahren **2017**, 1-46
- 17 Lichttherapie **2017**, 895-901
- 16 Schlafentzugsbehandlung **2017**, 889-894
- 15 Psychopharmakotherapie [klinisch-empirische Grundlagen **2017**, 795-842
- 14 Elektrokonvulsionstherapie, Hirnstimulationsverfahren **2017**, 843-887
- 13 Maintenance pharmacotherapy in schizophrenia. *Medical Psychiatry*, **2009**, 174-184
- 12 Sonstige biologische Therapieverfahren [Theoretische und empirische Grundlagen sowie klinische Anwendungsprinzipien **2011**, 767-805
- 11 Correspondence (reply): In reply. *Deutsches Ärztblatt International*, **2013**, 110, 610-1 2.5
- 10 The Impact of Genetic Polymorphisms on Neuroreceptor Imaging **2014**, 149-178
- 9 Neuroimaging in Seasons and Winter Depression **2014**, 209-222
- 8 Social Anxiety Disorder **2014**, 1-4
- 7 Estradiol level changes correlate with changes in mean diffusivity and fractional anisotropy values in female-to-male transsexuals. *European Neuropsychopharmacology*, **2016**, 26, S202 1.2
- 6 P.1.015 Surface-based clustering of serotonergic and adrenergic receptor mRNA expression in the human cortex. *European Neuropsychopharmacology*, **2016**, 26, S15 1.2
- 5 Attrition in treatment-resistant depression: predictors and clinical impact. *International Clinical Psychopharmacology*, **2019**, 34, 161-169 2.2
- 4 Monoamino Oxidase A Gene Single-Nucleotide Polymorphisms and Methylation Status and the Risk of Violent Suicide Attempts in Affective Disorder Patients. *Frontiers in Psychiatry*, **2021**, 12, 667191 5

- | | | |
|---|--|-----|
| 3 | Pregabalin augmentation of antidepressants in major depression - results from a European multicenter study. <i>Journal of Affective Disorders</i> , 2022 , 296, 485-492 | 6.6 |
| 2 | Initiating Antidepressant Medication: What is the Most Important Factor?. <i>Advances in Therapy</i> , 2022 , 1 | 4.1 |
| 1 | Cariprazine for treating psychosis: an updated meta-analysis.. <i>International Journal of Psychiatry in Clinical Practice</i> , 2022 , 1-3 | 2.4 |