

Patricia E Carreira

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1571138/patricia-e-carreira-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183
papers

11,740
citations

51
h-index

105
g-index

194
ext. papers

14,507
ext. citations

4.9
avg, IF

5.07
L-index

#	Paper	IF	Citations
183	Evidence of telomere attrition and a potential role for DNA damage in systemic sclerosis.. <i>Immunity and Ageing</i> , 2022 , 19, 7	9.7	0
182	SARS-CoV-2 infection in patients with primary Sjögren syndrome: characterization and outcomes of 51 patients. <i>Rheumatology</i> , 2021 , 60, 2946-2957	3.9	8
181	The Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program: protocol for a two-arm parallel partially nested randomized controlled feasibility trial with progression to full-scale trial. <i>Trials</i> , 2021 , 22, 856	2.8	1
180	Pain levels and associated factors in the Scleroderma Patient-centered Intervention Network (SPIN) cohort: a multicentre cross-sectional study. <i>Lancet Rheumatology, The</i> , 2021 , 3, e844-e854	14.2	2
179	Food groups associated with immune-mediated inflammatory diseases: a Mendelian randomization and disease severity study. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 1368-1382	5.2	1
178	Estimated glomerular filtration rate is a marker of mortality in the European Scleroderma Trials and Research Group (EUSTAR) database. <i>Rheumatology</i> , 2021 ,	3.9	1
177	Treatment of Raynaud Phenomenon and Ischemic Ulcers Associated to Systemic Sclerosis with Hyperbaric Oxygen. <i>Reumatologia Clínica</i> , 2021 ,	0.9	
176	Factors associated with fears due to COVID-19: A Scleroderma Patient-centered Intervention Network (SPIN) COVID-19 cohort study. <i>Journal of Psychosomatic Research</i> , 2021 , 140, 110314	4.1	3
175	Clinical Characteristics of Juvenile Idiopathic Inflammatory Myopathy and Comparison With Adult Patients: Analysis From a Multicentric Cohort in Spain. <i>Journal of Clinical Rheumatology</i> , 2021 ,	1.1	2
174	The burden of systemic sclerosis in Switzerland - the Swiss systemic sclerosis EUSTAR cohort. <i>Swiss Medical Weekly</i> , 2021 , 151, w20528	3.1	0
173	Antifibrotics in systemic sclerosis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2021 , 35, 101671	5.3	2
172	Treatment of Raynaud phenomenon and ischemic ulcers associated to systemic sclerosis with hyperbaric oxygen.. <i>Reumatologia Clínica (English Edition)</i> , 2021 ,	0.1	
171	Non-lymphopenic pneumocystis pneumonia in low-dose methotrexate therapy: An exception to every rule. <i>Respiratory Medicine Case Reports</i> , 2020 , 31, 101289	1.2	1
170	The identification and management of interstitial lung disease in systemic sclerosis: evidence-based European consensus statements. <i>Lancet Rheumatology, The</i> , 2020 , 2, e71-e83	14.2	82
169	Protocol for a partially nested randomised controlled trial to evaluate the effectiveness of the scleroderma patient-centered intervention network COVID-19 home-isolation activities together (SPIN-CHAT) program to reduce anxiety among at-risk scleroderma patients. <i>Journal of Psychosomatic Research</i> , 2020 , 135, 110122	4.1	13
168	Racial differences in systemic sclerosis disease presentation: a European Scleroderma Trials and Research group study. <i>Rheumatology</i> , 2020 , 59, 1684-1694	3.9	9
167	Incidence and risk factors for gangrene in patients with systemic sclerosis from the EUSTAR cohort. <i>Rheumatology</i> , 2020 , 59, 2016-2023	3.9	5

166	Outcomes of limited cutaneous systemic sclerosis patients: Results on more than 12,000 patients from the EUSTAR database. <i>Autoimmunity Reviews</i> , 2020 , 19, 102452	13.6	22
165	Changes in mental health symptoms from pre-COVID-19 to COVID-19 among participants with systemic sclerosis from four countries: A Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. <i>Journal of Psychosomatic Research</i> , 2020 , 139, 110262	4.1	9
164	Health Assessment Questionnaire-Disability Index (HAQ-DI) use in modelling disease progression in diffuse cutaneous systemic sclerosis: an analysis from the EUSTAR database. <i>Arthritis Research and Therapy</i> , 2020 , 22, 257	5.7	4
163	Tocilizumab in systemic sclerosis: a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 963-974	35.1	112
162	Prediction of organ involvement and survival in systemic sclerosis patients in the first 5 years from diagnosis.. <i>Journal of Scleroderma and Related Disorders</i> , 2020 , 5, 57-65	2.3	2
161	LAUDES Study: impact of digital ulcers on hand functional limitation, work productivity and daily activities, in systemic sclerosis patients. <i>Rheumatology International</i> , 2019 , 39, 1875-1882	3.6	3
160	Evaluation of 12 GWAS-drawn SNPs as biomarkers of rheumatoid arthritis response to TNF inhibitors. A potential SNP association with response to etanercept. <i>PLoS ONE</i> , 2019 , 14, e0213073	3.7	16
159	Overlap myositis, a distinct entity beyond primary inflammatory myositis: A retrospective analysis of a large cohort from the REMICAM registry. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 1393-1401 ¹³	2.3	13
158	Phenotypes Determined by Cluster Analysis and Their Survival in the Prospective European Scleroderma Trials and Research Cohort of Patients With Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1553-1570	9.5	31
157	GWAS for systemic sclerosis identifies multiple risk loci and highlights fibrotic and vasculopathy pathways. <i>Nature Communications</i> , 2019 , 10, 4955	17.4	46
156	A randomized, controlled double-blind study comparing the efficacy and safety of dose-ranging voclosporin with placebo in achieving remission in patients with active lupus nephritis. <i>Kidney International</i> , 2019 , 95, 219-231	9.9	116
155	Long-term pulmonary outcomes and mortality in idiopathic inflammatory myopathies associated with interstitial lung disease. <i>Clinical Rheumatology</i> , 2019 , 38, 803-815	3.9	13
154	Identification of a 3SUntranslated Genetic Variant of RARB Associated With Carotid Intima-Media Thickness in Rheumatoid Arthritis: A Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2019 , 71, 351-360	9.5	15
153	Pure Membranous Lupus Nephritis: Description of a Cohort of 150 Patients and Review of the Literature. <i>Reumatologia Clínica</i> , 2019 , 15, 34-42	0.9	4
152	Reliability and Validity of Three Versions of the Brief Fear of Negative Evaluation Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2018 , 70, 1646-1652	4.7	5
151	Validation of the Social Appearance Anxiety Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2018 , 70, 1557-1562	4.7	11
150	Abatacept in patients with rheumatoid arthritis and interstitial lung disease: A national multicenter study of 63 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 48, 22-27	5.3	79
149	Patterns and predictors of skin score change in early diffuse systemic sclerosis from the European Scleroderma Observational Study. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 563-570	2.4	31

148	Disability, fatigue, pain and their associates in early diffuse cutaneous systemic sclerosis: the European Scleroderma Observational Study. <i>Rheumatology</i> , 2018 , 57, 370-381	3.9	36
147	There is a need for new systemic sclerosis subset criteria. A content analytic approach. <i>Scandinavian Journal of Rheumatology</i> , 2018 , 47, 62-70	1.9	18
146	2013 ACR/EULAR systemic sclerosis classification criteria in patients with associated pulmonary arterial hypertension. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 47, 870-876	5.3	4
145	Genome-wide association study meta-analysis identifies five new loci for systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2018 , 20, 100	5.7	47
144	Gene-level association analysis of systemic sclerosis: A comparison of African-Americans and White populations. <i>PLoS ONE</i> , 2018 , 13, e0189498	3.7	15
143	The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. <i>Rheumatology</i> , 2018 , 57, 1623-1631	3.9	26
142	Validation study of genetic biomarkers of response to TNF inhibitors in rheumatoid arthritis. <i>PLoS ONE</i> , 2018 , 13, e0196793	3.7	9
141	Brief Report: Smoking in Systemic Sclerosis: A Longitudinal European Scleroderma Trials and Research Group Study. <i>Arthritis and Rheumatology</i> , 2018 , 70, 1829-1834	9.5	6
140	Association of a rare variant of the TNFSF13B gene with susceptibility to Rheumatoid Arthritis and Systemic Lupus Erythematosus. <i>Scientific Reports</i> , 2018 , 8, 8195	4.9	9
139	Determinants of health-related quality of life in a multinational systemic sclerosis inception cohort. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 113, 53-60	2.2	6
138	Gender differences in early systemic sclerosis patients: a report from the EULAR scleroderma trials and research group (EUSTAR) database. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 113, 68-75	2.2	3
137	Influence of coronary artery disease and subclinical atherosclerosis related polymorphisms on the risk of atherosclerosis in rheumatoid arthritis. <i>Scientific Reports</i> , 2017 , 7, 40303	4.9	8
136	Validation of the Body Concealment Scale for Scleroderma (BCSS): Replication in the Scleroderma Patient-centered Intervention Network (SPIN) Cohort. <i>Body Image</i> , 2017 , 20, 99-106	7.4	3
135	The European Scleroderma Trials and Research group (EUSTAR) task force for the development of revised activity criteria for systemic sclerosis: derivation and validation of a preliminarily revised EUSTAR activity index. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 270-276	2.4	79
134	A combined large-scale meta-analysis identifies COG6 as a novel shared risk locus for rheumatoid arthritis and systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 286-294	2.4	39
133	Treatment outcome in early diffuse cutaneous systemic sclerosis: the European Scleroderma Observational Study (ESOS). <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1207-1218	2.4	71
132	Overexpression of the Cytokine BAFF and Autoimmunity Risk. <i>New England Journal of Medicine</i> , 2017 , 376, 1615-1626	59.2	198
131	La evoluci3n de la hipertensi3n arterial pulmonar a lo largo de 30 a3os: experiencia de un centro de referencia. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 915-923	1.5	19

130	Early Mortality in a Multinational Systemic Sclerosis Inception Cohort. <i>Arthritis and Rheumatology</i> , 2017 , 69, 1067-1077	9.5	91
129	Update of EULAR recommendations for the treatment of systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1327-1339	2.4	497
128	Multicenter Registry on Inflammatory Myositis From the Rheumatology Society in Madrid, Spain: Descriptive Analysis. <i>Reumatología Clínica (English Edition)</i> , 2017 , 13, 331-337	0.1	
127	Genome-wide pathway analysis identifies VEGF pathway association with oral ulceration in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2017 , 19, 138	5.7	11
126	Cardiovascular disease in immune-mediated inflammatory diseases: A cross-sectional analysis of 6 cohorts. <i>Medicine (United States)</i> , 2017 , 96, e7308	1.8	25
125	An MIF Promoter Polymorphism Is Associated with Susceptibility to Pulmonary Arterial Hypertension in Diffuse Cutaneous Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2017 , 44, 1453-1457	4.1	20
124	Multicenter registry on inflammatory myositis from the Rheumatology Society in Madrid, Spain: Descriptive Analysis. <i>Reumatología Clínica</i> , 2017 , 13, 331-337	0.9	9
123	Mortality and prognostic factors in idiopathic inflammatory myositis: a retrospective analysis of a large multicenter cohort of Spain. <i>Rheumatology International</i> , 2017 , 37, 1853-1861	3.6	22
122	Replication of PTPRC as genetic biomarker of response to TNF inhibitors in patients with rheumatoid arthritis. <i>Pharmacogenomics Journal</i> , 2016 , 16, 137-40	3.5	24
121	Joint and tendon involvement predict disease progression in systemic sclerosis: a EUSTAR prospective study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 103-9	2.4	68
120	A gender gap in primary and secondary heart dysfunctions in systemic sclerosis: a EUSTAR prospective study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 163-9	2.4	68
119	An easy prediction rule for diffuse cutaneous systemic sclerosis using only the timing and type of first symptoms and auto-antibodies: derivation and validation. <i>Rheumatology</i> , 2016 , 55, 2023-2032	3.9	8
118	Influence of elevated-CRP level-related polymorphisms in non-rheumatic Caucasians on the risk of subclinical atherosclerosis and cardiovascular disease in rheumatoid arthritis. <i>Scientific Reports</i> , 2016 , 6, 31979	4.9	17
117	Using Optimal Test Assembly Methods for Shortening Patient-Reported Outcome Measures: Development and Validation of the Cochin Hand Function Scale-6: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2016 , 68, 1704-1713	4.7	15
116	Validation of the 2013 American College of Rheumatology/European League Against Rheumatism classification criteria for systemic sclerosis in patients from a capillaroscopy clinic. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 46, 350-355	5.3	6
115	Brief Report: IRF4 Newly Identified as a Common Susceptibility Locus for Systemic Sclerosis and Rheumatoid Arthritis in a Cross-Disease Meta-Analysis of Genome-Wide Association Studies. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2338-44	9.5	35
114	Digital ulcers predict a worse disease course in patients with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 681-6	2.4	78
113	Influence of TYK2 in systemic sclerosis susceptibility: a new locus in the IL-12 pathway. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1521-6	2.4	29

112	Incidence and predictors of cutaneous manifestations during the early course of systemic sclerosis: a 10-year longitudinal study from the EUSTAR database. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1285-92	2.4	45
111	Incidence and Risk Factors of Organ Manifestations in the Early Course of Systemic Sclerosis: A Longitudinal EUSTAR Study. <i>PLoS ONE</i> , 2016 , 11, e0163894	3.7	99
110	Validation of the Self-Efficacy for Managing Chronic Disease Scale: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2016 , 68, 1195-200	4.7	23
109	Prediction of improvement in skin fibrosis in diffuse cutaneous systemic sclerosis: a EUSTAR analysis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1743-8	2.4	50
108	Urine metabolome profiling of immune-mediated inflammatory diseases. <i>BMC Medicine</i> , 2016 , 14, 133	11.4	67
107	FCGR polymorphisms in the treatment of rheumatoid arthritis with Fc-containing TNF inhibitors. <i>Pharmacogenomics</i> , 2015 , 16, 333-45	2.6	17
106	Prediction of worsening of skin fibrosis in patients with diffuse cutaneous systemic sclerosis using the EUSTAR database. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1124-31	2.4	76
105	Comprehensive description of clinical characteristics of a large systemic lupus erythematosus cohort from the Spanish Rheumatology Society Lupus Registry (RELESSER) with emphasis on complete versus incomplete lupus differences. <i>Medicine (United States)</i> , 2015 , 94, e267	1.8	36
104	Efficacy of Raynaud's phenomenon and digital ulcer pharmacological treatment in systemic sclerosis patients: a systematic literature review. <i>Rheumatology International</i> , 2015 , 35, 1447-59	3.6	25
103	A comparison between nailfold capillaroscopy patterns in adulthood in juvenile and adult-onset systemic sclerosis: A EUSTAR exploratory study. <i>Microvascular Research</i> , 2015 , 102, 19-24	3.7	11
102	Rheumatoid arthritis response to treatment across IgG1 allotype - anti-TNF incompatibility: a case-only study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 63	5.7	9
101	Efficacy of Anakinra in Refractory Adult-Onset Still's Disease: Multicenter Study of 41 Patients and Literature Review. <i>Medicine (United States)</i> , 2015 , 94, e1554	1.8	70
100	Lack of association between JAK3 gene polymorphisms and cardiovascular disease in Spanish patients with rheumatoid arthritis. <i>BioMed Research International</i> , 2015 , 2015, 318364	3	5
99	Value of systolic pulmonary arterial pressure as a prognostic factor of death in the systemic sclerosis EUSTAR population. <i>Rheumatology</i> , 2015 , 54, 1262-9	3.9	19
98	An observational cohort study of patients with newly diagnosed digital ulcer disease secondary to systemic sclerosis registered in the EUSTAR database. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S47-54	2.2	17
97	Confirmation of CCR6 as a risk factor for anti-topoisomerase I antibodies in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S31-5	2.2	4
96	Autopsy versus clinical findings in patients with systemic sclerosis in a case series from patients of the EUSTAR database. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S75-9	2.2	13
95	A genome-wide association study follow-up suggests a possible role for PPARG in systemic sclerosis susceptibility. <i>Arthritis Research and Therapy</i> , 2014 , 16, R6	5.7	35

94	The effects of rituximab on the lipid profile of patients with active systemic lupus erythematosus: results from a nationwide cohort in Spain (LESIMAB). <i>Lupus</i> , 2014 , 23, 1014-22	2.6	8
93	Lack of replication of higher genetic risk load in men than in women with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2014 , 16, R128	5.7	8
92	ImmunoChip analysis identifies multiple susceptibility loci for systemic sclerosis. <i>American Journal of Human Genetics</i> , 2014 , 94, 47-61	11	151
91	Ten years EULAR Scleroderma Research and Trials (EUSTAR): what has been achieved?. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 324-7	2.4	15
90	Exposure to ACE inhibitors prior to the onset of scleroderma renal crisis-results from the International Scleroderma Renal Crisis Survey. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 43, 666-72	5.3	92
89	Multicriteria decision analysis methods with 1000Minds for developing systemic sclerosis classification criteria. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 706-14	5.7	40
88	Interferon regulatory factor 5 genetic variants are associated with cardiovascular disease in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2014 , 16, R146	5.7	18
87	Connective tissue disease related interstitial lung diseases and idiopathic pulmonary fibrosis: provisional core sets of domains and instruments for use in clinical trials. <i>Thorax</i> , 2014 , 69, 428-36	7.3	75
86	Lack of association between ABO, PPAP2B, ADAMST7, PIK3CG, and EDNRA and carotid intima-media thickness, carotid plaques, and cardiovascular disease in patients with rheumatoid arthritis. <i>Mediators of Inflammation</i> , 2014 , 2014, 756279	4.3	19
85	Prevalence, correlates and outcomes of gastric antral vascular ectasia in systemic sclerosis: a EUSTAR case-control study. <i>Journal of Rheumatology</i> , 2014 , 41, 99-105	4.1	62
84	Lack of validation of genetic variants associated with anti-tumor necrosis factor therapy response in rheumatoid arthritis: a genome-wide association study replication and meta-analysis. <i>Arthritis Research and Therapy</i> , 2014 , 16, R66	5.7	17
83	Association of FCGR2A with the response to infliximab treatment of patients with rheumatoid arthritis. <i>Pharmacogenetics and Genomics</i> , 2014 , 24, 238-45	1.9	25
82	Identification of IL12RB1 as a novel systemic sclerosis susceptibility locus. <i>Arthritis and Rheumatology</i> , 2014 , 66, 3521-3	9.5	27
81	Reconciling healthcare professional and patient perspectives in the development of disease activity and response criteria in connective tissue disease-related interstitial lung diseases. <i>Journal of Rheumatology</i> , 2014 , 41, 792-8	4.1	36
80	Osteoprotegerin CGA haplotype protection against cerebrovascular complications in anti-CCP negative patients with rheumatoid arthritis. <i>PLoS ONE</i> , 2014 , 9, e106823	3.7	9
79	2013 classification criteria for systemic sclerosis: an American College of Rheumatology/European League against Rheumatism collaborative initiative. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2737-47		1636
78	Single-nucleotide polymorphisms at the 9p21.3 genomic region not associated with the risk of cardiovascular disease in patients with rheumatoid arthritis. <i>Tissue Antigens</i> , 2013 , 82, 405-9		0
77	2013 classification criteria for systemic sclerosis: an American college of rheumatology/European league against rheumatism collaborative initiative. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1747-55	2.4	1109

76	Nailfold capillaroscopy in systemic sclerosis: data from the EULAR scleroderma trials and research (EUSTAR) database. <i>Microvascular Research</i> , 2013 , 89, 122-8	3.7	73
75	New insight on the Xq28 association with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 2032-8	2.4	48
74	Confirmation of TNIP1 but not RHOB and PSORS1C1 as systemic sclerosis risk factors in a large independent replication study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 602-7	2.4	51
73	Implication of IL-2/IL-21 region in systemic sclerosis genetic susceptibility. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1233-8	2.4	28
72	A systemic sclerosis and systemic lupus erythematosus pan-meta-GWAS reveals new shared susceptibility loci. <i>Human Molecular Genetics</i> , 2013 , 22, 4021-9	5.6	81
71	The 11q23.3 genomic region-rs964184-is associated with cardiovascular disease in patients with rheumatoid arthritis. <i>Tissue Antigens</i> , 2013 , 82, 344-7		8
70	A profibrotic role for thymic stromal lymphopoietin in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 2018-23	2.4	29
69	Systemic sclerosis without antinuclear antibodies or Raynaud's phenomenon: a multicentre study in the prospective EULAR Scleroderma Trials and Research (EUSTAR) database. <i>Rheumatology</i> , 2013 , 52, 560-7	3.9	15
68	The systemic lupus erythematosus IRF5 risk haplotype is associated with systemic sclerosis. <i>PLoS ONE</i> , 2013 , 8, e54419	3.7	32
67	SMAD3 rs17228212 gene polymorphism is associated with reduced risk to cerebrovascular accidents and subclinical atherosclerosis in anti-CCP negative Spanish rheumatoid arthritis patients. <i>PLoS ONE</i> , 2013 , 8, e77695	3.7	11
66	No evidence of association between functional polymorphisms located within IL6R and IL6ST genes and systemic sclerosis. <i>Tissue Antigens</i> , 2012 , 80, 254-8		3
65	Items for developing revised classification criteria in systemic sclerosis: Results of a consensus exercise. <i>Arthritis Care and Research</i> , 2012 , 64, 351-7	4.7	41
64	Validation of potential classification criteria for systemic sclerosis. <i>Arthritis Care and Research</i> , 2012 , 64, 358-67	4.7	64
63	A rare polymorphism in the gene for Toll-like receptor 2 is associated with systemic sclerosis phenotype and increases the production of inflammatory mediators. <i>Arthritis and Rheumatism</i> , 2012 , 64, 264-71		68
62	Influence of the IL6 gene in susceptibility to systemic sclerosis. <i>Journal of Rheumatology</i> , 2012 , 39, 2294-302	4.0	26
61	Polymorphisms in the interleukin 4, interleukin 13, and corresponding receptor genes are not associated with systemic sclerosis and do not influence gene expression. <i>Journal of Rheumatology</i> , 2012 , 39, 112-8	4.1	8
60	KCNA5 gene is not confirmed as a systemic sclerosis-related pulmonary arterial hypertension genetic susceptibility factor. <i>Arthritis Research and Therapy</i> , 2012 , 14, R273	5.7	5
59	Analysis of the association between CD40 and CD40 ligand polymorphisms and systemic sclerosis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R154	5.7	10

58	Bias in effect size of systemic lupus erythematosus susceptibility loci across Europe: a case-control study. <i>Arthritis Research and Therapy</i> , 2012 , 14, R94	5.7	6
57	A multicenter study confirms CD226 gene association with systemic sclerosis-related pulmonary fibrosis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R85	5.7	26
56	Further evidence of subphenotype association with systemic lupus erythematosus susceptibility loci: a European cases only study. <i>PLoS ONE</i> , 2012 , 7, e45356	3.7	25
55	Inhibition of focal adhesion kinase prevents experimental lung fibrosis and myofibroblast formation. <i>Arthritis and Rheumatism</i> , 2012 , 64, 1653-64		112
54	A GWAS follow-up study reveals the association of the IL12RB2 gene with systemic sclerosis in Caucasian populations. <i>Human Molecular Genetics</i> , 2012 , 21, 926-33	5.6	70
53	Novel identification of the IRF7 region as an anticentromere autoantibody propensity locus in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 114-9	2.4	47
52	Update on the profile of the EUSTAR cohort: an analysis of the EULAR Scleroderma Trials and Research group database. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1355-60	2.4	199
51	The autoimmune disease-associated IL2RA locus is involved in the clinical manifestations of systemic sclerosis. <i>Genes and Immunity</i> , 2012 , 13, 191-6	4.4	20
50	Multicenter longitudinal study of B-lymphocyte depletion in refractory systemic lupus erythematosus: the LESIMAB study. <i>Lupus</i> , 2012 , 21, 1063-76	2.6	77
49	Evidence that deletion at FCGR3B is a risk factor for systemic sclerosis. <i>Genes and Immunity</i> , 2012 , 13, 458-60	4.4	22
48	Evaluation of a shared autoimmune disease-associated polymorphism of TRAF6 in systemic sclerosis and giant cell arteritis. <i>Journal of Rheumatology</i> , 2012 , 39, 1275-9	4.1	2
47	Analysis of Class II human leucocyte antigens in Italian and Spanish systemic sclerosis. <i>Rheumatology</i> , 2012 , 51, 52-9	3.9	43
46	Identification of CSK as a systemic sclerosis genetic risk factor through Genome Wide Association Study follow-up. <i>Human Molecular Genetics</i> , 2012 , 21, 2825-35	5.6	79
45	Preliminary criteria for the very early diagnosis of systemic sclerosis: results of a Delphi Consensus Study from EULAR Scleroderma Trials and Research Group. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 476-81	2.4	247
44	Clinical prediction of 5-year survival in systemic sclerosis: validation of a simple prognostic model in EUSTAR centres. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1788-92	2.4	82
43	A replication study confirms the association of TNFSF4 (OX40L) polymorphisms with systemic sclerosis in a large European cohort. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 638-41	2.4	61
42	Analysis of the influence of PTPN22 gene polymorphisms in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 454-62	2.4	61
41	Late-onset systemic sclerosis—a systematic survey of the EULAR scleroderma trials and research group database. <i>Rheumatology</i> , 2011 , 50, 161-5	3.9	30

40	Confirmation of association of the macrophage migration inhibitory factor gene with systemic sclerosis in a large European population. <i>Rheumatology</i> , 2011 , 50, 1976-81	3.9	26
39	Association of a non-synonymous functional variant of the ITGAM gene with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 2050-2	2.4	14
38	Identification of novel genetic markers associated with clinical phenotypes of systemic sclerosis through a genome-wide association strategy. <i>PLoS Genetics</i> , 2011 , 7, e1002178	6	164
37	Association of systemic lupus erythematosus clinical features with European population genetic substructure. <i>PLoS ONE</i> , 2011 , 6, e29033	3.7	13
36	Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus. <i>Nature Genetics</i> , 2010 , 42, 426-9	36.3	301
35	Characteristics of joint involvement and relationships with systemic inflammation in systemic sclerosis: results from the EULAR Scleroderma Trial and Research Group (EUSTAR) database. <i>Journal of Rheumatology</i> , 2010 , 37, 1488-501	4.1	126
34	BANK1 functional variants are associated with susceptibility to diffuse systemic sclerosis in Caucasians. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 700-5	2.4	87
33	Functional variants of Fc gamma receptor (FCGR2A) and FCGR3A are not associated with susceptibility to systemic sclerosis in a large European Study (EUSTAR). <i>Journal of Rheumatology</i> , 2010 , 37, 1673-9	4.1	9
32	Causes and risk factors for death in systemic sclerosis: a study from the EULAR Scleroderma Trials and Research (EUSTAR) database. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1809-15	2.4	721
31	Prevalence and factors associated with left ventricular dysfunction in the EULAR Scleroderma Trial and Research group (EUSTAR) database of patients with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 218-21	2.4	174
30	Survival, causes of death, and risk factors associated with mortality in Spanish systemic sclerosis patients: results from a single university hospital. <i>Seminars in Arthritis and Rheumatism</i> , 2010 , 39, 285-93 ^{5.3}		51
29	An open-label pilot study of infliximab therapy in diffuse cutaneous systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 1433-9	2.4	95
28	European League Against Rheumatism (EULAR) Scleroderma Trial and Research group (EUSTAR) recommendations for the treatment of systemic sclerosis: methods of elaboration and results of systematic literature research. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 629-34	2.4	31
27	Nailfold capillaroscopy in Behçet's disease, analysis of 128 patients. <i>Clinical Rheumatology</i> , 2009 , 28, 603-5	3.9	16
26	EULAR recommendations for the treatment of systemic sclerosis: a report from the EULAR Scleroderma Trials and Research group (EUSTAR). <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 620-8	2.4	440
25	Comparison of baseline characteristics and survival between patients with idiopathic and connective tissue disease-related pulmonary arterial hypertension. <i>Journal of Heart and Lung Transplantation</i> , 2009 , 28, 621-7	5.8	30
24	Replication of recently identified systemic lupus erythematosus genetic associations: a case-control study. <i>Arthritis Research and Therapy</i> , 2009 , 11, R69	5.7	112
23	Chronic intestinal pseudo-obstruction: a diagnosis to be considered. <i>Revista Espanola De Enfermedades Digestivas</i> , 2009 , 101, 336-42	0.9	12

22	Opposed independent effects and epistasis in the complex association of IRF5 to SLE. <i>Genes and Immunity</i> , 2007 , 8, 429-38	4.4	54
21	Study of DNASE I gene polymorphisms in systemic lupus erythematosus susceptibility. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 560-1	2.4	10
20	Clinical risk assessment of organ manifestations in systemic sclerosis: a report from the EULAR Scleroderma Trials And Research group database. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 754-63	2.4	555
19	Quality of pain in systemic sclerosis. <i>Rheumatology</i> , 2006 , 45, 1185-6	3.9	9
18	Association of a non-synonymous single-nucleotide polymorphism of DNASEI with SLE susceptibility. <i>Rheumatology</i> , 2006 , 45, 819-23	3.9	39
17	Survival, mortality and causes of death in inflammatory myopathies. <i>Autoimmunity</i> , 2006 , 39, 205-15	3	79
16	Polymorphism of the interleukin-1 receptor antagonist gene: a factor in susceptibility to rheumatoid arthritis in a Spanish population. <i>Arthritis and Rheumatism</i> , 2005 , 52, 3015-9		24
15	Pulmonary hypertension in autoimmune rheumatic diseases. <i>Autoimmunity Reviews</i> , 2004 , 3, 313-20	13.6	23
14	Association of PDCD1 with susceptibility to systemic lupus erythematosus: evidence of population-specific effects. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2590-7		99
13	The three most common CARD15 mutations associated with Crohn's disease and the chromosome 16 susceptibility locus for systemic lupus erythematosus. <i>British Journal of Rheumatology</i> , 2003 , 42, 570-4		26
12	Association of rheumatoid arthritis with a functional chemokine receptor, CCR5. <i>Arthritis and Rheumatism</i> , 1999 , 42, 989-92		122
11	Survival of patients with colorectal carcinoma 1999 , 86, 1675-1681		15
10	Keratinocyte apoptosis and p53 expression in cutaneous lupus and dermatomyositis. <i>Journal of Pathology</i> , 1999 , 188, 63-8	9.4	51
9	Keratinocyte apoptosis and p53 expression in cutaneous lupus and dermatomyositis 1999 , 188, 63		2
8	Detection of COX-1 and COX-2 isoforms in synovial fluid cells from inflammatory joint diseases. <i>Rheumatology</i> , 1998 , 37, 773-8	3.9	31
7	Apoptosis and proliferation of fibroblasts during postnatal skin development and scleroderma in the tight-skin mouse. <i>Journal of Histochemistry and Cytochemistry</i> , 1997 , 45, 711-9	3.4	31
6	Rheumatology. Inflammation and HIV infection: a friendly connection. <i>Lancet, The</i> , 1996 , 348 Suppl 2, s1124	40	0
5	Lack of association between the MHC linked OTF3 gene and systemic lupus erythematosus. <i>Lupus</i> , 1995 , 4, 390-2	2.6	

4	Clonally expanded lymphocytes in the minor salivary glands of Sjögren's syndrome patients without lymphoproliferative disease. <i>Arthritis and Rheumatism</i> , 1994 , 37, 1441-4		37
3	Subcutaneous nodular amyloidosis in Sjögren's syndrome. <i>Scandinavian Journal of Rheumatology</i> , 1993 , 22, 250-1	1.9	25
2	Antibodies to extractable cellular antigens in Spanish systemic lupus erythematosus (SLE) patients. <i>Clinical Rheumatology</i> , 1987 , 6, 80-3	3.9	
1	C-reactive protein (CRP) levels in systemic lupus erythematosus (SLE). <i>Clinical Rheumatology</i> , 1986 , 5, 66-9	3.9	23