S Shimizu

List of Publications by Citations

Source: https://exaly.com/author-pdf/1571171/s-shimizu-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers
citations
26
h-index
g-index

113
axin 3,961
ext. papers
ext. citations
4.7
avg, IF
L-index

#	Paper	IF	Citations
105	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017 , 77, 317	4.2	272
104	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13[TeV. European Physical Journal C, 2016, 76, 292	4.2	263
103	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 653	4.2	188
102	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 6	4.2	185
101	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017 , 77, 490	4.2	177
100	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2306	4.2	153
99	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 581	4.2	148
98	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at (sqrt{s}=7) TeV. European Physical Journal C, 2011 , 71, 1	4.2	138
97	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 476	4.2	104
96	Measurement of the Z/I ^a boson transverse momentum distribution in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	79
95	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 903	4.2	66
94	Search for the (boverline{b}) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	64
93	Evidence for the (Hto boverline{b}) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	50
92	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in (sqrt{s}=13) (text {TeV}) pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1	4.2	50
91	ATLAS b-jet identification performance and efficiency measurement with (t{bar{t}}) events in pp collisions at (sqrt{s}=13) TeV. European Physical Journal C, 2019 , 79, 1	4.2	43
90	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017 , 77, 466	4.2	42
89	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2883	4.2	41

88	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton \vec{p} roton collision data at (sqrt{s} = 13) (text {TeV}). European Physical Journal C, 2019 , 79, 1	4.2	37	
87	Measurement of the Higgs boson coupling properties in the H -♂Z* -௸Idecay channel at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	36	
86	Search for charged Higgs bosons decaying via H\(\text{\figs}\) -\(\text{\text{\text{\text{\text{II}}}}\) the \(\text{\tilitet{\text{	5.4	33	
85	Constraints on mediator-based dark matter and scalar dark energy models using (sqrt{s}) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31	
84	Measurements of b-jet tagging efficiency with the ATLAS detector using (toverline{t}) events at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	31	
83	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	30	
82	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 332	4.2	29	
81	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 295	4.2	28	
80	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	26	
79	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 658	4.2	26	
78	Electron and photon energy calibration with the ATLAS detector using 2015 2 016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017	1	25	
77	Measurement of inclusive and differential cross sections in the $H - \alpha Z \times -\alpha Id$ ecay channel in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25	
76	Measurement of the top quark mass in the (tbar{t}rightarrow) lepton+jets channel from (sqrt{s}=8) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	24	
75	Search for Higgs boson pair production in the (upgamma upgamma boverline{b}) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23	
74	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21	
73	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21	
72	Measurement of the azimuthal anisotropy of charged particles produced in = 5.02 TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997	4.2	21	
71	Measurement of (W^{pm }Z) production cross sections and gauge boson polarisation in pp collisions at ($sqrt{s} = 13\sim text {TeV}$) with the ATLAS detector. European Physical Journal C, 2019 , 79–1	4.2	20	

70	Search for new resonances in mass distributions of jet pairs using 139 fb[] of pp collisions at (sqrt{mathrm{s}}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
69	Performance of top-quark and (varvec{W})-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	19
68	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 898	4.2	19
67	Search for long-lived neutral particles in pp collisions at ($\{\text{sqrt}\{s\}\} = 13 \sim \{\text{text} \{\text{TeV}\}\}$) that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	18
66	Searches for third-generation scalar leptoquarks in ($sqrt\{s\}$) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
65	Search for a scalar partner of the top quark in the all-hadronic (t{bar{t}}) plus missing transverse momentum final state at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	17
64	In situ calibration of large-radius jet energy and mass in 13 TeV protonproton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
63	Measurement of fiducial and differential (W^+W^-) production cross-sections at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
62	Measurement of flow harmonics correlations with mean transverse momentum in leadlead and protonlead collisions at $\frac{s_{mathrm}{NN}}{s_{mathrm}} = 5.02~hbox {TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
61	Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 474	4.2	14
60	Search for single production of vector-like quarks decaying into Wb in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
59	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at (sqrt{s}) = 8 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	14
58	Search for top-quark decays t- θ Hq with 36 fb θ of pp collision data at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
57	Fluctuations of anisotropic flow in Pb+Pb collisions at (sqrt{{mathrm{s}}_{mathrm{NN}}}) = 5.02 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	13
56	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
55	Measurements of top-quark pair differential and double-differential cross-sections in the (ell)+jets channel with pp collisions at (sqrt{s}=13) TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	13
54	Measurements of W and Z boson production in pp collisions at (sqrt{s}=5.02) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	12
53	Higgs boson production cross-section measurements and their EFT interpretation in the (4ell) decay channel at (sqrt{s}=)13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	12

(2020-2019)

52	Search for Higgs boson pair production in the WW(*)WW(*) decay channel using ATLAS data recorded at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
51	Measurement of the top-quark mass in (toverline $\{t\}$) + 1-jet events collected with the ATLAS detector in pp collisions at (sqrt $\{s\}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
50	Measurement of the cross-section and charge asymmetry of W bosons produced in proton collisions at (sqrt{s}=8~text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	11
49	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13[\$\$text {TeV}\$\$. European Physical Journal C, 2019, 79,	4.2	11
48	Jet energy scale and resolution measured in protonBroton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	11
47	Search for diboson resonances in hadronic final states in 139 fb 1 of pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
46	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
45	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(ell)$ decay channel at $(sqrt\{s\}) = 13$ TeV. European Physical Journal C, 2020 , 80, 1	4.2	9
44	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
43	Measurement of VH, (mathrm{H}to mathrm{b}overline{mathrm{b}}) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
42	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb1 of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
41	Search for scalar resonances decaying into HIn events with and without b-tagged jets produced in proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
40	Search for light long-lived neutral particles produced in pp collisions at (sqrt{s} = 13~mathrm {TeV}) and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
39	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
38	Measurements of top-quark pair spin correlations in the (emu) channel at (sqrt{s} = 13) TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
37	Prompt and non-prompt elliptic flow in Pb+Pb collisions at Tev with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784	4.2	8
36	Measurements of inclusive and differential fiducial cross-sections of (tbar{t}gamma) production in leptonic final states at (sqrt{s}=13~text {TeV}) in ATLAS. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
35	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using (sqrt{s}) = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7

34	Transverse momentum and process dependent azimuthal anisotropies in (sqrt{s_{mathrm {NN}}}=8.16) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
33	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
32	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in (sqrt{s}=13) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
31	Measurement of the transverse momentum distribution of DrellMan lepton pairs in protonBroton collisions at (sqrt{s}=13,)TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
30	Measurement of (W^pm) boson production in Pb+Pb collisions at ($sqrt{s_{mathrm{NN}}} = 5.02~text{Te}text{V}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
29	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
28	Measurements of WH and ZH production in the (H rightarrow bbar{b}) decay channel in pp collisions at (13,text {Te}text {V}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
27	Search for (toverline $\{t\}$) resonances in fully hadronic final states in pp collisions at (sqrt $\{s\}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
26	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
25	Measurement of the (Zgamma to nu overline{nu}gamma) production cross section in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
24	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at (sqrt{s}) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
23	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
22	Search for the HH -4 boverline{b}boverline{b}) process via vector-boson fusion production using proton-proton collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
21	Observation of the associated production of a top quark and a Z boson in pp collisions at (sqrt{s})= 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
20	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton p roton collisions at ATLAS. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5
19	Search for heavy diboson resonances in semileptonic final states in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
18	Measurement of J/t͡production in association with a W⊞ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
17	Search for dijet resonances in events with an isolated charged lepton using (sqrt{s}) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3

LIST OF PUBLICATIONS

16	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at (sqrt{s}=8) and 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
15	Search for excited electrons singly produced in proton proton collisions at $\$\$qrt\{s\} \sim -13 \sim text \{Te\}text \{V\}\$$ with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019 , 79,	4.2	3
14	Measurement of $\$K_S^0$ and $\$Lambda^0$ production in $\$t bar{t}$ dileptonic events in pp collisions at $\$sqrt{s} = \7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	3
13	Reconstruction and identification of boosted di-Bystems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
12	Measurement of hadronic event shapes in high-pT multijet final states at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
11	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(sqrt{s}) = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
10	Measurement of the Z(- \triangle III) roduction cross-section in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
9	Measurement of the inclusive isolated-photon cross section in pp collisions at (sqrt{s}) = 13 TeV using 36 fbfl of ATLAS data. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
8	Measurement of isolated-photon plus two-jet production in pp collisions at (sqrt $\{s\}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
7	Measurement of ZZ production in the Ifinal state with the ATLAS detector in pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
6	Measurement of (W^{pm })-boson and Z-boson production cross-sections in pp collisions at (sqrt{s}=2.76) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
5	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at (sqrt{mathrm{s}}) = 13 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
4	Search for top squarks in events with a Higgs or Z boson using 139 fb($^{-1}$) of pp collision data at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	1
3	Measurement of differential cross sections for single diffractive dissociation in ($sqrt{s}$) = 8 TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
2	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
1	Measurement of single top-quark production in association with a W boson in the single-lepton channel at (sqrt{s} = 8,text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1