

Jill Janette Freda Belch

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1571774/jill-janette-freda-belch-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

287
papers

13,895
citations

54
h-index

109
g-index

310
ext. papers

15,833
ext. citations

5.8
avg. IF

6.04
L-index

#	Paper	IF	Citations
287	Management of chronic peripheral artery disease patients with indication for endovascular revascularization.. <i>Vasa - European Journal of Vascular Medicine</i> , 2022 ,	1.9	4
286	Lipid-lowering and anti-thrombotic therapy in patients with peripheral arterial disease: European Atherosclerosis Society/European Society of Vascular Medicine Joint Statement. <i>Atherosclerosis</i> , 2021 , 338, 55-63	3.1	0
285	An 18 year data-linkage study on the association between air pollution and acute limb ischaemia. <i>Vasa - European Journal of Vascular Medicine</i> , 2021 , 50, 462-467	1.9	0
284	Lipid-lowering and anti-thrombotic therapy in patients with peripheral arterial disease. <i>Vasa - European Journal of Vascular Medicine</i> , 2021 , 50, 401-411	1.9	4
283	Associations between ambient air pollutants and hospital admissions: more needs to be done. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 61848-61852	5.1	
282	The year in cardiology: aorta and peripheral circulation. <i>Revista Romana De Cardiologie</i> , 2020 , 30, 173-184.	0.1	
281	The year in cardiology: aorta and peripheral circulation?The year in cardiology 2019. <i>Cardiologia Croatica</i> , 2020 , 15, 214-227	0	1
280	Contribution of cystatin C- and creatinine-based definitions of chronic kidney disease to cardiovascular risk assessment in 20 population-based and 3 disease cohorts: the BiomarCaRE project. <i>BMC Medicine</i> , 2020 , 18, 300	11.4	9
279	Morbidity and mortality associated with atherosclerotic peripheral artery disease: A systematic review. <i>Atherosclerosis</i> , 2020 , 293, 94-100	3.1	37
278	Global vascular guidelines on the management of chronic limb-threatening ischemia. <i>Journal of Vascular Surgery</i> , 2019 , 69, 3S-125S.e40	3.5	294
277	Global Vascular Guidelines on the Management of Chronic Limb-Threatening Ischemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 58, S1-S109.e33	2.3	329
276	A Multicenter, Randomized, Placebo-Controlled Trial of Atorvastatin for the Primary Prevention of Cardiovascular Events in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1437-1449	9.5	46
275	Urgent need to clarify the definition of chronic critical limb ischemia - a position paper from the European Society for Vascular Medicine. <i>Vasa - European Journal of Vascular Medicine</i> , 2019 , 48, 223-227	1.9	15
274	The compelling arguments for the need of medical vascular physicians in Europe. <i>Vasa - European Journal of Vascular Medicine</i> , 2019 , 48, 487-491	1.9	5
273	ESVM Guideline on peripheral arterial disease. <i>Vasa - European Journal of Vascular Medicine</i> , 2019 , 48, 1-79	1.9	46
272	5 Conservative treatment for PAD - Risk factor management. <i>Vasa - European Journal of Vascular Medicine</i> , 2019 , 48, 1-12	1.9	6
271	Prevalence and Distribution of Atherosclerosis in a Low- to Intermediate-Risk Population: Assessment with Whole-Body MR Angiography. <i>Radiology</i> , 2018 , 287, 795-804	20.5	5

270	Cognitive function, disease burden and the structural connectome in systemic lupus erythematosus. <i>Lupus</i> , 2018 , 27, 1329-1337	2.6	9
269	Epicardial adipose tissue is related to arterial stiffness and inflammation in patients with cardiovascular disease and type 2 diabetes. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 31	2.3	26
268	New prospects for PCSK9 inhibition?. <i>European Heart Journal</i> , 2018 , 39, 2600-2601	9.5	9
267	2017 Update of ESC/EAS Task Force on practical clinical guidance for proprotein convertase subtilisin/kexin type 9 inhibition in patients with atherosclerotic cardiovascular disease or in familial hypercholesterolaemia. <i>European Heart Journal</i> , 2018 , 39, 1131-1143	9.5	132
266	Use of Vascular Assessments and Novel Biomarkers to Predict Cardiovascular Events in Type 2 Diabetes: The SUMMIT VIP Study. <i>Diabetes Care</i> , 2018 , 41, 2212-2219	14.6	18
265	Effects of aspirin on risks of vascular events and cancer according to bodyweight and dose: analysis of individual patient data from randomised trials. <i>Lancet, The</i> , 2018 , 392, 387-399	40	188
264	Systemic arteriosclerosis is associated with left ventricular remodeling but not atherosclerosis: a TASCORCE study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 7	6.9	7
263	Reply: The Enigma of Left Ventricular Non-Compaction. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2470-2471	15.1	
262	Prevalence of unrecognized myocardial infarction in a low-intermediate risk asymptomatic cohort and its relation to systemic atherosclerosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 657-662	4.1	9
261	Twenty-Year Predictors of Peripheral Arterial Disease Compared With Coronary Heart Disease in the Scottish Heart Health Extended Cohort (SHHEC). <i>Journal of the American Heart Association</i> , 2017 , 6,	6	32
260	Effects of inaccuracies in arterial path length measurement on differences in MRI and tonometry measured pulse wave velocity. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 118	2.3	11
259	Fatigue and cognitive function in systemic lupus erythematosus: associations with white matter microstructural damage. A diffusion tensor MRI study and meta-analysis. <i>Lupus</i> , 2017 , 26, 588-597	2.6	21
258	ESVM guidelines - the diagnosis and management of Raynaud's phenomenon. <i>Vasa - European Journal of Vascular Medicine</i> , 2017 , 46, 413-423	1.9	40
257	Left Ventricular Noncompaction: Anatomical Phenotype or Distinct Cardiomyopathy?. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2157-2165	15.1	82
256	015 Prevalence, pattern and significance of late gadolinium enhancement in a healthy asymptomatic cohort. <i>Heart</i> , 2016 , 102, A5.3-A5	5.1	
255	014 Patterns of early atherosclerosis formation and cardiac remodelling in healthy adults of south asian and european descent. <i>Heart</i> , 2016 , 102, A5.2-A5	5.1	
254	Association between renin and atherosclerotic burden in subjects with and without type 2 diabetes. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 171	2.3	9
253	Follow-up of atheroma burden with sequential whole body contrast enhanced MR angiography: a feasibility study. <i>International Journal of Cardiovascular Imaging</i> , 2016 , 32, 825-32	2.5	3

252	Whole body cardiovascular magnetic resonance imaging to stratify symptomatic and asymptomatic atherosclerotic burden in patients with isolated cardiovascular disease. <i>BMC Medical Imaging</i> , 2016 , 16, 18	2.9	6
251	3T MRI investigation of cardiac left ventricular structure and function in a UK population: The tayside screening for the prevention of cardiac events (TASCFORCE) study. <i>Journal of Magnetic Resonance Imaging</i> , 2016 , 44, 1186-1196	5.6	8
250	Whole-body cardiovascular MRI for the comparison of atherosclerotic burden and cardiac remodelling in healthy South Asian and European adults. <i>British Journal of Radiology</i> , 2016 , 89, 20160342	3.4	2
249	Transcutaneous Electrical Nerve Stimulation Improves Walking Performance in Patients With Intermittent Claudication. <i>Journal of Cardiovascular Nursing</i> , 2016 , 31, 323-30	2.1	8
248	Effect of Macitentan on the Development of New Ischemic Digital Ulcers in Patients With Systemic Sclerosis: DUAL-1 and DUAL-2 Randomized Clinical Trials. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 1975-88	27.4	74
247	Cerebral Small Vessel Disease Burden Is Increased in Systemic Lupus Erythematosus. <i>Stroke</i> , 2016 , 47, 2722-2728	6.7	38
246	An important role for A20-binding inhibitor of nuclear factor-kB-1 (ABIN1) in inflammation-mediated endothelial dysfunction: an in vivo study in ABIN1 (D485N) mice. <i>Arthritis Research and Therapy</i> , 2015 , 17, 22	5.7	8
245	Technical assessment of whole body angiography and cardiac function within a single MRI examination. <i>Clinical Radiology</i> , 2015 , 70, 595-603	2.9	12
244	Elevated Plasma Levels of MMP-12 Are Associated With Atherosclerotic Burden and Symptomatic Cardiovascular Disease in Subjects With Type 2 Diabetes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 1723-31	9.4	66
243	Colorectal adenomas and diabetes: implications for disease prevention. <i>Colorectal Disease</i> , 2015 , 17, 589-94	2.1	1
242	Measures of atherosclerotic burden are associated with clinically manifest cardiovascular disease in type 2 diabetes: a European cross-sectional study. <i>Journal of Internal Medicine</i> , 2015 , 278, 291-302	10.8	29
241	Prime mover or fellow traveller: 25-hydroxy vitamin D's seasonal variation, cardiovascular disease and death in the Scottish Heart Health Extended Cohort (SHHEC). <i>International Journal of Epidemiology</i> , 2015 , 44, 1602-12	7.8	17
240	Effect of intermittent vitamin D3 on vascular function and symptoms in chronic fatigue syndrome--a randomised controlled trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 287-94	4.5	25
239	Lowering of oxidative stress improves endothelial function in healthy subjects with habitually low intake of fruit and vegetables: a randomized controlled trial of antioxidant- and polyphenol-rich blackcurrant juice. <i>Free Radical Biology and Medicine</i> , 2014 , 72, 232-7	7.8	69
238	In vivo noninvasive measurement of skin autofluorescence biomarkers relate to cardiovascular disease in mice. <i>Journal of Microscopy</i> , 2014 , 255, 42-8	1.9	12
237	Association between vitamin D status and markers of vascular health in patients with chronic fatigue syndrome/myalgic encephalomyelitis (CFS/ME). <i>International Journal of Cardiology</i> , 2014 , 174, 139-40	3.2	4
236	Common carotid intima media thickness and ankle-brachial pressure index correlate with local but not global atheroma burden: a cross sectional study using whole body magnetic resonance angiography. <i>PLoS ONE</i> , 2014 , 9, e99190	3.7	17
235	The impact of a bodyweight and physical activity intervention (BeWEL) initiated through a national colorectal cancer screening programme: randomised controlled trial. <i>BMJ, The</i> , 2014 , 348, g1823	5.9	63

234	Medical management of critical limb ischaemia: where do we stand today?. <i>Journal of Internal Medicine</i> , 2013 , 274, 295-307	10.8	36
233	Effect of short-term vitamin D supplementation on markers of vascular health in South Asian women living in the UK--a randomised controlled trial. <i>Atherosclerosis</i> , 2013 , 230, 293-9	3.1	49
232	Effects of vitamin D supplementation on markers of vascular function after myocardial infarction--a randomised controlled trial. <i>International Journal of Cardiology</i> , 2013 , 167, 745-9	3.2	54
231	Longitudinal assessment of endothelial function in the microvasculature of mice in-vivo. <i>Microvascular Research</i> , 2013 , 85, 86-92	3.7	9
230	Understanding the potential and challenges of adenoma treatment as a prevention opportunity: insights from the BeWEL formative study. <i>Preventive Medicine</i> , 2012 , 54, 97-103	4.3	26
229	Short-term effects of daily aspirin on cancer incidence, mortality, and non-vascular death: analysis of the time course of risks and benefits in 51 randomised controlled trials. <i>Lancet, The</i> , 2012 , 379, 1602-12	4.0	629
228	Effect of daily aspirin on risk of cancer metastasis: a study of incident cancers during randomised controlled trials. <i>Lancet, The</i> , 2012 , 379, 1591-601	4.0	715
227	Spiral laminar flow prosthetic bypass graft: medium-term results from a first-in-man structured registry study. <i>Annals of Vascular Surgery</i> , 2012 , 26, 1093-9	1.7	28
226	Large and small artery endothelial dysfunction in chronic fatigue syndrome. <i>International Journal of Cardiology</i> , 2012 , 154, 335-6	3.2	25
225	B-type natriuretic peptide is an independent predictor of endothelial function in man. <i>Clinical Science</i> , 2012 , 123, 307-12	6.5	21
224	Rosuvastatin might have an effect on C-reactive protein but not on rheumatoid disease activity: Tayside randomized controlled study. <i>Scottish Medical Journal</i> , 2012 , 57, 80-3	1.8	10
223	Mechanistic insights into the therapeutic use of high-dose allopurinol in angina pectoris. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 820-8	15.1	89
222	A feasibility study of a personalised lifestyle programme (HealthForce) for individuals who have participated in cardiovascular risk screening. <i>Preventive Medicine</i> , 2011 , 52, 387-9	4.3	8
221	Effect of daily aspirin on long-term risk of death due to cancer: analysis of individual patient data from randomised trials. <i>Lancet, The</i> , 2011 , 377, 31-41	4.0	1120
220	Effect of fibroblast growth factor NV1FGF on amputation and death: a randomised placebo-controlled trial of gene therapy in critical limb ischaemia. <i>Lancet, The</i> , 2011 , 377, 1929-37	4.0	255
219	Insights on the role of diabetes and geographic variation in patients with critical limb ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2011 , 42, 365-73	2.3	13
218	Study protocol for BeWEL: the impact of a BodyWEight and physical activity intervention on adults at risk of developing colorectal adenomas. <i>BMC Public Health</i> , 2011 , 11, 184	4.1	25
217	A novel approach to measuring skin elasticity in systemic sclerosis: results from a pilot study. <i>Scandinavian Journal of Rheumatology</i> , 2011 , 40, 211-6	1.9	1

216	Effect of hypoxia-inducible factor-1alpha gene therapy on walking performance in patients with intermittent claudication. <i>Circulation</i> , 2011 , 124, 1765-73	16.7	102
215	The Scottish-Finnish-Swedish PARTNER study of taprostene versus placebo treatment in patients with critical limb ischemia. <i>International Angiology</i> , 2011 , 30, 150-5	2.2	8
214	Relationship between maternal arterial wave reflection, microvascular function and fetal growth in normal pregnancy. <i>Microcirculation</i> , 2010 , 17, 608-14	2.9	15
213	Clinical improvement in rheumatoid arthritis is associated with healthier microvascular function in patients who respond to antirheumatic therapy. <i>Journal of Rheumatology</i> , 2010 , 37, 521-8	4.1	33
212	Physical and functional impact of chronic fatigue syndrome/myalgic encephalomyelitis in childhood. <i>Pediatrics</i> , 2010 , 125, e1324-30	7.4	43
211	The role of endothelial function and its assessment in rheumatoid arthritis. <i>Nature Reviews Rheumatology</i> , 2010 , 6, 253-61	8.1	62
210	Results of the randomized, placebo-controlled clopidogrel and acetylsalicylic acid in bypass surgery for peripheral arterial disease (CASPAR) trial. <i>Journal of Vascular Surgery</i> , 2010 , 52, 825-33, 833.e1-2	3.5	217
209	Plasma IL-6, its soluble receptors and F2-isoprostanes at rest and during exercise in chronic fatigue syndrome. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2010 , 20, 282-90	4.6	28
208	Biochemical and vascular aspects of pediatric chronic fatigue syndrome. <i>JAMA Pediatrics</i> , 2010 , 164, 817-23		16
207	Etanercept improves inflammation-associated arterial stiffness in rheumatoid arthritis. <i>Rheumatology</i> , 2009 , 48, 1418-23	3.9	45
206	The beneficial effects of breastfeeding on microvascular function in 11- to 14-year-old children. <i>Vascular Medicine</i> , 2009 , 14, 137-42	3.3	14
205	Optimization of the contrast dose and injection rates in whole-body MR angiography at 3.0T. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 30, 1059-67	5.6	13
204	Therapeutic development in cardiac syndrome X: a need to target the underlying pathophysiology. <i>Cardiovascular Therapeutics</i> , 2009 , 27, 49-58	3.3	22
203	The inhibitory effects of local anaesthetics on the vascular flare responses to bradykinin and substance P in human skin. <i>Anaesthesia</i> , 2008 , 63, 151-5	6.6	20
202	Current concepts in assessment of microvascular endothelial function using laser Doppler imaging and iontophoresis. <i>Trends in Cardiovascular Medicine</i> , 2008 , 18, 109-16	6.9	117
201	Birth weight does not predict blood pressure in a young working population: a sharp (Scottish Heart and Arterial Disease Risk Prevention) study. <i>Annals of Epidemiology</i> , 2008 , 18, 298-301	6.4	8
200	The association between serum urate levels and arterial stiffness/endothelial function in stroke survivors. <i>Atherosclerosis</i> , 2008 , 200, 374-9	3.1	18
199	Allopurinol treatment reduces arterial wave reflection in stroke survivors. <i>Cardiovascular Therapeutics</i> , 2008 , 26, 247-52	3.3	40

198	The Effects of Borage Oil Supplementation on Non-Steroidal Anti-Inflammatory Drug Requirements in Patients with Rheumatoid Arthritis. <i>Journal of Complementary and Integrative Medicine</i> , 2008 , 5,	1.5	2
197	C-reactive protein: the underlying cause of microvascular dysfunction in rheumatoid arthritis. <i>Rheumatology</i> , 2008 , 47, 1780-4	3.9	60
196	Macrovascular disease in systemic sclerosis: the tip of an iceberg?. <i>Rheumatology</i> , 2008 , 47 Suppl 5, v16-3.9	3.9	22
195	No difference in the association between birth weight and total cholesterol for males and females. A SHARP (Scottish Heart and Arterial Disease Risk Prevention) study. <i>Vascular Medicine</i> , 2008 , 13, 271-4	3.3	3
194	Cod liver oil (n-3 fatty acids) as an non-steroidal anti-inflammatory drug sparing agent in rheumatoid arthritis. <i>Rheumatology</i> , 2008 , 47, 665-9	3.9	120
193	Low-grade inflammation and arterial wave reflection in patients with chronic fatigue syndrome. <i>Clinical Science</i> , 2008 , 114, 561-6	6.5	33
192	Relationship between peripheral and coronary function using laser Doppler imaging and transthoracic echocardiography. <i>Clinical Science</i> , 2008 , 115, 295-300	6.5	105
191	The prevention of progression of arterial disease and diabetes (POPADAD) trial: factorial randomised placebo controlled trial of aspirin and antioxidants in patients with diabetes and asymptomatic peripheral arterial disease. <i>BMJ, The</i> , 2008 , 337, a1840	5.9	629
190	Intensive insulin therapy improves endothelial function and microvascular reactivity in young people with type 1 diabetes. <i>Diabetologia</i> , 2008 , 51, 353-60	10.3	34
189	Mechanisms influencing the vasoactive effects of lidocaine in human skin. <i>Anaesthesia</i> , 2007 , 62, 146-50	6.6	46
188	Left ventricular hypertrophy is present in one-half of newly-diagnosed peripheral arterial disease patients. <i>Journal of Hypertension</i> , 2007 , 25, 463-9	1.9	3
187	Changes in endothelial function precede the clinical disease in women in whom preeclampsia develops. <i>Hypertension</i> , 2006 , 47, e14; author reply e14-5	8.5	5
186	High-dose allopurinol improves endothelial function by profoundly reducing vascular oxidative stress and not by lowering uric acid. <i>Circulation</i> , 2006 , 114, 2508-16	16.7	415
185	Is chronic fatigue syndrome associated with platelet activation?. <i>Blood Coagulation and Fibrinolysis</i> , 2006 , 17, 89-92	1	6
184	Pathophysiology of Critical Limb Ischemia 2006 , 248-253		1
183	Vasoactive characteristics of bupivacaine and levobupivacaine with and without adjuvant epinephrine in peripheral human skin. <i>British Journal of Anaesthesia</i> , 2005 , 94, 662-7	5.4	52
182	Pilot study of the effects of local pressure on microvascular function in the diabetic foot. <i>Diabetic Medicine</i> , 2005 , 22, 1487-91	3.5	11
181	Oxidative stress levels are raised in chronic fatigue syndrome and are associated with clinical symptoms. <i>Free Radical Biology and Medicine</i> , 2005 , 39, 584-9	7.8	217

180	Endothelin-1 levels predict 3-year survival in patients who have amputation for critical leg ischaemia. <i>British Journal of Surgery</i> , 2005 , 92, 1377-81	5.3	10
179	Investigation of platelet glycoprotein IIIa polymorphism using flow cytometry in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2005 , 34, 437-40	1.9	2
178	Changes in endothelial function precede the clinical disease in women in whom preeclampsia develops. <i>Hypertension</i> , 2005 , 46, 1123-8	8.5	85
177	Influence of vehicle resistance on transdermal iontophoretic delivery of acetylcholine and sodium nitroprusside in humans. <i>Journal of Applied Physiology</i> , 2004 , 97, 883-7	3.7	26
176	Sudden unexpected death in heart failure may be preceded by short term, intraindividual increases in inflammation and in autonomic dysfunction: a pilot study. <i>Heart</i> , 2004 , 90, 1263-8	5.1	30
175	Dietary lipids and vascular function: UK Food Standards Agency workshop report. <i>British Journal of Nutrition</i> , 2004 , 91, 491-500	3.6	23
174	Spiral laminar flow in the abdominal aorta: a predictor of renal impairment deterioration in patients with renal artery stenosis?. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 1786-91	4.3	44
173	Increased neutrophil apoptosis in chronic fatigue syndrome. <i>Journal of Clinical Pathology</i> , 2004 , 57, 891-3	3.9	45
172	Guidelines on the management of secondary prophylaxis of vascular events in stable patients in primary care. <i>International Journal of Clinical Practice</i> , 2004 , 58, 153-68	2.9	3
171	The effect of adjuvant epinephrine concentration on the vasoactivity of the local anesthetics bupivacaine and levobupivacaine in human skin. <i>Regional Anesthesia and Pain Medicine</i> , 2004 , 29, 307-11	3.4	7
170	Plasma endothelin-1 levels in chronic fatigue syndrome. <i>British Journal of Rheumatology</i> , 2004 , 43, 252-3; author reply 253-4		4
169	Acetylcholine mediated vasodilatation in the microcirculation of patients with chronic fatigue syndrome. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2004 , 70, 403-7	2.8	6
168	The specificity of the CDC-1994 criteria for chronic fatigue syndrome: comparison of health status in three groups of patients who fulfill the criteria. <i>Annals of Epidemiology</i> , 2004 , 14, 95-100	6.4	32
167	Peripheral cholinergic function in humans with chronic fatigue syndrome, Gulf War syndrome and with illness following organophosphate exposure. <i>Clinical Science</i> , 2004 , 106, 183-9	6.5	17
166	The effects of dietary fatty acid supplementation on endothelial function and vascular tone in healthy subjects. <i>Cardiovascular Research</i> , 2003 , 59, 955-62	9.9	94
165	Differences in endothelial function and vascular reactivity between Scottish and Arabic populations. <i>Scottish Medical Journal</i> , 2003 , 48, 85-7	1.8	4
164	A study of whole blood platelet and white cell aggregation using a laser flow aggregometer. <i>Platelets</i> , 2003 , 14, 103-8	3.6	2
163	Vasoactive properties of lignocaine administered by iontophoresis in human skin. <i>Clinical Science</i> , 2003 , 104, 87	6.5	2

162	Chemical synthesis and microvascular effects of new nitric oxide donors in humans. <i>Clinical Science</i> , 2003 , 105, 577-84	6.5	16
161	Are national cardiac guidelines being applied by vascular surgeons?. <i>European Journal of Vascular and Endovascular Surgery</i> , 2003 , 26, 623-8	2.3	23
160	Two-dimensional flow quantitative MRI of aortic arch blood flow patterns: Effect of age, sex, and presence of carotid atheromatous disease on prevalence of spiral blood flow. <i>Journal of Magnetic Resonance Imaging</i> , 2003 , 18, 169-74	5.6	42
159	Association of common variation in glutathione S-transferase genes with premature development of cardiovascular disease in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 854-5		29
158	Prolonged acetylcholine-induced vasodilatation in the peripheral microcirculation of patients with chronic fatigue syndrome. <i>Clinical Physiology and Functional Imaging</i> , 2003 , 23, 282-5	2.4	12
157	Mechanisms contributing to the vaso-active effects of prilocaine in human skin. <i>Anaesthesia</i> , 2003 , 58, 6-10	6.6	8
156	Impaired microvascular function in normal children: effects of adiposity and poor glucose handling. <i>Journal of Physiology</i> , 2003 , 551, 705-11	3.9	53
155	Dark chocolate inhibits platelet aggregation in healthy volunteers. <i>Platelets</i> , 2003 , 14, 325-7	3.6	77
154	Critical issues in peripheral arterial disease detection and management: a call to action. <i>Archives of Internal Medicine</i> , 2003 , 163, 884-92		398
153	Cost-effective, risk-free, evidence-based medicine. <i>Archives of Internal Medicine</i> , 2003 , 163, 2795; author reply 2795-6		11
152	Rheumatoid arthritis and macrovascular disease. <i>British Journal of Rheumatology</i> , 2003 , 42, 292-7		99
151	A randomised, double blind, placebo-controlled study to determine the efficacy of immune modulation therapy in the treatment of patients suffering from peripheral arterial occlusive disease with intermittent claudication. <i>European Journal of Vascular and Endovascular Surgery</i> , 2002 , 24, 287-91	2.3	14
150	Immune modulation therapy. <i>European Journal of Vascular and Endovascular Surgery</i> , 2002 , 24, 466-7; author reply 467-9	2.3	
149	Blood flow changes in diabetic foot ulcers treated with dermal replacement therapy. <i>Journal of Foot and Ankle Surgery</i> , 2002 , 41, 233-7	1.6	40
148	Activated factor XII in rheumatoid arthritis. <i>Rheumatology International</i> , 2002 , 22, 182-4	3.6	19
147	Metabolic, endocrine and haemodynamic risk factors in the patient with peripheral arterial disease. <i>Diabetes, Obesity and Metabolism</i> , 2002 , 4 Suppl 2, S7-13	6.7	11
146	The use of Ginkgo biloba in Raynaud's disease: a double-blind placebo-controlled trial. <i>Vascular Medicine</i> , 2002 , 7, 265-7	3.3	48
145	Allopurinol improves endothelial dysfunction in chronic heart failure. <i>Circulation</i> , 2002 , 106, 221-6	16.7	389

144	The inflammatory process in intermittent claudication. <i>European Heart Journal Supplements</i> , 2002 , 4, B31-B34	1.5	9
143	Circadian variation in vascular tone and endothelial cell function in normal males. <i>Clinical Science</i> , 2002 , 102, 547-552	6.5	67
142	Circadian variation in vascular tone and endothelial cell function in normal males. <i>Clinical Science</i> , 2002 , 102, 547	6.5	29
141	Assessment of microvascular endothelial function in human skin. <i>Clinical Science</i> , 2001 , 101, 567-572	6.5	56
140	Assessment of microvascular endothelial function in human skin. <i>Clinical Science</i> , 2001 , 101, 567	6.5	21
139	The Scottish Heart and Arterial Risk Prevention (SHARP) survey of cardiovascular risk: regional differences. <i>Scottish Medical Journal</i> , 2001 , 46, 108-10	1.8	1
138	European multicentre study to define disease activity criteria for systemic sclerosis. II. Identification of disease activity variables and development of preliminary activity indexes. <i>Annals of the Rheumatic Diseases</i> , 2001 , 60, 592-8	2.4	223
137	European multicentre study to define disease activity criteria for systemic sclerosis. I. Clinical and epidemiological features of 290 patients from 19 centres. <i>Annals of the Rheumatic Diseases</i> , 2001 , 60, 585-91	2.4	65
136	Results of a survey of cardiovascular risk factor prevalence amongst health care workers. The Executive Committee of SHARP--(Scottish Heart and Arterial Risk Prevention). <i>Scottish Medical Journal</i> , 2000 , 45, 84-5	1.8	2
135	Evening primrose oil and borage oil in rheumatologic conditions. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 352S-6S	7	106
134	Impaired skin microvascular function in children, adolescents, and young adults with type 1 diabetes. <i>Diabetes Care</i> , 2000 , 23, 215-20	14.6	178
133	Macrovascular disease and systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2000 , 59, 39-43	2.4	120
132	Allopurinol normalizes endothelial dysfunction in type 2 diabetics with mild hypertension. <i>Hypertension</i> , 2000 , 35, 746-51	8.5	372
131	Enhanced sensitivity of the peripheral cholinergic vascular response in patients with chronic fatigue syndrome. <i>American Journal of Medicine</i> , 2000 , 108, 736-9	2.4	19
130	Free radical scavenging activity of sulfonylureas: a clinical assessment of the effect of gliclazide. <i>Metabolism: Clinical and Experimental</i> , 2000 , 49, 23-6	12.7	45
129	Skin blood flow changes in response to intradermal injection of bupivacaine and levobupivacaine, assessed by laser Doppler imaging. <i>Regional Anesthesia and Pain Medicine</i> , 2000 , 25, 626-31	3.4	25
128	Elevated Levels of sE-selectin in Post-menopausal Females Are Decreased by Hormone Replacement Therapy to Levels Observed in Pre-menopausal Females. <i>Thrombosis and Haemostasis</i> , 1999 , 82, 1433-1436	7	15
127	Decrease in P-selectin levels in patients with hypercholesterolaemia and peripheral arterial occlusive disease after lipid-lowering treatment. <i>Vascular Medicine</i> , 1999 , 4, 23-6	3.3	21

126	Elevated plasma vascular endothelial cell growth factor and thrombomodulin in juvenile diabetic patients. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 1999 , 5, 21-4	3.3	40
125	Lipid-lowering and skin vascular responses in patients with hypercholesterolaemia and peripheral arterial obstructive disease. <i>Vascular Medicine</i> , 1999 , 4, 233-8	3.3	54
124	Pilot study of prevalence of asymptomatic peripheral arterial occlusive disease in patients with diabetes attending a hospital clinic. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 1999 , 16, 163-166		40
123	Endothelial activation and response in patients with hand arm vibration syndrome. <i>European Journal of Clinical Investigation</i> , 1999 , 29, 577-81	4.6	17
122	Skin perfusion in patients with erythromelalgia. <i>European Journal of Clinical Investigation</i> , 1999 , 29, 588-93	3.6	22
121	Endothelial integrity, soluble adhesion molecules and platelet markers in Type 1 diabetes mellitus. <i>Diabetic Medicine</i> , 1999 , 16, 86-7	3.5	2
120	Interleukin-8 (IL-8) may contribute to the activation of neutrophils in patients with peripheral arterial occlusive disease (PAOD). <i>European Journal of Vascular and Endovascular Surgery</i> , 1999 , 18, 434-8	2.3	33
119	Abnormal markers of endothelial cell activation and oxidative stress in children, adolescents and young adults with type 1 diabetes with no clinical vascular disease. <i>Diabetes/Metabolism Research and Reviews</i> , 1999 , 15, 405-11	7.5	74
118	Increased platelet activation in renal transplant patients. <i>Platelets</i> , 1999 , 10, 223-7	3.6	2
117	The beneficial effects of omega-3 and omega-6 essential fatty acid supplementation on red blood cell rheology. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1999 , 61, 13-7	2.8	21
116	Impaired skin vasomotor reflexes in patients with erythromelalgia. <i>Clinical Science</i> , 1999 , 96, 507	6.5	10
115	Lipid-lowering and skin vascular responses in patients with hypercholesterolaemia and peripheral arterial obstructive disease. <i>Vascular Medicine</i> , 1999 , 4, 233-238	3.3	3
114	Dietary supplementation with omega 3 and omega 6 fatty acids reduces induced white blood cell aggregation in healthy volunteers. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1998 , 58, 365-8	2.8	6
113	Soluble cell adhesion molecules--P-selectin and ICAM-1, and disease activity in patients receiving sulphasalazine for active rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 1998 , 27, 296-9	1.9	30
112	Clinical implications of soluble intercellular adhesion molecule-1 levels in systemic sclerosis. <i>British Journal of Rheumatology</i> , 1998 , 37, 1227-8		12
111	Influence of puberty on endothelial dysfunction and oxidative stress in young patients with type 1 diabetes. <i>Diabetes Care</i> , 1998 , 21, 1990-6	14.6	51
110	n-6 and n-3 essential fatty acids in rheumatoid arthritis and other rheumatic conditions. <i>Proceedings of the Nutrition Society</i> , 1998 , 57, 563-9	2.9	23
109	Raynaud's phenomenon. <i>Cardiovascular Research</i> , 1997 , 33, 25-30	9.9	21

108	An examination of some derivatives of S-nitroso-1-thiosugars as vasodilators. <i>Nitric Oxide - Biology and Chemistry</i> , 1997 , 1, 211-7	5	14
107	Skin blood flow after transdermal S-nitrosothio-acetylglucose. <i>Lancet, The</i> , 1997 , 350, 410-1	40	17
106	Cutaneous vascular responses to acetylcholine are mediated by a prostanoid-dependent mechanism in man. <i>Vascular Medicine</i> , 1997 , 2, 82-6	3.3	60
105	A high-speed gated baseline restorer and its implementation in a blood cell volume analyser. <i>Medical Engineering and Physics</i> , 1997 , 19, 267-72	2.4	1
104	Oral L-arginine supplementation and cutaneous vascular responses in patients with primary Raynaud's phenomenon. <i>Arthritis and Rheumatism</i> , 1997 , 40, 352-7		53
103	The white blood cell adhesion molecule E-selectin predicts restenosis in patients with intermittent claudication undergoing percutaneous transluminal angioplasty. <i>Circulation</i> , 1997 , 95, 2027-31	16.7	56
102	Randomized, double-blind, placebo-controlled study evaluating the efficacy and safety of AS-013, a prostaglandin E1 prodrug, in patients with intermittent claudication. <i>Circulation</i> , 1997 , 95, 2298-302	16.7	49
101	Leukocyte activation and toxic oxygen metabolites/free radicals. <i>Advances in Experimental Medicine and Biology</i> , 1997 , 428, 1-5	3.6	1
100	Cutaneous microvascular responses are improved after cholesterol-lowering in patients with peripheral vascular disease and hypercholesterolaemia. <i>Advances in Experimental Medicine and Biology</i> , 1997 , 428, 49-54	3.6	9
99	Adhesion molecules in untreated inflammatory arthritis: synovial expression and levels in synovial fluid and serum [corrected]. <i>QJM - Monthly Journal of the Association of Physicians</i> , 1996 , 89, 195-203	2.7	8
98	Pharmacotherapy of Raynaud's phenomenon. <i>Drugs</i> , 1996 , 52, 682-95	12.1	47
97	Impaired skin blood flow response to heat in children with insulin-dependent diabetes. <i>International Journal of Angiology</i> , 1996 , 5, 189-191	1.1	2
96	Thrombolysis in the management of limb arterial occlusion. Towards a consensus interim report. Working Party on Thrombolysis in the Management of Limb Ischaemia. <i>Journal of Internal Medicine</i> , 1996 , 240, 343-55	10.8	16
95	Use of lightguide spectrophotometry to quantify skin oxygenation in a variable model of venous hypertension. <i>British Journal of Surgery</i> , 1995 , 82, 1352-6	5.3	21
94	Short Communication: A Circadian Rhythm may Exist in Healthy Controls for Soluble P-Selectin and Platelet Count. <i>Platelets</i> , 1995 , 6, 414-5	3.6	9
93	A comparative study of captopril and enalapril on endothelial cell function in congestive heart failure patients. <i>Angiology</i> , 1995 , 46, 811-7	2.1	6
92	Oral iloprost as a treatment for Raynaud's syndrome: a double blind multicentre placebo controlled study. <i>Annals of the Rheumatic Diseases</i> , 1995 , 54, 197-200	2.4	38
91	Digital blood flow response to body warming, cooling, and rewarming in patients with Raynaud's phenomenon. <i>Angiology</i> , 1995 , 46, 1-10	2.1	24

90	Increased prevalence of symptomatic macrovascular disease in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 1995 , 54, 853-5	2.4	84
89	A late increase in free radical activity post myocardial infarction. <i>European Heart Journal</i> , 1995 , 16, 899-903	3.5	5
88	Reduced red blood cell deformability in patients with rheumatoid vasculitis. Improvement after in vitro treatment with dipyridamole. <i>Arthritis and Rheumatism</i> , 1995 , 38, 248-53		5
87	Treatment of vasculitic leg ulcers in connective tissue disease with iloprost. <i>Clinical Rheumatology</i> , 1995 , 14, 187-90	3.9	10
86	Neutrophils may contribute to the morbidity and mortality of claudicants. <i>British Journal of Surgery</i> , 1994 , 81, 790-8	5.3	28
85	Erythropoietin does not increase whole-blood platelet aggregation in vitro. <i>Nephrology Dialysis Transplantation</i> , 1994 , 9, 556-8	4.3	1
84	Sylvester O'Balloran surgical scientific meeting. <i>Irish Journal of Medical Science</i> , 1994 , 163, 517-532	1.9	1
83	Management of intra-arterial injection injury with iloprost. <i>Lancet, The</i> , 1994 , 343, 419	4.0	14
82	The relationship between white blood cells and arterial disease. <i>Current Opinion in Lipidology</i> , 1994 , 5, 440-6	4.4	20
81	Endothelial dysfunction in acute myocardial infarction after reperfusion. <i>American Heart Journal</i> , 1993 , 126, 451-2	4.9	11
80	Cicaprost, an orally active prostacyclin analogue: its effects on platelet aggregation and skin blood flow in normal volunteers. <i>British Journal of Clinical Pharmacology</i> , 1993 , 35, 643-7	3.8	13
79	No effect of endotoxin on platelet aggregation. <i>Platelets</i> , 1993 , 4, 285-6	3.6	1
78	Abnormal plasma fibrinolysis in patients with rheumatoid arthritis and impaired endothelial fibrinolytic response in those complicated by vasculitis. <i>Annals of the Rheumatic Diseases</i> , 1993 , 52, 643-9	2.4	21
77	Baseline plasma fibrinolysis and its correlation with clinical manifestations in patients with Raynaud's phenomenon. <i>Annals of the Rheumatic Diseases</i> , 1993 , 52, 443-8	2.4	17
76	Increased whole blood platelet aggregation in patients with Raynaud's phenomenon with or without systemic sclerosis. <i>Scandinavian Journal of Rheumatology</i> , 1993 , 22, 97-101	1.9	30
75	Large vessel disease in CREST. <i>Annals of the Rheumatic Diseases</i> , 1993 , 52, 837-8	2.4	2
74	Oxygen free radicals and platelet and granulocyte aggregability in renal transplant patients. <i>Transplantation</i> , 1993 , 55, 500-4	1.8	38
73	Endothelial Cell and Platelet Function in Marfan's Syndrome. <i>Endothelium: Journal of Endothelial Cell Research</i> , 1993 , 1, 203-206		10

72	A physician's approach to vasospasm. <i>Scottish Medical Journal</i> , 1993 , 38, 133-5	1.8	1
71	Effect of erythropoietin therapy and withdrawal on blood coagulation and fibrinolysis in hemodialysis patients. <i>Kidney International</i> , 1993 , 44, 182-90	9.9	29
70	Post-traumatic axillary artery thrombosis dissolution with low-dose intra-arterial streptokinase. <i>Injury</i> , 1993 , 24, 212-3	2.5	
69	Irish cardiac society. <i>Irish Journal of Medical Science</i> , 1993 , 162, 195-207	1.9	
68	Age, sex, cigarette smoking and indices of free radical activity in healthy humans. <i>The European Journal of Medicine</i> , 1993 , 2, 205-8		15
67	Platelets and oxygen free radicals. <i>Platelets</i> , 1992 , 3, 175-80	3.6	3
66	Platelet aggregation in erythropoietin treated dialysis patients. <i>Platelets</i> , 1992 , 3, 47-52	3.6	7
65	White blood cell activation in Raynaud's phenomenon of systemic sclerosis and vibration induced white finger syndrome. <i>Annals of the Rheumatic Diseases</i> , 1992 , 51, 249-52	2.4	36
64	Free radicals and their scavenging in stroke. <i>Scottish Medical Journal</i> , 1992 , 37, 67-8	1.8	6
63	Is there a role for natural remedies in rheumatoid arthritis?. <i>Scottish Medical Journal</i> , 1992 , 37, 100-2	1.8	
62	Erythromelalgia: a personal perspective. <i>Journal of Dermatological Treatment</i> , 1992 , 3, 153-158	2.8	3
61	Circadian rhythm of white blood cell aggregation and free radical status in healthy volunteers. <i>Free Radical Research Communications</i> , 1992 , 16, 89-97		27
60	Beta-adrenoceptor antagonists enhance white blood cell aggregation in patients with ischaemic heart disease. <i>British Journal of Clinical Pharmacology</i> , 1992 , 34, 272-4	3.8	
59	Effects of gliclazide on platelet reactivity and free radicals in type II diabetic patients: clinical assessment. <i>Metabolism: Clinical and Experimental</i> , 1992 , 41, 36-9	12.7	81
58	Detection of microvascular impairment in type I diabetics by laser Doppler flowmetry. <i>Clinical Physiology</i> , 1992 , 12, 195-208		56
57	Prothrombotic effect of erythropoietin in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 1992 , 7, 235-9	4.3	36
56	The in vitro free radical scavenging activity of tenidap, a new dual cyclo-oxygenase and 5-lipoxygenase inhibitor. <i>Mediators of Inflammation</i> , 1992 , 1, 141-3	4.3	1
55	Circadian variation of white blood cell aggregation and free radical indices in men with ischaemic heart disease. <i>European Heart Journal</i> , 1992 , 13, 1632-6	9.5	38

54	Erythromelalgia: Symptom or Syndrome?. <i>Vascular Medicine Review</i> , 1992 , vmr-3, 31-39		5
53	Dipyridamole increases human red blood cell deformability. <i>European Journal of Clinical Pharmacology</i> , 1992 , 42, 651-4	2.8	3
52	Effect of dialyzer geometry during hemodialysis with cuprophane membranes. <i>Kidney International</i> , 1992 , 42, 442-7	9.9	10
51	Relationship between the extent of coronary artery disease and indicators of free radical activity. <i>Clinical Cardiology</i> , 1992 , 15, 169-74	3.3	32
50	Lipid peroxidation and antioxidants in continuous ambulatory dialysis patients. <i>Peritoneal Dialysis International</i> , 1992 , 12, 252-6	2.8	13
49	Raynaud's phenomenon. <i>Current Opinion in Rheumatology</i> , 1991 , 3, 960-6	5.3	12
48	The relationship of oxidative stress to thrombotic tendency in type 1 diabetic patients with retinopathy. <i>Diabetic Medicine</i> , 1991 , 8, 860-5	3.5	58
47	Gliclazide: a general free radical scavenger. <i>European Journal of Pharmacology</i> , 1991 , 208, 175-7		83
46	Oxidative effects of laser photocoagulation. <i>Free Radical Biology and Medicine</i> , 1991 , 11, 327-30	7.8	14
45	The effects of thromboxane receptor blockade on platelet aggregation and digital skin blood flow in patients with secondary Raynaud's syndrome. <i>Rheumatology International</i> , 1991 , 11, 163-8	3.6	10
44	The pharmacokinetics of dermatan sulphate MF701 in healthy human volunteers. <i>British Journal of Clinical Pharmacology</i> , 1991 , 32, 361-6	3.8	21
43	Erythropoietin and spontaneous platelet aggregation in haemodialysis patients. <i>Lancet, The</i> , 1991 , 338, 1361-2	4.0	48
42	Iloprost and risk of thromboembolism. <i>American Journal of Medicine</i> , 1991 , 91, 666-8	2.4	6
41	Probucol, a superoxide free radical scavenger in vitro. <i>Atherosclerosis</i> , 1991 , 89, 263-5	3.1	45
40	Effect of dipyridamole alone and in combination with aspirin on whole blood platelet aggregation, PGI ₂ generation, and red cell deformability ex vivo in man. <i>Cardiovascular Research</i> , 1991 , 25, 177-83	9.9	16
39	Evidence for enhanced free radical activity in chronic congestive heart failure secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1990 , 65, 1261-2	3	123
38	Effect of atrial natriuretic factor on platelet function in whole blood ex-vivo in man. <i>European Journal of Clinical Pharmacology</i> , 1990 , 39, 589-91	2.8	4
37	Fish oil and rheumatoid arthritis: does a herring a day keep rheumatologists away?. <i>Annals of the Rheumatic Diseases</i> , 1990 , 49, 71-2	2.4	6

36	The phenomenon, syndrome and disease of Maurice Raynaud. <i>Rheumatology</i> , 1990 , 29, 162-5	3.9	16
35	A platelet counting technique to study platelet aggregation in whole blood: application to pathologically low platelet counts. <i>Platelets</i> , 1990 , 1, 151-3	3.6	3
34	Free radical pathology in chronic arterial disease. <i>Free Radical Biology and Medicine</i> , 1989 , 6, 375-8	7.8	68
33	Captopril: a free radical scavenger. <i>British Journal of Clinical Pharmacology</i> , 1989 , 27, 396-9	3.8	80
32	Leukotriene b4 production by peripheral blood neutrophils in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 1989 , 18, 213-9	1.9	10
31	Platelet aggregation inhibitory effects of the new positive inotropic agents pimobendan and UD CG 212 in whole blood. <i>Cardiovascular Research</i> , 1989 , 23, 184-90	9.9	9
30	Raynaud's phenomenon. <i>Current Opinion in Rheumatology</i> , 1989 , 1, 490-8	5.3	6
29	The therapeutic effects of dietary fatty acid supplementation in the autoimmune disease of the MRL-mp-lpr/lpr mouse. <i>International Journal of Immunopharmacology</i> , 1988 , 10, 467-71		13
28	A double blind randomised placebo controlled trial of hexopal in primary Raynaud's disease. <i>Clinical Rheumatology</i> , 1988 , 7, 46-9	3.9	22
27	Oesophageal ischaemia in motility disorders associated with chest pain. <i>Lancet, The</i> , 1988 , 2, 592-5	4.0	44
26	A comparison of the free radical scavenging activity of leukotrienes and prostaglandins. <i>Free Radical Research Communications</i> , 1988 , 5, 95-9		7
25	Effects of altering dietary essential fatty acids on requirements for non-steroidal anti-inflammatory drugs in patients with rheumatoid arthritis: a double blind placebo controlled study. <i>Annals of the Rheumatic Diseases</i> , 1988 , 47, 96-104	2.4	158
24	Microvascular disease and limited joint mobility in diabetes. A comparison of fibrinolysis and prostacyclin in diabetes and systemic sclerosis. <i>Diabetic Medicine</i> , 1988 , 5, 53-6	3.5	4
23	Whole blood white cell aggregation: a novel technique. <i>Thrombosis Research</i> , 1987 , 48, 631-9	8.2	7
22	Abnormal biochemical and cellular parameters in the blood of patients with Raynauds phenomenon. <i>Scottish Medical Journal</i> , 1987 , 32, 12-4	1.8	17
21	Vascular damage and factor-VIII-related antigen in the rheumatic diseases. <i>Rheumatology International</i> , 1987 , 7, 107-11	3.6	72
20	Platelet changes after a saturated fat meal and their prevention by Dazmegrel, a thromboxane synthetase inhibitor. <i>Lipids</i> , 1987 , 22, 159-62	1.6	12
19	Abnormalities of vascular prostaglandins in Henoch-Schlelein purpura. <i>Archives of Disease in Childhood</i> , 1986 , 61, 173-7	2.2	17

18	Effects of dietary supplementation on autoimmunity in the MRL/lpr mouse: a preliminary investigation. <i>Annals of the Rheumatic Diseases</i> , 1986 , 45, 1019-24	2.4	19
17	Increased prostacyclin metabolites and decreased red cell deformability in patients with systemic sclerosis and Raynauds syndrome. <i>Prostaglandins, Leukotrienes, and Medicine</i> , 1985 , 17, 1-9		25
16	The effect of a prostacyclin analogue (Iloprost) on skin temperature. <i>Prostaglandins, Leukotrienes, and Medicine</i> , 1985 , 19, 301-3		5
15	A multiclinic, placebo-controlled, double-blind study of prostaglandin E1 in Raynaud's syndrome. <i>Annals of the Rheumatic Diseases</i> , 1985 , 44, 754-60	2.4	48
14	Modification of haemophilic haemorrhage pain by transcutaneous electrical nerve stimulation. <i>Pain</i> , 1985 , 21, 43-48	8	22
13	Development of a radioimmunoassay for the measurement of prostacyclin metabolites in unextracted plasma. <i>Thrombosis Research</i> , 1985 , 37, 177-83	8.2	15
12	Decreased plasma fibrinolysis in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 1984 , 43, 774-7	2.4	21
11	Modification of induced ischaemic pain by transcutaneous electrical nerve stimulation. <i>Pain</i> , 1984 , 20, 45-52	8	21
10	The effects of intravenous ZK36-374, a stable prostacyclin analogue, on normal volunteers. <i>Prostaglandins</i> , 1984 , 28, 67-77		43
9	The effect of a nicotine containing chewing gum on the coagulation system in normal volunteers. <i>Thrombosis Research</i> , 1984 , 35, 99-104	8.2	8
8	Total knee arthroplasty in haemophilic arthritis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 1983 , 65, 163-5		42
7	Subcutaneous ancrod in prevention of deep vein thrombosis after hip replacement surgery. <i>Thrombosis Research</i> , 1982 , 25, 23-31	8.2	22
6	Sustained Increase in Anti-Xa Activity by Low-Dose Heparin in Medical Patients. <i>Thrombosis and Haemostasis</i> , 1982 , 47, 296-296	7	
5	Prevention of deep vein thrombosis in medical patients by low-dose heparin. <i>Scottish Medical Journal</i> , 1981 , 26, 115-7	1.8	146
4	Prostacyclin reduces red cell deformability. <i>Thrombosis and Haemostasis</i> , 1981 , 45, 189	7	4
3	Platelet Aggregation after Elevation of Factor VIII Following DDAVP Infusion in Haemophilia A Patients. <i>Thrombosis and Haemostasis</i> , 1980 , 44, 168-168	7	
2	Blood viscosity in young male diabetics with and without retinopathy. <i>Diabetologia</i> , 1980 , 18, 359-63	10.3	63
1	Low Dose Heparin in the Prevention of Deep-Vein Thrombosis after Aortic Bifurcation Graft Surgery. <i>Thrombosis and Haemostasis</i> , 1979 , 42, 1429-1433	7	14

