

# Istvn Ilisz

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1572629/istvan-ilisz-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114  
papers

2,498  
citations

26  
h-index

44  
g-index

116  
ext. papers

2,685  
ext. citations

3.9  
avg, IF

5  
L-index

#	Paper	IF	Citations
114	Enantioselective high-performance liquid chromatographic separation of fluorinated $\beta$ -phenylalanine derivatives utilizing Cinchona alkaloid-based ion-exchanger chiral stationary phases: Enantioselective separation of fluorinated $\beta$ -phenylalanine derivatives.. <i>Journal of Chromatography A</i> , <b>2022</b> , 1672, 463050	4.5	0
113	Enantiomeric separation of newly synthesized amino, thio, and oxy derivatives of monoterpene lactones, amides, and ester applying polysaccharide-based chiral stationary phases in normal-phase mode.. <i>Journal of Chromatography A</i> , <b>2022</b> , 1672, 463050	4.5	0
112	High-performance liquid chromatographic evaluation of strong cation exchanger-based chiral stationary phases focusing on stationary phase characteristics and mobile phase effects employing enantiomers of tetrahydro- $\beta$ -carboline and 1,2,3,4-tetrahydroisoquinoline analogs. <i>Journal of Chromatography A</i> , <b>2021</b> , 1611, 462181	4.5	2
111	Enantioselective Liquid Chromatographic Separations Using Macrocyclic Glycopeptide-Based Chiral Selectors. <i>Molecules</i> , <b>2021</b> , 26,	4.8	7
110	Cinchona-alkaloid-based zwitterionic chiral stationary phases as potential tools for high-performance liquid chromatographic enantioseparation of cationic compounds of pharmaceutical relevance. <i>Journal of Separation Science</i> , <b>2021</b> , 44, 2735-2743	3.4	0
109	Polysaccharide-based chiral stationary phases as efficient tools for diastereo- and enantioseparation of natural and synthetic Cinchona alkaloid analogs. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2021</b> , 193, 113724	3.5	6
108	Liquid Chromatographic Enantioseparations Utilizing Chiral Stationary Phases Based on Crown Ethers and Cyclofructans. <i>Molecules</i> , <b>2021</b> , 26,	4.8	4
107	Unexpected effects of mobile phase solvents and additives on retention and resolution of N-acyl-D,L-leucine applying Cinchonane-based chiral ion exchangers. <i>Journal of Chromatography A</i> , <b>2021</b> , 1648, 462212	4.5	2
106	Enantioseparation of $\beta$ -amino acids by liquid chromatography using core-shell chiral stationary phases based on teicoplanin and teicoplanin aglycone. <i>Journal of Chromatography A</i> , <b>2021</b> , 1653, 462383	4.5	1
105	SZR-104, a Novel Kynurenic Acid Analogue with High Permeability through the Blood-Brain Barrier. <i>Pharmaceutics</i> , <b>2021</b> , 13,	6.4	4
104	Analytical Methodologies for the Characterization and Analysis of the Parent Compound and Phase I Metabolites of 4F-MDMB-BICA in Human Microsome, Urine, and Blood Samples. <i>Journal of Analytical Toxicology</i> , <b>2021</b> ,	2.9	3
103	High-performance liquid chromatographic enantioseparation of isopulegol-based $\beta$ -amino lactone and $\beta$ -amino amide analogs on polysaccharide-based chiral stationary phases focusing on the change of the enantiomer elution order. <i>Journal of Chromatography A</i> , <b>2020</b> , 1621, 461054	4.5	8
102	Liquid chromatographic resolution of natural and racemic Cinchona alkaloid analogues using strong cation- and zwitterion ion-exchange type stationary phases. Qualitative evaluation of stationary phase characteristics and mobile phase effects on stereoselectivity and retention. <i>Journal of Chromatography A</i> , <b>2020</b> , 1622, 461066	4.5	4
101	Enantioseparation of $\beta$ -carboline, tetrahydroisoquinoline and benzazepine analogues of pharmaceutical importance: Utilization of chiral stationary phases based on polysaccharides and sulfonic acid modified Cinchonaalkaloids in high-performance liquid and subcritical fluid chromatography. <i>Journal of Chromatography A</i> , <b>2020</b> , 1615, 460771	4.5	4
100	Heart-cutting two-dimensional liquid chromatography coupled to quadrupole-orbitrap high resolution mass spectrometry for determination of N,N-dimethyltryptamine in rat plasma and brain; Method development and application. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 191, 113215	3.5	2
99	Enantioselective resolution of biologically active dipeptide analogs by high-performance liquid chromatography applying Cinchona alkaloid-based ion-exchanger chiral stationary phases. <i>Journal of Chromatography A</i> , <b>2020</b> , 1611, 460574	4.5	7
98	Cyclodextrin-mediated capillary electrophoresis enantioseparation of dansylated $\beta$ -amino acids with bicyclo[2.2.2]octane, bicyclo[3.1.1]heptane and cyclopenta[d][1,2]oxazole core structures. <i>Electrophoresis</i> , <b>2019</b> , 40, 1931-1940	3.6	7

97	High-performance liquid chromatographic and subcritical fluid chromatographic separation of $\beta$ -arylated $\beta$ -carboline, N-alkylated tetrahydroisoquinolines and their bioisosteres on polysaccharide-based chiral stationary phases. <i>Journal of Separation Science</i> , <b>2019</b> , 42, 2779-2787	3.4	5
96	Cinchona Alkaloid-Based Zwitterionic Chiral Stationary Phases Applied for Liquid Chromatographic Enantiomer Separations: An Overview. <i>Methods in Molecular Biology</i> , <b>2019</b> , 1985, 251-277	1.4	2
95	High-Performance Liquid Chromatography Enantioseparations Using Macrocyclic Glycopeptide-Based Chiral Stationary Phases: An Overview. <i>Methods in Molecular Biology</i> , <b>2019</b> , 1985, 201-237	1.4	6
94	Chiral high-performance liquid and supercritical fluid chromatographic enantioseparations of limonene-based bicyclic aminoalcohols and aminodiols on polysaccharide-based chiral stationary phases. <i>Biomedical Chromatography</i> , <b>2019</b> , 33, e4517	1.7	5
93	Effects of N-methylation and amidination of cyclic $\beta$ -amino acids on enantioselectivity and retention characteristics using Cinchona alkaloid- and sulfonic acid-based chiral zwitterionic stationary phases. <i>Journal of Chromatography A</i> , <b>2018</b> , 1535, 72-79	4.5	7
92	Dedicated comparisons of diverse polysaccharide- and zwitterionic Cinchona alkaloid-based chiral stationary phases probed with basic and ampholytic indole analogs in liquid and subcritical fluid chromatography mode. <i>Journal of Chromatography A</i> , <b>2018</b> , 1563, 180-190	4.5	9
91	Comparative study on the liquid chromatographic enantioseparation of cyclic $\beta$ -amino acids and the related cyclic $\beta$ -aminohydroxamic acids on Cinchona alkaloid-based zwitterionic chiral stationary phases. <i>Journal of Separation Science</i> , <b>2018</b> , 41, 1216-1223	3.4	9
90	Exploring the enantiorecognition mechanism of Cinchona alkaloid-based zwitterionic chiral stationary phases and the basic trans-paroxetine enantiomers. <i>Journal of Separation Science</i> , <b>2018</b> , 41, 1199-1207	3.4	11
89	Liquid chromatographic enantiomer separations applying chiral ion-exchangers based on Cinchona alkaloids. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 159, 127-152	3.5	31
88	The establishment of tocopherol reference intervals for Hungarian adult population using a validated HPLC method. <i>Biomedical Chromatography</i> , <b>2017</b> , 31, e3953	1.7	4
87	Liquid and subcritical fluid chromatographic enantioseparation of N-Fmoc proteinogenic amino acids on Quinidine-based zwitterionic and anion-exchanger type chiral stationary phases. A comparative study. <i>Chirality</i> , <b>2017</b> , 29, 225-238	2.1	10
86	Liquid chromatographic enantioseparation of limonene-based carbocyclic $\beta$ -amino acids on zwitterionic Cinchona alkaloid-based chiral stationary phases. <i>Journal of Separation Science</i> , <b>2017</b> , 40, 3196-3204	3.4	7
85	Liquid chromatographic enantioseparation of carbocyclic $\beta$ -amino acids possessing limonene skeleton on macrocyclic glycopeptide-based chiral stationary phases. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 145, 119-126	3.5	14
84	State-of-the-art enantioseparations of natural and unnatural amino acids by high-performance liquid chromatography. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2016</b> , 81, 11-22	14.6	61
83	A Comparative Study of Enantioseparations of N-Fmoc Proteinogenic Amino Acids on Quinine-Based Zwitterionic and Anion Exchanger-Type Chiral Stationary Phases under Hydro-Organic Liquid and Subcritical Fluid Chromatographic Conditions. <i>Molecules</i> , <b>2016</b> , 21,	4.8	10
82	High-performance liquid chromatographic enantioseparation of fluorinated cyclic ( $\beta$ )-amino acid derivatives on polysaccharide-based chiral stationary phases. Comparison with nonfluorinated counterparts. <i>Biomedical Chromatography</i> , <b>2016</b> , 30, 1441-8	1.7	4
81	Combinatorial effects of the configuration of the cationic and the anionic chiral subunits of four zwitterionic chiral stationary phases leading to reversal of elution order of cyclic $\beta$ -amino acid enantiomers as ampholytic model compounds. <i>Journal of Chromatography A</i> , <b>2016</b> , 1467, 178-187	4.5	17
80	Mechanistic considerations of enantiorecognition on novel Cinchona alkaloid-based zwitterionic chiral stationary phases from the aspect of the separation of trans-paroxetine enantiomers as model compounds. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2016</b> , 124, 164-173	3.5	33

79	High-performance liquid chromatographic enantioseparation of cyclic $\beta$ -amino hydroxamic acids on zwitterionic chiral stationary phases based on Cinchona alkaloids. <i>Analytica Chimica Acta</i> , <b>2016</b> , 921, 84-94	6.6	17
78	Enantioseparation of $\beta$ -carboline derivatives on polysaccharide- and strong cation exchanger-based chiral stationary phases. A comparative study. <i>Journal of Chromatography A</i> , <b>2016</b> , 1467, 188-198	4.5	8
77	Ultra-trace Analysis of Enantiomeric Impurities in Proteinogenic N-Fmoc-Amino-acid Samples on Cinchona Alkaloid-based Chiral Stationary Phases. <i>Israel Journal of Chemistry</i> , <b>2016</b> , 56, 1042-1051	3.4	6
76	Exploring the enantioseparation of amino-naphthol analogues by supercritical fluid chromatography. <i>Journal of Chromatography A</i> , <b>2015</b> , 1387, 123-33	4.5	12
75	High-performance liquid chromatographic enantioseparation of cationic 1,2,3,4-tetrahydroisoquinoline analogs on Cinchona alkaloid-based zwitterionic chiral stationary phases. <i>Analytical and Bioanalytical Chemistry</i> , <b>2015</b> , 407, 961-72	4.4	13
74	Central nervous system-specific alterations in the tryptophan metabolism in the 3-nitropropionic acid model of Huntington's disease. <i>Pharmacology Biochemistry and Behavior</i> , <b>2015</b> , 132, 115-124	3.9	13
73	Application of Cinchona alkaloid-based zwitterionic chiral stationary phases in supercritical fluid chromatography for the enantioseparation of N-protected proteinogenic amino acids. <i>Journal of Chromatography A</i> , <b>2015</b> , 1415, 134-45	4.5	22
72	High-performance liquid chromatographic separation of paclitaxel intermediate phenylisoserine derivatives on macrocyclic glycopeptide and cyclofructan-based chiral stationary phases. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 114, 312-20	3.5	19
71	Chiral Liquid Chromatography: Recent Applications with Special Emphasis on the Enantioseparation of Amino Compounds <b>2015</b> , 299-320		
70	High-performance liquid chromatographic enantioseparation of amino alcohol analogues possessing 1,2,3,4-tetrahydroisoquinoline skeleton on polysaccharide-based chiral stationary phases. <i>Biomedical Chromatography</i> , <b>2015</b> , 29, 788-96	1.7	5
69	High-Performance Liquid Chromatographic Enantioseparation of Cyclic $\beta$ -Amino Acids on Zwitterionic Chiral Stationary Phases Based on Cinchona Alkaloids. <i>Chirality</i> , <b>2015</b> , 27, 563-70	2.1	16
68	High-performance liquid chromatographic separation of unusual ( $\beta$ )-amino acid enantiomers in different chromatographic modes on Cinchona alkaloid-based zwitterionic chiral stationary phases. <i>Amino Acids</i> , <b>2015</b> , 47, 2279-91	3.5	18
67	Investigation of the structure-selectivity relationships and van't Hoff analysis of chromatographic stereoisomer separations of unusual isoxazoline-fused 2-aminocyclopentanecarboxylic acids on Cinchona alkaloid-based chiral stationary phases. <i>Journal of Chromatography A</i> , <b>2015</b> , 1384, 67-75	4.5	13
66	Direct high-performance liquid chromatographic enantioseparation of secondary amino acids on Cinchona alkaloid-based chiral zwitterionic stationary phases. Unusual temperature behavior. <i>Journal of Chromatography A</i> , <b>2014</b> , 1363, 169-77	4.5	31
65	Enantioseparation of ( $\alpha$ )-amino acids on cinchona alkaloid-based zwitterionic chiral stationary phases. Structural and temperature effects. <i>Journal of Chromatography A</i> , <b>2014</b> , 1334, 44-54	4.5	26
64	Vacuum ultraviolet photolysis of diclofenac and the effects of its treated aqueous solutions on the proliferation and migratory responses of <i>Tetrahymena pyriformis</i> . <i>Science of the Total Environment</i> , <b>2014</b> , 468-469, 996-1006	10.2	18
63	Structural and temperature effects on enantiomer separations of bicyclo[2.2.2]octane-based 3-amino-2-carboxylic acids on cinchona alkaloid-based zwitterionic chiral stationary phases. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 98, 130-9	3.5	27
62	Comparison of the separation performances of cinchona alkaloid-based zwitterionic stationary phases in the enantioseparation of $\alpha$ - and $\beta$ -amino acids. <i>Molecules</i> , <b>2014</b> , 20, 70-87	4.8	16

61	B7 costimulation and intracellular indoleamine-2,3-dioxygenase (IDO) expression in peripheral blood of healthy pregnant and non-pregnant women. <i>BMC Pregnancy and Childbirth</i> , <b>2014</b> , 14, 306	3.2	19
60	Unusual temperature-induced retention behavior of constrained $\beta$ -amino acid enantiomers on the zwitterionic chiral stationary phases ZWIX(+) and ZWIX(-). <i>Chirality</i> , <b>2014</b> , 26, 385-93	2.1	33
59	Cyclodextrin-mediated enantioseparation of phenylalanine amide derivatives and amino alcohols by capillary electrophoresis-role of complexation constants and complex mobilities. <i>Electrophoresis</i> , <b>2014</b> , 35, 2848-54	3.6	13
58	Effect of mobile phase composition on the liquid chromatographic enantioseparation of bulky monoterpene-based $\beta$ -amino acids by applying chiral stationary phases based on Cinchona alkaloid. <i>Journal of Separation Science</i> , <b>2014</b> , 37, 1075-82	3.4	23
57	High-performance liquid chromatographic enantioseparation of naphthol-substituted tetrahydroisoquinolines on polysaccharide-based chiral stationary phases. <i>Biomedical Chromatography</i> , <b>2014</b> , 28, 142-51	1.7	11
56	Enantiomeric separation of bicyclo[2.2.2]octane-based 2-amino-3-carboxylic acids on macrocyclic glycopeptide chiral stationary phases. <i>Chirality</i> , <b>2014</b> , 26, 200-8	2.1	11
55	High-performance liquid chromatographic enantioseparation of isoxazoline-fused 2-aminocyclopentanecarboxylic acids on a chiral ligand-exchange stationary phase. <i>Journal of Separation Science</i> , <b>2013</b> , 36, 1335-42	3.4	17
54	Chiral derivatizations applied for the separation of unusual amino acid enantiomers by liquid chromatography and related techniques. <i>Journal of Chromatography A</i> , <b>2013</b> , 1296, 119-39	4.5	53
53	Degradation of naproxen by UV, VUV photolysis and their combination. <i>Journal of Hazardous Materials</i> , <b>2013</b> , 262, 151-7	12.8	83
52	Development of the high-performance liquid chromatographic method for the enantioseparation of unusual glycine ester analogs on polysaccharide-based chiral stationary phases. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2013</b> , 76, 183-91	3.5	4
51	Enantioseparations by high-performance liquid chromatography using macrocyclic glycopeptide-based chiral stationary phases: an overview. <i>Methods in Molecular Biology</i> , <b>2013</b> , 970, 137-63	1.4	12
50	Enantiomeric separation of nonproteinogenic amino acids by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , <b>2012</b> , 1269, 94-121	4.5	41
49	Comparison of separation performances of novel $\beta$ -cyclodextrin-based chiral stationary phases in high-performance liquid chromatographic enantioseparation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2012</b> , 70, 71-6	3.5	14
48	Recent advances in the direct and indirect liquid chromatographic enantioseparation of amino acids and related compounds: a review. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2012</b> , 69, 28-41	3.5	81
47	High-performance liquid chromatographic enantioseparation of unusual isoxazoline-fused 2-aminocyclopentanecarboxylic acids on (+)-(18-crown-6)-2,3,11,12-tetracarboxylic acid-based chiral stationary phases. <i>Chirality</i> , <b>2012</b> , 24, 817-24	2.1	14
46	Macrocyclic Antibiotic Selectors in Direct HPLC Enantioseparations. <i>Separation and Purification Reviews</i> , <b>2012</b> , 41, 207-249	7.3	40
45	High-performance liquid chromatographic enantioseparation of amino compounds on newly developed cyclofructan-based chiral stationary phases. <i>Journal of Separation Science</i> , <b>2012</b> , 35, 617-24	3.4	23
44	High-performance liquid chromatographic enantioseparation of unusual isoxazoline-fused 2-aminocyclopentanecarboxylic acids on macrocyclic glycopeptide-based chiral stationary phases. <i>Journal of Chromatography A</i> , <b>2012</b> , 1232, 142-51	4.5	16

43	Time-course of kynurenic acid concentration in mouse serum following the administration of a novel kynurenic acid analog. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2011</b> , 55, 540-3	3.5	12
42	A simple chromatographic route for the isolation of meso diaminopimelic acid. <i>Chirality</i> , <b>2011</b> , 23, 133-7	2.1	2
41	High-performance liquid chromatographic enantioseparation of Betti base analogs on a newly developed isopropyl carbamate-cyclofructan6-based chiral stationary phase. <i>Chirality</i> , <b>2011</b> , 23, 549-56	2.1	11
40	High-performance liquid chromatographic enantioseparation of 1-(phenylethylamino)- or 1-(naphthylethylamino)methyl-2-naphthol analogs and a temperature-induced inversion of the elution sequence on polysaccharide-based chiral stationary phases. <i>Journal of Chromatography A</i> , <b>2011</b> , 1218, 4869-76	4.5	22
39	CE Enantioseparation of Betti Bases with Cyclodextrins and Crown Ether as Chiral Selectors. <i>Chromatographia</i> , <b>2010</b> , 71, 115-119	2.1	11
38	LC Separation of $\beta$ -Amino Acid Enantiomers. <i>Chromatographia</i> , <b>2010</b> , 71, 13-19	2.1	10
37	LC Enantioseparation of $\beta$ -Lactam Stereoisomers through the Use of $\beta$ -Cyclodextrin-Based Chiral Stationary Phases. <i>Chromatographia</i> , <b>2010</b> , 71, 29-34	2.1	5
36	High-performance liquid chromatographic enantioseparation of monoterpene-based 2-amino carboxylic acids on macrocyclic glycopeptide-based phases. <i>Journal of Chromatography A</i> , <b>2010</b> , 1217, 6956-63	4.5	27
35	Comparison of separation performances of amylose- and cellulose-based stationary phases in the high-performance liquid chromatographic enantioseparation of stereoisomers of beta-lactams. <i>Chirality</i> , <b>2010</b> , 22, 120-8	2.1	8
34	High-performance liquid chromatographic enantioseparation of beta(2)-amino acids using a long-tethered (+)-(18-crown-6)-2,3,11,12-tetracarboxylic acid-based chiral stationary phase. <i>Journal of Chromatography A</i> , <b>2010</b> , 1217, 1075-82	4.5	18
33	High-performance liquid chromatographic enantioseparation of aminonaphthol analogs on polysaccharide-based chiral stationary phases. <i>Journal of Chromatography A</i> , <b>2010</b> , 1217, 2980-5	4.5	10
32	The role of pi-acidic and pi-basic chiral stationary phases in the high-performance liquid chromatographic enantioseparation of unusual beta-amino acids. <i>Chirality</i> , <b>2009</b> , 21, 339-48	2.1	20
31	High-performance liquid chromatographic chiral separation of beta2-homoamino acids. <i>Chirality</i> , <b>2009</b> , 21, 787-98	2.1	15
30	HPLC enantioseparation of beta2-homoamino acids using crown ether-based chiral stationary phase. <i>Journal of Separation Science</i> , <b>2009</b> , 32, 981-7	3.4	26
29	Enantioseparation of beta-substituted tryptophan analogues with modified cyclodextrins by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , <b>2009</b> , 1216, 3360-5	4.5	26
28	Retention mechanism of high-performance liquid chromatographic enantioseparation on macrocyclic glycopeptide-based chiral stationary phases. <i>Journal of Chromatography A</i> , <b>2009</b> , 1216, 1845-60	4.5	91
27	High-performance liquid chromatographic enantioseparation of 2-aminomono- and dihydroxycyclopentanecarboxylic and 2-aminodihydroxycyclohexanecarboxylic acids on macrocyclic glycopeptide-based phases. <i>Journal of Chromatography A</i> , <b>2009</b> , 1216, 927-32	4.5	19
26	Comparison of Separation Performances of Cellulose-Based Chiral Stationary Phases in LC Enantioseparation of Aminonaphthol Analogues. <i>Chromatographia</i> , <b>2009</b> , 70, 723-729	2.1	12

25	Comparison of UV- and UV/VUV-Induced Photolytic and Heterogeneous Photocatalytic Degradation of Phenol, with Particular Emphasis on the Intermediates. <i>Journal of Advanced Oxidation Technologies</i> , <b>2008</b> , 11,		1
24	Enantioseparation of beta-methyl-substituted amino acids with cyclodextrins by capillary zone electrophoresis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2008</b> , 875, 273-9	3.2	12
23	Comparison of performance of Chirobiotic T, T2 and TAG columns in the separation of beta2- and beta3-homoamino acids. <i>Journal of Separation Science</i> , <b>2008</b> , 31, 3688-97	3.4	23
22	Application of chiral derivatizing agents in the high-performance liquid chromatographic separation of amino acid enantiomers: a review. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2008</b> , 47, 1-15	3.5	160
21	High-performance liquid chromatographic enantioseparation of beta-3-homo-amino acid stereoisomers on a (+)-(18-crown-6)-2,3,11,12-tetracarboxylic acid-based chiral stationary phase. <i>Journal of Chromatography A</i> , <b>2008</b> , 1189, 285-91	4.5	27
20	LC Enantioseparation of $\beta$ Amino Acids on a Crown Ether-Based Stationary Phase. <i>Chromatographia</i> , <b>2008</b> , 68, 13-18	2.1	9
19	High-performance liquid chromatographic separation of stereoisomers of N-phthaloyl-protected amino acids and dipeptidomimetics. <i>Journal of Separation Science</i> , <b>2007</b> , 30, 1881-7	3.4	5
18	Liquid-phase oxidation of cyclohexene and of tetralin by N <sub>2</sub> O in the presence of onium salts under mild experimental conditions. <i>Journal of Molecular Catalysis A</i> , <b>2007</b> , 263, 48-54		1
17	HPLC Enantioseparation of 1-( $\beta$ Aminobenzyl)-2-naphthol and 2-( $\beta$ Aminobenzyl)-1-naphthol Analogs on a $\beta$ Cyclodextrin-Based Chiral Stationary Phase. <i>Chromatographia</i> , <b>2007</b> , 65, 337-341	2.1	18
16	Synthesis and characterization of titania photocatalysts: The influence of pretreatment on the activity. <i>Applied Catalysis A: General</i> , <b>2006</b> , 303, 1-8	5.1	46
15	High-performance liquid chromatographic enantioseparation of unusual secondary amino acids on a D-penicillamine-based chiral ligand exchange column. <i>Chirality</i> , <b>2006</b> , 18, 539-43	2.1	16
14	HPLC separation of amino acid enantiomers and small peptides on macrocyclic antibiotic-based chiral stationary phases: a review. <i>Journal of Separation Science</i> , <b>2006</b> , 29, 1305-21	3.4	139
13	High-performance liquid chromatographic enantioseparation of beta-amino acid stereoisomers on a (+)-(18-crown-6)-2,3,11,12-tetracarboxylic acid-based chiral stationary phase. <i>Journal of Chromatography A</i> , <b>2006</b> , 1125, 138-43	4.5	54
12	LC Enantioseparation of Aryl-Substituted $\beta$ Lactams Using Variable-Temperature Conditions. <i>Chromatographia</i> , <b>2006</b> , 63, S29-S35	2.1	11
11	LC Enantioseparation of $\beta$ Lactam and $\beta$ Amino Acid Stereoisomers and a Comparison of Macrocyclic Glycopeptide- and $\beta$ Cyclodextrin-Based Columns. <i>Chromatographia</i> , <b>2006</b> , 63, S37-S43	2.1	26
10	Comparison of column performances in direct high-performance liquid chromatographic enantioseparation of 1- or 3-methyl-substituted tetrahydroisoquinoline analogs. Application of direct and indirect methods. <i>Biomedical Chromatography</i> , <b>2005</b> , 19, 459-65	1.7	11
9	TiO <sub>2</sub> -Based Heterogeneous Photocatalytic Water Treatment Combined with Ozonation. <i>Ozone: Science and Engineering</i> , <b>2004</b> , 26, 585-594	2.4	19
8	Photocatalytic water treatment with different TiO <sub>2</sub> nanoparticles and hydrophilic/hydrophobic layer silicate adsorbents. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2003</b> , 230, 89-97	5.1	48

7	Preparation and Photocatalytic Application of Different TiO <sub>2</sub> and Zn(OH) <sub>2</sub> /ZnO Nanoparticles and Hydrophilic/Hydrophobic Layered Silicates <b>2003</b> , 425-443		
6	Removal of 2-chlorophenol from water by adsorption combined with TiO <sub>2</sub> photocatalysis. <i>Applied Catalysis B: Environmental</i> , <b>2002</b> , 39, 247-256	21.8	90
5	Comparison of Ozone-based and other (VUV and TiO <sub>2</sub> /UV) Radical Generation Methods in Phenol Decomposition. <i>Ozone: Science and Engineering</i> , <b>2002</b> , 24, 49-54	2.4	11
4	TiO <sub>2</sub> -based photocatalytic degradation of 2-chlorophenol adsorbed on hydrophobic clay. <i>Environmental Science &amp; Technology</i> , <b>2002</b> , 36, 3618-24	10.3	110
3	Investigation of the photodecomposition of phenol in near-UV-irradiated aqueous TiO <sub>2</sub> suspensions. I: Effect of charge-trapping species on the degradation kinetics. <i>Applied Catalysis A: General</i> , <b>1999</b> , 180, 25-33	5.1	90
2	Investigation of the photodecomposition of phenol in near-UV-irradiated aqueous TiO <sub>2</sub> suspensions. II. Effect of charge-trapping species on product distribution. <i>Applied Catalysis A: General</i> , <b>1999</b> , 180, 35-45	5.1	94
1	The photochemical behavior of hydrogen peroxide in near UV-irradiated aqueous TiO <sub>2</sub> suspensions. <i>Journal of Molecular Catalysis A</i> , <b>1998</b> , 135, 55-61		38