

# Nevena Manolova

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1573155/nevena-manolova-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147  
papers

4,642  
citations

39  
h-index

61  
g-index

156  
ext. papers

5,046  
ext. citations

4.3  
avg, IF

5.43  
L-index

#	Paper	IF	Citations
147	Electrospun 5-Chloro-7-iodo-8-hydroxyquinoline (Clioquinol)-Containing Poly(3-hydroxybutyrate)/Polyvinylpyrrolidone Antifungal Materials Prospective as Active Dressings against Esca.. <i>Polymers</i> , <b>2022</b> , 14,	4.5	2
146	Core-sheath-like Poly(ethylene oxide)/Beeswax Composite Fibers Prepared by Single-spinneret Electrospinning. Antibacterial, Antifungal and Antitumor activities.. <i>Macromolecular Bioscience</i> , <b>2022</b> , e2200015	5.5	0
145	Electrospun Polymer-Fungicide Nanocomposites for Grapevine Protection. <i>Polymers</i> , <b>2021</b> , 13,	4.5	1
144	Cellulose Acetate-Based Electrospun Materials with a Variety of Biological Potentials: Antibacterial, Antifungal and Anticancer. <i>Polymers</i> , <b>2021</b> , 13,	4.5	1
143	Electrospun fibers from polylactide-based stereocomplex: why?. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , <b>2021</b> , 70, 270-286	3	5
142	8-Hydroxyquinoline-5-Sulfonic Acid-Containing Poly(Vinyl Alcohol)/Chitosan Electrospun Materials and Their Cu and Fe Complexes: Preparation, Antibacterial, Antifungal and Antitumor Activities. <i>Polymers</i> , <b>2021</b> , 13,	4.5	1
141	Effect of coating on the mechanical properties of electrospun poly(3-hydroxybutyrate) materials with targeted fibers alignment. <i>Journal of Polymer Research</i> , <b>2021</b> , 28, 1	2.7	2
140	Improving the Water-Repellent and Antifungal Properties of Electrospun Cellulose Acetate Materials by Decoration with ZnO Nanoparticles. <i>Fibres and Textiles in Eastern Europe</i> , <b>2021</b> , 29, 40-45	0.9	0
139	Electrospun materials from polylactide and Schiff base derivative of Jeffamine ED $\square$ and 8-hydroxyquinoline-2-carboxaldehyde and its complex with Cu: Preparation, antioxidant and antitumor activities. <i>Materials Science and Engineering C</i> , <b>2020</b> , 116, 111185	8.3	11
138	Modulating the Mechanical Properties of Electrospun PHB/PCL Materials by Using Different Types of Collectors and Heat Sealing. <i>Polymers</i> , <b>2020</b> , 12,	4.5	8
137	Antioxidant and Antitumor Activities of Novel Quercetin-Loaded Electrospun Cellulose Acetate/Polyethylene Glycol Fibrous Materials. <i>Antioxidants</i> , <b>2020</b> , 9,	7.1	7
136	Electrospun Eco-Friendly Materials Based on Poly(3-hydroxybutyrate) (PHB) and TiO with Antifungal Activity Prospective for Esca Treatment. <i>Polymers</i> , <b>2020</b> , 12,	4.5	5
135	Curcumin-PVP Loaded Electrospun Membranes with Conferred Antibacterial and Antitumoral Activities. <i>Fibers and Polymers</i> , <b>2020</b> , 21, 55-65	2	7
134	Nanoparticles based on complex of berberine chloride and polymethacrylic or polyacrylic acid with antioxidant and in vitro antitumor activities. <i>International Journal of Pharmaceutics</i> , <b>2020</b> , 584, 119426	6.5	6
133	Electrospun PLLA/PEG scaffolds. <i>Materials Today</i> , <b>2019</b> , 28, 114-115	21.8	3
132	Electrospun 5-chloro-8-hydroxyquinoline-Loaded Cellulose Acetate/Polyethylene Glycol Antifungal Membranes Against Esca. <i>Polymers</i> , <b>2019</b> , 11,	4.5	8
131	Polymer fibers with magnetic core decorated with titanium dioxide prospective for photocatalytic water treatment. <i>Journal of Environmental Chemical Engineering</i> , <b>2018</b> , 6, 2075-2084	6.8	23

130	Chitosan/ferulic acid-coated poly( $\epsilon$ -caprolactone) electrospun materials with antioxidant, antibacterial and antitumor properties. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 107, 689-702	7.9	23
129	Antibacterial and antioxidant electrospun materials from poly(3-hydroxybutyrate) and polyvinylpyrrolidone containing caffeic acid phenethyl ester - "in" and "on" strategies for enhanced solubility. <i>International Journal of Pharmaceutics</i> , <b>2018</b> , 545, 342-356	6.5	19
128	Materials from Nanosized ZnO and Polyacrylonitrile: Properties Depending on the Design of Fibers (Electrospinning or Electrospinning/Electrospraying). <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , <b>2017</b> , 27, 912-922	3.2	8
127	Electrospun curcumin-loaded cellulose acetate/polyvinylpyrrolidone fibrous materials with complex architecture and antibacterial activity. <i>Materials Science and Engineering C</i> , <b>2017</b> , 73, 206-214	8.3	65
126	Electrospun cellulose acetate membranes decorated with curcumin-PVP particles: preparation, antibacterial and antitumor activities. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2017</b> , 29, 9	4.5	8
125	Tuning the properties of PVDF or PVDF-HFP fibrous materials decorated with ZnO nanoparticles by applying electrospinning alone or in conjunction with electrospraying. <i>Fibers and Polymers</i> , <b>2017</b> , 18, 649-657	2	18
124	Superhydrophobic PVDF and PVDF-HFP nanofibrous mats with antibacterial and anti-biofouling properties. <i>Applied Surface Science</i> , <b>2016</b> , 363, 363-371	6.7	69
123	Antibacterial PLA/PEG electrospun fibers: Comparative study between grafting and blending PEG. <i>European Polymer Journal</i> , <b>2016</b> , 75, 223-233	5.2	43
122	Photocatalytic self-cleaning poly(L-lactide) materials based on a hybrid between nanosized zinc oxide and expanded graphite or fullerene. <i>Materials Science and Engineering C</i> , <b>2016</b> , 60, 184-194	8.3	25
121	Electrospun polylactide-based materials for curcumin release: Photostability, antimicrobial activity, and anticoagulant effect. <i>Journal of Applied Polymer Science</i> , <b>2016</b> , 133, n/a-n/a	2.9	17
120	Poly(3-hydroxybutyrate)/caffeic acid electrospun fibrous materials coated with polyelectrolyte complex and their antibacterial activity and in vitro antitumor effect against HeLa cells. <i>Materials Science and Engineering C</i> , <b>2016</b> , 65, 379-92	8.3	31
119	Quaternized chitosan/Charrageenan/caffeic acid-coated poly(3-hydroxybutyrate) fibrous materials: Preparation, antibacterial and antioxidant activity. <i>International Journal of Pharmaceutics</i> , <b>2016</b> , 513, 528-537	6.5	25
118	Enhancing the mechanical properties of electrospun polyester mats by heat treatment. <i>EXPRESS Polymer Letters</i> , <b>2015</b> , 9, 49-65	3.4	41
117	Novel antibacterial electrospun materials based on polyelectrolyte complexes of a quaternized chitosan derivative. <i>RSC Advances</i> , <b>2015</b> , 5, 54517-54526	3.7	10
116	From design of bio-based biocomposite electrospun scaffolds to osteogenic differentiation of human mesenchymal stromal cells. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2014</b> , 25, 1563-75	4.5	41
115	Poly(L-lactide) and poly(butylene succinate) immiscible blends: from electrospinning to biologically active materials. <i>Materials Science and Engineering C</i> , <b>2014</b> , 41, 119-26	8.3	48
114	Biocomposite scaffolds based on electrospun poly(3-hydroxybutyrate) nanofibers and electrosprayed hydroxyapatite nanoparticles for bone tissue engineering applications. <i>Materials Science and Engineering C</i> , <b>2014</b> , 38, 161-9	8.3	95
113	N,N,N-trimethylchitosan iodide complexes with a weak or a strong polyacid and nanoparticles thereof. <i>Colloid and Polymer Science</i> , <b>2014</b> , 292, 2899-2912	2.4	7

112	Curcumin-loaded poly(l-lactide-co-D,L-lactide) electrospun fibers: Preparation and antioxidant, anticoagulant, and antibacterial properties. <i>Journal of Bioactive and Compatible Polymers</i> , <b>2014</b> , 29, 607-627	2.27	33
111	Poly(lactide (PLA)-Based Electrospun Fibrous Materials Containing Ionic Drugs as Wound Dressing Materials: A Review. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , <b>2014</b> , 63, 657-671	3	60
110	Advanced centrifugal electrospinning setup. <i>Materials Letters</i> , <b>2014</b> , 136, 150-152	3.3	29
109	Modification of electrospun poly( $\epsilon$ -caprolactone) mats by formation of a polyelectrolyte complex between poly(acrylic acid) and quaternized chitosan for tuning of their antibacterial properties. <i>European Polymer Journal</i> , <b>2014</b> , 50, 18-29	5.2	21
108	Electrospinning/electrospraying vs. electrospinning: A comparative study on the design of poly(l-lactide)/zinc oxide non-woven textile. <i>Applied Surface Science</i> , <b>2014</b> , 311, 842-850	6.7	50
107	Quaternized chitosan-coated nanofibrous implants loaded with gossypol prepared by electrospinning and their efficacy against Graffi myeloid tumor. <i>Journal of Biomaterials Science, Polymer Edition</i> , <b>2014</b> , 25, 287-306	3.5	6
106	Poly(3-hydroxybutyrate)-based hybrid materials with photocatalytic and magnetic properties prepared by electrospinning and electrospraying. <i>Journal of Materials Science</i> , <b>2014</b> , 49, 2144-2153	4.3	22
105	Thermal imidization peculiarities of electrospun BPDA-PDA/ODA copolyamic acid nanofibers. <i>Macromolecular Research</i> , <b>2013</b> , 21, 419-426	1.9	3
104	Multifunctional hybrid materials from poly(3-hydroxybutyrate), TiO <sub>2</sub> nanoparticles, and chitosan oligomers by combining electrospinning/electrospraying and impregnation. <i>Macromolecular Bioscience</i> , <b>2013</b> , 13, 707-16	5.5	39
103	Drug-loaded electrospun materials in wound-dressing applications and in local cancer treatment. <i>Expert Opinion on Drug Delivery</i> , <b>2013</b> , 10, 469-83	8	91
102	Dual vs. single spinneret electrospinning for the preparation of dual drug containing non-woven fibrous materials. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2013</b> , 439, 176-183	5.1	18
101	Electrospun antibacterial chitosan-based fibers. <i>Macromolecular Bioscience</i> , <b>2013</b> , 13, 860-72	5.5	94
100	Non-woven fibrous materials with antibacterial properties prepared by tailored attachment of quaternized chitosan to electrospun mats from maleic anhydride copolymer. <i>Macromolecular Bioscience</i> , <b>2012</b> , 12, 104-15	5.5	21
99	Quaternized chitosan-coated nanofibrous materials containing gossypol: preparation by electrospinning, characterization and antiproliferative activity towards HeLa cells. <i>International Journal of Pharmaceutics</i> , <b>2012</b> , 436, 10-24	6.5	18
98	Electrospun non-woven mats from stereocomplex between high molar mass poly(l-lactide) and poly(d-lactide)-block-poly(butylene succinate) copoly(ester urethane)s. <i>European Polymer Journal</i> , <b>2012</b> , 48, 1965-1975	5.2	9
97	Antibacterial fluoroquinolone antibiotic-containing fibrous materials from poly(L-lactide-co-D,L-lactide) prepared by electrospinning. <i>European Journal of Pharmaceutical Sciences</i> , <b>2012</b> , 47, 642-51	5.1	53
96	New polyelectrolyte complex of chitosan: Preparation, characterization, and application as a biocontrol agent carrier. <i>Journal of Bioactive and Compatible Polymers</i> , <b>2012</b> , 27, 148-160	2	9
95	Antibacterial electrospun poly( $\epsilon$ -caprolactone)/ascorbyl palmitate nanofibrous materials. <i>International Journal of Pharmaceutics</i> , <b>2011</b> , 416, 346-55	6.5	29

94	FT-IR microscopy characterization of sol-gel layers prior and after glucose oxidase immobilization for biosensing applications. <i>Journal of Sol-Gel Science and Technology</i> , <b>2011</b> , 57, 204-211	2.3	35
93	Composite multilayer thin films morphology and their interactions with proteins as a function of polyanion structure. <i>Macromolecular Research</i> , <b>2011</b> , 19, 1062-1070	1.9	1
92	Electrospun poly(L-lactide) membranes containing a single drug or multiple drug system for antimicrobial wound dressings. <i>Macromolecular Research</i> , <b>2011</b> , 19, 1310-1319	1.9	46
91	Antiproliferative activity of nanofibers containing quaternized chitosan and/or doxorubicin against MCF-7 human breast carcinoma cell line by apoptosis. <i>Journal of Bioactive and Compatible Polymers</i> , <b>2011</b> , 26, 539-551	2	22
90	Poly(lactide) stereocomplex-based electrospun materials possessing surface with antibacterial and hemostatic properties. <i>Biomacromolecules</i> , <b>2010</b> , 11, 151-9	6.9	71
89	Electrospun Polyacrylonitrile Nanofibrous Membranes Tailored for Acetylcholinesterase Immobilization. <i>Journal of Bioactive and Compatible Polymers</i> , <b>2010</b> , 25, 40-57	2	19
88	Tuning of the surface biological behavior of poly(L-lactide)-based electrospun materials by polyelectrolyte complex formation. <i>Biomacromolecules</i> , <b>2010</b> , 11, 521-32	6.9	27
87	Electrospun nanofibrous mats containing quaternized chitosan and polylactide with in vitro antitumor activity against HeLa cells. <i>Biomacromolecules</i> , <b>2010</b> , 11, 1633-45	6.9	73
86	Electrospun mats from styrene/maleic anhydride copolymers: modification with amines and assessment of antimicrobial activity. <i>Macromolecular Bioscience</i> , <b>2010</b> , 10, 944-54	5.5	27
85	Antitumor activity of quaternized chitosan-based electrospun implants against Graffi myeloid tumor. <i>International Journal of Pharmaceutics</i> , <b>2010</b> , 400, 221-33	6.5	64
84	Functionalized electrospun mats from styrene/maleic anhydride copolymers for immobilization of acetylcholinesterase. <i>European Polymer Journal</i> , <b>2010</b> , 46, 1966-1974	5.2	32
83	Hybrid nanofibrous yarns based on N-carboxyethylchitosan and silver nanoparticles with antibacterial activity prepared by self-bundling electrospinning. <i>Carbohydrate Research</i> , <b>2010</b> , 345, 2374-80	4.8	44
82	Electrospun non-woven nanofibrous hybrid mats based on chitosan and PLA for wound-dressing applications. <i>Macromolecular Bioscience</i> , <b>2009</b> , 9, 102-11	5.5	163
81	Electrospun hybrid nanofibers based on chitosan or N-carboxyethylchitosan and silver nanoparticles. <i>Macromolecular Bioscience</i> , <b>2009</b> , 9, 884-94	5.5	37
80	Fiber-optic glucose biosensor based on glucose oxidase immobilised in a silica gel matrix. <i>Journal of Sol-Gel Science and Technology</i> , <b>2009</b> , 50, 437-448	2.3	41
79	Optimized water-based ATRP of an anionic monomer: Comprehension and properties characterization. <i>Journal of Polymer Science Part A</i> , <b>2009</b> , 47, 1108-1119	2.5	14
78	Polyelectrolyte complex nanoparticles from N-carboxyethylchitosan and polycationic double hydrophilic diblock copolymers. <i>Journal of Polymer Science Part A</i> , <b>2009</b> , 47, 2105-2117	2.5	11
77	Electrospun microfibrillar poly(styrene-alt-maleic anhydride)/poly(styrene-co-maleic anhydride) mats tailored for enzymatic remediation of waters polluted by endocrine disruptors. <i>European Polymer Journal</i> , <b>2009</b> , 45, 2494-2504	5.2	31

76	Natural polyampholyte-based core-shell nanoparticles with N-carboxyethylchitosan-containing core and poly(ethylene oxide) shell. <i>Biomacromolecules</i> , <b>2009</b> , 10, 838-44	6.9	11
75	Amphiphilic poly(D- or L-lactide)-b-poly(N,N-dimethylamino-2-ethyl methacrylate) block copolymers: controlled synthesis, characterization, and stereocomplex formation. <i>Biomacromolecules</i> , <b>2009</b> , 10, 1217-23	6.9	62
74	Immobilization of acetylcholinesterase on new modified acrylonitrile copolymer membranes. <i>Journal of Molecular Catalysis B: Enzymatic</i> , <b>2008</b> , 55, 169-176		20
73	Antibacterial and antimycotic activity of a cross-linked electrospun poly(vinyl pyrrolidone)-iodine complex and a poly(ethylene oxide)/poly(vinyl pyrrolidone)-iodine complex. <i>Journal of Biomaterials Science, Polymer Edition</i> , <b>2008</b> , 19, 373-86	3.5	25
72	Self-assembly of N-carboxyethylchitosan near the isoelectric point. <i>Journal of Polymer Science Part A</i> , <b>2008</b> , 46, 6712-6721	2.5	9
71	Novel Electrospun Nanofibers Composed of Polyelectrolyte Complexes. <i>Macromolecular Rapid Communications</i> , <b>2008</b> , 29, 677-681	4.8	27
70	Electrospun chitosan-coated fibers of poly(L-lactide) and poly(L-lactide)/poly(ethylene glycol): preparation and characterization. <i>Macromolecular Bioscience</i> , <b>2008</b> , 8, 153-62	5.5	61
69	Novel electrospun poly( $\epsilon$ -caprolactone)-based bicomponent nanofibers possessing surface enriched in tertiary amino groups. <i>European Polymer Journal</i> , <b>2008</b> , 44, 566-578	5.2	28
68	Synthesis of polymer-stabilized magnetic nanoparticles and fabrication of nanocomposite fibers thereof using electrospinning. <i>European Polymer Journal</i> , <b>2008</b> , 44, 615-627	5.2	39
67	Study of charge storage in the nanofibrous poly(ethylene terephthalate) electrets prepared by electrospinning or by corona discharge method. <i>European Polymer Journal</i> , <b>2008</b> , 44, 1962-1967	5.2	40
66	One-Step Preparation of Electrospun Microfibrous Polystyrene Mats Having Surface Enriched in p-tert-Butylcalix[4]arene Fitted with Phosphinoyl Pendant Arms. <i>Macromolecular Rapid Communications</i> , <b>2008</b> , 29, 1871-1876	4.8	2
65	Polyelectrolyte complexes between (cross-linked) N-carboxyethylchitosan and (quaternized) poly[2-(dimethylamino)ethyl methacrylate]: preparation, characterization, and antibacterial properties. <i>Biomacromolecules</i> , <b>2007</b> , 8, 976-84	6.9	69
64	Preparation of PLLA/PEG Nanofibers by Electrospinning and Potential Applications. <i>Journal of Bioactive and Compatible Polymers</i> , <b>2007</b> , 22, 62-76	2	79
63	Stable Aqueous Dispersion of PEGylated Nanoparticles by Polyelectrolyte Complex Formation. <i>Macromolecular Rapid Communications</i> , <b>2007</b> , 28, 1361-1365	4.8	7
62	Polyelectrolyte complexes based on (quaternized) poly[(2-dimethylamino)ethyl methacrylate]: behavior in contact with blood. <i>Macromolecular Bioscience</i> , <b>2007</b> , 7, 940-54	5.5	28
61	Novel antibacterial fibers of quaternized chitosan and poly(vinyl pyrrolidone) prepared by electrospinning. <i>European Polymer Journal</i> , <b>2007</b> , 43, 1112-1122	5.2	221
60	Electrospinning of poly(vinyl pyrrolidone)-iodine complex and poly(ethylene oxide)/poly(vinyl pyrrolidone)-iodine complex: a prospective route to antimicrobial wound dressing materials. <i>European Polymer Journal</i> , <b>2007</b> , 43, 1609-1623	5.2	91
59	Bicomponent aligned nanofibers of N-carboxyethylchitosan and poly(vinyl alcohol). <i>European Polymer Journal</i> , <b>2007</b> , 43, 2809-2818	5.2	40

58	C60-containing nanostructured polymeric materials with potential biomedical applications. <i>Polymer</i> , <b>2007</b> , 48, 1835-1843	3.9	32
57	Poly(acrylonitrile)chitosan composite membranes for urease immobilization. <i>Journal of Biotechnology</i> , <b>2007</b> , 129, 674-80	3.7	34
56	Electrospun nano-fibre mats with antibacterial properties from quaternised chitosan and poly(vinyl alcohol). <i>Carbohydrate Research</i> , <b>2006</b> , 341, 2098-107	2.9	291
55	Preparation of Well-Defined Poly[(ethylene oxide)-block-(sodium 2-acrylamido-2-methyl-1-propane sulfonate)] Diblock Copolymers by Water-Based Atom Transfer Radical Polymerization. <i>Macromolecular Rapid Communications</i> , <b>2006</b> , 27, 1489-1494	4.8	28
54	Perspectives On: Criteria for Complex Evaluation of the Morphology and Alignment of Electrospun Polymer Nanofibers. <i>Journal of Bioactive and Compatible Polymers</i> , <b>2006</b> , 21, 465-479	2	68
53	New Nanostructured Materials Based on Fullerene and Biodegradable Polyesters. <i>Chemistry of Materials</i> , <b>2006</b> , 18, 4917-4923	9.6	34
52	Comprehensive study on the formation of polyelectrolyte complexes from (quaternized) poly[2-(dimethylamino)ethyl methacrylate] and poly(2-acrylamido-2-methylpropane sodium sulfonate). <i>Journal of Polymer Science Part A</i> , <b>2006</b> , 44, 5468-5479	2.5	27
51	Novel polyelectrolyte complexes between N-carboxyethylchitosan and synthetic polyelectrolytes. <i>European Polymer Journal</i> , <b>2006</b> , 42, 858-868	5.2	20
50	Preparation of Polyelectrolyte-Containing Nanofibers by Electrospinning in the Presence of a Non-Ionogenic Water-Soluble Polymer. <i>Journal of Bioactive and Compatible Polymers</i> , <b>2005</b> , 20, 419-435	2	60
49	Gel Beads Composed of Chitosan and Polyacids and Their Blood Compatibility. <i>Journal of Bioactive and Compatible Polymers</i> , <b>2005</b> , 20, 133-151	2	12
48	Preparation of chitosan-containing nanofibres by electrospinning of chitosan/poly(ethylene oxide) blend solutions. <i>E-Polymers</i> , <b>2004</b> , 4,	2.7	50
47	Copolymers of 2-acryloylamido-2-methylpropanesulfonic acid and acrylic acid with anticoagulant activity. <i>E-Polymers</i> , <b>2003</b> , 3,	2.7	6
46	Novel polyelectrolyte complex between chitosan and poly(2-acryloylamido-2-methylpropanesulfonic acid-coacrylic acid). <i>E-Polymers</i> , <b>2003</b> , 3,	2.7	1
45	Synthesis, characterisation and complex forming ability towards ferric ions of oligo(etheramide)s of Jeffamines ED <sub>929</sub> and chelidamic acid. <i>European Polymer Journal</i> , <b>2002</b> , 38, 33-38	5.2	6
44	Preparation, characterization and biological activity of Schiff base compounds derived from 8-hydroxyquinoline-2-carboxaldehyde and Jeffamines ED <sub>929</sub> . <i>European Polymer Journal</i> , <b>2002</b> , 38, 989-999	5.2	117
43	Hydrolysis of Chitosan, Chitosan-Polyoxyethylene and Chitosan-Poly(2-acryloylamido-2-methylpropanesulfonic acid) by a Crude Enzyme Complex from <i>Trichoderma viride</i> . <i>Journal of Bioactive and Compatible Polymers</i> , <b>2001</b> , 16, 379-392	2	10
42	Preparation, Characterization, and Biological Activity of Amides and Esters from 8-Hydroxyquinoline-2-Carboxylic Acid and Jeffamines ED <sub>929</sub> Or Poly(Ethylene Glycol)S. <i>Journal of Bioactive and Compatible Polymers</i> , <b>2001</b> , 16, 259-276	2	4
41	Chitosan Beads as Carriers of 8-Hydroxy-7-Iodoquinoline-5- Sulfonic Acid-Loading, Coating by Interpolymer Complex Formation and Drug Release. <i>Journal of Bioactive and Compatible Polymers</i> , <b>2001</b> , 16, 3-19	2	7

40	Remedying the iron-deficient maize plants by new synthetic macromolecular chelating agents. <i>Plant and Soil</i> , <b>2000</b> , 227, 27-34	4.2	5
39	Remedying the iron-deficient maize plants grown at lower than the optimal temperature and irradiance by new synthetic macromolecular iron-chelating agents. <i>Journal of Plant Physiology</i> , <b>2000</b> , 157, 395-403	3.6	2
38	Polyethers with 8-Hydroxy-5-Quinoliny Chelating End-Groups: Effect on Iron Nutrition of Plants and Antibacterial/Antimycotic Effects. <i>Journal of Bioactive and Compatible Polymers</i> , <b>2000</b> , 15, 321-333	2	6
37	Fullerene core star-like polymers 2. Preparation from fullerenes and linear or cyclic monoaminopolyethers. <i>European Polymer Journal</i> , <b>1999</b> , 35, 1619-1628	5.2	13
36	Polyelectrolyte complex between chitosan and poly(2-acryloylamido-2-methylpropanesulfonic acid). <i>Polymer Bulletin</i> , <b>1999</b> , 43, 67-73	2.4	41
35	Chitosan gel beads as drug carriers 2. Release of 8-hydroxy-7-iodoquinoline-5-sulfonic acid and 2,5-dihydroxybenzenesulfonic acid. <i>Polymer Bulletin</i> , <b>1999</b> , 43, 101-107	2.4	11
34	Fullerene core star-like polymers I. Preparation from fullerenes and monoazidopolyethers. <i>European Polymer Journal</i> , <b>1998</b> , 34, 905-915	5.2	130
33	Preparation and metal ion complexing ability of polyethers with 8-hydroxy-5-quinoliny end-groups. <i>European Polymer Journal</i> , <b>1998</b> , 34, 1133-1141	5.2	25
32	Preparation, characterisation and properties of poly(ether-amide)s bearing hydroxyl side groups and of their derivatives with the synthetic auxin 1-naphthylacetic acid. <i>Macromolecular Chemistry and Physics</i> , <b>1998</b> , 199, 87-96	2.6	5
31	Hydrolytic degradation of poly(oxyethylene)poly( $\epsilon$ -caprolactone) multiblock copolymers. <i>Journal of Applied Polymer Science</i> , <b>1998</b> , 68, 989-998	2.9	67
30	Rheological characteristics of aqueous solutions of mixtures of chitosan and polyoxyethylene. <i>Polymer Bulletin</i> , <b>1998</b> , 41, 115-121	2.4	15
29	Chitosan/Polyoxyethylene Diacid Films for Drug Release. <i>Journal of Bioactive and Compatible Polymers</i> , <b>1997</b> , 12, 221-230	2	3
28	New phytoactive polymers prepared by polycondensation. <i>Macromolecular Symposia</i> , <b>1997</b> , 122, 281-286	6.8	1
27	Hydrolysis and Antibacterial Activity of Polymers Containing 8-Quinoliny Acrylate. <i>Journal of Bioactive and Compatible Polymers</i> , <b>1997</b> , 12, 294-307	2	21
26	Partition of Poly(Oxyethylene)s with 5-Chloro-8-Quinolinoxyl End-Groups between 1-Octanol and Water. <i>Journal of Bioactive and Compatible Polymers</i> , <b>1996</b> , 11, 28-42	2	6
25	NMR Analysis of Low Molecular Weight Poly(lactic acid)s. <i>Macromolecules</i> , <b>1996</b> , 29, 3535-3539	5.5	182
24	5-Chloro-8-quinoliny acrylate and n-vinyl-2-pyrrolidone copolymers: Synthesis, characterization and complexes with poly(methacrylic acid). <i>European Polymer Journal</i> , <b>1996</b> , 32, 325-330	5.2	28
23	Homopolymers of 5-chloro-8-quinoliny acrylate and 5-chloro-8-quinoliny methacrylate and their copolymers with acrylic and methacrylic acid. <i>European Polymer Journal</i> , <b>1996</b> , 32, 569-578	5.2	31



22	Polymerization of ethylene oxide by the activated monomer mechanism. <i>Polymer International</i> , <b>1995</b> , 36, 23-28	3.3	5
21	Preparation and Properties of Modified Chitosan Films for Drug Release. <i>Journal of Bioactive and Compatible Polymers</i> , <b>1995</b> , 10, 285-298	2	39
20	Water-soluble polymers bearing biologically active residues, 3. Hydrolysis of polyethers and poly(ether-ester)s bearing 1-naphthylacetyl groups. <i>Macromolecular Chemistry and Physics</i> , <b>1995</b> , 196, 1663-1669	2.6	5
19	Preparation, properties and complex formation ability of poly(ether-ester)s of poly(ethylene glycol)s and 2,6-pyridinedicarboxylic acid. <i>Macromolecular Chemistry and Physics</i> , <b>1995</b> , 196, 2695-2708	2.6	9
18	Metal ion complex formation of poly(oxyethylene) with 5-chloro-8-quinolinoxyl end-groups. <i>European Polymer Journal</i> , <b>1995</b> , 31, 741-748	5.2	22
17	Separation of C60/C70 mixture on activated carbon and activated carbon fibres. <i>Carbon</i> , <b>1995</b> , 33, 209-213.	4	15
16	Polyether-modified fullerenes. <i>Polymer Bulletin</i> , <b>1994</b> , 33, 175-182	2.4	17
15	Poly( $\epsilon$ -caprolactone)s with 5-nitro and 5-chloro-8-quinolinoxyl end-groups. <i>European Polymer Journal</i> , <b>1994</b> , 30, 1179-1185	5.2	18
14	Amphiphilic derivatives of fullerenes formed by polymer modification. <i>Journal of the Chemical Society Chemical Communications</i> , <b>1993</b> , 1725		42
13	Preparation and properties of poly(oxyethylene)s with 5-chloro-8-quinolinoxyl end-groups. <i>European Polymer Journal</i> , <b>1993</b> , 29, 1407-1417	5.2	15
12	Ultraviolet and <sup>1</sup> H-NMR studies on the products of the chemical modification of 2,2-dichloropoly(oxyethylene) with potassium 5-nitro-8-quinolinolate. <i>European Polymer Journal</i> , <b>1993</b> , 29, 715-720	5.2	4
11	Preparation, properties and complexation ability of polyoxyethylene-bis-anaesthesine. <i>European Polymer Journal</i> , <b>1993</b> , 29, 721-726	5.2	4
10	Molecular-weight distribution in the activated-monomer polymerization of ethylene oxide. Mechanistic implications. <i>Die Makromolekulare Chemie</i> , <b>1993</b> , 194, 941-951		5
9	Water-soluble polymers bearing biologically active residues, 1. Synthesis and characterization of poly(ether-ester)s bearing hydroxyl side groups and their derivatization with 1-naphthylacetic acid. <i>Die Makromolekulare Chemie</i> , <b>1993</b> , 194, 1065-1078		6
8	Water-soluble polymers bearing biologically active residues, 2. Complexes of poly(ether-ester)s with polyacrylic and polymethacrylic acids. <i>Die Makromolekulare Chemie</i> , <b>1993</b> , 194, 3107-3122		3
7	High-molecular weight polyoxyethylene as an additive in ophthalmic solutions. <i>International Journal of Pharmaceutics</i> , <b>1993</b> , 93, 21-26	6.5	6
6	Preparation and properties of poly(ethylene glycol) esters of 1-naphthylacetic acid and 2,4-dichlorophenoxyacetic acid. <i>European Polymer Journal</i> , <b>1992</b> , 28, 1399-1404	5.2	5
5	Polymerization of $\epsilon$ -valerolactone and $\epsilon$ -propiolactone initiated by stable salts. Initiation mechanism. <i>European Polymer Journal</i> , <b>1985</b> , 21, 409-413	5.2	

4	Separation and characterization of $\epsilon$ -caprolactone oligomers by gel permeation chromatography. <i>Polymer Bulletin</i> , <b>1985</b> , 13, 285	2.4	5
3	Polymerization of $\epsilon$ -caprolactone initiated by stable salts. Initiation mechanism. <i>European Polymer Journal</i> , <b>1984</b> , 20, 463-465	5.2	3
2	Hydride transfer to stable carbenium salts. <i>Polymer Bulletin</i> , <b>1983</b> , 10, 411-413	2.4	1
1	Hydride transfer to some initiators of cationic polymerization. <i>Polymer Bulletin</i> , <b>1981</b> , 4, 653	2.4	5