

Mark Zimmerman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1573847/mark-zimmerman-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

318
papers

13,482
citations

59
h-index

106
g-index

328
ext. papers

15,419
ext. citations

5.2
avg, IF

6.77
L-index

#	Paper	IF	Citations
318	Borderline personality disorder symptom networks across adolescent and adult clinical samples: examining symptom centrality and replicability.. <i>Psychological Medicine</i> , 2022 , 1-8	6.9	0
317	Focusing Narrowly on Model Fit in Factor Analysis Can Mask Construct Heterogeneity and Model Misspecification: Applied Demonstrations across Sample and Assessment Types.. <i>Journal of Personality Assessment</i> , 2022 , 1-13	2.8	
316	Treatment engagement of depressed patients with and without psychosis in a partial hospital program: Dropout, symptom reduction, and satisfaction.. <i>Annals of Clinical Psychiatry</i> , 2022 , 34, 106-113 ^{1,4}		
315	Patients with borderline personality disorder and bipolar disorder: a descriptive and comparative study. <i>Psychological Medicine</i> , 2021 , 51, 1479-1490	6.9	3
314	Telehealth Treatment of Patients With Borderline Personality Disorder in a Partial Hospital Setting During the COVID-19 Pandemic: Comparative Safety, Patient Satisfaction, and Effectiveness of In-Person Treatment. <i>Journal of Personality Disorders</i> , 2021 , 1-19	2.6	0
313	Exploring the Optimal Factor Structure of the Five Facet Mindfulness Questionnaire: Associations Between Mindfulness Facets and Dimensions of Psychopathology. <i>Journal of Personality Assessment</i> , 2021 , 1-11	2.8	0
312	Comorbidity of obsessive-compulsive disorder and symptoms with nicotine dependence: Observational epidemiologic evidence from US-representative and psychiatric outpatient population-based samples.. <i>Journal of Psychiatric Research</i> , 2021 , 146, 156-162	5.2	1
311	Telehealth Treatment of Patients in an Intensive Acute Care Psychiatric Setting During the COVID-19 Pandemic: Comparative Safety and Effectiveness to In-Person Treatment. <i>Journal of Clinical Psychiatry</i> , 2021 , 82,	4.6	5
310	Assessing Suicidal Ideation Using a Brief Self-Report Measure. <i>Psychiatry Research</i> , 2021 , 297, 113737	9.9	1
309	Adult Retrospective Reports of Externalizing Behavior: Distinct Dimensions and Key Associations for Past Conduct Disorder Ratings. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2021 , 43, 1-11 ²		
308	Conducting Outcomes Research in a Clinical Practice Setting: The Effectiveness and Acceptability of Acceptance and Commitment Therapy (ACT) in a Partial Hospital Program. <i>Behavior Therapy</i> , 2021 , 52, 272-285	4.8	6
307	What Is the General Factor of Psychopathology? Consistency of the p Factor Across Samples. <i>Assessment</i> , 2021 , 28, 1035-1049	3.7	13
306	Screening for Borderline Personality Disorder With the McLean Screening Instrument: A Review and Critique of the Literature. <i>Journal of Personality Disorders</i> , 2021 , 35, 288-298	2.6	5
305	Why hierarchical dimensional approaches to classification will fail to transform diagnosis in psychiatry. <i>World Psychiatry</i> , 2021 , 20, 70-71	14.4	4
304	A detailed hierarchical model of psychopathology: From individual symptoms up to the general factor of psychopathology. <i>Clinical Psychological Science</i> , 2021 , 9, 139-168	6	10
303	Patient satisfaction with partial hospital telehealth treatment during the COVID-19 pandemic: Comparison to in-person treatment. <i>Psychiatry Research</i> , 2021 , 301, 113966	9.9	4
302	Telehealth Partial Hospital Level of Care and Borderline Personality Disorder: Reply to Renn et al. <i>Journal of Clinical Psychiatry</i> , 2021 , 82,	4.6	0

301	The Clinical Characteristics of Patients With Borderline Personality Disorder in Different Treatment Settings. <i>Journal of Personality Disorders</i> , 2021 , 1-13	2.6	
300	Using Screening Scales for Bipolar Disorder in Epidemiologic Studies: Lessons Not Yet Learned. <i>Journal of Affective Disorders</i> , 2021 , 292, 708-713	6.6	1
299	A Clinically Useful Anger Outcome Scale. <i>Journal of Psychiatric Research</i> , 2021 , 141, 160-166	5.2	0
298	Is the DSM-5 Anxious Distress Specifier Interview a valid measure of anxiety in patients with generalized anxiety disorder: A comparison to the Hamilton Anxiety Scale. <i>Psychiatry Research</i> , 2020 , 286, 112859	9.9	11
297	A comparison of the dimensionality of the Hamilton Rating Scale for anxiety and the DSM-5 Anxious-Distress Specifier Interview. <i>Psychiatry Research</i> , 2020 , 284, 112788	9.9	2
296	Associations between maladaptive personality domains and premature termination in an acute clinical setting. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2020 , 11, 339-347	4.1	3
295	Understanding the severity of depression: do nondepressive symptoms influence global ratings of depression severity?. <i>CNS Spectrums</i> , 2020 , 25, 557-560	1.8	1
294	The clinical characterization of the adult patient with depression aimed at personalization of management. <i>World Psychiatry</i> , 2020 , 19, 269-293	14.4	59
293	Nonsuicidal Self-Injury and Suicide: Differences Between Those With and Without Borderline Personality Disorder. <i>Journal of Personality Disorders</i> , 2020 , 34, 131-144	2.6	7
292	Positive and Negative Activation in the Mood Disorder Questionnaire: Associations With Psychopathology and Emotion Dysregulation in a Clinical Sample. <i>Assessment</i> , 2020 , 27, 219-231	3.7	1
291	Applying the inclusion/exclusion criteria in placebo-controlled studies to a clinical sample: A comparison of medications. <i>Journal of Affective Disorders</i> , 2020 , 260, 483-488	6.6	
290	Is the DSM-5 anxious distress specifier sufficient for measuring anxiety in depressed patients? Implications for measurement-based care. <i>Annals of Clinical Psychiatry</i> , 2020 , 32, 5-11	1.4	
289	DSM-5 anxious distress specifier in patients with bipolar depression. <i>Annals of Clinical Psychiatry</i> , 2020 , 32, 157-163	1.4	1
288	Symptom presence versus symptom intensity in understanding the severity of depression: Implications for documentation in electronic medical records. <i>Journal of Affective Disorders</i> , 2019 , 256, 344-347	6.6	3
287	Have Treatment Studies of Depression Become Even Less Generalizable? Applying the Inclusion and Exclusion Criteria in Placebo-Controlled Antidepressant Efficacy Trials Published over 20 Years to a Clinical Sample. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 165-170	9.4	18
286	Measuring psychiatric patients satisfaction with the initial evaluation: A comparison of 2 measures. <i>Psychiatry Research</i> , 2019 , 273, 509-513	9.9	
285	Screening for Bipolar Disorder and Finding Borderline Personality Disorder: A Replication and Extension. <i>Journal of Personality Disorders</i> , 2019 , 33, 533-543	2.6	2
284	How should the severity of depression be rated on self-report depression scales?. <i>Psychiatry Research</i> , 2019 , 280, 112512	9.9	5

283	Using the 9-Item Patient Health Questionnaire to Screen for and Monitor Depression. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 2125-2126	27.4	17
282	Screening for Borderline Personality Disorder in Psychiatric Outpatients With Major Depressive Disorder and Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	8
281	Differential Diagnosis of Major Depressive Disorder Versus Bipolar Disorder: Current Status and Best Clinical Practices. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	4
280	Severity and the Treatment of Depression: A Review of Two Controversies. <i>Journal of Nervous and Mental Disease</i> , 2019 , 207, 219-223	1.8	4
279	Unique and Transdiagnostic Symptoms of Hypomania/Mania and Unipolar Depression. <i>Clinical Psychological Science</i> , 2019 , 7, 471-487	6	6
278	Differentiating borderline personality from bipolar disorder with the Mood Disorder Questionnaire (MDQ): A replication and extension of the International Mood Network (IMN) Nosology Project. <i>Comprehensive Psychiatry</i> , 2019 , 88, 49-51	7.3	5
277	Reliability and validity of a self-report scale for daily assessments of the severity of anxiety symptoms. <i>Comprehensive Psychiatry</i> , 2019 , 90, 37-42	7.3	7
276	Unique and shared features of narcissistic and antisocial personality disorders: Implications for assessing and modeling externalizing traits. <i>Journal of Clinical Psychology</i> , 2019 , 75, 433-444	2.8	1
275	What is anxious depression? Overlap and agreement between different definitions. <i>Journal of Psychiatric Research</i> , 2019 , 109, 133-138	5.2	7
274	Validity of the DSM-5 anxious distress specifier for major depressive disorder. <i>Depression and Anxiety</i> , 2019 , 36, 31-38	8.4	19
273	Are studies of psychotherapies for depression more or less generalizable than studies of antidepressants?. <i>Journal of Affective Disorders</i> , 2018 , 234, 8-13	6.6	20
272	Suicide attempts and emotion regulation in psychiatric outpatients. <i>Journal of Affective Disorders</i> , 2018 , 232, 300-304	6.6	18
271	Relationship Between the DSM-5 Anxious Distress Specifier and the Hamilton Depression Rating Scale Anxiety/Somatization Factor. <i>Journal of Nervous and Mental Disease</i> , 2018 , 206, 152-154	1.8	13
270	The Interaction Between Mindfulness, Emotion Regulation, and Social Anxiety and Its Association with Emotional Eating in Bariatric Surgery Candidates. <i>Mindfulness</i> , 2018 , 9, 1780-1793	2.9	16
269	Are self-report scales as effective as clinician rating scales in measuring treatment response in routine clinical practice?. <i>Journal of Affective Disorders</i> , 2018 , 225, 449-452	6.6	19
268	Distinct dimensions defining the Adult ADHD Self-Report Scale: Implications for assessing inattentive and hyperactive/impulsive symptoms. <i>Psychological Assessment</i> , 2018 , 30, 1549-1559	5.3	16
267	Clinician ratings of vulnerable and grandiose narcissistic features: Implications for an expanded narcissistic personality disorder diagnosis. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2018 , 9, 263-272	4.1	7
266	Community and Clinical Epidemiology of Borderline Personality Disorder. <i>Psychiatric Clinics of North America</i> , 2018 , 41, 561-573	3.1	83

265	Understanding the severity of depression: Which symptoms of depression are the best indicators of depression severity?. <i>Comprehensive Psychiatry</i> , 2018 , 87, 84-88	7.3	14
264	Reliability and validity of a self-report scale for daily assessments of the severity of depressive symptoms. <i>Psychiatry Research</i> , 2018 , 270, 581-586	9.9	4
263	Revising , Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 1173-1182	2.6	12
262	The severity of psychiatric disorders. <i>World Psychiatry</i> , 2018 , 17, 258-275	14.4	81
261	The perils of hierarchical exclusion rules: A further word of caution. <i>Depression and Anxiety</i> , 2018 , 35, 903-904	8.4	5
260	Screening for psychiatric disorders with self-administered questionnaires. <i>Psychiatry Research</i> , 2018 , 270, 1068-1073	9.9	4
259	Does diagnosing a patient with borderline personality disorder negatively impact patient satisfaction with the initial diagnostic evaluation?. <i>Annals of Clinical Psychiatry</i> , 2018 , 30, 215-219	1.4	3
258	Has the symptom severity inclusion requirement narrowed the definition of major depressive disorder in antidepressant efficacy trials?. <i>Journal of Affective Disorders</i> , 2017 , 211, 60-64	6.6	3
257	Modification of the medical exclusion criterion in DSM-5 social anxiety disorder: Comorbid obesity as an example. <i>Journal of Affective Disorders</i> , 2017 , 210, 230-236	6.6	3
256	Measures of the DSM-5 mixed-features specifier of major depressive disorder. <i>CNS Spectrums</i> , 2017 , 22, 196-202	1.8	6
255	A clinically useful self-report measure of psychiatric patients' satisfaction with the initial evaluation. <i>Psychiatry Research</i> , 2017 , 252, 38-44	9.9	9
254	Guidelines for the recognition and management of mixed depression. <i>CNS Spectrums</i> , 2017 , 22, 203-219	1.8	72
253	Reliability and validity of the DSM-5 Anxious Distress Specifier Interview. <i>Comprehensive Psychiatry</i> , 2017 , 76, 11-17	7.3	17
252	What do clinicians treat: Diagnoses or symptoms? The incremental validity of a symptom-based, dimensional characterization of emotional disorders in predicting medication prescription patterns. <i>Comprehensive Psychiatry</i> , 2017 , 79, 80-88	7.3	33
251	Delineating the joint hierarchical structure of clinical and personality disorders in an outpatient psychiatric sample. <i>Comprehensive Psychiatry</i> , 2017 , 79, 19-30	7.3	47
250	Measuring anxiety in depressed patients: A comparison of the Hamilton anxiety rating scale and the DSM-5 Anxious Distress Specifier Interview. <i>Journal of Psychiatric Research</i> , 2017 , 93, 59-63	5.2	52
249	The Hierarchical Taxonomy of Psychopathology (HiTOP): A dimensional alternative to traditional nosologies. <i>Journal of Abnormal Psychology</i> , 2017 , 126, 454-477	7	1098
248	Clinically useful screen for borderline personality disorder in psychiatric out-patients. <i>British Journal of Psychiatry</i> , 2017 , 210, 165-166	5.4	14

247	The Diagnosis and Assessment of Mood Disorders 2017 , 94-108		0
246	The Importance of Assessing for Childhood Abuse and Lifetime PTSD in Bariatric Surgery Candidates. <i>Journal of Clinical Psychology in Medical Settings</i> , 2017 , 24, 341-354	2	5
245	Relations Between Mindfulness Processes, Psychiatric Symptoms, and Functioning in Psychiatric and Pre-bariatric Surgery Outpatients. <i>Mindfulness</i> , 2017 , 8, 417-432	2.9	2
244	Subjective anger and overt aggression in psychiatric outpatients. <i>Comprehensive Psychiatry</i> , 2017 , 73, 23-30	7.3	19
243	Body mass index, depression, and suicidality: The role of self-esteem in bariatric surgery candidates. <i>Journal of Affective Disorders</i> , 2017 , 208, 238-247	6.6	9
242	Inclusion/exclusion criteria in late life depression antidepressant efficacy trials. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1009-1016	3.9	4
241	Measurement-based Treatment of Residual Symptoms Using Clinically Useful Depression Outcome Scale: Korean Validation Study. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017 , 15, 28-34	3.4	13
240	A Korean validation study of the Clinically Useful Anxiety Outcome Scale: Comorbidity and differentiation of anxiety and depressive disorders. <i>PLoS ONE</i> , 2017 , 12, e0179247	3.7	5
239	Identifying Remission From Depression on 3 Self-Report Scales. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 177-183	4.6	3
238	Principal diagnoses in psychiatric outpatients with borderline personality disorder: Implications for screening recommendations. <i>Annals of Clinical Psychiatry</i> , 2017 , 29, 54-60	1.4	8
237	A clinically useful screen for attention-deficit/hyperactivity disorder in adult psychiatric outpatients. <i>Annals of Clinical Psychiatry</i> , 2017 , 29, 160-166	1.4	6
236	The impact of anonymity on psychiatric patients' ratings of satisfaction with the initial evaluation. <i>Annals of Clinical Psychiatry</i> , 2017 , 29, 220-226	1.4	3
235	Improving the Recognition of Borderline Personality Disorder in a Bipolar World. <i>Journal of Personality Disorders</i> , 2016 , 30, 320-35	2.6	12
234	The Clinical Significance of Single Features of Borderline Personality Disorder: Anger, Affective Instability, Impulsivity, and Chronic Emptiness in Psychiatric Outpatients. <i>Journal of Personality Disorders</i> , 2016 , 30, 261-70	2.6	49
233	The Psychiatric Inclusion and Exclusion Criteria in Placebo-Controlled Monotherapy Trials of Bipolar Depression: An Analysis of Studies of the Past 20 Years. <i>CNS Drugs</i> , 2016 , 30, 1209-1218	6.7	6
232	Broader conceptualization of remission assessed by the remission from depression questionnaire and its association with symptomatic remission: a prospective, multicenter, observational study. <i>BMC Psychiatry</i> , 2016 , 16, 352	4.2	6
231	Reliability and validity of a semi-structured DSM-based diagnostic interview module for the assessment of Attention Deficit Hyperactivity Disorder in adult psychiatric outpatients. <i>Psychiatry Research</i> , 2016 , 242, 46-53	9.9	4
230	Variability in the substance use disorder exclusion criterion in antidepressant efficacy trials. <i>Journal of Affective Disorders</i> , 2016 , 198, 39-42	6.6	2

229	Problems in the Descriptions of the Psychiatric Inclusion and Exclusion Criteria in Publications of Antidepressant Efficacy Trials: A Qualitative Review and Recommendations for Improved Clarity. <i>CNS Drugs</i> , 2016 , 30, 185-91	6.7	7
228	Inclusion/exclusion criteria in placebo-controlled studies of vortioxetine: Comparison to other antidepressants and implications for product labeling. <i>Journal of Affective Disorders</i> , 2016 , 190, 357-361	6.6	4
227	A Radical Proposal to Address the Problem of the Lack of Generalizability of Placebo-Controlled Studies of Antidepressants. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e1647-e1649	4.6	1
226	Symptom Severity and the Generalizability of Antidepressant Efficacy Trials: Changes During the Past 20 Years. <i>Journal of Clinical Psychopharmacology</i> , 2016 , 36, 153-6	1.7	10
225	Diagnostic profiles of adult psychiatric outpatients with and without attention deficit hyperactivity disorder. <i>Comprehensive Psychiatry</i> , 2016 , 70, 90-7	7.3	12
224	A Review of 20 Years of Research on Overdiagnosis and Underdiagnosis in the Rhode Island Methods to Improve Diagnostic Assessment and Services (MIDAS) Project. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 71-9	4.8	35
223	Does Fear of dying indicate a more severe presentation of panic disorder?. <i>Journal of Anxiety Disorders</i> , 2016 , 40, 52-7	10.9	1
222	Psychosocial morbidity associated with bipolar disorder and borderline personality disorder in psychiatric out-patients: comparative study. <i>British Journal of Psychiatry</i> , 2015 , 207, 334-8	5.4	7
221	How many different ways do patients meet the diagnostic criteria for major depressive disorder?. <i>Comprehensive Psychiatry</i> , 2015 , 56, 29-34	7.3	137
220	Comorbid bipolar disorder and borderline personality disorder and substance use disorder. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 54-7	1.8	13
219	Borderline personality disorder: a disorder in search of advocacy. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 8-12	1.8	14
218	Does Borderline Personality Disorder Manifest Itself Differently in Patients With Bipolar Disorder and Major Depressive Disorder?. <i>Journal of Personality Disorders</i> , 2015 , 29, 847-53	2.6	3
217	Have Treatment Studies of Depression Become Even Less Generalizable? A Review of the Inclusion and Exclusion Criteria Used in Placebo-Controlled Antidepressant Efficacy Trials Published During the Past 20 Years. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 1180-6	6.4	42
216	Does the adequacy of clinicians' diagnostic practice in routine clinical settings matter?. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e888-90	4.6	1
215	Is Borderline Personality Disorder Underdiagnosed and Bipolar Disorder Overdiagnosed? 2015 , 65-78		4
214	A clinically useful self-report measure of the DSM-5 mixed features specifier of major depressive disorder. <i>Journal of Affective Disorders</i> , 2014 , 168, 357-62	6.6	26
213	An Integrated, Acceptance-Based Behavioral Approach for Depression With Social Anxiety: Preliminary Results. <i>Behavior Modification</i> , 2014 , 38, 516-48	2.5	12
212	Which facets of mindfulness are related to problematic eating among patients seeking bariatric surgery?. <i>Eating Behaviors</i> , 2014 , 15, 298-305	3	30

211	Differences between patients with borderline personality disorder who do and do not have a family history of bipolar disorder. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1491-7	7.3	5
210	Which facets of mindfulness predict the presence of substance use disorders in an outpatient psychiatric sample?. <i>Psychology of Addictive Behaviors</i> , 2014 , 28, 498-506	3.4	25
209	The remission from depression questionnaire as an outcome measure in the treatment of depression. <i>Depression and Anxiety</i> , 2014 , 31, 533-8	8.4	17
208	Is research on borderline personality disorder underfunded by the National Institute of Health?. <i>Psychiatry Research</i> , 2014 , 220, 941-4	9.9	7
207	Scoring rules and rating formats of Self-report Depression Questionnaires: a comparison of approaches. <i>Psychiatry Research</i> , 2014 , 218, 225-8	9.9	2
206	Speaking a more consistent language when discussing severe depression: a calibration study of 3 self-report measures of depressive symptoms. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 141-6	4.6	7
205	A clinically useful self-report measure of the DSM-5 anxious distress specifier for major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 601-7	4.6	35
204	A brief, clinically useful, clinician-rated dimensional rating system for psychiatric diagnoses: reliability and validity in psychiatric outpatients. <i>Annals of Clinical Psychiatry</i> , 2014 , 26, 261-9	1.4	1
203	Differences between older and younger adults with borderline personality disorder on clinical presentation and impairment. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1507-13	5.2	35
202	Should criteria be specified for depressive disorder not otherwise specified?. <i>Journal of Affective Disorders</i> , 2013 , 147, 118-22	6.6	1
201	Problematic boundaries in the diagnosis of bipolar disorder: the interface with borderline personality disorder. <i>Current Psychiatry Reports</i> , 2013 , 15, 422	9.1	46
200	A new type of scale for determining remission from depression: the Remission from Depression Questionnaire. <i>Journal of Psychiatric Research</i> , 2013 , 47, 78-82	5.2	37
199	Determining severity subtypes of depression with a self-report questionnaire. <i>Psychiatry Research</i> , 2013 , 206, 98-102	9.9	2
198	Is dimensional scoring important only for subthreshold levels of severity in personality disorders other than borderline?. <i>Comprehensive Psychiatry</i> , 2013 , 54, 673-9	7.3	7
197	A clinically useful social anxiety disorder outcome scale. <i>Comprehensive Psychiatry</i> , 2013 , 54, 758-65	7.3	15
196	Anxiety symptoms among remitted depressed outpatients: prevalence and association with quality of life and psychosocial functioning. <i>Journal of Affective Disorders</i> , 2013 , 151, 401-4	6.6	15
195	Severity classification on the Hamilton Depression Rating Scale. <i>Journal of Affective Disorders</i> , 2013 , 150, 384-8	6.6	489
194	How should residual symptoms be defined in depressed patients who have remitted?. <i>Comprehensive Psychiatry</i> , 2013 , 54, 91-6	7.3	8

193	Is Dimensional Scoring of Borderline Personality Disorder Important Only for Subthreshold Levels of Severity?. <i>Journal of Personality Disorders</i> , 2013 , 27, 244-251	2.6	8
192	Is dimensional scoring of borderline personality disorder important only for subthreshold levels of severity?. <i>Journal of Personality Disorders</i> , 2013 , 27, 244-51	2.6	35
191	Reply: To PMID 22964496. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 189	9.4	
190	What is ironic about wanting empirical support to justify changes in diagnostic criteria? Commentary on "the ironic fate of the personality disorders in DSM-5". <i>Personality Disorders: Theory, Research, and Treatment</i> , 2013 , 4, 352-3	4.1	4
189	The relationship between borderline personality disorder and bipolar disorder. <i>Dialogues in Clinical Neuroscience</i> , 2013 , 15, 155-69	5.7	51
188	Prevalence of attenuated psychotic symptoms and their relationship with DSM-IV diagnoses in a general psychiatric outpatient clinic. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 149-55	4.6	20
187	"Subthreshold" depression: is the distinction between depressive disorder not otherwise specified and adjustment disorder valid?. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 470-6	4.6	9
186	Distinguishing bipolar II depression from major depressive disorder with comorbid borderline personality disorder: demographic, clinical, and family history differences. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 880-6	4.6	33
185	Is the distinction between adjustment disorder with depressed mood and adjustment disorder with mixed anxious and depressed mood valid?. <i>Annals of Clinical Psychiatry</i> , 2013 , 25, 257-65	1.4	8
184	The impact of comorbid cannabis use disorders on the clinical presentation of social anxiety disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 50-6	5.2	8
183	Misuse of the Mood Disorders Questionnaire as a case-finding measure and a critique of the concept of using a screening scale for bipolar disorder in psychiatric practice. <i>Bipolar Disorders</i> , 2012 , 14, 127-34	3.8	23
182	The comorbidity of anger symptoms with personality disorders in psychiatric outpatients. <i>Journal of Clinical Psychology</i> , 2012 , 68, 67-77	2.8	6
181	Is there adequate empirical justification for radically revising the personality disorders section for DSM-5?. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2012 , 3, 444-57	4.1	23
180	Overcoming the problem of diagnostic heterogeneity in applying measurement-based care in clinical practice: the concept of psychiatric vital signs. <i>Comprehensive Psychiatry</i> , 2012 , 53, 117-24	7.3	9
179	Why do some depressed outpatients who are not in remission according to the hamilton depression rating scale nonetheless consider themselves to be in remission?. <i>Depression and Anxiety</i> , 2012 , 29, 891-5	8.4	18
178	Sustained unemployment in psychiatric outpatients with bipolar depression compared to major depressive disorder with comorbid borderline personality disorder. <i>Bipolar Disorders</i> , 2012 , 14, 856-62	3.8	14
177	Which DSM-IV personality disorders are most strongly associated with indices of psychosocial morbidity in psychiatric outpatients?. <i>Comprehensive Psychiatry</i> , 2012 , 53, 940-5	7.3	11
176	Determining remission from depression on two self-report symptom scales: a comparison of the Quick Inventory of Depressive Symptomatology and the Clinically Useful Depression Outcome Scale. <i>Comprehensive Psychiatry</i> , 2012 , 53, 1034-8	7.3	6

175	Symptom differences between depressed outpatients who are in remission according to the Hamilton Depression Rating Scale who do and do not consider themselves to be in remission. <i>Journal of Affective Disorders</i> , 2012 , 142, 77-81	6.6	22
174	Further evidence that the cutoff to define remission on the 17-item Hamilton Depression Rating Scale should be lowered. <i>Depression and Anxiety</i> , 2012 , 29, 159-65	8.4	32
173	An empirical examination of Gunderson's proposed revision of the diagnostic algorithm for borderline personality disorder. <i>Journal of Personality Disorders</i> , 2012 , 26, 880-9	2.6	4
172	Web-based assessment of depression in patients treated in clinical practice: reliability, validity, and patient acceptance. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 333-8	4.6	21
171	Does the presence of one feature of borderline personality disorder have clinical significance? Implications for dimensional ratings of personality disorders. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 8-12	4.6	65
170	Would broadening the diagnostic criteria for bipolar disorder do more harm than good? Implications from longitudinal studies of subthreshold conditions. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 437-43	4.6	24
169	Impact of deleting 5 DSM-IV personality disorders on prevalence, comorbidity, and the association between personality disorder pathology and psychosocial morbidity. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 202-7	4.6	6
168	Why do some depressed outpatients who are in remission according to the Hamilton Depression Rating Scale not consider themselves to be in remission?. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 790-5	4.6	61
167	Discordance between researchers and patients in defining remission from depression. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1262-3	4.6	6
166	How can we use depression severity to guide treatment selection when measures of depression categorize patients differently?. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1287-91	4.6	29
165	Does the diagnosis of multiple Axis II disorders have clinical significance?. <i>Annals of Clinical Psychiatry</i> , 2012 , 24, 195-201	1.4	7
164	Broadening the concept of bipolar disorder: what should be done in the face of uncertainty?. <i>World Psychiatry</i> , 2011 , 10, 188-9	14.4	7
163	Impact of obesity on the psychometric properties of the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition criteria for major depressive disorder. <i>Comprehensive Psychiatry</i> , 2011 , 52, 146-50	7.3	7
162	Concordance between a simpler definition of major depressive disorder and Diagnostic and statistical manual of mental disorders, fourth edition: an independent replication in an outpatient sample. <i>Comprehensive Psychiatry</i> , 2011 , 52, 261-4	7.3	11
161	Are screening scales for bipolar disorder good enough to be used in clinical practice?. <i>Comprehensive Psychiatry</i> , 2011 , 52, 600-6	7.3	25
160	Age of onset of social anxiety disorder in depressed outpatients. <i>Journal of Anxiety Disorders</i> , 2011 , 25, 131-7	10.9	27
159	Psychiatric diagnoses in patients who screen positive on the Mood Disorder Questionnaire: Implications for using the scale as a case-finding instrument for bipolar disorder. <i>Psychiatry Research</i> , 2011 , 185, 444-9	9.9	37
158	Treatment-seeking for social anxiety disorder in a general outpatient psychiatry setting. <i>Psychiatry Research</i> , 2011 , 187, 375-81	9.9	28

157	Diagnostic and clinical profiles of treatment-seeking men with and without substance use disorders.. <i>Psychology of Men and Masculinity</i> , 2011 , 12, 158-165	3.1	2
156	Diagnosing social anxiety disorder in the presence of obesity: implications for a proposed change in DSM-5. <i>Depression and Anxiety</i> , 2011 , 28, 377-82	8.4	10
155	New dimensions in the quantitative classification of mental illness. <i>Archives of General Psychiatry</i> , 2011 , 68, 1003-11		257
154	Clinical correlates of desire for treatment for current alcohol dependence among patients with a primary psychiatric disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2011 , 37, 105-10	3.7	6
153	A critique of the proposed prototype rating system for personality disorders in DSM-5. <i>Journal of Personality Disorders</i> , 2011 , 25, 206-21	2.6	46
152	Screening for bipolar disorder with the Mood Disorders Questionnaire: a review. <i>Harvard Review of Psychiatry</i> , 2011 , 19, 219-28	4.1	55
151	Does DSM-IV already capture the dimensional nature of personality disorders?. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1333-9	4.6	7
150	Depressed patients' perspectives of 2 measures of outcome: the Quick Inventory of Depressive Symptomatology (QIDS) and the Remission from Depression Questionnaire (RDQ). <i>Annals of Clinical Psychiatry</i> , 2011 , 23, 208-12	1.4	11
149	Performance of the Bipolar Spectrum Diagnostic Scale in psychiatric outpatients. <i>Bipolar Disorders</i> , 2010 , 12, 528-38	3.8	20
148	Sustained unemployment in psychiatric outpatients with bipolar disorder: frequency and association with demographic variables and comorbid disorders. <i>Bipolar Disorders</i> , 2010 , 12, 720-6	3.8	43
147	A comparison of depressed patients with and without borderline personality disorder: implications for interpreting studies of the validity of the bipolar spectrum. <i>Journal of Personality Disorders</i> , 2010 , 24, 763-72	2.6	37
146	Clinical characteristics of depressed outpatients previously overdiagnosed with bipolar disorder. <i>Comprehensive Psychiatry</i> , 2010 , 51, 99-105	7.3	8
145	A different approach toward screening for bipolar disorder: the prototype matching method. <i>Comprehensive Psychiatry</i> , 2010 , 51, 340-6	7.3	7
144	Detecting differences in diagnostic assessment of bipolar disorder. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 339-42	1.8	3
143	Overdiagnosis of bipolar disorder and disability payments. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 452-4	1.8	18
142	Frequency and correlates of gambling problems in outpatients with major depressive disorder and bipolar disorder. <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 568-76	4.8	39
141	The relative roles of bipolar disorder and psychomotor agitation in substance dependence. <i>Psychology of Addictive Behaviors</i> , 2010 , 24, 360-5	3.4	14
140	Challenges associated with a polythetic diagnostic system: criteria combinations in the personality disorders. <i>Journal of Abnormal Psychology</i> , 2010 , 119, 886-95	7	28

139	Borderline personality disorder and the misdiagnosis of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2010 , 44, 405-8	5.2	92
138	Validity of a simpler definition of major depressive disorder. <i>Depression and Anxiety</i> , 2010 , 27, 977-81	8.4	3
137	Recognition of irrationality of fear and the diagnosis of social anxiety disorder and specific phobia in adults: implications for criteria revision in DSM-5. <i>Depression and Anxiety</i> , 2010 , 27, 1044-9	8.4	10
136	Is underdiagnosis the main pitfall in diagnosing bipolar disorder? No. <i>BMJ, The</i> , 2010 , 340, c855	5.9	10
135	Psychiatric diagnoses in patients previously overdiagnosed with bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 26-31	4.6	60
134	Does comorbid posttraumatic stress disorder affect the severity and course of psychotic major depressive disorder?. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 442-50	4.6	10
133	Psychiatrists and nonpsychiatrist physicians reported use of the DSM-IV criteria for major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 235-8	4.6	32
132	Underrecognition of clinically significant side effects in depressed outpatients. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 484-90	4.6	18
131	Screening for bipolar disorder and finding borderline personality disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1212-7	4.6	61
130	A clinically useful anxiety outcome scale. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 534-42	4.6	38
129	Prevalence and clinical characteristics of psychotic versus nonpsychotic major depression in a general psychiatric outpatient clinic. <i>Depression and Anxiety</i> , 2009 , 26, 54-64	8.4	45
128	Trait Anger and Axis I Disorders: Implications for REBT. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2009 , 27, 121-135	1.7	19
127	Performance of the mood disorders questionnaire in a psychiatric outpatient setting. <i>Bipolar Disorders</i> , 2009 , 11, 759-65	3.8	37
126	Posttraumatic stress disorder with and without alcohol use disorders: diagnostic and clinical correlates in a psychiatric sample. <i>Psychiatry Research</i> , 2009 , 170, 278-81	9.9	8
125	Do comorbid anxiety disorders impact treatment planning for outpatients with major depressive disorder?. <i>Psychiatry Research</i> , 2009 , 169, 7-11	9.9	17
124	Refining the depression-nicotine dependence link: patterns of depressive symptoms in psychiatric outpatients with current, past, and no history of nicotine dependence. <i>Addictive Behaviors</i> , 2009 , 34, 297-303	4.2	27
123	Diagnosing alcohol abuse in alcohol dependent individuals: diagnostic and clinical implications. <i>Addictive Behaviors</i> , 2009 , 34, 587-92	4.2	4
122	Introduction: selecting an antidepressant. <i>CNS Spectrums</i> , 2009 , 14, 4-7	1.8	1

121	Measurement-Based Care and Outcome Measures: Implications for Practice. <i>Medical Psychiatry</i> , 2009 , 127-137		1
120	Remission in depressed outpatients: more than just symptom resolution?. <i>Journal of Psychiatric Research</i> , 2008 , 42, 797-801	5.2	66
119	The frequency of personality disorders in psychiatric patients. <i>Psychiatric Clinics of North America</i> , 2008 , 31, 405-20, vi	3.1	98
118	Associations between depression subtypes and substance use disorders. <i>Psychiatry Research</i> , 2008 , 161, 43-50	9.9	26
117	Diagnostic orphans for alcohol use disorders in a treatment-seeking psychiatric sample. <i>Drug and Alcohol Dependence</i> , 2008 , 96, 187-91	4.9	17
116	A clinically useful depression outcome scale. <i>Comprehensive Psychiatry</i> , 2008 , 49, 131-40	7.3	94
115	Screening for social fears and social anxiety disorder in psychiatric outpatients. <i>Comprehensive Psychiatry</i> , 2008 , 49, 399-406	7.3	13
114	Clinical significance and remission in treating major depressive disorder: parallels between related outcome constructs. <i>Harvard Review of Psychiatry</i> , 2008 , 16, 25-34	4.1	7
113	Depressed patients' acceptability of the use of self-administered scales to measure outcome in clinical practice. <i>Annals of Clinical Psychiatry</i> , 2008 , 20, 125-9	1.4	29
112	A pilot effectiveness study: placebo-controlled trial of adjunctive L-triiodothyronine (T3) used to accelerate and potentiate the antidepressant response. <i>International Journal of Neuropsychopharmacology</i> , 2008 , 11, 15-25	5.8	20
111	The factor structure and severity of DSM-IV alcohol abuse and dependence symptoms in psychiatric outpatients. <i>Journal of Studies on Alcohol and Drugs</i> , 2008 , 69, 496-9	1.9	22
110	Differences in clinical presentation between depressed outpatients wanting versus not wanting treatment for comorbid social anxiety disorder. <i>Journal of Nervous and Mental Disease</i> , 2008 , 196, 639-42	1.8	9
109	To Screen or Not to Screen: Conceptual Issues in Screening for Psychiatric Disorders in Psychiatric Patients with a Focus on the Performance of the Psychiatric Diagnostic Screening Questionnaire. <i>International Journal of Mental Health and Addiction</i> , 2008 , 6, 53-63	8.8	7
108	Problems applying the DSM-IV eating disorders diagnostic criteria in a general psychiatric outpatient practice. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 381-4	4.6	28
107	Is bipolar disorder overdiagnosed?. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 935-40	4.6	108
106	Why don't psychiatrists use scales to measure outcome when treating depressed patients?. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1916-9	4.6	98
105	Does comorbid Social Anxiety Disorder impact the clinical presentation of principal Major Depressive Disorder?. <i>Journal of Affective Disorders</i> , 2007 , 100, 241-7	6.6	42
104	Psychosocial impairment associated with bipolar II disorder. <i>Journal of Affective Disorders</i> , 2007 , 104, 53-60	6.6	48

103	Heterogeneity of borderline personality disorder: do the number of criteria met make a difference?. <i>Journal of Personality Disorders</i> , 2007 , 21, 615-25	2.6	24
102	Examining a dimensional representation of depression and anxiety disordersRcomorbidity in psychiatric outpatients with item response modeling. <i>Journal of Abnormal Psychology</i> , 2007 , 116, 464-74 ⁷		24
101	Diagnosing major depressive disorder XI: a taxometric investigation of the structure underlying DSM-IV symptoms. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 10-9	1.8	35
100	Diagnosing major depressive disorder XII: can a self-report depression questionnaire be used to examine questions about the DSM-IV diagnostic criteria?. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 158-64	1.8	2
99	Impact of study design on the results of continuation studies of antidepressants. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 177-81	1.7	14
98	Heterogeneity among depressed outpatients considered to be in remission. <i>Comprehensive Psychiatry</i> , 2007 , 48, 113-7	7.3	41
97	How often do SSRIs and other new-generation antidepressants lose their effect during continuation treatment? Evidence suggesting the rate of true tachyphylaxis during continuation treatment is low. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1271-6	4.6	22
96	Presurgical psychiatric evaluations of candidates for bariatric surgery, part 1: reliability and reasons for and frequency of exclusion. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1557-62	4.6	41
95	The impact of gender, age and depressed state on patientsRperspectives of remission. <i>Journal of Affective Disorders</i> , 2006 , 95, 79-84	6.6	2
94	Screening for anxiety disorders in depressed patients. <i>Journal of Psychiatric Research</i> , 2006 , 40, 267-72	5.2	9
93	Personality pathology and its relation to couple functioning. <i>Journal of Clinical Psychology</i> , 2006 , 62, 1275-89	2.8	13
92	How should remission from depression be defined? The depressed patientR perspective. <i>American Journal of Psychiatry</i> , 2006 , 163, 148-50	11.9	262
91	Validity of a self-report depression symptom scale for identifying remission in depressed outpatients. <i>Comprehensive Psychiatry</i> , 2006 , 47, 185-8	7.3	18
90	Discordance between self-reported symptom severity and psychosocial functioning ratings in depressed outpatients: implications for how remission from depression should be defined. <i>Psychiatry Research</i> , 2006 , 141, 185-91	9.9	45
89	Diagnosing major depressive disorder X: can the utility of the DSM-IV symptom criteria be improved?. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 893-7	1.8	40
88	Diagnosing major depressive disorder VII: family history as a diagnostic criterion. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 704-7	1.8	2
87	Diagnosing major depressive disorder IV: relationship between number of symptoms and the diagnosis of disorder. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 450-3	1.8	9
86	Diagnosing major depressive disorder V: applying the DSM-IV exclusion criteria in clinical practice. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 530-3	1.8	8

85	Diagnosing major depressive disorder introduction: an examination of the DSM-IV diagnostic criteria. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 151-4	1.8	16
84	Diagnosing major depressive disorder VI: performance of an objective test as a diagnostic criterion. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 565-9	1.8	13
83	Diagnosing major depressive disorder I: A psychometric evaluation of the DSM-IV symptom criteria. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 158-63	1.8	50
82	Diagnosing major depressive disorder: II: is there justification for compound symptom criteria?. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 235-40	1.8	16
81	Diagnosing major depressive disorder III: can some symptoms be eliminated from the diagnostic criteria?. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 313-7	1.8	19
80	Diagnosing major depressive disorder VIII: are some symptoms better than others?. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 785-90	1.8	52
79	Diagnosing major depressive disorder IX: are patients who deny low mood a distinct subgroup?. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 864-9	1.8	7
78	Prevalence and diagnostic correlates of DSM-IV pathological gambling in psychiatric outpatients. <i>Journal of Gambling Studies</i> , 2006 , 22, 255-62	3	34
77	A psychometric evaluation of the DSM-IV pathological gambling diagnostic criteria. <i>Journal of Gambling Studies</i> , 2006 , 22, 329-37	3	31
76	Developing brief scales for use in clinical practice: the reliability and validity of single-item self-report measures of depression symptom severity, psychosocial impairment due to depression, and quality of life. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1536-41	4.6	179
75	Is the cutoff to define remission on the Hamilton Rating Scale for Depression too high?. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 170-5	1.8	63
74	Pseudopatient or pseudoscience: a reviewer's perspective. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 740-2	1.8	3
73	Elevated rates of psychosis among treatment-seeking Hispanic patients with major depression. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 66-9	1.8	13
72	Comorbid psychiatric disorders in depressed outpatients: demographic and clinical features. <i>Journal of Affective Disorders</i> , 2005 , 87, 43-55	6.6	185
71	Standardized clinical outcome rating scale for depression for use in clinical practice. <i>Depression and Anxiety</i> , 2005 , 22, 36-40	8.4	6
70	Generalizability of antidepressant efficacy trials: differences between depressed psychiatric outpatients who would or would not qualify for an efficacy trial. <i>American Journal of Psychiatry</i> , 2005 , 162, 1370-2	11.9	118
69	The prevalence of DSM-IV personality disorders in psychiatric outpatients. <i>American Journal of Psychiatry</i> , 2005 , 162, 1911-8	11.9	547
68	Is there a delay in the antidepressant effect? A meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 148-58	4.6	162

67	Why isn't bupropion the most frequently prescribed antidepressant?. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 603-10	4.6	32
66	Differences between minimally depressed patients who do and do not consider themselves to be in remission. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1134-8	4.6	24
65	Derivation of a definition of remission on the Montgomery-Asberg depression rating scale corresponding to the definition of remission on the Hamilton rating scale for depression. <i>Journal of Psychiatric Research</i> , 2004 , 38, 577-82	5.2	166
64	An illustration of how a self-report diagnostic screening scale could improve the internal validity of antidepressant efficacy trials. <i>Journal of Affective Disorders</i> , 2004 , 80, 79-85	6.6	2
63	The Diagnostic Inventory for Depression: a self-report scale to diagnose DSM-IV major depressive disorder. <i>Journal of Clinical Psychology</i> , 2004 , 60, 87-110	2.8	87
62	Which factors influence psychiatrists' selection of antidepressants?. <i>American Journal of Psychiatry</i> , 2004 , 161, 1285-9	11.9	103
61	Screening for psychiatric disorders in outpatients with DSM-IV substance use disorders. <i>Journal of Substance Abuse Treatment</i> , 2004 , 26, 181-8	4.2	32
60	Assessing past treatment history: test-retest reliability of the Treatment Response to Antidepressant Questionnaire. <i>Journal of Nervous and Mental Disease</i> , 2004 , 192, 95-102	1.8	25
59	Exclusion criteria used in antidepressant efficacy trials: consistency across studies and representativeness of samples included. <i>Journal of Nervous and Mental Disease</i> , 2004 , 192, 87-94	1.8	44
58	A review of studies of the Hamilton depression rating scale in healthy controls: implications for the definition of remission in treatment studies of depression. <i>Journal of Nervous and Mental Disease</i> , 2004 , 192, 595-601	1.8	98
57	Implications of using different cut-offs on symptom severity scales to define remission from depression. <i>International Clinical Psychopharmacology</i> , 2004 , 19, 215-20	2.2	42
56	Using a self-report depression scale to identify remission in depressed outpatients. <i>American Journal of Psychiatry</i> , 2004 , 161, 1911-3	11.9	32
55	A review of studies of the Montgomery-Asberg Depression Rating Scale in controls: implications for the definition of remission in treatment studies of depression. <i>International Clinical Psychopharmacology</i> , 2004 , 19, 1-7	2.2	69
54	Defining remission on the Montgomery-Asberg depression rating scale. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 163-8	4.6	70
53	Using questionnaires to screen for psychiatric disorders: a comment on a study of screening for bipolar disorder in the community. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 605-10; discussion 721	4.6	62
52	On the threshold of disorder: a study of the impact of the DSM-IV clinical significance criterion on diagnosing depressive and anxiety disorders in clinical practice. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1400-5	4.6	9
51	Generalizability of antidepressant efficacy trials. <i>Essential Psychopharmacology</i> , 2004 , 6, 45-58		1
50	Generalized anxiety disorder in patients with major depression: is DSM-IV's hierarchy correct?. <i>American Journal of Psychiatry</i> , 2003 , 160, 504-12	11.9	81

49	. <i>Journal of Nervous and Mental Disease</i> , 2003 , 191, 281-286	1.8	7
48	What should the standard of care for psychiatric diagnostic evaluations be?. <i>Journal of Nervous and Mental Disease</i> , 2003 , 191, 281-6	1.8	33
47	Screening for principal versus comorbid conditions in psychiatric outpatients with the Psychiatric Diagnostic Screening Questionnaire. <i>Psychological Assessment</i> , 2003 , 15, 110-4	5.3	27
46	The construct validity of depressive personality disorder.. <i>Journal of Abnormal Psychology</i> , 2003 , 112, 49-60	7	49
45	How accurate are patients in reporting their antidepressant treatment history?. <i>Journal of Affective Disorders</i> , 2003 , 75, 115-24	6.6	30
44	Clinician recognition of anxiety disorders in depressed outpatients. <i>Journal of Psychiatric Research</i> , 2003 , 37, 325-33	5.2	52
43	Pathological worry in depressed and anxious patients. <i>Journal of Anxiety Disorders</i> , 2003 , 17, 533-46	10.9	73
42	Personality disorders and the duration of depressive episode: a retrospective study. <i>Journal of Personality Disorders</i> , 2002 , 16, 293-303	2.6	23
41	Borderline personality disorder and age of onset in major depression. <i>Journal of Personality Disorders</i> , 2002 , 16, 189-99	2.6	13
40	Symptom severity and exclusion from antidepressant efficacy trials. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 610-4	1.7	33
39	Partial validation of the atypical features subtype of major depressive disorder. <i>Archives of General Psychiatry</i> , 2002 , 59, 70-6		92
38	A reevaluation of the exclusion criteria used in antidepressant efficacy trials. <i>American Journal of Psychiatry</i> , 2002 , 159, 191-200	11.9	85
37	Are subjects in pharmacological treatment trials of depression representative of patients in routine clinical practice?. <i>American Journal of Psychiatry</i> , 2002 , 159, 469-73	11.9	296
36	Integrating outcomes research into clinical practice. <i>Psychiatric Services</i> , 2002 , 53, 335-6	3.3	21
35	Case identification of depression with self-report questionnaires. <i>Psychiatry Research</i> , 2002 , 109, 51-9	9.9	16
34	An open-label study of citalopram in the treatment of pathological gambling. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 44-8	4.6	80
33	Major depressive disorder and axis I diagnostic comorbidity. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 187-93	4.6	112
32	Anger and aggression in psychiatric outpatients. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 665-72	4.6	78

31	Social phobia: still a neglected anxiety disorder?. <i>Journal of Nervous and Mental Disease</i> , 2002 , 190, 786-8.8		7
30	The relationship between posttraumatic stress disorder, childhood trauma and alexithymia in an outpatient sample. <i>Journal of Traumatic Stress</i> , 2001 , 14, 177-188	3.8	104
29	Clinical features of survivors of sexual abuse with major depression. <i>Child Abuse and Neglect</i> , 2001 , 25, 357-67	4.3	82
28	The Psychiatric Diagnostic Screening Questionnaire: development, reliability and validity. <i>Comprehensive Psychiatry</i> , 2001 , 42, 175-89	7.3	227
27	A self-report scale to help make psychiatric diagnoses: the Psychiatric Diagnostic Screening Questionnaire. <i>Archives of General Psychiatry</i> , 2001 , 58, 787-94		284
26	Switching Versus Augmentation. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 135-145	4.6	27
25	Principal and additional DSM-IV disorders for which outpatients seek treatment. <i>Psychiatric Services</i> , 2000 , 51, 1299-304	3.3	46
24	Frequency of anxiety disorders in psychiatric outpatients with major depressive disorder. <i>American Journal of Psychiatry</i> , 2000 , 157, 1337-40	11.9	119
23	Differences between clinical and research practices in diagnosing borderline personality disorder. <i>American Journal of Psychiatry</i> , 1999 , 156, 1570-4	11.9	145
22	Psychiatric diagnosis in clinical practice: is comorbidity being missed?. <i>Comprehensive Psychiatry</i> , 1999 , 40, 182-91	7.3	217
21	Axis I diagnostic comorbidity and borderline personality disorder. <i>Comprehensive Psychiatry</i> , 1999 , 40, 245-52	7.3	234
20	Psychotic subtyping of major depressive disorder and posttraumatic stress disorder. <i>Journal of Clinical Psychiatry</i> , 1999 , 60, 311-4	4.6	25
19	The reliability and validity of a screening Questionnaire for 13 DSM-IV Axis I disorders (the Psychiatric Diagnostic Screening Questionnaire) in psychiatric outpatients. <i>Journal of Clinical Psychiatry</i> , 1999 , 60, 677-83	4.6	95
18	Is posttraumatic stress disorder underdiagnosed in routine clinical settings?. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 420-8	1.8	93
17	Body dysmorphic disorder in psychiatric outpatients: recognition, prevalence, comorbidity, demographic, and clinical correlates. <i>Comprehensive Psychiatry</i> , 1998 , 39, 265-70	7.3	105
16	Primary care patients Reactions to mental health screening. <i>International Journal of Psychiatry in Medicine</i> , 1996 , 26, 431-41	1	11
15	Diagnosing personality disorders. A review of issues and research methods. <i>Archives of General Psychiatry</i> , 1994 , 51, 225-45		543
14	Screening for major depressive disorder in the community: A comparison of measures.. <i>Psychological Assessment</i> , 1994 , 6, 71-74	5.3	64

13	Screening for psychiatric disorders in medical patients: a feasibility and patient acceptance study. <i>Medical Care</i> , 1994 , 32, 603-8	3.1	37
12	Reporting errors in studies of the diagnostic performance of self-administered questionnaires: Extent of the problem, recommendations for standardized presentation of results, and implications for the peer review process.. <i>Psychological Assessment</i> , 1993 , 5, 395-399	5.3	67
11	A method to detect intercenter differences in the application of contemporary diagnostic criteria. <i>Journal of Nervous and Mental Disease</i> , 1993 , 181, 130-4	1.8	7
10	DSM-III and DSM-III-R: what are American psychiatrists using and why?. <i>Comprehensive Psychiatry</i> , 1993 , 34, 365-74	7.3	8
9	Diagnosing personality disorder in depressed patients. A comparison of patient and informant interviews. <i>Archives of General Psychiatry</i> , 1988 , 45, 733-7		101
8	Why are we rushing to publish DSM-IV?. <i>Archives of General Psychiatry</i> , 1988 , 45, 1135-8		53
7	The validity of a self-report questionnaire for diagnosing major depressive disorder. <i>Archives of General Psychiatry</i> , 1988 , 45, 738-40		68
6	The Inventory to Diagnose Depression (IDD): A self-report scale to diagnose major depressive disorder.. <i>Journal of Consulting and Clinical Psychology</i> , 1987 , 55, 55-59	6.5	213
5	A self-report scale to diagnose major depressive disorder. <i>Archives of General Psychiatry</i> , 1986 , 43, 1076-81		233
4	DSM-III personality disorders: diagnostic overlap and internal consistency of individual DSM-III criteria. <i>Comprehensive Psychiatry</i> , 1986 , 27, 21-34	7.3	170
3	The validity of the dexamethasone suppression test as a marker for endogenous depression. <i>Archives of General Psychiatry</i> , 1986 , 43, 347-55		45
2	The treatment validity of DSM-III melancholic subtyping. <i>Psychiatry Research</i> , 1985 , 16, 37-43	9.9	17
1	An Empirical Examination of Gunderson's Proposed Revision of the Diagnostic Algorithm for Borderline Personality Disorder. <i>Journal of Personality Disorders</i> , 1-10	2.6	