


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1574889/publications.pdf Version: 2024-02-01



VI VIE

#	Article	IF	CITATIONS
1	Tannic acid-inspiration and post-crosslinking of zwitterionic polymer as a universal approach towards antifouling surface. Chemical Engineering Journal, 2018, 337, 122-132.	12.7	131
2	Fabrication of metronidazole loaded poly (ε-caprolactone)/zein core/shell nanofiber membranes via coaxial electrospinning for guided tissue regeneration. Journal of Colloid and Interface Science, 2017, 490, 270-278.	9.4	109
3	Design of Antibacterial Poly(ether sulfone) Membranes via Covalently Attaching Hydrogel Thin Layers Loaded with Ag Nanoparticles. ACS Applied Materials & Interfaces, 2017, 9, 15962-15974.	8.0	91
4	Co-deposition towards mussel-inspired antifouling and antibacterial membranes by using zwitterionic polymers and silver nanoparticles. Journal of Materials Chemistry B, 2017, 5, 7186-7193.	5.8	89
5	Zwitterionic polymer functionalization of polysulfone membrane with improved antifouling property and blood compatibility by combination of ATRP and click chemistry. Acta Biomaterialia, 2016, 40, 162-171.	8.3	84
6	One-step synthesis of nitrogen-doped sludge carbon as a bifunctional material for the adsorption and catalytic oxidation of organic pollutants. Science of the Total Environment, 2019, 680, 51-60.	8.0	83
7	Functionalized polyethersulfone nanofibrous membranes with ultra-high adsorption capacity for organic dyes by one-step electrospinning. Journal of Colloid and Interface Science, 2019, 533, 526-538.	9.4	75
8	Metalâ€Phenolic Networks Nanoplatform to Mimic Antioxidant Defense System for Broadâ€Spectrum Radical Eliminating and Endotoxemia Treatment. Advanced Functional Materials, 2020, 30, 2002234.	14.9	74
9	Effects of deproteinization methods on primary structure and antioxidant activity of Ganoderma lucidum polysaccharides. International Journal of Biological Macromolecules, 2019, 126, 867-876.	7.5	71
10	Codeposition of Polydopamine and Zwitterionic Polymer on Membrane Surface with Enhanced Stability and Antibiofouling Property. Langmuir, 2019, 35, 1430-1439.	3.5	70
11	Ultrasonic-enhanced Fenton-like degradation of bisphenol A using a bio-synthesized schwertmannite catalyst. Journal of Hazardous Materials, 2018, 344, 689-697.	12.4	69
12	Heparin-mimicking polyethersulfone membranes – hemocompatibility, cytocompatibility, antifouling and antibacterial properties. Journal of Membrane Science, 2016, 498, 135-146.	8.2	68
13	Yeast biomass-induced Co2P/biochar composite for sulfonamide antibiotics degradation through peroxymonosulfate activation. Environmental Pollution, 2021, 268, 115930.	7.5	65
14	Effect of pretreatment on the enzymatic hydrolysis of kitchen waste for xanthan production. Bioresource Technology, 2017, 223, 84-90.	9.6	64
15	Hydrothermal route-enabled synthesis of sludge-derived carbon with oxygen functional groups for bisphenol A degradation through activation of peroxymonosulfate. Journal of Hazardous Materials, 2020, 388, 121801.	12.4	64
16	Integrating zwitterionic polymer and Ag nanoparticles on polymeric membrane surface to prepare antifouling and bactericidal surface via Schiff-based layer-by-layer assembly. Journal of Colloid and Interface Science, 2018, 510, 308-317.	9.4	63
17	Nanofibrous membranes with surface migration of functional groups for ultrafast wastewater remediation. Journal of Materials Chemistry A, 2018, 6, 13359-13372.	10.3	60
18	Molten salt induced nitrogen-doped biochar nanosheets as highly efficient peroxymonosulfate catalyst for organic pollutant degradation. Environmental Pollution, 2020, 260, 114053.	7.5	60

Υι Χιε

#	Article	IF	CITATIONS
19	Iron-rich microorganism-enabled synthesis of magnetic biocarbon for efficient adsorption of diclofenac from aqueous solution. Bioresource Technology, 2019, 282, 310-317.	9.6	55
20	Engineering of Tannic Acid Inspired Antifouling and Antibacterial Membranes through Co-deposition of Zwitterionic Polymers and Ag Nanoparticles. Industrial & Engineering Chemistry Research, 2019, 58, 11689-11697.	3.7	52
21	Zwitterionic glycosyl modified polyethersulfone membranes with enhanced anti-fouling property and blood compatibility. Journal of Colloid and Interface Science, 2015, 443, 36-44.	9.4	51
22	Positively-charged polyethersulfone nanofibrous membranes for bacteria and anionic dyes removal. Journal of Colloid and Interface Science, 2019, 556, 492-502.	9.4	43
23	Biosynthesis, structure and antioxidant activities of xanthan gum from Xanthomonas campestris with additional furfural. Carbohydrate Polymers, 2019, 216, 369-375.	10.2	41
24	A self-cleaning zwitterionic nanofibrous membrane for highly efficient oil-in-water separation. Science of the Total Environment, 2020, 729, 138876.	8.0	40
25	A versatile approach towards multi-functional surfaces via covalently attaching hydrogel thin layers. Journal of Colloid and Interface Science, 2016, 484, 60-69.	9.4	36
26	Preparation of temperature-sensitive Xanthan/NIPA hydrogel using citric acid as crosslinking agent for bisphenol A adsorption. Carbohydrate Polymers, 2019, 206, 94-101.	10.2	36
27	Cobaltâ€doped biogenic manganese oxides for enhanced tetracycline degradation by activation of peroxymonosulfate. Journal of Chemical Technology and Biotechnology, 2019, 94, 752-760.	3.2	34
28	Multifunctional negatively-charged poly (ether sulfone) nanofibrous membrane for water remediation. Journal of Colloid and Interface Science, 2019, 538, 648-659.	9.4	33
29	Cobalt oxide loaded graphitic carbon nitride as adsorptive photocatalyst for tetracycline removal from aqueous solution. Chemosphere, 2019, 218, 169-178.	8.2	33
30	Mechanism of efficient remediation of U(VI) using biogenic CMC-FeS complex produced by sulfate-reducing bacteria. Journal of Hazardous Materials, 2021, 420, 126645.	12.4	32
31	Functional polyethersulfone particles for the removal of bilirubin. Journal of Materials Science: Materials in Medicine, 2016, 27, 28.	3.6	28
32	Direct catechol conjugation of mussel-inspired biomacromolecule coatings to polymeric membranes with antifouling properties, anticoagulant activity and cytocompatibility. Journal of Materials Chemistry B, 2017, 5, 3035-3046.	5.8	27
33	Utilization of food waste hydrolysate for microbial lipid and protein production by <i>Rhodosporidium toruloides</i> Y2. Journal of Chemical Technology and Biotechnology, 2017, 92, 666-673.	3.2	27
34	Photoenhanced Dual-Functional Nanomedicine for Promoting Wound Healing: Shifting Focus from Bacteria Eradication to Host Microenvironment Modulation. ACS Applied Materials & Interfaces, 2021, 13, 32316-32331.	8.0	27
35	Facile chemical modification of polysulfone membrane with improved hydrophilicity and blood compatibility. Materials Letters, 2014, 137, 192-195.	2.6	24
36	Direct conversion of wet sewage sludge to carbon catalyst for sulfamethoxazole degradation through peroxymonosulfate activation. Science of the Total Environment, 2020, 728, 138853.	8.0	24

ΥΙ ΧΙΕ

#	Article	IF	CITATIONS
37	Vapor induced phase separation towards anion-/near-infrared-responsive pore channels for switchable anti-fouling membranes. Journal of Materials Chemistry A, 2020, 8, 8934-8948.	10.3	24
38	A robust way to prepare blood-compatible and anti-fouling polyethersulfone membrane. Colloids and Surfaces B: Biointerfaces, 2016, 146, 326-333.	5.0	23
39	Extracorporeal hemoperfusion therapy for sepsis: Multi-lamellar microspheres towards cascade endotoxin removal and broad-spectrum radical eliminating. Chemical Engineering Journal, 2022, 444, 136499.	12.7	23
40	Inflammation-responsive self-regulated drug release from ultrathin hydrogel coating. Colloids and Surfaces B: Biointerfaces, 2017, 158, 518-526.	5.0	22
41	Photo-responsive membrane surface: Switching from bactericidal to bacteria-resistant property. Materials Science and Engineering C, 2018, 84, 52-59.	7.3	22
42	Exposing Metal Oxide with Intrinsic Catalytic Activity by Nearâ€Infrared Pulsed Laser: Laserâ€Induced Selective Metallization on Polymer Materials. Advanced Materials Interfaces, 2017, 4, 1700937.	3.7	21
43	General Method for Synthesizing Transition-Metal Phosphide/N-Doped Carbon Nanomaterials for Hydrogen Evolution. Langmuir, 2019, 35, 9161-9168.	3.5	17
44	Sustainable production of nano α-Fe2O3/N-doped biochar hybrid nanosheets for supercapacitors. Sustainable Energy and Fuels, 2020, 4, 4522-4530.	4.9	17
45	Alloyed nanostructures integrated metal-phenolic nanoplatform for synergistic wound disinfection and revascularization. Bioactive Materials, 2022, 16, 95-106.	15.6	17
46	Direct Bonding of Polymer and Metal with an Ultrahigh Strength: Laser Treatment and Mechanical Interlocking. Advanced Engineering Materials, 2021, 23, 2001288.	3.5	16
47	Polymer–Metal Hybrid Material with an Ultra-High Interface Strength Based on Mechanical Interlocking via Nanopores Produced by Electrochemistry. Industrial & Engineering Chemistry Research, 2020, 59, 12409-12420.	3.7	15
48	A bifunctional CoP/N-doped porous carbon composite derived from a single source precursor for bisphenol A removal. RSC Advances, 2020, 10, 9976-9984.	3.6	15
49	Janus Metal–Organic Frameworks/Wood Aerogel Composites for Boosting Catalytic Performance by Le Châtelier's Principle. ACS Applied Materials & Interfaces, 2021, 13, 51039-51047.	8.0	14
50	A new approach for excess sludge reduction by manganese dioxide oxidation: performance, kinetics, and mechanism studies. Environmental Science and Pollution Research, 2018, 25, 29356-29365.	5.3	13
51	Shape-controllable synthesis of MnO ₂ nanostructures from manganese-contained wastewater for phenol degradation by activating peroxymonosulphate: performance and mechanism. Environmental Technology (United Kingdom), 2020, 41, 2037-2048.	2.2	12
52	Bioconversion of Welan Gum from Kitchen Waste by a Two-Step Enzymatic Hydrolysis Pretreatment. Applied Biochemistry and Biotechnology, 2017, 183, 820-832.	2.9	11
53	Green Fabrication of Tannic Acid-Inspired Magnetic Composite Nanoparticles toward Cationic Dye Capture and Selective Degradation. ACS Omega, 2020, 5, 6566-6575.	3.5	11
54	Laser Direct Writing of Flexible Heaters on Polymer Substrates. Industrial & Engineering Chemistry Research, 2021, 60, 11161-11170.	3.7	11

Υι Χιε

#	Article	IF	CITATIONS
55	Utilization of Waste Biomass (Kitchen Waste) Hydrolysis Residue as Adsorbent for Dye Removal: Kinetic, Equilibrium, and Thermodynamic Studies. Applied Biochemistry and Biotechnology, 2018, 185, 971-985.	2.9	10
56	CdS nanoparticles loaded on porous poly-melamine–formaldehyde polymer for photocatalytic dye degradation. Research on Chemical Intermediates, 2017, 43, 5083-5090.	2.7	8
57	One-pot hydrothermal synthesis of micaceous iron oxide pigment from jarosite waste. Journal of Coatings Technology Research, 2019, 16, 213-220.	2.5	6
58	Enhanced Cr(VI) removal by waste biomass derived nitrogen/oxygen co-doped microporous biocarbon. Environmental Science and Pollution Research, 2020, 27, 5433-5445.	5.3	6
59	Efficient and Simple Fabrication of High-Strength and High-Conductivity Metallization Patterns on Flexible Polymer Films. Industrial & Engineering Chemistry Research, 2022, 61, 6987-6996.	3.7	6
60	Autocatalytic Laser Activator for Both UV and NIR Lasers: Preparation of Circuits on Polymer Substrates by Selective Metallization. ACS Applied Materials & Interfaces, 2022, 14, 31411-31423.	8.0	6
61	Design and preparation of rapid full bioâ€degradable plastic composites based on poly(butylene) Tj ETQq1 1 0.78	4314 rgB1 4.6	[Overlock]
62	Ionic conductivity of a novel solid polymer electrolyte. Journal of Applied Polymer Science, 2001, 80, 2176-2184.	2.6	3
63	Bioconversion of highâ€concentration chelated Cd to nanoâ€CdS photocatalyst by sulfateâ€reducing bacteria. Journal of Chemical Technology and Biotechnology, 2020, 95, 3003-3011.	3.2	3
64	Rapid synthesis of PEGylated multiblock polymers by sequence-controlled polymerization in H ₂ O. Polymer Chemistry, 2020, 11, 417-424.	3.9	1