

Jeffrey A Johnson

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1576387/jeffrey-a-johnson-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

393
papers

19,927
citations

73
h-index

130
g-index

405
ext. papers

22,466
ext. citations

4.7
avg, IF

6.93
L-index

#	Paper	IF	Citations
393	Effect of pravastatin on outcomes after cardiac transplantation. <i>New England Journal of Medicine</i> , 1995 , 333, 621-7	59.2	1062
392	US valuation of the EQ-5D health states: development and testing of the D1 valuation model. <i>Medical Care</i> , 2005 , 43, 203-20	3.1	991
391	Increased cancer-related mortality for patients with type 2 diabetes who use sulfonylureas or insulin. <i>Diabetes Care</i> , 2006 , 29, 254-8	14.6	732
390	Physical activity level and health-related quality of life in the general adult population: a systematic review. <i>Preventive Medicine</i> , 2007 , 45, 401-15	4.3	632
389	Drug-Related Morbidity and Mortality. <i>Archives of Internal Medicine</i> , 1995 , 155, 1949		487
388	Clinical Pharmacogenetics Implementation Consortium Guidelines for CYP2C9 and VKORC1 genotypes and warfarin dosing. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 90, 625-9	6.1	486
387	Decreased mortality associated with the use of metformin compared with sulfonylurea monotherapy in type 2 diabetes. <i>Diabetes Care</i> , 2002 , 25, 2244-8	14.6	334
386	Mortality after incident cancer in people with and without type 2 diabetes: impact of metformin on survival. <i>Diabetes Care</i> , 2012 , 35, 299-304	14.6	329
385	Clinical Pharmacogenetics Implementation Consortium (CPIC) Guideline for Pharmacogenetics-Guided Warfarin Dosing: 2017 Update. <i>Clinical Pharmacology and Therapeutics</i> , 2017 , 102, 397-404	6.1	320
384	Improved clinical outcomes associated with metformin in patients with diabetes and heart failure. <i>Diabetes Care</i> , 2005 , 28, 2345-51	14.6	310
383	Self-reported health status of the general adult U.S. population as assessed by the EQ-5D and Health Utilities Index. <i>Medical Care</i> , 2005 , 43, 1078-86	3.1	303
382	Benefits and harms of antidiabetic agents in patients with diabetes and heart failure: systematic review. <i>BMJ, The</i> , 2007 , 335, 497	5.9	242
381	Comparison of the EQ-5D and SF-12 in an adult US sample. <i>Quality of Life Research</i> , 1998 , 7, 155-66	3.7	241
380	Comparative safety and effectiveness of metformin in patients with diabetes mellitus and heart failure: systematic review of observational studies involving 34,000 patients. <i>Circulation: Heart Failure</i> , 2013 , 6, 395-402	7.6	222
379	Comparison of the EQ-5D and SF-12 health surveys in a general population survey in Alberta, Canada. <i>Medical Care</i> , 2000 , 38, 115-21	3.1	210
378	Health literacy and health outcomes in diabetes: a systematic review. <i>Journal of General Internal Medicine</i> , 2013 , 28, 444-52	4	208
377	A randomized trial of the effect of community pharmacist intervention on cholesterol risk management: the Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP). <i>Archives of Internal Medicine</i> , 2002 , 162, 1149-55		204

376	Nrf2--a therapeutic target for the treatment of neurodegenerative diseases. <i>Free Radical Biology and Medicine</i> , 2015 , 88, 253-267	7.8	203
375	Valuation of EuroQOL (EQ-5D) health states in an adult US sample. <i>Pharmacoeconomics</i> , 1998 , 13, 421-33	4.4	199
374	A Time Trade-off-derived Value Set of the EQ-5D-5L for Canada. <i>Medical Care</i> , 2016 , 54, 98-105	3.1	188
373	Clinical review: Effect of vitamin D3 supplementation on improving glucose homeostasis and preventing diabetes: a systematic review and meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3551-60	5.6	182
372	Valuations of EQ-5D health states: are the United States and United Kingdom different?. <i>Medical Care</i> , 2005 , 43, 221-8	3.1	181
371	Drug-related morbidity and mortality. A cost-of-illness model. <i>Archives of Internal Medicine</i> , 1995 , 155, 1949-56		172
370	Oxidative damage and the Nrf2-ARE pathway in neurodegenerative diseases. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014 , 1842, 1208-18	6.9	167
369	Cross-sectional validity of a modified Edmonton symptom assessment system in dialysis patients: a simple assessment of symptom burden. <i>Kidney International</i> , 2006 , 69, 1621-5	9.9	166
368	Dose-response relation between sulfonylurea drugs and mortality in type 2 diabetes mellitus: a population-based cohort study. <i>Cmaj</i> , 2006 , 174, 169-74	3.5	165
367	Multimorbidity prevalence and patterns across socioeconomic determinants: a cross-sectional survey. <i>BMC Public Health</i> , 2012 , 12, 201	4.1	155
366	Diabetes and cancer (1): evaluating the temporal relationship between type 2 diabetes and cancer incidence. <i>Diabetologia</i> , 2012 , 55, 1607-18	10.3	151
365	Agreement between patient and proxy assessments of health-related quality of life after stroke using the EQ-5D and Health Utilities Index. <i>Stroke</i> , 2004 , 35, 607-12	6.7	150
364	Radiologic and patient-reported functional outcomes in an elderly cohort with conservatively treated distal radius fractures. <i>Journal of Hand Surgery</i> , 2004 , 29, 1121-7	2.6	146
363	Health-related quality of life deficits associated with diabetes and comorbidities in a Canadian National Population Health Survey. <i>Quality of Life Research</i> , 2005 , 14, 1311-20	3.7	141
362	Long-term association between frailty and health-related quality of life among survivors of critical illness: a prospective multicenter cohort study. <i>Critical Care Medicine</i> , 2015 , 43, 973-82	1.4	137
361	Prevalence of cardiovascular risk factors and disease in people with schizophrenia: a population-based study. <i>Schizophrenia Research</i> , 2010 , 117, 75-82	3.6	134
360	A controlled trial to increase detection and treatment of osteoporosis in older patients with a wrist fracture. <i>Annals of Internal Medicine</i> , 2004 , 141, 366-73	8	134
359	Responsiveness of generic health-related quality of life measures in stroke. <i>Quality of Life Research</i> , 2005 , 14, 207-19	3.7	131

358	Glucose-lowering agents and cancer mortality rates in type 2 diabetes: assessing effects of time-varying exposure. <i>Diabetologia</i> , 2010 , 53, 1631-7	10.3	130
357	A systematic review of drug therapy to delay or prevent type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 736-44	14.6	130
356	Use of thiazolidinediones and the risk of bladder cancer among people with type 2 diabetes: a meta-analysis. <i>Cmaj</i> , 2012 , 184, E675-83	3.5	127
355	Using instrument-defined health state transitions to estimate minimally important differences for four preference-based health-related quality of life instruments. <i>Medical Care</i> , 2010 , 48, 365-71	3.1	127
354	Health-related quality of life and healthcare utilization in multimorbidity: results of a cross-sectional survey. <i>Quality of Life Research</i> , 2013 , 22, 791-9	3.7	120
353	Longitudinal validation of a modified Edmonton symptom assessment system (ESAS) in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 3189-95	4.3	119
352	Reduced cardiovascular morbidity and mortality associated with metformin use in subjects with Type 2 diabetes. <i>Diabetic Medicine</i> , 2005 , 22, 497-502	3.5	119
351	Multifaceted intervention to improve diagnosis and treatment of osteoporosis in patients with recent wrist fracture: a randomized controlled trial. <i>Cmaj</i> , 2008 , 178, 569-75	3.5	117
350	Evidence of suboptimal management of cardiovascular risk in patients with type 2 diabetes mellitus and symptomatic atherosclerosis. <i>Cmaj</i> , 2004 , 171, 1189-92	3.5	116
349	Pioglitazone and bladder cancer risk: a multipopulation pooled, cumulative exposure analysis. <i>Diabetologia</i> , 2015 , 58, 493-504	10.3	114
348	Increased Alzheimer's disease-like pathology in the APP/PS1E9 mouse model lacking Nrf2 through modulation of autophagy. <i>Neurobiology of Aging</i> , 2015 , 36, 664-79	5.6	114
347	A multicenter disease management program for hospitalized patients with heart failure. <i>Journal of Cardiac Failure</i> , 2004 , 10, 473-80	3.3	114
346	The effect of weight loss on health-related quality of life: systematic review and meta-analysis of randomized trials. <i>Obesity Reviews</i> , 2014 , 15, 169-82	10.6	111
345	Time-varying incidence of cancer after the onset of type 2 diabetes: evidence of potential detection bias. <i>Diabetologia</i> , 2011 , 54, 2263-71	10.3	111
344	Association between direct measures of body composition and prognostic factors in chronic heart failure. <i>Mayo Clinic Proceedings</i> , 2010 , 85, 609-17	6.4	111
343	Intensive glycaemic control and cancer risk in type 2 diabetes: a meta-analysis of major trials. <i>Diabetologia</i> , 2011 , 54, 25-31	10.3	110
342	Drug-related morbidity and mortality and the economic impact of pharmaceutical care. <i>American Journal of Health-System Pharmacy</i> , 1997 , 54, 554-8	2.2	101
341	Increased cancer-related mortality for patients with type 2 diabetes who use sulfonylureas or insulin: Response to Farooki and Schneider. <i>Diabetes Care</i> , 2006 , 29, 1990-1	14.6	101

340	How evidence-based are the recommendations in evidence-based guidelines?. <i>PLoS Medicine</i> , 2007 , 4, e250	11.6	101
339	Instrument-Defined Estimates of the Minimally Important Difference for EQ-5D-5L Index Scores. <i>Value in Health</i> , 2017 , 20, 644-650	3.3	99
338	Diabetes and cancer (2): evaluating the impact of diabetes on mortality in patients with cancer. <i>Diabetologia</i> , 2012 , 55, 1619-32	10.3	97
337	Comparing the EQ-5D 3L and 5L: measurement properties and association with chronic conditions and multimorbidity in the general population. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 74	3	95
336	Influence of race or ethnicity on pharmacokinetics of drugs. <i>Journal of Pharmaceutical Sciences</i> , 1997 , 86, 1328-33	3.9	93
335	Do radiographic indices of distal radius fracture reduction predict outcomes in older adults receiving conservative treatment?. <i>Clinical Radiology</i> , 2007 , 62, 65-72	2.9	93
334	Itch Severity Scale: a self-report instrument for the measurement of pruritus severity. <i>British Journal of Dermatology</i> , 2007 , 156, 667-73	4	92
333	Insulin use and increased risk of mortality in type 2 diabetes: a cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2010 , 12, 47-53	6.7	91
332	Interventions to improve influenza and pneumococcal vaccination rates among community-dwelling adults: a systematic review and meta-analysis. <i>Annals of Family Medicine</i> , 2012 , 10, 538-46	2.9	91
331	History of depression increases risk of type 2 diabetes in younger adults. <i>Diabetes Care</i> , 2005 , 28, 1063-71	14.6	91
330	Replicability of SF-36 summary scores by the SF-12 in stroke patients. <i>Stroke</i> , 1999 , 30, 1213-7	6.7	90
329	Assessing responsiveness of generic and specific health related quality of life measures in heart failure. <i>Health and Quality of Life Outcomes</i> , 2006 , 4, 89	3	88
328	Productivity losses associated with diabetes in the US. <i>Diabetes Care</i> , 2001 , 24, 257-61	14.6	87
327	Predictors of medication noncompliance in a sample of older adults. <i>Clinical Therapeutics</i> , 1994 , 16, 110-7	3.5	83
326	Effect of adding pharmacists to primary care teams on blood pressure control in patients with type 2 diabetes: a randomized controlled trial. <i>Diabetes Care</i> , 2011 , 34, 20-6	14.6	80
325	Controlled trial of a multifaceted intervention for improving quality of care for rural patients with type 2 diabetes. <i>Diabetes Care</i> , 2003 , 26, 3061-6	14.6	80
324	Understanding the determinants of health for people with type 2 diabetes. <i>American Journal of Public Health</i> , 2006 , 96, 1649-55	5.1	79
323	Predictability of the effects of race or ethnicity on pharmacokinetics of drugs. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2000 , 38, 53-60	2	79

322	The risk of heart failure in patients with type 2 diabetes treated with oral agent monotherapy. <i>European Journal of Heart Failure</i> , 2008 , 10, 703-8	12.3	76
321	Weight loss required by the severely obese to achieve clinically important differences in health-related quality of life: two-year prospective cohort study. <i>BMC Medicine</i> , 2014 , 12, 175	11.4	73
320	Persistence, reproducibility, and cost-effectiveness of an intervention to improve the quality of osteoporosis care after a fracture of the wrist: results of a controlled trial. <i>Osteoporosis International</i> , 2007 , 18, 261-70	5.3	73
319	Type 2 Diabetes and Comorbid Symptoms of Depression and Anxiety: Longitudinal Associations With Mortality Risk. <i>Diabetes Care</i> , 2017 , 40, 352-358	14.6	71
318	Multimorbidity prevalence in the general population: the role of obesity in chronic disease clustering. <i>BMC Public Health</i> , 2013 , 13, 1161	4.1	69
317	Thiazolidinedione use and cancer incidence in type 2 diabetes: a systematic review and meta-analysis. <i>Diabetes and Metabolism</i> , 2012 , 38, 475-84	5.4	68
316	Measuring health literacy in individuals with diabetes: a systematic review and evaluation of available measures. <i>Health Education and Behavior</i> , 2013 , 40, 42-55	4.2	67
315	The impact of selecting a high hemoglobin target level on health-related quality of life for patients with chronic kidney disease: a systematic review and meta-analysis. <i>Archives of Internal Medicine</i> , 2009 , 169, 1104-12		64
314	Medication nonadherence and subsequent risk of hospitalisation and mortality among older adults. <i>Drugs and Aging</i> , 2006 , 23, 345-56	4.7	64
313	Assessing the use of health-related quality of life measures in the routine clinical care of lung-transplant patients. <i>Quality of Life Research</i> , 2010 , 19, 371-9	3.7	62
312	Sex and gender discrepancies in health-related quality of life outcomes among patients with established coronary artery disease. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2008 , 1, 123-30	5.8	62
311	Impact of gestational diabetes mellitus and high maternal weight on the development of diabetes, hypertension and cardiovascular disease: a population-level analysis. <i>Diabetic Medicine</i> , 2015 , 32, 164-73 ^{3.5}		61
310	Determinants of quality of life in adults with type 1 and type 2 diabetes. <i>Health and Quality of Life Outcomes</i> , 2011 , 9, 115	3	59
309	Understanding the complex associations between patient-provider relationships, self-care behaviours, and health-related quality of life in type 2 diabetes: a structural equation modeling approach. <i>Quality of Life Research</i> , 2005 , 14, 1489-500	3.7	59
308	Diabetes, insulin use, and cancer risk: are observational studies part of the solution-or part of the problem?. <i>Diabetes</i> , 2010 , 59, 1129-31	0.9	58
307	Type of antidepressant therapy and risk of type 2 diabetes in people with depression. <i>Diabetes Research and Clinical Practice</i> , 2008 , 79, 61-7	7.4	58
306	Primary health care teams: team members' perceptions of the collaborative process. <i>Journal of Interprofessional Care</i> , 2004 , 18, 75-8	2.7	58
305	Short-term risk for stroke is doubled in persons with newly treated type 2 diabetes compared with persons without diabetes: a population-based cohort study. <i>Stroke</i> , 2007 , 38, 1739-43	6.7	57

304	Enrolment in primary care networks: impact on outcomes and processes of care for patients with diabetes. <i>Cmaj</i> , 2012 , 184, E144-52	3.5	56
303	Type 2 diabetes does not increase risk of depression. <i>Cmaj</i> , 2006 , 175, 42-6	3.5	56
302	Efficacy and safety of low and very low carbohydrate diets for type 2 diabetes remission: systematic review and meta-analysis of published and unpublished randomized trial data. <i>BMJ, The</i> , 2021 , 372, m4743	5.9	56
301	Health-related quality of life of diabetic Pima Indians. <i>Medical Care</i> , 1996 , 34, 97-102	3.1	54
300	Utility values for symptomatic non-severe hypoglycaemia elicited from persons with and without diabetes in Canada and the United Kingdom. <i>Health and Quality of Life Outcomes</i> , 2008 , 6, 73	3	53
299	A comparison of EQ-5D index scores derived from the US and UK population-based scoring functions. <i>Medical Decision Making</i> , 2007 , 27, 321-6	2.5	52
298	Performance of the RAND-12 and SF-12 summary scores in type 2 diabetes. <i>Quality of Life Research</i> , 2004 , 13, 449-56	3.7	52
297	Compliance with clinical practice guidelines for type 2 diabetes in rural patients: treatment gaps and opportunities for improvement. <i>Pharmacotherapy</i> , 2003 , 23, 659-65	5.8	52
296	Underutilisation of ACE inhibitors in patients with congestive heart failure. <i>Drugs</i> , 2001 , 61, 2021-33	12.1	50
295	Insulin use and cancer risk in patients with type 2 diabetes: a systematic review and meta-analysis of observational studies. <i>Diabetes and Metabolism</i> , 2012 , 38, 485-506	5.4	49
294	Reduced mortality associated with the use of ACE inhibitors in patients with type 2 diabetes. <i>Diabetes Care</i> , 2004 , 27, 1330-4	14.6	49
293	Outcomes of singleton and twin pregnancies complicated by pre-existing diabetes and gestational diabetes: A population-based study in Alberta, Canada, 2005-11. <i>Journal of Diabetes</i> , 2016 , 8, 45-55	3.8	47
292	Racial differences in beta-adrenoceptor-mediated responsiveness. <i>Journal of Cardiovascular Pharmacology</i> , 1995 , 25, 90-6	3.1	47
291	Collaborative care versus screening and follow-up for patients with diabetes and depressive symptoms: results of a primary care-based comparative effectiveness trial. <i>Diabetes Care</i> , 2014 , 37, 3220-8	14.6	46
290	Health care use and costs in the decade after identification of type 1 and type 2 diabetes: a population-based study. <i>Diabetes Care</i> , 2006 , 29, 2403-8	14.6	46
289	Effectiveness of influenza vaccination in working-age adults with diabetes: a population-based cohort study. <i>Thorax</i> , 2013 , 68, 658-63	7.3	45
288	The effect of specialist care within the first year on subsequent outcomes in 24,232 adults with new-onset diabetes mellitus: population-based cohort study. <i>Quality and Safety in Health Care</i> , 2007 , 16, 6-11		45
287	Quality of life after islet transplant: impact of the number of islet infusions and metabolic outcome. <i>Transplantation</i> , 2007 , 84, 664-6	1.8	45

286	Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP): a randomized trial design of the effect of a community pharmacist intervention program on serum cholesterol risk. <i>Annals of Pharmacotherapy</i> , 1999 , 33, 910-9	2.9	45
285	Dialysis adequacy and health related quality of life in hemodialysis patients. <i>ASAIO Journal</i> , 2002 , 48, 565-9	3.6	44
284	Nurse case-manager vs multifaceted intervention to improve quality of osteoporosis care after wrist fracture: randomized controlled pilot study. <i>Osteoporosis International</i> , 2011 , 22, 223-30	5.3	43
283	Association between Physical Activity and Health-Related Quality of Life in Adults with Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 58-63	2.1	42
282	The safety profile of exogenous insulin in people with type 2 diabetes: justification for concern. <i>Diabetes, Obesity and Metabolism</i> , 2012 , 14, 1-4	6.7	42
281	Health related quality of life measures in Arabic speaking populations: a systematic review on cross-cultural adaptation and measurement properties. <i>Quality of Life Research</i> , 2013 , 22, 213-29	3.7	41
280	Relative efficiency of the EQ-5D, HUI2, and HUI3 index scores in measuring health burden of chronic medical conditions in a population health survey in the United States. <i>Medical Care</i> , 2009 , 47, 53-60	3.1	41
279	Improvements in patient-reported outcomes associated with an intervention to enhance quality of care for rural patients with type 2 diabetes: results of a controlled trial. <i>Diabetes Care</i> , 2004 , 27, 1306-12 ^{14.6}	14.6	41
278	Practice-based research: lessons from community pharmacist participants. <i>Pharmacotherapy</i> , 2001 , 21, 731-9	5.8	41
277	CYP1A2 and CYP2D6 4-hydroxylate propranolol and both reactions exhibit racial differences. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2000 , 294, 1099-105	4.7	41
276	Effect of community pharmacist intervention on cholesterol levels in patients at high risk of cardiovascular events: the Second Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP-plus). <i>American Journal of Medicine</i> , 2004 , 116, 130-3	2.4	40
275	Secondary failure rates associated with metformin and sulfonylurea therapy for type 2 diabetes mellitus. <i>Pharmacotherapy</i> , 2005 , 25, 810-6	5.8	40
274	Metformin treatment in diabetes and heart failure: when academic equipoise meets clinical reality. <i>Trials</i> , 2009 , 10, 12	2.8	39
273	Reduced fear of hypoglycemia in successful islet transplantation. <i>Diabetes Care</i> , 2004 , 27, 624-5	14.6	39
272	Construct validity of the RAND-12 and Health Utilities Index Mark 2 and 3 in type 2 diabetes. <i>Quality of Life Research</i> , 2004 , 13, 435-48	3.7	38
271	Recent epidemiologic trends of diabetes mellitus among status Aboriginal adults. <i>Cmaj</i> , 2011 , 183, E803-8 ⁵	3.85	37
270	Self-efficacy theory as a framework for community pharmacy-based diabetes education programs. <i>The Diabetes Educator</i> , 1996 , 22, 237-41	2.5	36
269	Educational intervention to reduce falls and fear of falling in patients after fragility fracture: results of a controlled pilot study. <i>Preventive Medicine</i> , 2006 , 42, 316-9	4.3	35

268	Using focus groups to identify barriers to drug use in patients with congestive heart failure. <i>Pharmacotherapy</i> , 2000 , 20, 823-9	5.8	35
267	Comparison of Finnish and U.S.-based visual analog scale valuations of the EQ-5D measure. <i>Medical Decision Making</i> , 2000 , 20, 281-9	2.5	35
266	The cost of major comorbidity in people with diabetes mellitus. <i>Cmaj</i> , 2003 , 168, 1661-7	3.5	35
265	The Alberta Diabetes and Physical Activity Trial (ADAPT): a randomized trial evaluating theory-based interventions to increase physical activity in adults with type 2 diabetes. <i>Annals of Behavioral Medicine</i> , 2013 , 45, 45-56	4.5	34
264	Racial/ethnic differences in preferences for the EQ-5D health states: results from the U.S. valuation study. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 479-90	5.7	33
263	A cohort study found the RAND-12 and Health Utilities Index Mark 3 demonstrated construct validity in high-risk primary care patients. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 138-41	5.7	33
262	A cross-sectional study of health-related quality of life deficits in individuals with comorbid diabetes and cancer. <i>Health and Quality of Life Outcomes</i> , 2006 , 4, 17	3	33
261	Economic impact of community pharmacist intervention in cholesterol risk management: an evaluation of the study of cardiovascular risk intervention by pharmacists. <i>Pharmacotherapy</i> , 2001 , 21, 627-35	5.8	33
260	The impact of pharmacist interventions on health-related quality of life. <i>Annals of Pharmacotherapy</i> , 1999 , 33, 1167-72	2.9	33
259	Risks of gestational diabetes and preeclampsia over the last decade in a cohort of Alberta women. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2013 , 35, 986-994	1.3	32
258	Cost-effectiveness of a multifaceted intervention to improve quality of osteoporosis care after wrist fracture. <i>Osteoporosis International</i> , 2011 , 22, 1799-808	5.3	32
257	Insulin, glucose and the increased risk of cancer in patients with type 2 diabetes. <i>Diabetologia</i> , 2010 , 53, 2086-8	10.3	32
256	The usefulness of the EQ-5D in differentiating among persons with major depressive episode and anxiety. <i>Quality of Life Research</i> , 2007 , 16, 749-54	3.7	32
255	Validation of classification algorithms for childhood diabetes identified from administrative data. <i>Pediatric Diabetes</i> , 2012 , 13, 229-34	3.6	31
254	A comparison of the health utilities indices Mark 2 and Mark 3 in type 2 diabetes. <i>Medical Decision Making</i> , 2003 , 23, 489-501	2.5	31
253	A median model for predicting United States population-based EQ-5D health state preferences. <i>Value in Health</i> , 2010 , 13, 278-88	3.3	30
252	Risk of breast cancer after onset of type 2 diabetes: evidence of detection bias in postmenopausal women. <i>Diabetes Care</i> , 2011 , 34, 2542-4	14.6	30
251	Health-related quality of life deficits associated with varying degrees of disease severity in type 2 diabetes. <i>Health and Quality of Life Outcomes</i> , 2003 , 1, 78	3	30

250	Check the score: Field validation of Street Smart Walk Score in Alberta, Canada. <i>Preventive Medicine Reports</i> , 2016 , 4, 532-539	2.6	30
249	Controlled trial of a collaborative primary care team model for patients with diabetes and depression: rationale and design for a comprehensive evaluation. <i>BMC Health Services Research</i> , 2012 , 12, 258	2.9	29
248	Validation of diabetes case definitions using administrative claims data. <i>Diabetic Medicine</i> , 2011 , 28, 424-435	3.5	29
247	Lack of insurance coverage for testing supplies is associated with poorer glycemic control in patients with type 2 diabetes. <i>Cmaj</i> , 2004 , 171, 39-43	3.5	29
246	Diabetes treatments and cancer risk: the importance of considering aspects of drug exposure. <i>Lancet Diabetes and Endocrinology</i> , 2013 , 1, 132-9	18.1	28
245	Interventions to increase osteoporosis treatment in patients with incidentally detected vertebral fractures. <i>American Journal of Medicine</i> , 2012 , 125, 929-36	2.4	28
244	Risk of heart failure in patients with recent-onset type 2 diabetes: population-based cohort study. <i>Journal of Cardiac Failure</i> , 2009 , 15, 152-7	3.3	28
243	Racial differences in propranolol pharmacokinetics. <i>Clinical Pharmacology and Therapeutics</i> , 1992 , 51, 495-500	6.1	28
242	The structure of satisfaction with pharmacy services. <i>Medical Care</i> , 1998 , 36, 244-50	3.1	28
241	Impact of cancer on adherence to glucose-lowering drug treatment in individuals with diabetes. <i>Diabetologia</i> , 2015 , 58, 951-60	10.3	27
240	Cost-effectiveness analysis of adding pharmacists to primary care teams to reduce cardiovascular risk in patients with Type 2 diabetes: results from a randomized controlled trial. <i>Diabetic Medicine</i> , 2015 , 32, 899-906	3.5	27
239	Health literacy and nurses' communication with type 2 diabetes patients in primary care settings. <i>Nursing Research</i> , 2014 , 63, 408-17	1.9	27
238	Adding pharmacists to primary care teams reduces predicted long-term risk of cardiovascular events in type 2 diabetic patients without established cardiovascular disease: results from a randomized trial. <i>Diabetic Medicine</i> , 2012 , 29, 1433-9	3.5	27
237	Health Utilities Index mark 3 demonstrated construct validity in a population-based sample with type 2 diabetes. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 472-7	5.7	27
236	Minimally Important Difference of the EQ-5D-5L Index Score in Adults with Type 2 Diabetes. <i>Value in Health</i> , 2018 , 21, 1090-1097	3.3	27
235	Socioeconomic factors associated with visual impairment and ophthalmic care utilization in patients with type II diabetes. <i>Canadian Journal of Ophthalmology</i> , 2015 , 50, 119-26	1.4	26
234	Symptoms of anxiety and depression in type 2 diabetes: Associations with clinical diabetes measures and self-management outcomes in the Norwegian HUNT study. <i>Psychoneuroendocrinology</i> , 2017 , 84, 116-123	5	26
233	Implementation and evaluation of the 5As framework of obesity management in primary care: design of the 5As Team (5AsT) randomized control trial. <i>Implementation Science</i> , 2014 , 9, 78	8.4	26

232	Clinical and socio-demographic factors associated with diabetic ketoacidosis hospitalization in adults with Type 1 diabetes. <i>Diabetic Medicine</i> , 2013 , 30, 567-73	3.5	26
231	Cost of care for individuals with cystic fibrosis: a regression approach to determining the impact of recombinant human DNase. <i>Pharmacotherapy</i> , 1999 , 19, 1159-66	5.8	25
230	Associations between health literacy and health outcomes in a predominantly low-income african american population with type 2 diabetes. <i>Journal of Health Communication</i> , 2015 , 20, 581-8	2.5	24
229	Association of Inadequate Health Literacy with Health Outcomes in Patients with Type 2 Diabetes and Depression: Secondary Analysis of a Controlled Trial. <i>Canadian Journal of Diabetes</i> , 2015 , 39, 259-65	2.1	24
228	Prevalence and Timing of Screening and Diagnostic Testing for Gestational Diabetes Mellitus: A Population-Based Study in Alberta, Canada. <i>Diabetes Care</i> , 2016 , 39, 55-60	14.6	24
227	Engaging Patients and Clinicians in Establishing Research Priorities for Gestational Diabetes Mellitus. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 156-163	2.1	24
226	Construct validities of the Quality of Well-Being Scale and the MOS-HIV-34 Health Survey for HIV-infected patients. <i>Medical Decision Making</i> , 1997 , 17, 439-46	2.5	24
225	Gender differences in labetalol kinetics: importance of determining stereoisomer kinetics for racemic drugs. <i>Pharmacotherapy</i> , 2000 , 20, 622-8	5.8	24
224	The Alberta [®] Caring for Diabetes (ABCD) Study: Rationale, Design and Baseline Characteristics of a Prospective Cohort of Adults with Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S113-9 ¹	2.1	23
223	Diabetic Foot Disease, Self-Care and Clinical Monitoring in Adults with Type 2 Diabetes: The Alberta [®] Caring for Diabetes (ABCD) Cohort Study. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S120-6 ¹	2.1	23
222	Severe Obesity Is Associated With Increased Risk of Early Complications and Extended Length of Stay Following Coronary Artery Bypass Grafting Surgery. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	23
221	Predictors of health-related quality of life in 500 severely obese patients. <i>Obesity</i> , 2014 , 22, 1367-72	8	23
220	Comparison of direct body composition assessment methods in patients with chronic heart failure. <i>Journal of Cardiac Failure</i> , 2010 , 16, 867-72	3.3	23
219	Activation of antioxidant response element in mouse primary cortical cultures with sesquiterpene lactones isolated from <i>Tanacetum parthenium</i> . <i>Planta Medica</i> , 2012 , 78, 1725-30	3.1	23
218	Atenolol as initial antihypertensive therapy: an observational study comparing first-line agents. <i>Journal of Hypertension</i> , 2007 , 25, 1499-505	1.9	23
217	Long-term impact of a community pharmacist intervention on cholesterol levels in patients at high risk for cardiovascular events: extended follow-up of the second study of cardiovascular risk intervention by pharmacists (SCRIP-plus). <i>Pharmacotherapy</i> , 2005 , 25, 110-5	5.8	23
216	Comparative performance of the EQ-5D-5L and SF-6D index scores in adults with type 2 diabetes. <i>Quality of Life Research</i> , 2017 , 26, 2057-2066	3.7	22
215	Contextualizing the Effectiveness of a Collaborative Care Model for Primary Care Patients with Diabetes and Depression (Teamcare): A Qualitative Assessment Using RE-AIM. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S83-91	2.1	22

214	Cohort Profile: Alberta's Tomorrow Project. <i>International Journal of Epidemiology</i> , 2017 , 46, 1097-1098	7.8	22
213	The 5As team patient study: patient perspectives on the role of primary care in obesity management. <i>BMC Family Practice</i> , 2017 , 18, 19	2.6	22
212	Age at stroke onset influences the clinical outcome and health-related quality of life in pediatric ischemic stroke survivors. <i>Developmental Medicine and Child Neurology</i> , 2015 , 57, 1027-34	3.3	22
211	Detection bias and overestimation of bladder cancer risk in type 2 diabetes: a matched cohort study. <i>Diabetes Care</i> , 2013 , 36, 3070-5	14.6	22
210	A systematic review and meta-analysis to assess patient-reported outcomes after lung cancer surgery. <i>Scientific World Journal</i> , 2013 , 2013, 789625	2.2	22
209	Health care costs and mortality for Canadian urban and rural patients with diabetes: population-based trends from 1993-2001. <i>Clinical Therapeutics</i> , 2007 , 29, 1316-24	3.5	22
208	Self-monitoring in Type 2 diabetes: a randomized trial of reimbursement policy. <i>Diabetic Medicine</i> , 2006 , 23, 1247-51	3.5	22
207	Do the determinants of health differ between people living in the community and in institutions?. <i>Social Science and Medicine</i> , 2009 , 69, 345-53	5.1	21
206	Greater effect of enhanced pharmacist care on cholesterol management in patients with diabetes mellitus: a planned subgroup analysis of the Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP). <i>Pharmacotherapy</i> , 2004 , 24, 389-94	5.8	21
205	Treatment gaps for hypertension management in rural Canadian patients with type 2 diabetes mellitus. <i>Clinical Therapeutics</i> , 2004 , 26, 598-606	3.5	21
204	The temporal relationship between diabetes and cancer: A population-based study. <i>Cancer</i> , 2016 , 122, 2731-8	6.4	20
203	Health literacy and health-related quality of life in adults with type 2 diabetes: a longitudinal study. <i>Quality of Life Research</i> , 2016 , 25, 1487-94	3.7	20
202	Health Utilities Index Mark 3 showed valid in Alzheimer disease, arthritis, and cataracts. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 733-9	5.7	20
201	Determinants of lifestyle behavior in type 2 diabetes: results of the 2011 cross-sectional survey on living with chronic diseases in Canada. <i>BMC Public Health</i> , 2013 , 13, 451	4.1	19
200	Health care utilization and costs in Saskatchewan's registered Indian population with diabetes. <i>BMC Health Services Research</i> , 2007 , 7, 126	2.9	19
199	Genetic and Nongenetic Factors Affecting Clopidogrel Response in the Egyptian Population. <i>Clinical and Translational Science</i> , 2016 , 9, 23-8	4.9	19
198	Working-age adults with diabetes experience greater susceptibility to seasonal influenza: a population-based cohort study. <i>Diabetologia</i> , 2014 , 57, 690-8	10.3	18
197	Understanding fragility fracture patients' decision-making process regarding bisphosphonate treatment. <i>Osteoporosis International</i> , 2017 , 28, 219-229	5.3	18

196	Increasing incidence and prevalence of diabetes among the Status Aboriginal population in urban and rural Alberta, 1995-2006. <i>Canadian Journal of Public Health</i> , 2009 , 100, 231-6	3.2	18
195	Underuse of aspirin in type 2 diabetes mellitus: prevalence and correlates of therapy in rural Canada. <i>Clinical Therapeutics</i> , 2004 , 26, 439-46	3.5	18
194	Pharmacists' Attitudes toward diabetes. <i>Journal of the American Pharmacists Association</i> , 2000 , 40, 371-7		18
193	Determinants of time trade-off valuations for EQ-5D-5L health states: data from the Canadian EQ-5D-5L valuation study. <i>Quality of Life Research</i> , 2016 , 25, 1679-85	3.7	18
192	A Cyclic Peptide Mimic of the β Amyloid Binding Domain on Transthyretin. <i>ACS Chemical Neuroscience</i> , 2015 , 6, 778-89	5.7	17
191	Quantifying the impact of drug exposure misclassification due to restrictive drug coverage in administrative databases: a simulation cohort study. <i>Value in Health</i> , 2012 , 15, 191-7	3.3	17
190	Hydrochlorothiazide and atenolol combination antihypertensive therapy: effects of drug initiation order. <i>Clinical Pharmacology and Therapeutics</i> , 2009 , 86, 533-9	6.1	17
189	Statin use in Type 2 diabetes mellitus is associated with a delay in starting insulin. <i>Diabetic Medicine</i> , 2004 , 21, 962-7	3.5	17
188	Health-related quality of life for adults with cystic fibrosis: a regression approach to assessing the impact of recombinant human DNase. <i>Pharmacotherapy</i> , 2000 , 20, 1167-74	5.8	17
187	Validation of administrative data case definitions for gestational diabetes mellitus. <i>Diabetic Medicine</i> , 2017 , 34, 51-55	3.5	16
186	Differences in Short- and Long-Term Mortality Associated With BMI Following Coronary Revascularization. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	16
185	Prevalence of gestational diabetes among Chinese and South Asians: A Canadian population-based analysis. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 529-536	3.2	16
184	Rates and correlates of relapse following ED discharge for acute asthma: a Canadian 20-site prospective cohort study. <i>Chest</i> , 2015 , 147, 140-149	5.3	16
183	Healthy eating and active living for diabetes in primary care networks (HEALD-PCN): rationale, design, and evaluation of a pragmatic controlled trial for adults with type 2 diabetes. <i>BMC Public Health</i> , 2012 , 12, 455	4.1	16
182	Determinants of quality of life in type 2 diabetes population: the inclusion of personality. <i>Quality of Life Research</i> , 2011 , 20, 551-8	3.7	16
181	Health-related behaviours in adults with diabetes: associations with health care utilization and costs. <i>Canadian Journal of Public Health</i> , 2008 , 99, 227-31	3.2	16
180	The EQ-5D-5L Is Superior to the -3L Version in Measuring Health-related Quality of Life in Patients Awaiting THA or TKA. <i>Clinical Orthopaedics and Related Research</i> , 2019 , 477, 1632-1644	2.2	16
179	Development of Perinatal Mental Illness in Women With Gestational Diabetes Mellitus: A Population-Based Cohort Study. <i>Canadian Journal of Diabetes</i> , 2018 , 42, 350-355.e1	2.1	15

178	Metformin, Asian ethnicity and risk of prostate cancer in type 2 diabetes: a systematic review and meta-analysis. <i>BMC Cancer</i> , 2018 , 18, 65	4.8	15
177	Risk of acute coronary events associated with glyburide compared with gliclazide use in patients with type 2 diabetes: a nested case-control study. <i>Diabetes, Obesity and Metabolism</i> , 2014 , 16, 22-9	6.7	15
176	Critical impact of patient knowledge and bone density testing on starting osteoporosis treatment after fragility fracture: secondary analyses from two controlled trials. <i>Osteoporosis International</i> , 2014 , 25, 2173-9	5.3	15
175	Increasing incidence and prevalence with limited survival gains among rural Albertans with diabetes: a retrospective cohort study, 1995-2006. <i>Diabetic Medicine</i> , 2009 , 26, 989-95	3.5	15
174	Utilization of diabetes medication and cost of testing supplies in Saskatchewan, 2001. <i>BMC Health Services Research</i> , 2006 , 6, 159	2.9	15
173	Generalizability and persistence of a multifaceted intervention for improving quality of care for rural patients with type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 783-8	14.6	15
172	The safety of sulfonylurea therapy in type 2 diabetes: have we reached the practical limits of our evidence base?. <i>Diabetologia</i> , 2015 , 58, 1-3	10.3	14
171	Cost-Effectiveness Evaluation of Collaborative Care for Diabetes and Depression in Primary Care. <i>American Journal of Preventive Medicine</i> , 2016 , 51, e13-20	6.1	14
170	Physical activity levels and differences in the prevalence of diabetes between the United States and Canada. <i>Preventive Medicine</i> , 2010 , 50, 241-5	4.3	14
169	Do researchers use pharmacist communication as an outcome measure? A scoping review of pharmacist involvement in diabetes care. <i>International Journal of Pharmacy Practice</i> , 2010 , 18, 183-93	1.7	14
168	Analysis of drug coverage before and after the implementation of Canada's Common Drug Review. <i>Cmaj</i> , 2011 , 183, E1259-66	3.5	14
167	Cost-effectiveness of a school-based health promotion program in Canada: A life-course modeling approach. <i>PLoS ONE</i> , 2017 , 12, e0177848	3.7	14
166	Responsiveness of the anxiety/depression dimension of the 3- and 5-level versions of the EQ-5D in assessing mental health. <i>Quality of Life Research</i> , 2018 , 27, 1625-1633	3.7	13
165	Angiogenin activates the astrocytic Nrf2/antioxidant-response element pathway and thereby protects murine neurons from oxidative stress. <i>Journal of Biological Chemistry</i> , 2019 , 294, 15095-15103	5.4	13
164	Increase in Daily Steps After an Exercise Specialist Led Lifestyle Intervention for Adults With Type 2 Diabetes In Primary Care: A Controlled Implementation Trial. <i>Journal of Physical Activity and Health</i> , 2015 , 12, 1492-9	2.5	13
163	Adding pharmacists to primary care teams increases guideline-concordant antiplatelet use in patients with type 2 diabetes: results from a randomized trial. <i>Annals of Pharmacotherapy</i> , 2013 , 47, 43-8	2.9	13
162	Applying the RE-AIM framework to the Alberta Caring for Diabetes Project: a protocol for a comprehensive evaluation of primary care quality improvement interventions. <i>BMJ Open</i> , 2012 , 2,	3	13
161	Survey of Pharmacist Activities and Attitudes in Diabetes Management. <i>Canadian Pharmacists Journal</i> , 2009 , 142, 128-134.e2	1.3	13

160	The relationship of diabetes-related distress and depressive symptoms with physical activity and dietary behaviors in adults with type 2 diabetes: A cross-sectional study. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 967-70	3.2	13
159	Metformin and the risk of prostate cancer across racial/ethnic groups: a population-based cohort study. <i>Prostate Cancer and Prostatic Diseases</i> , 2017 , 20, 122-126	6.2	12
158	Postpartum Diabetes Testing Rates after Gestational Diabetes Mellitus in Canadian Women: A Population-Based Study. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 613-620	2.1	12
157	An individualized patient-reported outcome measure (PROM) based patient decision aid and surgeon report for patients considering total knee arthroplasty: protocol for a pragmatic randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 89	2.8	12
156	Characteristics and health behaviors of diabetic patients receiving influenza vaccination. <i>Vaccine</i> , 2015 , 33, 3549-55	4.1	12
155	Comparing Strategies Targeting Osteoporosis to Prevent Fractures After an Upper Extremity Fracture (C-STOP Trial): A Randomized Controlled Trial. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 2114-2121	6.3	12
154	Measurement properties and comparative performance of health literacy screening questions in a predominantly low income African American population with diabetes. <i>Patient Education and Counseling</i> , 2014 , 97, 88-95	3.1	12
153	Concordance between self-report and a survey-based algorithm for classification of type 1 and type 2 diabetes using the 2011 population-based Survey on Living with Chronic Diseases in Canada (SLCDC)-Diabetes component. <i>Canadian Journal of Diabetes</i> , 2013 , 37, 249-253	2.1	12
152	Trajectories of health-related quality of life differ by age among adults: results from an eight-year longitudinal study. <i>Journal of Health Economics</i> , 2012 , 31, 207-18	3.5	12
151	Diabetes, cardiovascular disease, and health care use in people with and without schizophrenia. <i>European Psychiatry</i> , 2011 , 26, 327-32	6	12
150	Shifting from inpatient to outpatient treatment of deep vein thrombosis in a tertiary care center: a cost-minimization analysis. <i>Pharmacotherapy</i> , 2003 , 23, 301-9	5.8	12
149	Responsiveness of the EQ-5D-3L and EQ-5D-5L in patients following total hip or knee replacement. <i>Quality of Life Research</i> , 2019 , 28, 2409-2417	3.7	11
148	Assessment of children's own health status using visual analogue scale and descriptive system of the EQ-5D-Y: linkage between two systems. <i>Quality of Life Research</i> , 2014 , 23, 393-402	3.7	11
147	Increasing rates of diabetes amongst status Aboriginal youth in Alberta, Canada. <i>International Journal of Circumpolar Health</i> , 2012 , 71, 1-7	1.7	11
146	Alberta Diabetes and Physical Activity Trial (ADAPT): a randomized theory-based efficacy trial for adults with type 2 diabetes--rationale, design, recruitment, evaluation, and dissemination. <i>Trials</i> , 2010 , 11, 4	2.8	11
145	Reassessing the relevance of pharmacoeconomic analyses in formulary decisions. <i>Pharmacoeconomics</i> , 1998 , 13, 479-85	4.4	11
144	Life course impact of school-based promotion of healthy eating and active living to prevent childhood obesity. <i>PLoS ONE</i> , 2014 , 9, e102242	3.7	11
143	Current depressive symptoms but not history of depression predict hospital readmission or death after discharge from medical wards: a multisite prospective cohort study. <i>General Hospital Psychiatry</i> , 2016 , 39, 80-5	5.6	11

142	Adherence to osteoporosis therapy after an upper extremity fracture: a pre-specified substudy of the C-STOP randomized controlled trial. <i>Osteoporosis International</i> , 2019 , 30, 127-134	5.3	11
141	Impact of the 5As Team study on clinical practice in primary care obesity management: a qualitative study. <i>CMAJ Open</i> , 2017 , 5, E322-E329	2.5	10
140	Cost-effectiveness of osteoporosis interventions for incidental vertebral fractures. <i>American Journal of Medicine</i> , 2013 , 126, 169.e9-17	2.4	10
139	Restrictive drug coverage policies can induce substantial drug exposure misclassification in pharmacoepidemiologic studies. <i>Clinical Therapeutics</i> , 2012 , 34, 1379-1386.e3	3.5	10
138	Utilization of general and specialized cardiac care by people with schizophrenia. <i>Psychiatric Services</i> , 2012 , 63, 237-42	3.3	10
137	Misinterpretation with norm-based scoring of health status in adults with type 1 diabetes. <i>Health and Quality of Life Outcomes</i> , 2006 , 4, 15	3	10
136	Racial differences in lymphocyte beta-receptor sensitivity to propranolol. <i>Life Sciences</i> , 1993 , 53, 297-304	6.8	10
135	A cluster randomized controlled trial for the Evaluation of routinely Measured PATient reported outcomes in Hemodialysis care (EMPATHY): a study protocol. <i>BMC Health Services Research</i> , 2020 , 20, 731	2.9	10
134	Population-Level Outcomes with a 2-Step Approach for Gestational Diabetes Screening and Diagnosis. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 596-602	2.1	9
133	Validation of administrative and clinical case definitions for gestational diabetes mellitus against laboratory results. <i>Diabetic Medicine</i> , 2017 , 34, 781-785	3.5	9
132	Sex-based disparities in cardioprotective medication use in adults with diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 117	5.6	9
131	Association between diabetic ketoacidosis hospitalizations and driving distance to outpatient diabetes centres in adults with type 1 diabetes mellitus. <i>Canadian Journal of Diabetes</i> , 2014 , 38, 451-5	2.1	9
130	Glucose-lowering therapies and cancer risk: the trials and tribulations of trials and observations. <i>Diabetologia</i> , 2010 , 53, 1823-6	10.3	9
129	Changes in body mass index and incidence of diabetes: A longitudinal study of Alberta's Tomorrow Project Cohort. <i>Preventive Medicine</i> , 2018 , 106, 157-163	4.3	9
128	Patterns of glucose-lowering therapies and neonatal outcomes in the treatment of gestational diabetes in Canada, 2009-2014. <i>Diabetic Medicine</i> , 2017 , 34, 1296-1302	3.5	8
127	Discriminative validity of the EQ-5D-5 L and SF-12 in older adults with arthritis. <i>Health and Quality of Life Outcomes</i> , 2019 , 17, 68	3	8
126	Systematic review of community pharmacy-based and pharmacist-led foot care interventions for adults with type 2 diabetes. <i>Canadian Pharmacists Journal</i> , 2019 , 152, 109-116	1.3	8
125	Prompted awareness and use of Eating Well with Canada's Food Guide: a population-based study. <i>Journal of Human Nutrition and Dietetics</i> , 2015 , 28, 64-71	3.1	8

124	Health-related quality of life and its determinants in paediatric arterial ischaemic stroke survivors. <i>Archives of Disease in Childhood</i> , 2018 , 103, 930-936	2.2	8
123	Walking and type 2 diabetes risk using CANRISK scores among older adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 33-38	3	8
122	Alternation as a form of allocation for quality improvement studies in primary healthcare settings: the on-off study design. <i>Trials</i> , 2015 , 16, 375	2.8	8
121	Predicting the Future Burden of Diabetes in Alberta from 2008 to 2035. <i>Canadian Journal of Diabetes</i> , 2011 , 35, 274-281	2.1	8
120	The effect of increasing dialysis dose in overweight hemodialysis patients on quality of life: a 6-week randomized crossover trial. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 796-803	7.4	8
119	Metoprolol minimizes nighttime blood pressure dip in hypertensive black males. <i>American Journal of Hypertension</i> , 1995 , 8, 254-9	2.3	8
118	Objectively measured sleep and health-related quality of life in older adults with type 2 diabetes: a cross-sectional study from the Alberta Caring for Diabetes Study. <i>Sleep Health</i> , 2017 , 3, 102-106	4	8
117	Melatonin Pathway and Atenolol-Related Glucose Dysregulation: Is There a Correlation?. <i>Clinical and Translational Science</i> , 2016 , 9, 114-22	4.9	8
116	History of mood or anxiety disorders and risk of gestational diabetes mellitus in a population-based cohort. <i>Diabetic Medicine</i> , 2018 , 35, 147-151	3.5	8
115	Challenges in Identifying Patients with Type 2 Diabetes for Quality-Improvement Interventions in Primary Care Settings and the Importance of Valid Disease Registries. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S77-82	2.1	7
114	Correlates of accelerometer-assessed physical activity and sedentary time among adults with type 2 diabetes. <i>Canadian Journal of Public Health</i> , 2017 , 108, e355-e361	3.2	7
113	Temporal variation of diabetic ketoacidosis and hypoglycemia in adults with type 1 diabetes: A nationwide cohort study. <i>Journal of Diabetes</i> , 2016 , 8, 552-8	3.8	7
112	How dead is dead? Qualitative findings from participants of combined traditional and lead-time time trade-off valuations. <i>Quality of Life Research</i> , 2016 , 25, 35-43	3.7	7
111	Pharmacists on primary care teams: Effect on antihypertensive medication management in patients with type 2 diabetes. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2015 , 55, 265-8	1.7	7
110	Profile of adults with type 2 diabetes and uptake of clinical care best practices: results from the 2011 Survey on Living with Chronic Diseases in Canada - Diabetes component. <i>Diabetes Research and Clinical Practice</i> , 2014 , 103, 11-9	7.4	7
109	The darkening cloud of diabetes: do trends in cardiovascular risk management provide a silver lining?. <i>Diabetes Care</i> , 2008 , 31, 2136-42	14.6	7
108	Evidence and advocacy: are all things considered?. <i>Cmaj</i> , 2006 , 174, 1856	3.5	7
107	Use of the U.S. and U.K. scoring algorithm for the EuroQol-5D in an economic evaluation of cardiac care. <i>Medical Care</i> , 2007 , 45, 269-73	3.1	7

106	Relationship between number, timing, and type of pharmacist interventions and patient outcomes. <i>American Journal of Health-System Pharmacy</i> , 2005 , 62, 1798-801	2.2	7
105	The effectiveness of beta-blockers after myocardial infarction in patients with type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 2113-7	14.6	7
104	Pharmacoeconomic analysis in formulary decisions: an international perspective. <i>American Journal of Hospital Pharmacy</i> , 1994 , 51, 2593-8		7
103	Cost-Effectiveness of Osteoporosis Interventions to Improve Quality of Care After Upper Extremity Fracture: Results From a Randomized Trial (C-STOP Trial). <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1220-1228	6.3	7
102	Physical Activity and Health-Related Quality of Life in Adults With Type 2 Diabetes: Results From a Prospective Cohort Study. <i>Journal of Physical Activity and Health</i> , 2017 , 14, 368-374	2.5	6
101	Contextualizing the Proven Effectiveness of a Lifestyle Intervention for Type 2 Diabetes in Primary Care: A Qualitative Assessment Based on the RE-AIM Framework. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S92-9	2.1	6
100	The relationship of neighbourhood-level material and social deprivation with health-related quality of life. <i>Quality of Life Research</i> , 2018 , 27, 3265-3274	3.7	6
99	Population-level response shift: novel implications for research. <i>Quality of Life Research</i> , 2012 , 21, 1495-8	3.7	6
98	Prescription Drug Data and the National Diabetes Surveillance System Case Definition. <i>Canadian Journal of Diabetes</i> , 2007 , 31, 47-53	2.1	6
97	Sex differences in obesity related cancer incidence in relation to type 2 diabetes diagnosis (ZODIAC-49). <i>PLoS ONE</i> , 2018 , 13, e0190870	3.7	6
96	Individualized health-related quality of life instrument Measure Yourself Medical Outcome Profile (MYMOP) and its adaptations: a critical appraisal. <i>Quality of Life Research</i> , 2019 , 28, 879-893	3.7	6
95	Association of Depressive Symptoms and Diabetes Distress With Severe Hypoglycemia in Adults With Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2019 , 43, 316-321	2.1	6
94	Impact of Organizational Stability on Adoption of Quality-Improvement Interventions for Diabetes in Primary Care Settings. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S100-12	2.1	5
93	Changes in glucose-lowering drug use before and after cancer diagnosis in patients with diabetes. <i>Diabetes and Metabolism</i> , 2018 , 44, 22-29	5.4	5
92	How much will we pay to increase steps per day? Examining the cost-effectiveness of a pedometer-based lifestyle program in primary care. <i>Preventive Medicine Reports</i> , 2015 , 2, 645-50	2.6	5
91	Influence of metabolites on protein binding of verapamil enantiomers. <i>British Journal of Clinical Pharmacology</i> , 1995 , 39, 536-8	3.8	5
90	A Longitudinal Study on the Association Between Diabetic Foot Disease and Health-Related Quality of Life in Adults With Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2020 , 44, 280-286.e1	2.1	5
89	Health Behaviours and Awareness of Canada's Food Guide: A Population-based Study. <i>Canadian Journal of Dietetic Practice and Research</i> , 2016 , 77, 66-71	1.3	5

88	Systemic use of antibiotics and risk of diabetes in adults: A nested case-control study of Alberta's Tomorrow Project. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 849-857	6.7	5
87	Health literacy and logical inconsistencies in valuations of hypothetical health states: results from the Canadian EQ-5D-5L valuation study. <i>Quality of Life Research</i> , 2017 , 26, 1483-1492	3.7	4
86	Measuring socioeconomic inequalities in eye care services among patients with diabetes in Alberta, Canada, 1995-2009. <i>Diabetes Research and Clinical Practice</i> , 2017 , 127, 205-211	7.4	4
85	Validation of drug prescription records for senior patients in Alberta's Tomorrow Project: Assessing agreement between two population-level administrative pharmaceutical databases in Alberta, Canada. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1417-1421	2.6	4
84	A primary care based healthy-eating and active living education session for weight reduction in the pre-diabetic population. <i>Primary Care Diabetes</i> , 2014 , 8, 301-7	2.4	4
83	Social support, self-efficacy and motivation: a qualitative study of the journey through HEALD (Healthy Eating and Active Living for Diabetes). <i>Practical Diabetes</i> , 2014 , 31, 370-374	0.7	4
82	Addressing the gaps in diabetes care in first nations communities with the reorganizing the approach to diabetes through the application of registries (RADAR): the project protocol. <i>BMC Health Services Research</i> , 2017 , 17, 117	2.9	4
81	Geographic Clustering of Acute Complications and Sociodemographic Factors in Adults with Type 1 Diabetes. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 132-137	2.1	4
80	Comment on Bordeleau et al. The association of basal insulin glargine and/or n-3 fatty acids with incident cancers in patients with dysglycemia. <i>Diabetes Care</i> 2014;37:1360-1366. <i>Diabetes Care</i> , 2014 , 37, e221-2	14.6	4
79	Levels of evidence needed for changing indications, contraindications, and Food and Drug Administration labeling: the case of metformin. <i>Archives of Internal Medicine</i> , 2011 , 171, 1042-3; author reply 1043		4
78	The association of survey language (Spanish vs. English) with Health Utilities Index and EQ-5D index scores in a United States population sample. <i>Quality of Life Research</i> , 2009 , 18, 1377-85	3.7	4
77	Improving Blood Pressure Management in Patients with Diabetes: The Design of the SCRIP-HTN Study. <i>Canadian Pharmacists Journal</i> , 2006 , 139, 1-4	1.3	4
76	Prospective study of hyperglycemia and cancer risk: response to Stattin et al. <i>Diabetes Care</i> , 2007 , 30, e77; author reply e78	14.6	4
75	Reactive astrocytes acquire neuroprotective as well as deleterious signatures in response to Tau and Aβ pathology.. <i>Nature Communications</i> , 2022 , 13, 135	17.4	4
74	Safety of Concomitant Metformin and Proton Pump Inhibitor Use: A Population Retrospective Cohort Study. <i>Clinical Therapeutics</i> , 2016 , 38, 1392-1400	3.5	4
73	Income-related inequalities in visual impairment and eye screening services in patients with type 2 diabetes. <i>Journal of Public Health</i> , 2016 , 38, e571-e579	3.5	4
72	Anthropometric changes and risk of diabetes: are there sex differences? A longitudinal study of Alberta's Tomorrow Project. <i>BMJ Open</i> , 2019 , 9, e023829	3	4
71	Screening for Anxiety and Depressive Symptoms in Type 2 Diabetes Using Patient-Reported Outcome Measures: Comparative Performance of the EQ-5D-5L and SF-12v2.. <i>MDM Policy and Practice</i> , 2018 , 3, 2381468318799361	1.5	4

70	Population attributable fractions for Type 2 diabetes: an examination of multiple risk factors including symptoms of depression and anxiety. <i>Diabetology and Metabolic Syndrome</i> , 2018 , 10, 84	5.6	4
69	Body Mass Index Is Associated With Differential Rates of Coronary Revascularization After Cardiac Catheterization. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 822-829	3.8	3
68	Genome-wide association study identifies pharmacogenomic loci linked with specific antihypertensive drug treatment and new-onset diabetes. <i>Pharmacogenomics Journal</i> , 2018 , 18, 106-112	3.5	3
67	A22 Genetic tools to validate and measure NRF2 in HD. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, A6.4-A7	5.5	3
66	The association of self-efficacy and hospitalization rates in people with type-2 diabetes: A prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 143, 113-119	7.4	3
65	Changes in thiazolidinedione use and outcomes following removal of a prior-authorization policy: controlled time-series analysis. <i>Medical Care</i> , 2014 , 52, 47-55	3.1	3
64	Within-class differences in cancer risk for sulfonylurea treatments in patients with type 2 diabetes (ZODIAC-55) - a study protocol. <i>BMC Cancer</i> , 2017 , 17, 444	4.8	3
63	Evaluating the introduction of a computerized prior-authorization system on the completeness of drug exposure data. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 551-5	2.6	3
62	The natural history of LDL control in type 2 diabetes: a prospective study of adherence to lipid guidelines. <i>Diabetes Care</i> , 2006 , 29, 2506-8	14.6	3
61	Physician Perceptions of Enhanced Community Pharmacist Care in Cholesterol Management: A Survey of Physicians Contacted during the Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP). <i>Canadian Pharmacists Journal</i> , 2005 , 138, 33-39	1.3	3
60	Changes in labelling for metformin use in patients with type 2 diabetes and heart failure: documented safety outweighs theoretical risks. <i>Open Medicine</i> , 2011 , 5, e33-4		3
59	Development of clinical indicators for type 2 diabetes. <i>Canadian Pharmacists Journal</i> , 2008 , 141, 120-128	1.3	3
58	Selection of patient-reported outcome measures (PROMs) for use in health systems. <i>Journal of Patient-Reported Outcomes</i> , 2021 , 5, 99	2.6	3
57	The performance of the EQ-5D-3L in screening for anxiety and depressive symptoms in hospital and community settings. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 96	3	3
56	How different are composite and traditional TTO valuations of severe EQ-5D-5L states?. <i>Quality of Life Research</i> , 2016 , 25, 2101-8	3.7	3
55	Risk of prostate cancer across different racial/ethnic groups in men with diabetes: a retrospective cohort study. <i>Diabetic Medicine</i> , 2018 , 35, 107-111	3.5	3
54	Time-Varying Risk for Breast Cancer Following Initiation of Glucose-Lowering Therapy in Women with Type 2 Diabetes: Exploring Detection Bias. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 204-210	2.1	2
53	Women's experience with peer counselling and social support during a lifestyle intervention among women with a previous gestational diabetes pregnancy. <i>Health Psychology and Behavioral Medicine</i> , 2019 , 7, 147-159	2.2	2

52	Optimal threshold of adherence to lipid lowering drugs in predicting acute coronary syndrome, stroke, or mortality: A cohort study. <i>PLoS ONE</i> , 2019 , 14, e0223062	3.7	2
51	Examining Diet-Related Care Practices Among Adults with Type 2 Diabetes: A Focus on Glycemic Index Choices. <i>Canadian Journal of Dietetic Practice and Research</i> , 2017 , 78, 26-31	1.3	2
50	Dietary Patterns in Adults with Type 2 Diabetes Predict Cardiometabolic Risk Factors. <i>Canadian Journal of Diabetes</i> , 2016 , 40, 296-303	2.1	2
49	Testing social-cognitive mediators for objective estimates of physical activity from the Healthy Eating and Active Living for Diabetes in Primary Care Networks (HEALD-PCN) study. <i>Psychology, Health and Medicine</i> , 2016 , 21, 945-53	2.1	2
48	Health behaviors for hypertension management in people with and without coexisting diabetes. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 389-96	2.3	2
47	Healthy eating and active living after gestational diabetes mellitus (HEALD-GDM): Rationale, design, and proposed evaluation of a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2017 , 61, 23-28	2.3	2
46	Relationship between duration of type 2 diabetes and self-reported participation in diabetes education in Korea. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP311-21	2	2
45	PP157. Risk of preeclampsia in pregnant women with gestational diabetes in Alberta. <i>Pregnancy Hypertension</i> , 2012 , 2, 323-4	2.6	2
44	Lay media reporting of rosiglitazone risk: extent, messaging and quality of reporting. <i>Cardiovascular Diabetology</i> , 2009 , 8, 40	8.7	2
43	Comment on: Evans JM, Ogston SA, Emslie-Smith A, Morris A (2006) risk of mortality and adverse cardiovascular outcomes in type 2 diabetes: a comparison of patients treated with sulfonylureas and metformin. <i>Diabetologia</i> 49:930-936. <i>Diabetologia</i> , 2006 , 49, 2805-6	10.3	2
42	Humanistic Outcomes 1996 , 403-445		2
41	Analyzing composite outcomes in cardiovascular studies: traditional Cox proportional hazards versus quality-of-life-adjusted survival approaches. <i>Open Medicine</i> , 2010 , 4, e40-8		2
40	Development and Validation of an Index Score to Adjust for Healthy User Bias in Observational Studies. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2017 , 24, e79-e89	2	2
39	A multi-level approach for the use of routinely collected patient-reported outcome measures (PROMs) data in healthcare systems. <i>Journal of Patient-Reported Outcomes</i> , 2021 , 5, 98	2.6	2
38	Burden of mental health symptoms and perceptions of their management in in-centre hemodialysis care: a mixed methods study. <i>Journal of Patient-Reported Outcomes</i> , 2021 , 5, 111	2.6	2
37	Feasibility of identifying and describing the burden of early-onset metabolic syndrome in primary care electronic medical record data: a cross-sectional analysis. <i>CMAJ Open</i> , 2020 , 8, E779-E787	2.5	2
36	Factors associated with pneumococcal vaccination in 2040 people with type 2 diabetes: A cross-sectional study. <i>Diabetes and Metabolism</i> , 2020 , 46, 137-143	5.4	2
35	Handling Regional Variation in Health State Preferences within a Country. <i>Medical Decision Making</i> , 2017 , 37, 252-261	2.5	1

34	Changing provider behaviour to increase nurse visits for obesity in family practice: the 5As Team randomized controlled trial. <i>CMAJ Open</i> , 2019 , 7, E371-E378	2.5	1
33	Impact of cancer on use of glucose-lowering drug treatment in individuals with diabetes: potential mechanisms. Reply to Pouwer F [letter]. <i>Diabetologia</i> , 2015 , 58, 1380-1	10.3	1
32	Working towards a better understanding of type 2 diabetes care organization with First Nations communities: a qualitative assessment. <i>Archives of Public Health</i> , 2020 , 78, 7	2.6	1
31	Exenatide may improve maintenance of HbA1c targets, with less hypoglycaemia, but more early adverse effects when compared with low-dose glimepiride. <i>Evidence-Based Medicine</i> , 2013 , 18, e42		1
30	Meta-analysis of trial data may support a causal role of hyperglycaemia in cancer. Reply to Yang XL, Ma RCW, Chan JCN [letter]. <i>Diabetologia</i> , 2011 , 54, 711-712	10.3	1
29	Evaluation of Published Pharmacoeconomic Studies. <i>Journal of Pharmacy Practice</i> , 1995 , 8, 156-166	1.3	1
28	Pharmacoeconomic analysis in formulary decisions: An international perspective. <i>American Journal of Health-System Pharmacy</i> , 1994 , 51, 2593-2598	2.2	1
27	Health-related quality of life and its determinants in paediatric arterial ischaemic stroke survivors		1
26	A comparison of drug coverage in alberta before and after the introduction of the national common drug review process. <i>Healthcare Policy</i> , 2010 , 6, e117-44	1.1	1
25	Insulin versus an oral antidiabetic agent as add-on therapy in type 2 diabetes after failure of an oral antidiabetic regimen: a meta-analysis. <i>Open Medicine</i> , 2008 , 2, e26-38		1
24	Mental health and the relationship between health promotion counseling and health outcomes in chronic conditions: cross-sectional population-based study. <i>Canadian Family Physician</i> , 2014 , 60, e113-20 ^{0.9}		1
23	Evaluating pharmacists' experience using diabetes practice tools: A pilot study. <i>Canadian Pharmacists Journal</i> , 2007 , 140, 312-319	1.3	1
22	Patients' experiences of Nurse Case-Managed Osteoporosis Care: A Qualitative Study. <i>Journal of Patient Experience</i> , 2020 , 7, 251-257	1.3	1
21	Healthy Eating and Active Living for Diabetes-Glycemic Index (HEALD-GI): A Pragmatic Randomized Controlled Trial. <i>Current Developments in Nutrition</i> , 2020 , 4, 1289-1289	0.4	1
20	A qualitative study examining healthcare managers and providers' perspectives on participating in primary care implementation research. <i>BMC Health Services Research</i> , 2016 , 16, 316	2.9	1
19	Economic Evaluation of Sucrose Octasulfate Dressing for Treatment of Diabetic Foot Ulcers in Patients with Type 2 Diabetes.. <i>Canadian Journal of Diabetes</i> , 2021 ,	2.1	1
18	The impact of COVID-19 pandemic on health-related quality of life of adults visiting emergency departments and primary care settings in Alberta.. <i>Canadian Journal of Public Health</i> , 2022 , 113, 96	3.2	0
17	Patient-reported outcome measures in the care of in-centre hemodialysis patients. <i>Journal of Patient-Reported Outcomes</i> , 2021 , 5, 93	2.6	0

16	Small differences in EQ-5D-5L health utility scores were interpreted differently between and within respondents. <i>Journal of Clinical Epidemiology</i> , 2021 , 142, 133-143	5.7	○
15	The predictive ability of EQ-5D-3L compared to the LACE index and its association with 30-day post-hospitalization outcomes. <i>Quality of Life Research</i> , 2021 , 30, 2583-2590	3.7	○
14	Mapping the Edmonton Symptom Assessment System-Revised: Renal to the EQ-5D-5L in patients with chronic kidney disease. <i>Quality of Life Research</i> , 2021 , 1	3.7	○
13	Limited impact of drug exposure misclassification from non-benefit thiazolidinedione drug use on mortality and hospitalizations from Saskatchewan, Canada: a cohort study. <i>Clinical Therapeutics</i> , 2015 , 37, 629-42	3.5	
12	Healthcare Costs for Initial Management of Children with New-Onset Type 1 Diabetes Mellitus in Central and Northern Alberta. <i>Canadian Journal of Diabetes</i> , 2012 , 36, 128-132	2.1	
11	Intensieve glucoseregulerend en het risico op kanker bij type 2 diabetes: een meta-analyse van belangrijke trials. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2011 , 9, 62-69	0	
10	Reflections on Self-Monitoring of Blood Glucose: Why Do We Recommend the Things We Do?. <i>Canadian Pharmacists Journal</i> , 2010 , 143, 216-217	1.3	
9	IHE Consensus Conference on Self-Monitoring in Diabetes: An Innovative Approach to Health Policy Development. <i>Canadian Journal of Diabetes</i> , 2007 , 31, 18-19	2.1	
8	Association of diabetes mellitus and glycemic control strategies with clinical outcomes after acute coronary syndromes. <i>American Heart Journal</i> , 2004 , 148, e27; author reply e28	4.9	
7	Healthy Eating and Active Living for Diabetes-Glycemic Index (HEALD-GI): Protocol for a Pragmatic Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019 , 8, e11707	2	
6	3125 steps to perfect health: a nonparametric approach to developing the EQ-5D-5L value set. <i>Quality of Life Research</i> , 2020 , 29, 3109-3118	3.7	
5	Effect of a pharmacy comprehensive chronic diseases care plan on use of lipid-lowering drugs among patients with hypertension. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2021 , 27, 426-434 ^{1.9}		
4	Adopting and implementing an innovative model to organize diabetes care within First Nations communities: A qualitative assessment. <i>BMC Health Services Research</i> , 2021 , 21, 415	2.9	
3	Modifying the quality-adjusted life year calculation to account for meaningful change in health-related quality of life: insights from a pragmatic clinical trial. <i>European Journal of Health Economics</i> , 2021 , 22, 1441-1451	3.6	
2	Exploring the impact of pharmacist comprehensive annual care plans on perceived quality of chronic illness care by patients in Alberta, Canada. <i>Canadian Pharmacists Journal</i> , 2021 , 154, 331-341	1.3	
1	Effect of a pharmacy comprehensive chronic diseases care plan on use of lipid-lowering drugs among patients with hypertension. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2021 , 27, 426-434 ^{1.9}		