

Jeffrey A Johnson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1576387/jeffrey-a-johnson-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

393
papers

19,927
citations

73
h-index

130
g-index

405
ext. papers

22,466
ext. citations

4.7
avg, IF

6.93
L-index

#	Paper	IF	Citations
393	The impact of COVID-19 pandemic on health-related quality of life of adults visiting emergency departments and primary care settings in Alberta.. <i>Canadian Journal of Public Health</i> , 2022 , 113, 96	3.2	0
392	Reactive astrocytes acquire neuroprotective as well as deleterious signatures in response to Tau and A β pathology.. <i>Nature Communications</i> , 2022 , 13, 135	17.4	4
391	Selection of patient-reported outcome measures (PROMs) for use in health systems. <i>Journal of Patient-Reported Outcomes</i> , 2021 , 5, 99	2.6	3
390	Patient-reported outcome measures in the care of in-centre hemodialysis patients. <i>Journal of Patient-Reported Outcomes</i> , 2021 , 5, 93	2.6	0
389	A multi-level approach for the use of routinely collected patient-reported outcome measures (PROMs) data in healthcare systems. <i>Journal of Patient-Reported Outcomes</i> , 2021 , 5, 98	2.6	2
388	Burden of mental health symptoms and perceptions of their management in in-centre hemodialysis care: a mixed methods study. <i>Journal of Patient-Reported Outcomes</i> , 2021 , 5, 111	2.6	2
387	Small differences in EQ-5D-5L health utility scores were interpreted differently between and within respondents. <i>Journal of Clinical Epidemiology</i> , 2021 , 142, 133-143	5.7	0
386	The performance of the EQ-5D-3L in screening for anxiety and depressive symptoms in hospital and community settings. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 96	3	3
385	Effect of a pharmacy comprehensive chronic diseases care plan on use of lipid-lowering drugs among patients with hypertension. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2021 , 27, 426-434 ^{1.9}		
384	Adopting and implementing an innovative model to organize diabetes care within First Nations communities: A qualitative assessment. <i>BMC Health Services Research</i> , 2021 , 21, 415	2.9	
383	The predictive ability of EQ-5D-3L compared to the LACE index and its association with 30-day post-hospitalization outcomes. <i>Quality of Life Research</i> , 2021 , 30, 2583-2590	3.7	0
382	Modifying the quality-adjusted life year calculation to account for meaningful change in health-related quality of life: insights from a pragmatic clinical trial. <i>European Journal of Health Economics</i> , 2021 , 22, 1441-1451	3.6	
381	Mapping the Edmonton Symptom Assessment System-Revised: Renal to the EQ-5D-5L in patients with chronic kidney disease. <i>Quality of Life Research</i> , 2021 , 1	3.7	0
380	Efficacy and safety of low and very low carbohydrate diets for type 2 diabetes remission: systematic review and meta-analysis of published and unpublished randomized trial data. <i>BMJ, The</i> , 2021 , 372, m4743	5.9	56
379	Exploring the impact of pharmacist comprehensive annual care plans on perceived quality of chronic illness care by patients in Alberta, Canada. <i>Canadian Pharmacists Journal</i> , 2021 , 154, 331-341	1.3	
378	Economic Evaluation of Sucrose Octasulfate Dressing for Treatment of Diabetic Foot Ulcers in Patients with Type 2 Diabetes.. <i>Canadian Journal of Diabetes</i> , 2021 ,	2.1	1
377	Effect of a pharmacy comprehensive chronic diseases care plan on use of lipid-lowering drugs among patients with hypertension. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2021 , 27, 426-434 ^{1.9}		

376	Working towards a better understanding of type 2 diabetes care organization with First Nations communities: a qualitative assessment. <i>Archives of Public Health</i> , 2020 , 78, 7	2.6	1
375	A Longitudinal Study on the Association Between Diabetic Foot Disease and Health-Related Quality of Life in Adults With Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2020 , 44, 280-286.e1	2.1	5
374	Patients' Experiences of Nurse Case-Managed Osteoporosis Care: A Qualitative Study. <i>Journal of Patient Experience</i> , 2020 , 7, 251-257	1.3	1
373	Healthy Eating and Active Living for Diabetes-Glycemic Index (HEALD-GI): A Pragmatic Randomized Controlled Trial. <i>Current Developments in Nutrition</i> , 2020 , 4, 1289-1289	0.4	1
372	Feasibility of identifying and describing the burden of early-onset metabolic syndrome in primary care electronic medical record data: a cross-sectional analysis. <i>CMAJ Open</i> , 2020 , 8, E779-E787	2.5	2
371	3125 steps to perfect health: a nonparametric approach to developing the EQ-5D-5L value set. <i>Quality of Life Research</i> , 2020 , 29, 3109-3118	3.7	
370	A cluster randomized controlled trial for the Evaluation of routinely Measured PATient reported outcomes in Hemodialysis care (EMPATHY): a study protocol. <i>BMC Health Services Research</i> , 2020 , 20, 731	2.9	10
369	Factors associated with pneumococcal vaccination in 2040 people with type 2 diabetes: A cross-sectional study. <i>Diabetes and Metabolism</i> , 2020 , 46, 137-143	5.4	2
368	Women's experience with peer counselling and social support during a lifestyle intervention among women with a previous gestational diabetes pregnancy. <i>Health Psychology and Behavioral Medicine</i> , 2019 , 7, 147-159	2.2	2
367	Optimal threshold of adherence to lipid lowering drugs in predicting acute coronary syndrome, stroke, or mortality: A cohort study. <i>PLoS ONE</i> , 2019 , 14, e0223062	3.7	2
366	Changing provider behaviour to increase nurse visits for obesity in family practice: the 5As Team randomized controlled trial. <i>CMAJ Open</i> , 2019 , 7, E371-E378	2.5	1
365	Responsiveness of the EQ-5D-3L and EQ-5D-5L in patients following total hip or knee replacement. <i>Quality of Life Research</i> , 2019 , 28, 2409-2417	3.7	11
364	Discriminative validity of the EQ-5D-5 L and SF-12 in older adults with arthritis. <i>Health and Quality of Life Outcomes</i> , 2019 , 17, 68	3	8
363	Systematic review of community pharmacy-based and pharmacist-led foot care interventions for adults with type 2 diabetes. <i>Canadian Pharmacists Journal</i> , 2019 , 152, 109-116	1.3	8
362	An individualized patient-reported outcome measure (PROM) based patient decision aid and surgeon report for patients considering total knee arthroplasty: protocol for a pragmatic randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 89	2.8	12
361	Angiogenin activates the astrocytic Nrf2/antioxidant-response element pathway and thereby protects murine neurons from oxidative stress. <i>Journal of Biological Chemistry</i> , 2019 , 294, 15095-15103	5.4	13
360	Validation of drug prescription records for senior patients in Alberta's Tomorrow Project: Assessing agreement between two population-level administrative pharmaceutical databases in Alberta, Canada. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1417-1421	2.6	4
359	Healthy Eating and Active Living for Diabetes-Glycemic Index (HEALD-GI): Protocol for a Pragmatic Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019 , 8, e11707	2	

358	Cost-Effectiveness of Osteoporosis Interventions to Improve Quality of Care After Upper Extremity Fracture: Results From a Randomized Trial (C-STOP Trial). <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1220-1228	6.3	7
357	Anthropometric changes and risk of diabetes: are there sex differences? A longitudinal study of Alberta's Tomorrow Project. <i>BMJ Open</i> , 2019 , 9, e023829	3	4
356	The EQ-5D-5L Is Superior to the -3L Version in Measuring Health-related Quality of Life in Patients Awaiting THA or TKA. <i>Clinical Orthopaedics and Related Research</i> , 2019 , 477, 1632-1644	2.2	16
355	Individualized health-related quality of life instrument Measure Yourself Medical Outcome Profile (MYMOP) and its adaptations: a critical appraisal. <i>Quality of Life Research</i> , 2019 , 28, 879-893	3.7	6
354	Association of Depressive Symptoms and Diabetes Distress With Severe Hypoglycemia in Adults With Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2019 , 43, 316-321	2.1	6
353	Adherence to osteoporosis therapy after an upper extremity fracture: a pre-specified substudy of the C-STOP randomized controlled trial. <i>Osteoporosis International</i> , 2019 , 30, 127-134	5.3	11
352	Responsiveness of the anxiety/depression dimension of the 3- and 5-level versions of the EQ-5D in assessing mental health. <i>Quality of Life Research</i> , 2018 , 27, 1625-1633	3.7	13
351	Health-related quality of life and its determinants in paediatric arterial ischaemic stroke survivors. <i>Archives of Disease in Childhood</i> , 2018 , 103, 930-936	2.2	8
350	Genome-wide association study identifies pharmacogenomic loci linked with specific antihypertensive drug treatment and new-onset diabetes. <i>Pharmacogenomics Journal</i> , 2018 , 18, 106-112 ^{3.5}	3.5	3
349	Changes in glucose-lowering drug use before and after cancer diagnosis in patients with diabetes. <i>Diabetes and Metabolism</i> , 2018 , 44, 22-29	5.4	5
348	Development of Perinatal Mental Illness in Women With Gestational Diabetes Mellitus: A Population-Based Cohort Study. <i>Canadian Journal of Diabetes</i> , 2018 , 42, 350-355.e1	2.1	15
347	Comparing Strategies Targeting Osteoporosis to Prevent Fractures After an Upper Extremity Fracture (C-STOP Trial): A Randomized Controlled Trial. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 2114-2121	6.3	12
346	The association of self-efficacy and hospitalization rates in people with type-2 diabetes: A prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 143, 113-119	7.4	3
345	Metformin, Asian ethnicity and risk of prostate cancer in type 2 diabetes: a systematic review and meta-analysis. <i>BMC Cancer</i> , 2018 , 18, 65	4.8	15
344	The relationship of neighbourhood-level material and social deprivation with health-related quality of life. <i>Quality of Life Research</i> , 2018 , 27, 3265-3274	3.7	6
343	Sex differences in obesity related cancer incidence in relation to type 2 diabetes diagnosis (ZODIAC-49). <i>PLoS ONE</i> , 2018 , 13, e0190870	3.7	6
342	Risk of prostate cancer across different racial/ethnic groups in men with diabetes: a retrospective cohort study. <i>Diabetic Medicine</i> , 2018 , 35, 107-111	3.5	3
341	Systemic use of antibiotics and risk of diabetes in adults: A nested case-control study of Alberta's Tomorrow Project. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 849-857	6.7	5

340	Changes in body mass index and incidence of diabetes: A longitudinal study of Alberta's Tomorrow Project Cohort. <i>Preventive Medicine</i> , 2018 , 106, 157-163	4.3	9
339	History of mood or anxiety disorders and risk of gestational diabetes mellitus in a population-based cohort. <i>Diabetic Medicine</i> , 2018 , 35, 147-151	3.5	8
338	Screening for Anxiety and Depressive Symptoms in Type 2 Diabetes Using Patient-Reported Outcome Measures: Comparative Performance of the EQ-5D-5L and SF-12v2.. <i>MDM Policy and Practice</i> , 2018 , 3, 2381468318799361	1.5	4
337	Population attributable fractions for Type 2 diabetes: an examination of multiple risk factors including symptoms of depression and anxiety. <i>Diabetology and Metabolic Syndrome</i> , 2018 , 10, 84	5.6	4
336	Minimally Important Difference of the EQ-5D-5L Index Score in Adults with Type 2 Diabetes. <i>Value in Health</i> , 2018 , 21, 1090-1097	3.3	27
335	Validation of administrative data case definitions for gestational diabetes mellitus. <i>Diabetic Medicine</i> , 2017 , 34, 51-55	3.5	16
334	Handling Regional Variation in Health State Preferences within a Country. <i>Medical Decision Making</i> , 2017 , 37, 252-261	2.5	1
333	Instrument-Defined Estimates of the Minimally Important Difference for EQ-5D-5L Index Scores. <i>Value in Health</i> , 2017 , 20, 644-650	3.3	99
332	Metformin and the risk of prostate cancer across racial/ethnic groups: a population-based cohort study. <i>Prostate Cancer and Prostatic Diseases</i> , 2017 , 20, 122-126	6.2	12
331	Type 2 Diabetes and Comorbid Symptoms of Depression and Anxiety: Longitudinal Associations With Mortality Risk. <i>Diabetes Care</i> , 2017 , 40, 352-358	14.6	71
330	Physical Activity and Health-Related Quality of Life in Adults With Type 2 Diabetes: Results From a Prospective Cohort Study. <i>Journal of Physical Activity and Health</i> , 2017 , 14, 368-374	2.5	6
329	Clinical Pharmacogenetics Implementation Consortium (CPIC) Guideline for Pharmacogenetics-Guided Warfarin Dosing: 2017 Update. <i>Clinical Pharmacology and Therapeutics</i> , 2017 , 102, 397-404	6.1	320
328	Health literacy and logical inconsistencies in valuations of hypothetical health states: results from the Canadian EQ-5D-5L valuation study. <i>Quality of Life Research</i> , 2017 , 26, 1483-1492	3.7	4
327	Differences in Short- and Long-Term Mortality Associated With BMI Following Coronary Revascularization. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	16
326	Postpartum Diabetes Testing Rates after Gestational Diabetes Mellitus in Canadian Women: A Population-Based Study. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 613-620	2.1	12
325	Population-Level Outcomes with a 2-Step Approach for Gestational Diabetes Screening and Diagnosis. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 596-602	2.1	9
324	Patterns of glucose-lowering therapies and neonatal outcomes in the treatment of gestational diabetes in Canada, 2009-2014. <i>Diabetic Medicine</i> , 2017 , 34, 1296-1302	3.5	8
323	Impact of the 5As Team study on clinical practice in primary care obesity management: a qualitative study. <i>CMAJ Open</i> , 2017 , 5, E322-E329	2.5	10

322	Comparative performance of the EQ-5D-5L and SF-6D index scores in adults with type 2 diabetes. <i>Quality of Life Research</i> , 2017 , 26, 2057-2066	3.7	22
321	Measuring socioeconomic inequalities in eye care services among patients with diabetes in Alberta, Canada, 1995-2009. <i>Diabetes Research and Clinical Practice</i> , 2017 , 127, 205-211	7.4	4
320	Time-Varying Risk for Breast Cancer Following Initiation of Glucose-Lowering Therapy in Women with Type 2 Diabetes: Exploring Detection Bias. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 204-210	2.1	2
319	Body Mass Index Is Associated With Differential Rates of Coronary Revascularization After Cardiac Catheterization. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 822-829	3.8	3
318	Examining Diet-Related Care Practices Among Adults with Type 2 Diabetes: A Focus on Glycemic Index Choices. <i>Canadian Journal of Dietetic Practice and Research</i> , 2017 , 78, 26-31	1.3	2
317	Correlates of accelerometer-assessed physical activity and sedentary time among adults with type 2 diabetes. <i>Canadian Journal of Public Health</i> , 2017 , 108, e355-e361	3.2	7
316	Healthy eating and active living after gestational diabetes mellitus (HEALD-GDM): Rationale, design, and proposed evaluation of a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2017 , 61, 23-28	2.3	2
315	Cohort Profile: Alberta Tomorrow Project. <i>International Journal of Epidemiology</i> , 2017 , 46, 1097-1098	7.8	22
314	Symptoms of anxiety and depression in type 2 diabetes: Associations with clinical diabetes measures and self-management outcomes in the Norwegian HUNT study. <i>Psychoneuroendocrinology</i> , 2017 , 84, 116-123	5	26
313	The 5As team patient study: patient perspectives on the role of primary care in obesity management. <i>BMC Family Practice</i> , 2017 , 18, 19	2.6	22
312	Within-class differences in cancer risk for sulfonylurea treatments in patients with type 2 diabetes (ZODIAC-55) - a study protocol. <i>BMC Cancer</i> , 2017 , 17, 444	4.8	3
311	Addressing the gaps in diabetes care in first nations communities with the reorganizing the approach to diabetes through the application of registries (RADAR): the project protocol. <i>BMC Health Services Research</i> , 2017 , 17, 117	2.9	4
310	Validation of administrative and clinical case definitions for gestational diabetes mellitus against laboratory results. <i>Diabetic Medicine</i> , 2017 , 34, 781-785	3.5	9
309	Prevalence of gestational diabetes among Chinese and South Asians: A Canadian population-based analysis. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 529-536	3.2	16
308	Walking and type 2 diabetes risk using CANRISK scores among older adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 33-38	3	8
307	Association between Physical Activity and Health-Related Quality of Life in Adults with Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 58-63	2.1	42
306	Understanding fragility fracture patients' decision-making process regarding bisphosphonate treatment. <i>Osteoporosis International</i> , 2017 , 28, 219-229	5.3	18
305	Geographic Clustering of Acute Complications and Sociodemographic Factors in Adults with Type 1 Diabetes. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 132-137	2.1	4

304	Engaging Patients and Clinicians in Establishing Research Priorities for Gestational Diabetes Mellitus. <i>Canadian Journal of Diabetes</i> , 2017 , 41, 156-163	2.1	24
303	Cost-effectiveness of a school-based health promotion program in Canada: A life-course modeling approach. <i>PLoS ONE</i> , 2017 , 12, e0177848	3.7	14
302	Development and Validation of an Index Score to Adjust for Healthy User Bias in Observational Studies. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2017 , 24, e79-e89	2	2
301	Objectively measured sleep and health-related quality of life in older adults with type 2 diabetes: a cross-sectional study from the Alberta [®] Caring for Diabetes Study. <i>Sleep Health</i> , 2017 , 3, 102-106	4	8
300	The temporal relationship between diabetes and cancer: A population-based study. <i>Cancer</i> , 2016 , 122, 2731-8	6.4	20
299	A22 Genetic tools to validate and measure NRF2 in HD. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, A6.4-A7	5.5	3
298	Cost-Effectiveness Evaluation of Collaborative Care for Diabetes and Depression in Primary Care. <i>American Journal of Preventive Medicine</i> , 2016 , 51, e13-20	6.1	14
297	Severe Obesity Is Associated With Increased Risk of Early Complications and Extended Length of Stay Following Coronary Artery Bypass Grafting Surgery. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	23
296	Dietary Patterns in Adults with Type 2 Diabetes Predict Cardiometabolic Risk Factors. <i>Canadian Journal of Diabetes</i> , 2016 , 40, 296-303	2.1	2
295	Temporal variation of diabetic ketoacidosis and hypoglycemia in adults with type 1 diabetes: A nationwide cohort study. <i>Journal of Diabetes</i> , 2016 , 8, 552-8	3.8	7
294	Outcomes of singleton and twin pregnancies complicated by pre-existing diabetes and gestational diabetes: A population-based study in Alberta, Canada, 2005-11. <i>Journal of Diabetes</i> , 2016 , 8, 45-55	3.8	47
293	Testing social-cognitive mediators for objective estimates of physical activity from the Healthy Eating and Active Living for Diabetes in Primary Care Networks (HEALD-PCN) study. <i>Psychology, Health and Medicine</i> , 2016 , 21, 945-53	2.1	2
292	Health literacy and health-related quality of life in adults with type 2 diabetes: a longitudinal study. <i>Quality of Life Research</i> , 2016 , 25, 1487-94	3.7	20
291	How dead is dead? Qualitative findings from participants of combined traditional and lead-time time trade-off valuations. <i>Quality of Life Research</i> , 2016 , 25, 35-43	3.7	7
290	Prevalence and Timing of Screening and Diagnostic Testing for Gestational Diabetes Mellitus: A Population-Based Study in Alberta, Canada. <i>Diabetes Care</i> , 2016 , 39, 55-60	14.6	24
289	Health Behaviours and Awareness of Canada [®] Food Guide: A Population-based Study. <i>Canadian Journal of Dietetic Practice and Research</i> , 2016 , 77, 66-71	1.3	5
288	A qualitative study examining healthcare managers and providers ^R perspectives on participating in primary care implementation research. <i>BMC Health Services Research</i> , 2016 , 16, 316	2.9	1
287	A Time Trade-off-derived Value Set of the EQ-5D-5L for Canada. <i>Medical Care</i> , 2016 , 54, 98-105	3.1	188

286	Determinants of time trade-off valuations for EQ-5D-5L health states: data from the Canadian EQ-5D-5L valuation study. <i>Quality of Life Research</i> , 2016 , 25, 1679-85	3.7	18
285	The relationship of diabetes-related distress and depressive symptoms with physical activity and dietary behaviors in adults with type 2 diabetes: A cross-sectional study. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 967-70	3.2	13
284	How different are composite and traditional TTO valuations of severe EQ-5D-5L states?. <i>Quality of Life Research</i> , 2016 , 25, 2101-8	3.7	3
283	Current depressive symptoms but not history of depression predict hospital readmission or death after discharge from medical wards: a multisite prospective cohort study. <i>General Hospital Psychiatry</i> , 2016 , 39, 80-5	5.6	11
282	Safety of Concomitant Metformin and Proton Pump Inhibitor Use: A Population Retrospective Cohort Study. <i>Clinical Therapeutics</i> , 2016 , 38, 1392-1400	3.5	4
281	Income-related inequalities in visual impairment and eye screening services in patients with type 2 diabetes. <i>Journal of Public Health</i> , 2016 , 38, e571-e579	3.5	4
280	Check the score: Field validation of Street Smart Walk Score in Alberta, Canada. <i>Preventive Medicine Reports</i> , 2016 , 4, 532-539	2.6	30
279	Melatonin Pathway and Atenolol-Related Glucose Dysregulation: Is There a Correlation?. <i>Clinical and Translational Science</i> , 2016 , 9, 114-22	4.9	8
278	Genetic and Nongenetic Factors Affecting Clopidogrel Response in the Egyptian Population. <i>Clinical and Translational Science</i> , 2016 , 9, 23-8	4.9	19
277	A Cyclic Peptide Mimic of the β Amyloid Binding Domain on Transthyretin. <i>ACS Chemical Neuroscience</i> , 2015 , 6, 778-89	5.7	17
276	Impact of cancer on adherence to glucose-lowering drug treatment in individuals with diabetes. <i>Diabetologia</i> , 2015 , 58, 951-60	10.3	27
275	Socioeconomic factors associated with visual impairment and ophthalmic care utilization in patients with type II diabetes. <i>Canadian Journal of Ophthalmology</i> , 2015 , 50, 119-26	1.4	26
274	Characteristics and health behaviors of diabetic patients receiving influenza vaccination. <i>Vaccine</i> , 2015 , 33, 3549-55	4.1	12
273	Long-term association between frailty and health-related quality of life among survivors of critical illness: a prospective multicenter cohort study. <i>Critical Care Medicine</i> , 2015 , 43, 973-82	1.4	137
272	Associations between health literacy and health outcomes in a predominantly low-income african american population with type 2 diabetes. <i>Journal of Health Communication</i> , 2015 , 20, 581-8	2.5	24
271	Association of Inadequate Health Literacy with Health Outcomes in Patients with Type 2 Diabetes and Depression: Secondary Analysis of a Controlled Trial. <i>Canadian Journal of Diabetes</i> , 2015 , 39, 259-65	2.1	24
270	Impact of cancer on use of glucose-lowering drug treatment in individuals with diabetes: potential mechanisms. Reply to Pouwer F [letter]. <i>Diabetologia</i> , 2015 , 58, 1380-1	10.3	1
269	Challenges in Identifying Patients with Type 2 Diabetes for Quality-Improvement Interventions in Primary Care Settings and the Importance of Valid Disease Registries. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S77-82	2.1	7

268	Prompted awareness and use of Eating Well with Canada's Food Guide: a population-based study. <i>Journal of Human Nutrition and Dietetics</i> , 2015 , 28, 64-71	3.1	8
267	Impact of Organizational Stability on Adoption of Quality-Improvement Interventions for Diabetes in Primary Care Settings. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S100-12	2.1	5
266	Contextualizing the Effectiveness of a Collaborative Care Model for Primary Care Patients with Diabetes and Depression (Teamcare): A Qualitative Assessment Using RE-AIM. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S83-91	2.1	22
265	Nrf2--a therapeutic target for the treatment of neurodegenerative diseases. <i>Free Radical Biology and Medicine</i> , 2015 , 88, 253-267	7.8	203
264	Contextualizing the Proven Effectiveness of a Lifestyle Intervention for Type 2 Diabetes in Primary Care: A Qualitative Assessment Based on the RE-AIM Framework. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S92-9	2.1	6
263	The Alberta's Caring for Diabetes (ABCD) Study: Rationale, Design and Baseline Characteristics of a Prospective Cohort of Adults with Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S113-9 ¹	2.1	23
262	Diabetic Foot Disease, Self-Care and Clinical Monitoring in Adults with Type 2 Diabetes: The Alberta's Caring for Diabetes (ABCD) Cohort Study. <i>Canadian Journal of Diabetes</i> , 2015 , 39 Suppl 3, S120-6 ¹	2.1	23
261	The safety of sulfonylurea therapy in type 2 diabetes: have we reached the practical limits of our evidence base?. <i>Diabetologia</i> , 2015 , 58, 1-3	10.3	14
260	Pioglitazone and bladder cancer risk: a multipopulation pooled, cumulative exposure analysis. <i>Diabetologia</i> , 2015 , 58, 493-504	10.3	114
259	Increased Alzheimer's disease-like pathology in the APP/ PS1 ^{E9} mouse model lacking Nrf2 through modulation of autophagy. <i>Neurobiology of Aging</i> , 2015 , 36, 664-79	5.6	114
258	How much will we pay to increase steps per day? Examining the cost-effectiveness of a pedometer-based lifestyle program in primary care. <i>Preventive Medicine Reports</i> , 2015 , 2, 645-50	2.6	5
257	Increase in Daily Steps After an Exercise Specialist Led Lifestyle Intervention for Adults With Type 2 Diabetes In Primary Care: A Controlled Implementation Trial. <i>Journal of Physical Activity and Health</i> , 2015 , 12, 1492-9	2.5	13
256	Pharmacists on primary care teams: Effect on antihypertensive medication management in patients with type 2 diabetes. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2015 , 55, 265-8	1.7	7
255	Alternation as a form of allocation for quality improvement studies in primary healthcare settings: the on-off study design. <i>Trials</i> , 2015 , 16, 375	2.8	8
254	Cost-effectiveness analysis of adding pharmacists to primary care teams to reduce cardiovascular risk in patients with Type 2 diabetes: results from a randomized controlled trial. <i>Diabetic Medicine</i> , 2015 , 32, 899-906	3.5	27
253	Age at stroke onset influences the clinical outcome and health-related quality of life in pediatric ischemic stroke survivors. <i>Developmental Medicine and Child Neurology</i> , 2015 , 57, 1027-34	3.3	22
252	Rates and correlates of relapse following ED discharge for acute asthma: a Canadian 20-site prospective cohort study. <i>Chest</i> , 2015 , 147, 140-149	5.3	16
251	Relationship between duration of type 2 diabetes and self-reported participation in diabetes education in Korea. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP311-21	2	2

250	Impact of gestational diabetes mellitus and high maternal weight on the development of diabetes, hypertension and cardiovascular disease: a population-level analysis. <i>Diabetic Medicine</i> , 2015 , 32, 164-73	3.5	61
249	Limited impact of drug exposure misclassification from non-benefit thiazolidinedione drug use on mortality and hospitalizations from Saskatchewan, Canada: a cohort study. <i>Clinical Therapeutics</i> , 2015 , 37, 629-42	3.5	
248	Working-age adults with diabetes experience greater susceptibility to seasonal influenza: a population-based cohort study. <i>Diabetologia</i> , 2014 , 57, 690-8	10.3	18
247	The effect of weight loss on health-related quality of life: systematic review and meta-analysis of randomized trials. <i>Obesity Reviews</i> , 2014 , 15, 169-82	10.6	111
246	Risk of acute coronary events associated with glyburide compared with gliclazide use in patients with type 2 diabetes: a nested case-control study. <i>Diabetes, Obesity and Metabolism</i> , 2014 , 16, 22-9	6.7	15
245	Oxidative damage and the Nrf2-ARE pathway in neurodegenerative diseases. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014 , 1842, 1208-18	6.9	167
244	Clinical review: Effect of vitamin D3 supplementation on improving glucose homeostasis and preventing diabetes: a systematic review and meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3551-60	5.6	182
243	Critical impact of patient knowledge and bone density testing on starting osteoporosis treatment after fragility fracture: secondary analyses from two controlled trials. <i>Osteoporosis International</i> , 2014 , 25, 2173-9	5.3	15
242	Comparing the EQ-5D 3L and 5L: measurement properties and association with chronic conditions and multimorbidity in the general population. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 74	3	95
241	Measurement properties and comparative performance of health literacy screening questions in a predominantly low income African American population with diabetes. <i>Patient Education and Counseling</i> , 2014 , 97, 88-95	3.1	12
240	A primary care based healthy-eating and active living education session for weight reduction in the pre-diabetic population. <i>Primary Care Diabetes</i> , 2014 , 8, 301-7	2.4	4
239	Changes in thiazolidinedione use and outcomes following removal of a prior-authorization policy: controlled time-series analysis. <i>Medical Care</i> , 2014 , 52, 47-55	3.1	3
238	Social support, self-efficacy and motivation: a qualitative study of the journey through HEALD (Healthy Eating and Active Living for Diabetes). <i>Practical Diabetes</i> , 2014 , 31, 370-374	0.7	4
237	Comment on Bordeleau et al. The association of basal insulin glargine and/or n-3 fatty acids with incident cancers in patients with dysglycemia. <i>Diabetes Care</i> 2014;37:1360-1366. <i>Diabetes Care</i> , 2014 , 37, e221-2	14.6	4
236	Collaborative care versus screening and follow-up for patients with diabetes and depressive symptoms: results of a primary care-based comparative effectiveness trial. <i>Diabetes Care</i> , 2014 , 37, 3220-8	14.6	46
235	Predictors of health-related quality of life in 500 severely obese patients. <i>Obesity</i> , 2014 , 22, 1367-72	8	23
234	Sex-based disparities in cardioprotective medication use in adults with diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 117	5.6	9
233	Weight loss required by the severely obese to achieve clinically important differences in health-related quality of life: two-year prospective cohort study. <i>BMC Medicine</i> , 2014 , 12, 175	11.4	73

232	Health literacy and nurses' communication with type 2 diabetes patients in primary care settings. <i>Nursing Research</i> , 2014 , 63, 408-17	1.9	27
231	Implementation and evaluation of the 5As framework of obesity management in primary care: design of the 5As Team (5AsT) randomized control trial. <i>Implementation Science</i> , 2014 , 9, 78	8.4	26
230	Profile of adults with type 2 diabetes and uptake of clinical care best practices: results from the 2011 Survey on Living with Chronic Diseases in Canada - Diabetes component. <i>Diabetes Research and Clinical Practice</i> , 2014 , 103, 11-9	7.4	7
229	Association between diabetic ketoacidosis hospitalizations and driving distance to outpatient diabetes centres in adults with type 1 diabetes mellitus. <i>Canadian Journal of Diabetes</i> , 2014 , 38, 451-5	2.1	9
228	Assessment of children's own health status using visual analogue scale and descriptive system of the EQ-5D-Y: linkage between two systems. <i>Quality of Life Research</i> , 2014 , 23, 393-402	3.7	11
227	Life course impact of school-based promotion of healthy eating and active living to prevent childhood obesity. <i>PLoS ONE</i> , 2014 , 9, e102242	3.7	11
226	Mental health and the relationship between health promotion counseling and health outcomes in chronic conditions: cross-sectional population-based study. <i>Canadian Family Physician</i> , 2014 , 60, e113-20	0.9	1
225	Health-related quality of life and healthcare utilization in multimorbidity: results of a cross-sectional survey. <i>Quality of Life Research</i> , 2013 , 22, 791-9	3.7	120
224	Determinants of lifestyle behavior in type 2 diabetes: results of the 2011 cross-sectional survey on living with chronic diseases in Canada. <i>BMC Public Health</i> , 2013 , 13, 451	4.1	19
223	Health literacy and health outcomes in diabetes: a systematic review. <i>Journal of General Internal Medicine</i> , 2013 , 28, 444-52	4	208
222	Concordance between self-report and a survey-based algorithm for classification of type 1 and type 2 diabetes using the 2011 population-based Survey on Living with Chronic Diseases in Canada (SLCDC)-Diabetes component. <i>Canadian Journal of Diabetes</i> , 2013 , 37, 249-253	2.1	12
221	Multimorbidity prevalence in the general population: the role of obesity in chronic disease clustering. <i>BMC Public Health</i> , 2013 , 13, 1161	4.1	69
220	Health behaviors for hypertension management in people with and without coexisting diabetes. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 389-96	2.3	2
219	Cost-effectiveness of osteoporosis interventions for incidental vertebral fractures. <i>American Journal of Medicine</i> , 2013 , 126, 169.e9-17	2.4	10
218	Health related quality of life measures in Arabic speaking populations: a systematic review on cross-cultural adaptation and measurement properties. <i>Quality of Life Research</i> , 2013 , 22, 213-29	3.7	41
217	Diabetes treatments and cancer risk: the importance of considering aspects of drug exposure. <i>Lancet Diabetes and Endocrinology</i> , 2013 , 1, 132-9	18.1	28
216	The Alberta Diabetes and Physical Activity Trial (ADAPT): a randomized trial evaluating theory-based interventions to increase physical activity in adults with type 2 diabetes. <i>Annals of Behavioral Medicine</i> , 2013 , 45, 45-56	4.5	34
215	Effectiveness of influenza vaccination in working-age adults with diabetes: a population-based cohort study. <i>Thorax</i> , 2013 , 68, 658-63	7.3	45

214	Detection bias and overestimation of bladder cancer risk in type 2 diabetes: a matched cohort study. <i>Diabetes Care</i> , 2013 , 36, 3070-5	14.6	22
213	Exenatide may improve maintenance of HbA1c targets, with less hypoglycaemia, but more early adverse effects when compared with low-dose glimepiride. <i>Evidence-Based Medicine</i> , 2013 , 18, e42		1
212	Measuring health literacy in individuals with diabetes: a systematic review and evaluation of available measures. <i>Health Education and Behavior</i> , 2013 , 40, 42-55	4.2	67
211	Adding pharmacists to primary care teams increases guideline-concordant antiplatelet use in patients with type 2 diabetes: results from a randomized trial. <i>Annals of Pharmacotherapy</i> , 2013 , 47, 43-8 ²⁻⁹		13
210	Comparative safety and effectiveness of metformin in patients with diabetes mellitus and heart failure: systematic review of observational studies involving 34,000 patients. <i>Circulation: Heart Failure</i> , 2013 , 6, 395-402	7.6	222
209	Clinical and socio-demographic factors associated with diabetic ketoacidosis hospitalization in adults with Type 1 diabetes. <i>Diabetic Medicine</i> , 2013 , 30, 567-73	3.5	26
208	Evaluating the introduction of a computerized prior-authorization system on the completeness of drug exposure data. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 551-5	2.6	3
207	Risks of gestational diabetes and preeclampsia over the last decade in a cohort of Alberta women. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2013 , 35, 986-994	1.3	32
206	A systematic review and meta-analysis to assess patient-reported outcomes after lung cancer surgery. <i>Scientific World Journal, The</i> , 2013 , 2013, 789625	2.2	22
205	Validation of classification algorithms for childhood diabetes identified from administrative data. <i>Pediatric Diabetes</i> , 2012 , 13, 229-34	3.6	31
204	Population-level response shift: novel implications for research. <i>Quality of Life Research</i> , 2012 , 21, 1495-8 ⁷		6
203	Trajectories of health-related quality of life differ by age among adults: results from an eight-year longitudinal study. <i>Journal of Health Economics</i> , 2012 , 31, 207-18	3.5	12
202	Multimorbidity prevalence and patterns across socioeconomic determinants: a cross-sectional survey. <i>BMC Public Health</i> , 2012 , 12, 201	4.1	155
201	Healthy eating and active living for diabetes in primary care networks (HEALD-PCN): rationale, design, and evaluation of a pragmatic controlled trial for adults with type 2 diabetes. <i>BMC Public Health</i> , 2012 , 12, 455	4.1	16
200	Controlled trial of a collaborative primary care team model for patients with diabetes and depression: rationale and design for a comprehensive evaluation. <i>BMC Health Services Research</i> , 2012 , 12, 258	2.9	29
199	Adding pharmacists to primary care teams reduces predicted long-term risk of cardiovascular events in type 2 diabetic patients without established cardiovascular disease: results from a randomized trial. <i>Diabetic Medicine</i> , 2012 , 29, 1433-9	3.5	27
198	Interventions to increase osteoporosis treatment in patients with incidentally detected vertebral fractures. <i>American Journal of Medicine</i> , 2012 , 125, 929-36	2.4	28
197	Thiazolidinedione use and cancer incidence in type 2 diabetes: a systematic review and meta-analysis. <i>Diabetes and Metabolism</i> , 2012 , 38, 475-84	5.4	68

196	Insulin use and cancer risk in patients with type 2 diabetes: a systematic review and meta-analysis of observational studies. <i>Diabetes and Metabolism</i> , 2012 , 38, 485-506	5.4	49
195	PP157. Risk of preeclampsia in pregnant women with gestational diabetes in Alberta. <i>Pregnancy Hypertension</i> , 2012 , 2, 323-4	2.6	2
194	Quantifying the impact of drug exposure misclassification due to restrictive drug coverage in administrative databases: a simulation cohort study. <i>Value in Health</i> , 2012 , 15, 191-7	3.3	17
193	Healthcare Costs for Initial Management of Children with New-Onset Type 1 Diabetes Mellitus in Central and Northern Alberta. <i>Canadian Journal of Diabetes</i> , 2012 , 36, 128-132	2.1	
192	Diabetes and cancer (1): evaluating the temporal relationship between type 2 diabetes and cancer incidence. <i>Diabetologia</i> , 2012 , 55, 1607-18	10.3	151
191	Diabetes and cancer (2): evaluating the impact of diabetes on mortality in patients with cancer. <i>Diabetologia</i> , 2012 , 55, 1619-32	10.3	97
190	The safety profile of exogenous insulin in people with type 2 diabetes: justification for concern. <i>Diabetes, Obesity and Metabolism</i> , 2012 , 14, 1-4	6.7	42
189	Restrictive drug coverage policies can induce substantial drug exposure misclassification in pharmacoepidemiologic studies. <i>Clinical Therapeutics</i> , 2012 , 34, 1379-1386.e3	3.5	10
188	Enrolment in primary care networks: impact on outcomes and processes of care for patients with diabetes. <i>Cmaj</i> , 2012 , 184, E144-52	3.5	56
187	Interventions to improve influenza and pneumococcal vaccination rates among community-dwelling adults: a systematic review and meta-analysis. <i>Annals of Family Medicine</i> , 2012 , 10, 538-46	2.9	91
186	Activation of antioxidant response element in mouse primary cortical cultures with sesquiterpene lactones isolated from <i>Tanacetum parthenium</i> . <i>Planta Medica</i> , 2012 , 78, 1725-30	3.1	23
185	Utilization of general and specialized cardiac care by people with schizophrenia. <i>Psychiatric Services</i> , 2012 , 63, 237-42	3.3	10
184	Use of thiazolidinediones and the risk of bladder cancer among people with type 2 diabetes: a meta-analysis. <i>Cmaj</i> , 2012 , 184, E675-83	3.5	127
183	Mortality after incident cancer in people with and without type 2 diabetes: impact of metformin on survival. <i>Diabetes Care</i> , 2012 , 35, 299-304	14.6	329
182	Applying the RE-AIM framework to the Alberta Caring for Diabetes Project: a protocol for a comprehensive evaluation of primary care quality improvement interventions. <i>BMJ Open</i> , 2012 , 2,	3	13
181	Increasing rates of diabetes amongst status Aboriginal youth in Alberta, Canada. <i>International Journal of Circumpolar Health</i> , 2012 , 71, 1-7	1.7	11
180	Predicting the Future Burden of Diabetes in Alberta from 2008 to 2035. <i>Canadian Journal of Diabetes</i> , 2011 , 35, 274-281	2.1	8
179	Clinical Pharmacogenetics Implementation Consortium Guidelines for CYP2C9 and VKORC1 genotypes and warfarin dosing. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 90, 625-9	6.1	486

178	Levels of evidence needed for changing indications, contraindications, and Food and Drug Administration labeling: the case of metformin. <i>Archives of Internal Medicine</i> , 2011 , 171, 1042-3; author reply 1043		4
177	Diabetes, cardiovascular disease, and health care use in people with and without schizophrenia. <i>European Psychiatry</i> , 2011 , 26, 327-32	6	12
176	Validation of diabetes case definitions using administrative claims data. <i>Diabetic Medicine</i> , 2011 , 28, 424-35	375	29
175	Determinants of quality of life in type 2 diabetes population: the inclusion of personality. <i>Quality of Life Research</i> , 2011 , 20, 551-8	3-7	16
174	Intensive glycaemic control and cancer risk in type 2 diabetes: a meta-analysis of major trials. <i>Diabetologia</i> , 2011 , 54, 25-31	10.3	110
173	Meta-analysis of trial data may support a causal role of hyperglycaemia in cancer. Reply to Yang XL, Ma RCW, Chan JCN [letter]. <i>Diabetologia</i> , 2011 , 54, 711-712	10.3	1
172	Time-varying incidence of cancer after the onset of type 2 diabetes: evidence of potential detection bias. <i>Diabetologia</i> , 2011 , 54, 2263-71	10.3	111
171	Nurse case-manager vs multifaceted intervention to improve quality of osteoporosis care after wrist fracture: randomized controlled pilot study. <i>Osteoporosis International</i> , 2011 , 22, 223-30	5-3	43
170	Cost-effectiveness of a multifaceted intervention to improve quality of osteoporosis care after wrist fracture. <i>Osteoporosis International</i> , 2011 , 22, 1799-808	5-3	32
169	Determinants of quality of life in adults with type 1 and type 2 diabetes. <i>Health and Quality of Life Outcomes</i> , 2011 , 9, 115	3	59
168	Effect of adding pharmacists to primary care teams on blood pressure control in patients with type 2 diabetes: a randomized controlled trial. <i>Diabetes Care</i> , 2011 , 34, 20-6	14.6	80
167	Intensieve glucoseregulerend en het risico op kanker bij type 2 diabetes: een meta-analyse van belangrijke trials. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2011 , 9, 62-69	0	
166	Analysis of drug coverage before and after the implementation of Canada's Common Drug Review. <i>Cmaj</i> , 2011 , 183, E1259-66	3-5	14
165	Recent epidemiologic trends of diabetes mellitus among status Aboriginal adults. <i>Cmaj</i> , 2011 , 183, E803-85	35	37
164	Risk of breast cancer after onset of type 2 diabetes: evidence of detection bias in postmenopausal women. <i>Diabetes Care</i> , 2011 , 34, 2542-4	14.6	30
163	Changes in labelling for metformin use in patients with type 2 diabetes and heart failure: documented safety outweighs theoretical risks. <i>Open Medicine</i> , 2011 , 5, e33-4		3
162	A median model for predicting United States population-based EQ-5D health state preferences. <i>Value in Health</i> , 2010 , 13, 278-88	3-3	30
161	Insulin use and increased risk of mortality in type 2 diabetes: a cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2010 , 12, 47-53	6-7	91

160	Association between direct measures of body composition and prognostic factors in chronic heart failure. <i>Mayo Clinic Proceedings</i> , 2010 , 85, 609-17	6.4	111
159	Prevalence of cardiovascular risk factors and disease in people with schizophrenia: a population-based study. <i>Schizophrenia Research</i> , 2010 , 117, 75-82	3.6	134
158	Comparison of direct body composition assessment methods in patients with chronic heart failure. <i>Journal of Cardiac Failure</i> , 2010 , 16, 867-72	3.3	23
157	Physical activity levels and differences in the prevalence of diabetes between the United States and Canada. <i>Preventive Medicine</i> , 2010 , 50, 241-5	4.3	14
156	Do researchers use pharmacist communication as an outcome measure? A scoping review of pharmacist involvement in diabetes care. <i>International Journal of Pharmacy Practice</i> , 2010 , 18, 183-93	1.7	14
155	Diabetes, insulin use, and cancer risk: are observational studies part of the solution-or part of the problem?. <i>Diabetes</i> , 2010 , 59, 1129-31	0.9	58
154	Using instrument-defined health state transitions to estimate minimally important differences for four preference-based health-related quality of life instruments. <i>Medical Care</i> , 2010 , 48, 365-71	3.1	127
153	Reflections on Self-Monitoring of Blood Glucose: Why Do We Recommend the Things We Do?. <i>Canadian Pharmacists Journal</i> , 2010 , 143, 216-217	1.3	
152	Glucose-lowering agents and cancer mortality rates in type 2 diabetes: assessing effects of time-varying exposure. <i>Diabetologia</i> , 2010 , 53, 1631-7	10.3	130
151	Glucose-lowering therapies and cancer risk: the trials and tribulations of trials and observations. <i>Diabetologia</i> , 2010 , 53, 1823-6	10.3	9
150	Insulin, glucose and the increased risk of cancer in patients with type 2 diabetes. <i>Diabetologia</i> , 2010 , 53, 2086-8	10.3	32
149	Assessing the use of health-related quality of life measures in the routine clinical care of lung-transplant patients. <i>Quality of Life Research</i> , 2010 , 19, 371-9	3.7	62
148	Alberta Diabetes and Physical Activity Trial (ADAPT): a randomized theory-based efficacy trial for adults with type 2 diabetes--rationale, design, recruitment, evaluation, and dissemination. <i>Trials</i> , 2010 , 11, 4	2.8	11
147	A comparison of drug coverage in alberta before and after the introduction of the national common drug review process. <i>Healthcare Policy</i> , 2010 , 6, e117-44	1.1	1
146	Analyzing composite outcomes in cardiovascular studies: traditional Cox proportional hazards versus quality-of-life-adjusted survival approaches. <i>Open Medicine</i> , 2010 , 4, e40-8		2
145	Increasing incidence and prevalence of diabetes among the Status Aboriginal population in urban and rural Alberta, 1995-2006. <i>Canadian Journal of Public Health</i> , 2009 , 100, 231-6	3.2	18
144	The impact of selecting a high hemoglobin target level on health-related quality of life for patients with chronic kidney disease: a systematic review and meta-analysis. <i>Archives of Internal Medicine</i> , 2009 , 169, 1104-12		64
143	Do the determinants of health differ between people living in the community and in institutions?. <i>Social Science and Medicine</i> , 2009 , 69, 345-53	5.1	21

142	The association of survey language (Spanish vs. English) with Health Utilities Index and EQ-5D index scores in a United States population sample. <i>Quality of Life Research</i> , 2009 , 18, 1377-85	3.7	4
141	Lay media reporting of rosiglitazone risk: extent, messaging and quality of reporting. <i>Cardiovascular Diabetology</i> , 2009 , 8, 40	8.7	2
140	Metformin treatment in diabetes and heart failure: when academic equipoise meets clinical reality. <i>Trials</i> , 2009 , 10, 12	2.8	39
139	Hydrochlorothiazide and atenolol combination antihypertensive therapy: effects of drug initiation order. <i>Clinical Pharmacology and Therapeutics</i> , 2009 , 86, 533-9	6.1	17
138	Increasing incidence and prevalence with limited survival gains among rural Albertans with diabetes: a retrospective cohort study, 1995-2006. <i>Diabetic Medicine</i> , 2009 , 26, 989-95	3.5	15
137	Risk of heart failure in patients with recent-onset type 2 diabetes: population-based cohort study. <i>Journal of Cardiac Failure</i> , 2009 , 15, 152-7	3.3	28
136	Survey of Pharmacist Activities and Attitudes in Diabetes Management. <i>Canadian Pharmacists Journal</i> , 2009 , 142, 128-134.e2	1.3	13
135	Relative efficiency of the EQ-5D, HUI2, and HUI3 index scores in measuring health burden of chronic medical conditions in a population health survey in the United States. <i>Medical Care</i> , 2009 , 47, 53-60	3.1	41
134	The effect of increasing dialysis dose in overweight hemodialysis patients on quality of life: a 6-week randomized crossover trial. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 796-803	7.4	8
133	Utility values for symptomatic non-severe hypoglycaemia elicited from persons with and without diabetes in Canada and the United Kingdom. <i>Health and Quality of Life Outcomes</i> , 2008 , 6, 73	3	53
132	Health Utilities Index Mark 3 showed valid in Alzheimer disease, arthritis, and cataracts. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 733-9	5.7	20
131	Type of antidepressant therapy and risk of type 2 diabetes in people with depression. <i>Diabetes Research and Clinical Practice</i> , 2008 , 79, 61-7	7.4	58
130	The darkening cloud of diabetes: do trends in cardiovascular risk management provide a silver lining?. <i>Diabetes Care</i> , 2008 , 31, 2136-42	14.6	7
129	Multifaceted intervention to improve diagnosis and treatment of osteoporosis in patients with recent wrist fracture: a randomized controlled trial. <i>Cmaj</i> , 2008 , 178, 569-75	3.5	117
128	The risk of heart failure in patients with type 2 diabetes treated with oral agent monotherapy. <i>European Journal of Heart Failure</i> , 2008 , 10, 703-8	12.3	76
127	Sex and gender discrepancies in health-related quality of life outcomes among patients with established coronary artery disease. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2008 , 1, 123-30	5.8	62
126	Health-related behaviours in adults with diabetes: associations with health care utilization and costs. <i>Canadian Journal of Public Health</i> , 2008 , 99, 227-31	3.2	16
125	Insulin versus an oral antidiabetic agent as add-on therapy in type 2 diabetes after failure of an oral antidiabetic regimen: a meta-analysis. <i>Open Medicine</i> , 2008 , 2, e26-38		1

124	Development of clinical indicators for type 2 diabetes. <i>Canadian Pharmacists Journal</i> , 2008 , 141, 120-128.	3	
123	IHE Consensus Conference on Self-Monitoring in Diabetes: An Innovative Approach to Health Policy Development. <i>Canadian Journal of Diabetes</i> , 2007 , 31, 18-19	2.1	
122	Itch Severity Scale: a self-report instrument for the measurement of pruritus severity. <i>British Journal of Dermatology</i> , 2007 , 156, 667-73	4	92
121	Health care utilization and costs in Saskatchewan's registered Indian population with diabetes. <i>BMC Health Services Research</i> , 2007 , 7, 126	2.9	19
120	Persistence, reproducibility, and cost-effectiveness of an intervention to improve the quality of osteoporosis care after a fracture of the wrist: results of a controlled trial. <i>Osteoporosis International</i> , 2007 , 18, 261-70	5.3	73
119	The usefulness of the EQ-5D in differentiating among persons with major depressive episode and anxiety. <i>Quality of Life Research</i> , 2007 , 16, 749-54	3.7	32
118	The effect of specialist care within the first year on subsequent outcomes in 24,232 adults with new-onset diabetes mellitus: population-based cohort study. <i>Quality and Safety in Health Care</i> , 2007 , 16, 6-11		45
117	How evidence-based are the recommendations in evidence-based guidelines?. <i>PLoS Medicine</i> , 2007 , 4, e250	11.6	101
116	Short-term risk for stroke is doubled in persons with newly treated type 2 diabetes compared with persons without diabetes: a population-based cohort study. <i>Stroke</i> , 2007 , 38, 1739-43	6.7	57
115	Benefits and harms of antidiabetic agents in patients with diabetes and heart failure: systematic review. <i>BMJ, The</i> , 2007 , 335, 497	5.9	242
114	Prospective study of hyperglycemia and cancer risk: response to Stattin et al. <i>Diabetes Care</i> , 2007 , 30, e77; author reply e78	14.6	4
113	Quality of life after islet transplant: impact of the number of islet infusions and metabolic outcome. <i>Transplantation</i> , 2007 , 84, 664-6	1.8	45
112	Use of the U.S. and U.K. scoring algorithm for the EuroQol-5D in an economic evaluation of cardiac care. <i>Medical Care</i> , 2007 , 45, 269-73	3.1	7
111	Atenolol as initial antihypertensive therapy: an observational study comparing first-line agents. <i>Journal of Hypertension</i> , 2007 , 25, 1499-505	1.9	23
110	Health care costs and mortality for Canadian urban and rural patients with diabetes: population-based trends from 1993-2001. <i>Clinical Therapeutics</i> , 2007 , 29, 1316-24	3.5	22
109	Do radiographic indices of distal radius fracture reduction predict outcomes in older adults receiving conservative treatment?. <i>Clinical Radiology</i> , 2007 , 62, 65-72	2.9	93
108	Racial/ethnic differences in preferences for the EQ-5D health states: results from the U.S. valuation study. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 479-90	5.7	33
107	Physical activity level and health-related quality of life in the general adult population: a systematic review. <i>Preventive Medicine</i> , 2007 , 45, 401-15	4.3	632

106	Prescription Drug Data and the National Diabetes Surveillance System Case Definition. <i>Canadian Journal of Diabetes</i> , 2007 , 31, 47-53	2.1	6
105	A comparison of EQ-5D index scores derived from the US and UK population-based scoring functions. <i>Medical Decision Making</i> , 2007 , 27, 321-6	2.5	52
104	Evaluating pharmacists' experience using diabetes practice tools: A pilot study. <i>Canadian Pharmacists Journal</i> , 2007 , 140, 312-319	1.3	1
103	Comment on: Evans JM, Ogston SA, Emslie-Smith A, Morris A (2006) risk of mortality and adverse cardiovascular outcomes in type 2 diabetes: a comparison of patients treated with sulfonylureas and metformin. <i>Diabetologia</i> 49:930-936. <i>Diabetologia</i> , 2006 , 49, 2805-6	10.3	2
102	Utilization of diabetes medication and cost of testing supplies in Saskatchewan, 2001. <i>BMC Health Services Research</i> , 2006 , 6, 159	2.9	15
101	Longitudinal validation of a modified Edmonton symptom assessment system (ESAS) in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 3189-95	4.3	119
100	Evidence and advocacy: are all things considered?. <i>Cmaj</i> , 2006 , 174, 1856	3.5	7
99	Dose-response relation between sulfonylurea drugs and mortality in type 2 diabetes mellitus: a population-based cohort study. <i>Cmaj</i> , 2006 , 174, 169-74	3.5	165
98	Improving Blood Pressure Management in Patients with Diabetes: The Design of the SCRIP-HTN Study. <i>Canadian Pharmacists Journal</i> , 2006 , 139, 1-4	1.3	4
97	Increased cancer-related mortality for patients with type 2 diabetes who use sulfonylureas or insulin: Response to Farooki and Schneider. <i>Diabetes Care</i> , 2006 , 29, 1990-1	14.6	101
96	The natural history of LDL control in type 2 diabetes: a prospective study of adherence to lipid guidelines. <i>Diabetes Care</i> , 2006 , 29, 2506-8	14.6	3
95	Type 2 diabetes does not increase risk of depression. <i>Cmaj</i> , 2006 , 175, 42-6	3.5	56
94	Medication nonadherence and subsequent risk of hospitalisation and mortality among older adults. <i>Drugs and Aging</i> , 2006 , 23, 345-56	4.7	64
93	Increased cancer-related mortality for patients with type 2 diabetes who use sulfonylureas or insulin. <i>Diabetes Care</i> , 2006 , 29, 254-8	14.6	732
92	Misinterpretation with norm-based scoring of health status in adults with type 1 diabetes. <i>Health and Quality of Life Outcomes</i> , 2006 , 4, 15	3	10
91	A cross-sectional study of health-related quality of life deficits in individuals with comorbid diabetes and cancer. <i>Health and Quality of Life Outcomes</i> , 2006 , 4, 17	3	33
90	Assessing responsiveness of generic and specific health related quality of life measures in heart failure. <i>Health and Quality of Life Outcomes</i> , 2006 , 4, 89	3	88
89	Health care use and costs in the decade after identification of type 1 and type 2 diabetes: a population-based study. <i>Diabetes Care</i> , 2006 , 29, 2403-8	14.6	46

88	Health Utilities Index mark 3 demonstrated construct validity in a population-based sample with type 2 diabetes. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 472-7	5.7	27
87	Educational intervention to reduce falls and fear of falling in patients after fragility fracture: results of a controlled pilot study. <i>Preventive Medicine</i> , 2006 , 42, 316-9	4.3	35
86	Understanding the determinants of health for people with type 2 diabetes. <i>American Journal of Public Health</i> , 2006 , 96, 1649-55	5.1	79
85	Self-monitoring in Type 2 diabetes: a randomized trial of reimbursement policy. <i>Diabetic Medicine</i> , 2006 , 23, 1247-51	3.5	22
84	Cross-sectional validity of a modified Edmonton symptom assessment system in dialysis patients: a simple assessment of symptom burden. <i>Kidney International</i> , 2006 , 69, 1621-5	9.9	166
83	A cohort study found the RAND-12 and Health Utilities Index Mark 3 demonstrated construct validity in high-risk primary care patients. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 138-41	5.7	33
82	History of depression increases risk of type 2 diabetes in younger adults. <i>Diabetes Care</i> , 2005 , 28, 1063-7	14.6	91
81	Self-reported health status of the general adult U.S. population as assessed by the EQ-5D and Health Utilities Index. <i>Medical Care</i> , 2005 , 43, 1078-86	3.1	303
80	US valuation of the EQ-5D health states: development and testing of the D1 valuation model. <i>Medical Care</i> , 2005 , 43, 203-20	3.1	991
79	Valuations of EQ-5D health states: are the United States and United Kingdom different?. <i>Medical Care</i> , 2005 , 43, 221-8	3.1	181
78	Reduced cardiovascular morbidity and mortality associated with metformin use in subjects with Type 2 diabetes. <i>Diabetic Medicine</i> , 2005 , 22, 497-502	3.5	119
77	Secondary failure rates associated with metformin and sulfonylurea therapy for type 2 diabetes mellitus. <i>Pharmacotherapy</i> , 2005 , 25, 810-6	5.8	40
76	Long-term impact of a community pharmacist intervention on cholesterol levels in patients at high risk for cardiovascular events: extended follow-up of the second study of cardiovascular risk intervention by pharmacists (SCRIP-plus). <i>Pharmacotherapy</i> , 2005 , 25, 110-5	5.8	23
75	Responsiveness of generic health-related quality of life measures in stroke. <i>Quality of Life Research</i> , 2005 , 14, 207-19	3.7	131
74	Health-related quality of life deficits associated with diabetes and comorbidities in a Canadian National Population Health Survey. <i>Quality of Life Research</i> , 2005 , 14, 1311-20	3.7	141
73	Understanding the complex associations between patient-provider relationships, self-care behaviours, and health-related quality of life in type 2 diabetes: a structural equation modeling approach. <i>Quality of Life Research</i> , 2005 , 14, 1489-500	3.7	59
72	Relationship between number, timing, and type of pharmacist interventions and patient outcomes. <i>American Journal of Health-System Pharmacy</i> , 2005 , 62, 1798-801	2.2	7
71	Physician Perceptions of Enhanced Community Pharmacist Care in Cholesterol Management: A Survey of Physicians Contacted during the Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP). <i>Canadian Pharmacists Journal</i> , 2005 , 138, 33-39	1.3	3

70	Improved clinical outcomes associated with metformin in patients with diabetes and heart failure. <i>Diabetes Care</i> , 2005 , 28, 2345-51	14.6	310
69	A systematic review of drug therapy to delay or prevent type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 736-44	14.6	130
68	Generalizability and persistence of a multifaceted intervention for improving quality of care for rural patients with type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 783-8	14.6	15
67	The effectiveness of beta-blockers after myocardial infarction in patients with type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 2113-7	14.6	7
66	A controlled trial to increase detection and treatment of osteoporosis in older patients with a wrist fracture. <i>Annals of Internal Medicine</i> , 2004 , 141, 366-73	8	134
65	Evidence of suboptimal management of cardiovascular risk in patients with type 2 diabetes mellitus and symptomatic atherosclerosis. <i>Cmaj</i> , 2004 , 171, 1189-92	3.5	116
64	Lack of insurance coverage for testing supplies is associated with poorer glycemic control in patients with type 2 diabetes. <i>Cmaj</i> , 2004 , 171, 39-43	3.5	29
63	Reduced fear of hypoglycemia in successful islet transplantation. <i>Diabetes Care</i> , 2004 , 27, 624-5	14.6	39
62	Reduced mortality associated with the use of ACE inhibitors in patients with type 2 diabetes. <i>Diabetes Care</i> , 2004 , 27, 1330-4	14.6	49
61	Agreement between patient and proxy assessments of health-related quality of life after stroke using the EQ-5D and Health Utilities Index. <i>Stroke</i> , 2004 , 35, 607-12	6.7	150
60	Improvements in patient-reported outcomes associated with an intervention to enhance quality of care for rural patients with type 2 diabetes: results of a controlled trial. <i>Diabetes Care</i> , 2004 , 27, 1306-12	14.6	41
59	Statin use in Type 2 diabetes mellitus is associated with a delay in starting insulin. <i>Diabetic Medicine</i> , 2004 , 21, 962-7	3.5	17
58	Greater effect of enhanced pharmacist care on cholesterol management in patients with diabetes mellitus: a planned subgroup analysis of the Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP). <i>Pharmacotherapy</i> , 2004 , 24, 389-94	5.8	21
57	Performance of the RAND-12 and SF-12 summary scores in type 2 diabetes. <i>Quality of Life Research</i> , 2004 , 13, 449-56	3.7	52
56	Construct validity of the RAND-12 and Health Utilities Index Mark 2 and 3 in type 2 diabetes. <i>Quality of Life Research</i> , 2004 , 13, 435-48	3.7	38
55	Primary health care teams: team members' perceptions of the collaborative process. <i>Journal of Interprofessional Care</i> , 2004 , 18, 75-8	2.7	58
54	A multicenter disease management program for hospitalized patients with heart failure. <i>Journal of Cardiac Failure</i> , 2004 , 10, 473-80	3.3	114
53	Radiologic and patient-reported functional outcomes in an elderly cohort with conservatively treated distal radius fractures. <i>Journal of Hand Surgery</i> , 2004 , 29, 1121-7	2.6	146

52	Association of diabetes mellitus and glycemic control strategies with clinical outcomes after acute coronary syndromes. <i>American Heart Journal</i> , 2004 , 148, e27; author reply e28	4.9	
51	Effect of community pharmacist intervention on cholesterol levels in patients at high risk of cardiovascular events: the Second Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP-plus). <i>American Journal of Medicine</i> , 2004 , 116, 130-3	2.4	40
50	Underuse of aspirin in type 2 diabetes mellitus: prevalence and correlates of therapy in rural Canada. <i>Clinical Therapeutics</i> , 2004 , 26, 439-46	3.5	18
49	Treatment gaps for hypertension management in rural Canadian patients with type 2 diabetes mellitus. <i>Clinical Therapeutics</i> , 2004 , 26, 598-606	3.5	21
48	Controlled trial of a multifaceted intervention for improving quality of care for rural patients with type 2 diabetes. <i>Diabetes Care</i> , 2003 , 26, 3061-6	14.6	80
47	A comparison of the health utilities indices Mark 2 and Mark 3 in type 2 diabetes. <i>Medical Decision Making</i> , 2003 , 23, 489-501	2.5	31
46	Shifting from inpatient to outpatient treatment of deep vein thrombosis in a tertiary care center: a cost-minimization analysis. <i>Pharmacotherapy</i> , 2003 , 23, 301-9	5.8	12
45	Compliance with clinical practice guidelines for type 2 diabetes in rural patients: treatment gaps and opportunities for improvement. <i>Pharmacotherapy</i> , 2003 , 23, 659-65	5.8	52
44	Health-related quality of life deficits associated with varying degrees of disease severity in type 2 diabetes. <i>Health and Quality of Life Outcomes</i> , 2003 , 1, 78	3	30
43	The cost of major comorbidity in people with diabetes mellitus. <i>Cmaj</i> , 2003 , 168, 1661-7	3.5	35
42	A randomized trial of the effect of community pharmacist intervention on cholesterol risk management: the Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP). <i>Archives of Internal Medicine</i> , 2002 , 162, 1149-55		204
41	Decreased mortality associated with the use of metformin compared with sulfonylurea monotherapy in type 2 diabetes. <i>Diabetes Care</i> , 2002 , 25, 2244-8	14.6	334
40	Dialysis adequacy and health related quality of life in hemodialysis patients. <i>ASAIO Journal</i> , 2002 , 48, 565-9	3.6	44
39	Economic impact of community pharmacist intervention in cholesterol risk management: an evaluation of the study of cardiovascular risk intervention by pharmacists. <i>Pharmacotherapy</i> , 2001 , 21, 627-35	5.8	33
38	Practice-based research: lessons from community pharmacist participants. <i>Pharmacotherapy</i> , 2001 , 21, 731-9	5.8	41
37	Productivity losses associated with diabetes in the US. <i>Diabetes Care</i> , 2001 , 24, 257-61	14.6	87
36	Underutilisation of ACE inhibitors in patients with congestive heart failure. <i>Drugs</i> , 2001 , 61, 2021-33	12.1	50
35	Pharmacists' attitudes toward diabetes. <i>Journal of the American Pharmacists Association</i> , 2000 , 40, 371-7		18

34	Health-related quality of life for adults with cystic fibrosis: a regression approach to assessing the impact of recombinant human DNase. <i>Pharmacotherapy</i> , 2000 , 20, 1167-74	5.8	17
33	Gender differences in labetalol kinetics: importance of determining stereoisomer kinetics for racemic drugs. <i>Pharmacotherapy</i> , 2000 , 20, 622-8	5.8	24
32	Using focus groups to identify barriers to drug use in patients with congestive heart failure. <i>Pharmacotherapy</i> , 2000 , 20, 823-9	5.8	35
31	Comparison of Finnish and U.S.-based visual analog scale valuations of the EQ-5D measure. <i>Medical Decision Making</i> , 2000 , 20, 281-9	2.5	35
30	Predictability of the effects of race or ethnicity on pharmacokinetics of drugs. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2000 , 38, 53-60	2	79
29	Comparison of the EQ-5D and SF-12 health surveys in a general population survey in Alberta, Canada. <i>Medical Care</i> , 2000 , 38, 115-21	3.1	210
28	CYP1A2 and CYP2D6 4-hydroxylate propranolol and both reactions exhibit racial differences. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2000 , 294, 1099-105	4.7	41
27	Cost of care for individuals with cystic fibrosis: a regression approach to determining the impact of recombinant human DNase. <i>Pharmacotherapy</i> , 1999 , 19, 1159-66	5.8	25
26	Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP): a randomized trial design of the effect of a community pharmacist intervention program on serum cholesterol risk. <i>Annals of Pharmacotherapy</i> , 1999 , 33, 910-9	2.9	45
25	Replicability of SF-36 summary scores by the SF-12 in stroke patients. <i>Stroke</i> , 1999 , 30, 1213-7	6.7	90
24	The impact of pharmacist interventions on health-related quality of life. <i>Annals of Pharmacotherapy</i> , 1999 , 33, 1167-72	2.9	33
23	Comparison of the EQ-5D and SF-12 in an adult US sample. <i>Quality of Life Research</i> , 1998 , 7, 155-66	3.7	241
22	Valuation of EuroQOL (EQ-5D) health states in an adult US sample. <i>Pharmacoeconomics</i> , 1998 , 13, 421-33	4.4	199
21	Reassessing the relevance of pharmacoeconomic analyses in formulary decisions. <i>Pharmacoeconomics</i> , 1998 , 13, 479-85	4.4	11
20	The structure of satisfaction with pharmacy services. <i>Medical Care</i> , 1998 , 36, 244-50	3.1	28
19	Construct validities of the Quality of Well-Being Scale and the MOS-HIV-34 Health Survey for HIV-infected patients. <i>Medical Decision Making</i> , 1997 , 17, 439-46	2.5	24
18	Drug-related morbidity and mortality and the economic impact of pharmaceutical care. <i>American Journal of Health-System Pharmacy</i> , 1997 , 54, 554-8	2.2	101
17	Influence of race or ethnicity on pharmacokinetics of drugs. <i>Journal of Pharmaceutical Sciences</i> , 1997 , 86, 1328-33	3.9	93

16	Self-efficacy theory as a framework for community pharmacy-based diabetes education programs. <i>The Diabetes Educator</i> , 1996 , 22, 237-41	2.5	36
15	Humanistic Outcomes 1996 , 403-445		2
14	Health-related quality of life of diabetic Pima Indians. <i>Medical Care</i> , 1996 , 34, 97-102	3.1	54
13	Racial differences in beta-adrenoceptor-mediated responsiveness. <i>Journal of Cardiovascular Pharmacology</i> , 1995 , 25, 90-6	3.1	47
12	Evaluation of Published Pharmacoeconomic Studies. <i>Journal of Pharmacy Practice</i> , 1995 , 8, 156-166	1.3	1
11	Metoprolol minimizes nighttime blood pressure dip in hypertensive black males. <i>American Journal of Hypertension</i> , 1995 , 8, 254-9	2.3	8
10	Influence of metabolites on protein binding of verapamil enantiomers. <i>British Journal of Clinical Pharmacology</i> , 1995 , 39, 536-8	3.8	5
9	Drug-Related Morbidity and Mortality. <i>Archives of Internal Medicine</i> , 1995 , 155, 1949		487
8	Effect of pravastatin on outcomes after cardiac transplantation. <i>New England Journal of Medicine</i> , 1995 , 333, 621-7	59.2	1062
7	Drug-related morbidity and mortality. A cost-of-illness model. <i>Archives of Internal Medicine</i> , 1995 , 155, 1949-56		172
6	Pharmacoeconomic analysis in formulary decisions: An international perspective. <i>American Journal of Health-System Pharmacy</i> , 1994 , 51, 2593-2598	2.2	1
5	Pharmacoeconomic analysis in formulary decisions: an international perspective. <i>American Journal of Hospital Pharmacy</i> , 1994 , 51, 2593-8		7
4	Predictors of medication noncompliance in a sample of older adults. <i>Clinical Therapeutics</i> , 1994 , 16, 110-7.5	3.5	83
3	Racial differences in lymphocyte beta-receptor sensitivity to propranolol. <i>Life Sciences</i> , 1993 , 53, 297-304.8	4.8	10
2	Racial differences in propranolol pharmacokinetics. <i>Clinical Pharmacology and Therapeutics</i> , 1992 , 51, 495-500	6.1	28
1	Health-related quality of life and its determinants in paediatric arterial ischaemic stroke survivors		1