
Wen Ouyang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1577672/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Systemic HMGB1 Neutralization Prevents Postoperative Neurocognitive Dysfunction in Aged Rats. Frontiers in Immunology, 2016, 7, 441.	4.8	81
2	Propranolol Attenuates Surgical Stress–Induced Elevation of the Regulatory T Cell Response in Patients Undergoing Radical Mastectomy. Journal of Immunology, 2016, 196, 3460-3469.	0.8	80
3	Preoperative Cognitive Intervention Reduces Cognitive Dysfunction in Elderly Patients after Gastrointestinal Surgery: A Randomized Controlled Trial. Medical Science Monitor, 2015, 21, 798-805.	1.1	55
4	Efficacy and safety of ciprofol for the sedation/anesthesia in patients undergoing colonoscopy: Phase IIa and IIb multi-center clinical trials. European Journal of Pharmaceutical Sciences, 2021, 164, 105904.	4.0	48
5	Aging Differentially Affects the Loss of Neuronal Dendritic Spine, Neuroinflammation and Memory Impairment at Rats after Surgery. PLoS ONE, 2014, 9, e106837.	2.5	48
6	A dual functional collagen scaffold coordinates angiogenesis and inflammation for diabetic wound healing. Biomaterials Science, 2020, 8, 6337-6349.	5.4	45
7	The PI3K/Akt/mTOR pathway is involved in CVB3-induced autophagy of HeLa cells. International Journal of Molecular Medicine, 2017, 40, 182-192.	4.0	44
8	Performance of Lung Ultrasound in Detecting Peri-Operative Atelectasis after General Anesthesia. Ultrasound in Medicine and Biology, 2016, 42, 2775-2784.	1.5	42
9	Probiotic supplement attenuates chemotherapy-related cognitive impairment in patients with breast cancer: a randomised, double-blind, and placebo-controlled trial. European Journal of Cancer, 2022, 161, 10-22.	2.8	42
10	Effect of remimazolam tosilate on early cognitive function in elderly patients undergoing upper gastrointestinal endoscopy. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 576-583.	2.8	37
11	Sepsis-induced selective loss of NMDA receptors modulates hippocampal neuropathology in surviving septic mice. PLoS ONE, 2017, 12, e0188273.	2.5	36
12	Comparison of ciprofol (HSK3486) versus propofol for the induction of deep sedation during gastroscopy and colonoscopy procedures: A multiâ€centre, nonâ€inferiority, randomized, controlled phase 3 clinical trial. Basic and Clinical Pharmacology and Toxicology, 2022, 131, 138-148.	2.5	35
13	Perioperative probiotic treatment decreased the incidence of postoperative cognitive impairment in elderly patients following non-cardiac surgery: A randomised double-blind and placebo-controlled trial. Clinical Nutrition, 2021, 40, 64-71.	5.0	33
14	The effect of KETODEX on the incidence and severity of emergence agitation in children undergoing adenotonsillectomy using sevoflurane based-anesthesia. International Journal of Pediatric Otorhinolaryngology, 2015, 79, 671-676.	1.0	27
15	Association of Intraoperative Hypotension with Acute Kidney Injury after Noncardiac Surgery in Patients Younger than 60 Years Old. Kidney and Blood Pressure Research, 2019, 44, 211-221.	2.0	26
16	Efficacy and Safety of HSK3486 for Anesthesia/Sedation in Patients Undergoing Fiberoptic Bronchoscopy: A Multicenter, Double-Blind, Propofol-Controlled, Randomized, Phase 3 Study. CNS Drugs, 2022, 36, 301-313.	5.9	26
17	Brainâ€Penetration and Neuronâ€Targeting DNA Nanoflowers Coâ€Delivering miRâ€124 and Rutin for Synergistic Therapy of Alzheimer's Disease. Small, 2022, 18, e2107534.	10.0	26
18	Patient-controlled Intravenous Analgesia With Combination of Dexmedetomidine and Sufentanil on Patients After Abdominal Operation. Clinical Journal of Pain, 2018, 34, 155-161.	1.9	23

WEN OUYANG

#	Article	IF	CITATIONS
19	Pre-existing weakness is critical for the occurrence of postoperative cognitive dysfunction in mice of the same age. PLoS ONE, 2017, 12, e0182471.	2.5	20
20	Subcutaneous administration of β-hydroxybutyrate improves learning and memory of sepsis surviving mice. Neurotherapeutics, 2020, 17, 616-626.	4.4	19
21	Inhibiting RIP1 Improves Chronic Stress-Induced Cognitive Impairments in D-Galactose-Induced Aging Mice. Frontiers in Behavioral Neuroscience, 2018, 12, 234.	2.0	18
22	Insulin Resistance Predicts Postoperative Cognitive Dysfunction in Elderly Gastrointestinal Patients. Frontiers in Aging Neuroscience, 2019, 11, 197.	3.4	16
23	The promising role of <i>PAX1</i> (aliases: <i>HUP48</i> , <i>OFC2</i>) gene methylation in cancer screening. Molecular Genetics & amp; Genomic Medicine, 2019, 7, e506.	1.2	15
24	Dexmedetomidine Inhibits Maturation and Function of Human Cord Blood-Derived Dendritic Cells by Interfering with Synthesis and Secretion of IL-12 and IL-23. PLoS ONE, 2016, 11, e0153288.	2.5	15
25	Impact of inhalational versus intravenous anaesthesia on early delirium and long-term survival in elderly patients after cancer surgery: study protocol of a multicentre, open-label, and randomised controlled trial. BMJ Open, 2017, 7, e018607.	1.9	14
26	Aspartic acid in the hippocampus: a biomarker for postoperative cognitive dysfunction. Neural Regeneration Research, 2014, 9, 143.	3.0	14
27	Activation of AMP-activated protein kinase (AMPK) aggravated postoperative cognitive dysfunction and pathogenesis in aged rats. Brain Research, 2018, 1684, 21-29.	2.2	11
28	Adverse Drug Reaction Discovery Using a Tumor-Biomarker Knowledge Graph. Frontiers in Genetics, 2020, 11, 625659.	2.3	9
29	Inhibiting Rho kinase 2 reduces memory dysfunction in adult rats exposed to sevoflurane at postnatal days 7–9. Biomedical Reports, 2015, 3, 361-364.	2.0	7
30	Commonly expressed key transcriptomic profiles of sepsis in the human circulation and brain via integrated analysis. International Immunopharmacology, 2022, 104, 108518.	3.8	6
31	Short-term perioperative cognitive therapy combined with rehabilitation exercise reduces the incidence of neurocognitive disorder in elderly patients: a randomized controlled trial. Minerva Anestesiologica, 2022, 88, 145-155.	1.0	6
32	Establishment of ICU Mortality Risk Prediction Models with Machine Learning Algorithm Using MIMIC-IV Database. Diagnostics, 2022, 12, 1068.	2.6	6
33	Correlation between perioperative parecoxib use and postoperative acute kidney injury in patients undergoing non-cardiac surgery: a retrospective cohort analysis. BMJ Open, 2021, 11, e047840.	1.9	5
34	Dexmedetomidine promotes apoptosis and suppresses proliferation of hepatocellular carcinoma cells via microRNA-130a/EGR1 axis. Cell Death Discovery, 2022, 8, 31.	4.7	5
35	Non‑canonical Wnt signaling contributes to ventilator‑induced lung injury through upregulation of WISP1 expression. International Journal of Molecular Medicine, 2019, 43, 1217-1228.	4.0	4
36	Interleukin 32: A novel player in perioperative neurocognitive disorders. Medical Hypotheses, 2020, 144, 110158.	1.5	4

WEN OUYANG

#	Article	IF	CITATIONS
37	Genetic variation of rs12918566 affects GRIN2A expression and is associated with spontaneous movement response during sevoflurane anesthesia induction. Brain and Behavior, 2021, 11, e02165.	2.2	3
38	Effects and safety of neostigmine for postoperative recovery of gastrointestinal function: a systematic review and meta-analysis. Annals of Palliative Medicine, 2021, 10, 12507-12518.	1.2	3
39	Influence of Blood Transfusion on Clinical Outcomes in Resected Lung Cancer. Annals of Thoracic Surgery, 2015, 99, 1111.	1.3	2
40	Association between wellâ€characterized gene polymorphisms and the hypnosis response caused by sevofluraneâ€induced anaesthesia. Journal of Clinical Pharmacy and Therapeutics, 2020, 45, 1442-1451.	1.5	2
41	Derivation and Validation of a Risk Stratification System for Predicting Postoperative Cognitive Impairment. Journal of Investigative Surgery, 2020, 34, 1-7.	1.3	2
42	GABRA1 and GABRB2 Polymorphisms are Associated with Propofol Susceptibility. Pharmacogenomics and Personalized Medicine, 2022, Volume 15, 105-117.	0.7	2
43	Effects of BRCA1/2 on Ovarian and Breast Cancer Survival—Letter. Clinical Cancer Research, 2015, 21, 3806-3806.	7.0	1
44	Influence of blood transfusion on clinical outcomes in resected gastric cancer. International Journal of Surgery, 2015, 18, 142.	2.7	1
45	AMP-activated protein kinase and cAMP response element-binding protein activity are associated with distinct postoperative behavioral changes in rats. Journal of Anesthesia, 2017, 31, 806-812.	1.7	1
46	Glycopyrrolate versus atropine for preventing bradycardia induced by neostigmine injection after general anesthesia surgery: a randomized open, parallel-controlled multicenter clinical trial American Journal of Translational Research (discontinued), 2021, 13, 12996-13002.	0.0	1