

# Dirk J GrÃ¼nhagen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1577932/publications.pdf>

Version: 2024-02-01

162  
papers

4,108  
citations

159358

30  
h-index

161609

54  
g-index

166  
all docs

166  
docs citations

166  
times ranked

4991  
citing authors

#	ARTICLE	IF	CITATIONS
1	The PD-1/PD-L1-Checkpoint Restrains T <sub>H</sub> Cell Immunity in Tumor-Draining Lymph Nodes. <i>Cancer Cell</i> , 2020, 38, 685-700.e8.	7.7	299
2	Surveillance after curative treatment for colorectal cancer. <i>Nature Reviews Clinical Oncology</i> , 2017, 14, 297-315.	12.5	177
3	International consensus guidelines for scoring the histopathological growth patterns of liver metastasis. <i>British Journal of Cancer</i> , 2017, 117, 1427-1441.	2.9	172
4	Outcome and prognostic factor analysis of 217 consecutive isolated limb perfusions with tumor necrosis factor- $\alpha$ and melphalan for limb-threatening soft tissue sarcoma. <i>Cancer</i> , 2006, 106, 1776-1784.	2.0	132
5	Personalized response-directed surgery and adjuvant therapy after neoadjuvant ipilimumab and nivolumab in high-risk stage III melanoma: the PRADO trial. <i>Nature Medicine</i> , 2022, 28, 1178-1188.	15.2	121
6	One Hundred Consecutive Isolated Limb Perfusions With TNF- $\alpha$ and Melphalan in Melanoma Patients With Multiple In-Transit Metastases. <i>Annals of Surgery</i> , 2004, 240, 939-948.	2.1	111
7	Prognostic Value of CTNNB1 Gene Mutation in Primary Sporadic Aggressive Fibromatosis. <i>Annals of Surgical Oncology</i> , 2015, 22, 1464-1470.	0.7	110
8	Angiogenic desmoplastic histopathological growth pattern as a prognostic marker of good outcome in patients with colorectal liver metastases. <i>Angiogenesis</i> , 2019, 22, 355-368.	3.7	94
9	Technology Insight: utility of TNF- $\alpha$ -based isolated limb perfusion to avoid amputation of irresectable tumors of the extremities. <i>Nature Clinical Practice Oncology</i> , 2006, 3, 94-103.	4.3	80
10	Tumor-infiltrating plasmacytoid dendritic cells promote immunosuppression by Tr1 cells in human liver tumors. <i>Onc Immunology</i> , 2015, 4, e1008355.	2.1	78
11	Time Trends in the Incidence and Treatment of Extra-Abdominal and Abdominal Aggressive Fibromatosis: A Population-Based Study. <i>Annals of Surgical Oncology</i> , 2015, 22, 2817-2823.	0.7	78
12	Multicenter Observational Study of Adhesion Formation After Open and Laparoscopic Surgery for Colorectal Cancer. <i>Annals of Surgery</i> , 2018, 267, 743-748.	2.1	78
13	The palliative value of tumor necrosis factor $\alpha$ -based isolated limb perfusion in patients with metastatic sarcoma and melanoma. <i>Cancer</i> , 2006, 106, 156-162.	2.0	74
14	The use of neo-adjuvant chemotherapy in patients with resectable colorectal liver metastases: Clinical risk score as possible discriminator. <i>European Journal of Surgical Oncology</i> , 2015, 41, 859-867.	0.5	67
15	Favorable overall survival in stage III melanoma patients after adjuvant dendritic cell vaccination. <i>Onc Immunology</i> , 2016, 5, e1057673.	2.1	67
16	Isolated Limb Perfusion with Melphalan and TNF- $\alpha$ in the Treatment of Extremity Sarcoma. <i>Current Treatment Options in Oncology</i> , 2007, 8, 417-427.	1.3	63
17	Risk stratification of sentinel node- $\alpha$ positive melanoma patients defines surgical management and adjuvant therapy treatment considerations. <i>European Journal of Cancer</i> , 2018, 96, 25-33.	1.3	59
18	Long-term Results of the "Liver First" Approach in Patients With Locally Advanced Rectal Cancer and Synchronous Liver Metastases. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 281-287.	0.7	57

#	ARTICLE	IF	CITATIONS
19	Neo-adjuvant chemotherapy followed by surgery versus surgery alone in high-risk patients with resectable colorectal liver metastases: the CHARISMA randomized multicenter clinical trial. <i>BMC Cancer</i> , 2015, 15, 180.	1.1	57
20	First safety and efficacy results of PRADO: A phase II study of personalized response-driven surgery and adjuvant therapy after neoadjuvant ipilimumab (IPI) and nivolumab (NIVO) in resectable stage III melanoma. <i>Journal of Clinical Oncology</i> , 2020, 38, 10002-10002.	0.8	57
21	Blockade of LAG3 enhances responses of tumor-infiltrating T cells in mismatch repair-proficient liver metastases of colorectal cancer. <i>Oncolimmunology</i> , 2018, 7, e1448332.	2.1	54
22	A nationwide cohort study on treatment and survival in patients with malignant peripheral nerve sheath tumours. <i>European Journal of Cancer</i> , 2020, 124, 77-87.	1.3	54
23	Efficacy of Repeat Isolated Limb Perfusions With Tumor Necrosis Factor $\alpha$ and Melphalan for Multiple In-Transit Metastases in Patients with Prior Isolated Limb Perfusion Failure. <i>Annals of Surgical Oncology</i> , 2005, 12, 609-615.	0.7	52
24	Pathological features of vessel co-option versus sprouting angiogenesis. <i>Angiogenesis</i> , 2020, 23, 43-54.	3.7	51
25	GITR engagement in combination with CTLA-4 blockade completely abrogates immunosuppression mediated by human liver tumor-derived regulatory T cells <i>ex vivo</i> . <i>Oncolimmunology</i> , 2015, 4, e1051297.	2.1	45
26	Outcomes of Resectability Assessment of the Dutch Colorectal Cancer Group Liver Metastases Expert Panel. <i>Journal of the American College of Surgeons</i> , 2019, 229, 523-532e2.	0.2	40
27	Transepidermal Water Loss During Halogen Spotlight Phototherapy in Preterm Infants. <i>Pediatric Research</i> , 2002, 51, 402-405.	1.1	39
28	Molecular characteristics of circulating tumor cells resemble the liver metastasis more closely than the primary tumor in metastatic colorectal cancer. <i>Oncotarget</i> , 2016, 7, 59058-59069.	0.8	37
29	Enrichment of the tumour immune microenvironment in patients with desmoplastic colorectal liver metastasis. <i>British Journal of Cancer</i> , 2020, 123, 196-206.	2.9	35
30	Isolated Limb Perfusion With Tumor Necrosis Factor and Melphalan Prevents Amputation in Patients With Multiple Sarcomas in Arm or Leg. <i>Annals of Surgical Oncology</i> , 2005, 12, 473-479.	0.7	33
31	Outcome after surgical treatment of dermatofibrosarcoma protuberans: Is clinical follow-up always indicated?. <i>Cancer</i> , 2019, 125, 735-741.	2.0	33
32	An Engineered IL15 Cytokine Mutein Fused to an Anti-PD1 Improves Intratumoral T-cell Function and Antitumor Immunity. <i>Cancer Immunology Research</i> , 2021, 9, 1141-1157.	1.6	33
33	Clinical characteristics and treatment outcome in a large multicentre observational cohort of PDGFRA exon 18 mutated gastrointestinal stromal tumour patients. <i>European Journal of Cancer</i> , 2017, 76, 76-83.	1.3	32
34	Salvage treatment for recurrences after first resection of colorectal liver metastases: the impact of histopathological growth patterns. <i>Clinical and Experimental Metastasis</i> , 2019, 36, 109-118.	1.7	32
35	Claudin-2 promotes colorectal cancer liver metastasis and is a biomarker of the replacement type growth pattern. <i>Communications Biology</i> , 2021, 4, 657.	2.0	32
36	Activated Signaling Pathways and Targeted Therapies in Desmoid-Type Fibromatosis: A Literature Review. <i>Frontiers in Oncology</i> , 2019, 9, 397.	1.3	31

#	ARTICLE	IF	CITATIONS
37	Implementation and first results of a mandatory, nationwide audit on liver surgery. <i>Hpb</i> , 2019, 21, 1400-1410.	0.1	31
38	Effects of time interval between primary melanoma excision and sentinel node biopsy on positivity rate and survival. <i>European Journal of Cancer</i> , 2016, 67, 164-173.	1.3	30
39	Histopathological growth patterns of liver metastasis: updated consensus guidelines for pattern scoring, perspectives and recent mechanistic insights. <i>British Journal of Cancer</i> , 2022, 127, 988-1013.	2.9	30
40	Differential quantities of immune checkpoint-expressing CD8 T cells in soft tissue sarcoma subtypes. , 2020, 8, e000271.		29
41	Differences in recurrence and survival of extremity liposarcoma subtypes. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1391-1397.	0.5	28
42	Histopathological Growth Patterns and Survival After Resection of Colorectal Liver Metastasis: An External Validation Study. <i>JNCI Cancer Spectrum</i> , 2021, 5, pkab026.	1.4	28
43	Histopathological growth patterns as biomarker for adjuvant systemic chemotherapy in patients with resected colorectal liver metastases. <i>Clinical and Experimental Metastasis</i> , 2020, 37, 593-605.	1.7	27
44	Quality of treatment and surgical approach for rectal gastrointestinal stromal tumour (GIST) in a large European cohort. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1124-1130.	0.5	26
45	Laparoscopic-monitored colonoscopic polypectomy: a multimodality method to avoid segmental colon resection. <i>Colorectal Disease</i> , 2011, 13, 1280-1284.	0.7	25
46	The interval between primary melanoma excision and sentinel node biopsy is not associated with survival in sentinel node positive patients – An EORTC Melanoma Group study. <i>European Journal of Surgical Oncology</i> , 2016, 42, 1906-1913.	0.5	25
47	Increased survival of non low-grade and deep-seated soft tissue sarcoma after surgical management in high-volume hospitals: a nationwide study from the Netherlands. <i>European Journal of Cancer</i> , 2019, 110, 98-106.	1.3	25
48	Isolated Limb Perfusion with TNF- $\alpha$ and Melphalan in Locally Advanced Soft Tissue Sarcomas of the Extremities. <i>Recent Results in Cancer Research</i> , 2009, 179, 257-270.	1.8	25
49	Predicting 10-year survival after resection of colorectal liver metastases; an international study including biomarkers and perioperative treatment. <i>European Journal of Cancer</i> , 2022, 168, 25-33.	1.3	25
50	TNF-based isolated limb perfusion: A decade of experience with antivasular therapy in the management of locally advanced extremity soft tissue sarcomas. <i>Cancer Treatment and Research</i> , 2004, 120, 65-79.	0.2	24
51	Treatment modifications in tumour necrosis factor- $\alpha$ (TNF)-based isolated limb perfusion in patients with advanced extremity soft tissue sarcomas. <i>European Journal of Cancer</i> , 2015, 51, 367-373.	1.3	24
52	Early Evaluation of Response Using 18F-FDG PET Influences Management in Gastrointestinal Stromal Tumor Patients Treated with Neoadjuvant Imatinib. <i>Journal of Nuclear Medicine</i> , 2018, 59, 194-196.	2.8	24
53	Distinguishing pure histopathological growth patterns of colorectal liver metastases on CT using deep learning and radiomics: a pilot study. <i>Clinical and Experimental Metastasis</i> , 2021, 38, 483-494.	1.7	24
54	Elderly patients with gastrointestinal stromal tumour (GIST) receive less treatment irrespective of performance score or comorbidity – A retrospective multicentre study in a large cohort of GIST patients. <i>European Journal of Cancer</i> , 2017, 86, 318-325.	1.3	23

#	ARTICLE	IF	CITATIONS
55	Histopathological growth patterns and positive margins after resection of colorectal liver metastases. <i>Hpb</i> , 2020, 22, 911-919.	0.1	23
56	Can medical imaging identify the histopathological growth patterns of liver metastases?. <i>Seminars in Cancer Biology</i> , 2021, 71, 33-41.	4.3	23
57	Preoperative systemic chemotherapy alters the histopathological growth patterns of colorectal liver metastases. <i>Journal of Pathology: Clinical Research</i> , 2022, 8, 48-64.	1.3	23
58	Metal stents: a bridge to surgery in hilar cholangiocarcinoma. <i>Hpb</i> , 2013, 15, 372-378.	0.1	22
59	Active surveillance in desmoid-type fibromatosis: A systematic literature review. <i>European Journal of Cancer</i> , 2020, 137, 18-29.	1.3	21
60	Neoadjuvant Systemic Therapy (NAST) in Patients with Melanoma: Surgical Considerations by the International Neoadjuvant Melanoma Consortium (INMC). <i>Annals of Surgical Oncology</i> , 2022, 29, 3694-3708.	0.7	21
61	Neurofibromatosis-associated malignant peripheral nerve sheath tumors in children have a worse prognosis: A nationwide cohort study. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28138.	0.8	20
62	Perfusion and Infusion for Melanoma In-Transit Metastases in the Era of Effective Systemic Therapy. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2015, , e528-e534.	1.8	19
63	Stereotactic body radiotherapy for oligometastatic soft tissue sarcoma. <i>Radiologia Medica</i> , 2018, 123, 871-878.	4.7	19
64	Adjuvant Hepatic Arterial Infusion Pump Chemotherapy After Resection of Colorectal Liver Metastases: Results of a Safety and Feasibility Study in The Netherlands. <i>Annals of Surgical Oncology</i> , 2019, 26, 4599-4607.	0.7	19
65	Posttreatment Surveillance in Patients with Prolonged Disease-Free Survival After Resection of Colorectal Liver Metastasis. <i>Annals of Surgical Oncology</i> , 2016, 23, 3999-4007.	0.7	18
66	Avelumab for advanced Merkel cell carcinoma in the Netherlands: a real-world cohort. , 2020, 8, e001076.		18
67	Isolated (hypoxic) hepatic perfusion with high-dose chemotherapy in patients with unresectable liver metastases of uveal melanoma: results from two experienced centres. <i>Melanoma Research</i> , 2016, 26, 588-594.	0.6	17
68	Identification and assessment of health-related quality of life issues in patients with sporadic desmoid-type fibromatosis: a literature review and focus group study. <i>Quality of Life Research</i> , 2018, 27, 3097-3111.	1.5	17
69	The Disease-Free Interval Between Resection of Primary Colorectal Malignancy and the Detection of Hepatic Metastases Predicts Disease Recurrence But Not Overall Survival. <i>Annals of Surgical Oncology</i> , 2019, 26, 2812-2820.	0.7	17
70	Recurrence Patterns After Resection of Colorectal Liver Metastasis are Modified by Perioperative Systemic Chemotherapy. <i>World Journal of Surgery</i> , 2020, 44, 876-886.	0.8	17
71	Primary tumor location and the prognosis of patients after local treatment of colorectal liver metastases: a systematic review and meta-analysis. <i>Hpb</i> , 2020, 22, 351-357.	0.1	17
72	Gastrointestinal Stromal Tumours (GIST) in Young Adult (18-40 Years) Patients: A Report from the Dutch GIST Registry. <i>Cancers</i> , 2020, 12, 730.	1.7	15

#	ARTICLE	IF	CITATIONS
73	Case-mix adjustment to compare nationwide hospital performances after resection of colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2021, 47, 649-659.	0.5	15
74	Diagnosed with a Rare Cancer: Experiences of Adult Sarcoma Survivors with the Healthcare System—Results from the SURVSARC Study. <i>Cancers</i> , 2021, 13, 679.	1.7	15
75	Increasing Costs of Skin Cancer due to Increasing Incidence and Introduction of Pharmaceuticals, 2007–2017. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00147.	0.6	15
76	Repeated isolated limb perfusion in melanoma patients with recurrent in-transit metastases. <i>Melanoma Research</i> , 2015, 25, 427-431.	0.6	14
77	Does portal vein embolization prior to liver resection influence the oncological outcomes – A propensity score matched comparison. <i>European Journal of Surgical Oncology</i> , 2018, 44, 108-114.	0.5	14
78	Outcome of Nonsurgical Management of Extra-Abdominal, Trunk, and Abdominal Wall Desmoid-Type Fibromatosis: A Population-Based Study in the Netherlands. <i>Sarcoma</i> , 2018, 2018, 1-8.	0.7	14
79	Differential Diagnosis and Molecular Stratification of Gastrointestinal Stromal Tumors on CT Images Using a Radiomics Approach. <i>Journal of Digital Imaging</i> , 2022, 35, 127-136.	1.6	14
80	Experiences of resuming life after immunotherapy and associated survivorship care needs: a qualitative study among patients with metastatic melanoma. <i>British Journal of Dermatology</i> , 2022, 187, 381-391.	1.4	14
81	Long-term results of ultrasound guided fine needle aspiration cytology in conjunction with sentinel node biopsy support step-wise approach in melanoma. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1509-1516.	0.5	13
82	Impact of primary tumor location on outcome of liposarcoma patients, a retrospective cohort study. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2437-2442.	0.5	13
83	Age-related differences of oncological outcomes in primary extremity soft tissue sarcoma: a multistate model including 6260 patients. <i>European Journal of Cancer</i> , 2020, 141, 128-136.	1.3	13
84	Limitations in resectability of colorectal liver metastases 2020 – A systematic approach for clinicians and patients. <i>Seminars in Cancer Biology</i> , 2021, 71, 10-20.	4.3	13
85	Population-based study on practice variation regarding preoperative systemic chemotherapy in patients with colorectal liver metastases and impact on short-term outcomes. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1742-1755.	0.5	12
86	Management of Soft Tissue Sarcomas in Extremities: Variation in Treatment Recommendations and Surveillance According to Specialty and Continent. <i>Annals of Surgical Oncology</i> , 2021, 28, 7923-7936.	0.7	12
87	Primary Melanoma Characteristics of Metastatic Disease: A Nationwide Cancer Registry Study. <i>Cancers</i> , 2021, 13, 4431.	1.7	12
88	Survival data of PRADO: A phase 2 study of personalized response-driven surgery and adjuvant therapy after neoadjuvant ipilimumab (IPI) and nivolumab (NIVO) in resectable stage III melanoma.. <i>Journal of Clinical Oncology</i> , 2022, 40, 9501-9501.	0.8	12
89	Differential diagnosis and mutation stratification of desmoid-type fibromatosis on MRI using radiomics. <i>European Journal of Radiology</i> , 2020, 131, 109266.	1.2	11
90	Fc $\gamma$ RIIB engagement drives agonistic activity of Fc-engineered $\alpha$ OX40 antibody to stimulate human tumor-infiltrating T cells. , 2020, 8, e000816.		11

#	ARTICLE	IF	CITATIONS
91	The EORTC-DeCOG nomogram adequately predicts outcomes of patients with sentinel node–positive melanoma without the need for completion lymph node dissection. <i>European Journal of Cancer</i> , 2020, 134, 9-18.	1.3	11
92	Recurrence After Liver Resection of Colorectal Liver Metastases: Repeat Resection or Ablation Followed by Hepatic Arterial Infusion Pump Chemotherapy. <i>Annals of Surgical Oncology</i> , 2021, 28, 808-816.	0.7	11
93	Sarcopenia and long-term survival outcomes after local therapy for colorectal liver metastasis: a meta-analysis. <i>Hpb</i> , 2022, 24, 9-16.	0.1	11
94	Incidence of unplanned excisions of soft tissue sarcomas in the Netherlands: A population-based study. <i>European Journal of Surgical Oncology</i> , 2022, 48, 994-1000.	0.5	11
95	Implementation of the 7th edition <sc>AJCC</sc> staging system: Effects on staging and survival for pT1 melanoma. A Dutch population based study. <i>International Journal of Cancer</i> , 2017, 140, 1802-1808.	2.3	10
96	Natural history of well-differentiated liposarcoma of the extremity compared to patients treated with surgery. <i>Surgical Oncology</i> , 2019, 29, 84-89.	0.8	10
97	Hospital variation in combined liver resection and thermal ablation for colorectal liver metastases and impact on short-term postoperative outcomes: a nationwide population-based study. <i>Hpb</i> , 2021, 23, 827-839.	0.1	10
98	High-throughput and affordable genome-wide methylation profiling of circulating cell-free DNA by methylated DNA sequencing (MeD-seq) of LpnPI digested fragments. <i>Clinical Epigenetics</i> , 2021, 13, 196.	1.8	10
99	Adjuvant intra-arterial chemotherapy for patients with resected colorectal liver metastases: a systematic review and meta-analysis. <i>Hpb</i> , 2022, 24, 299-308.	0.1	10
100	mRNA expression profiles of colorectal liver metastases as a novel biomarker for early recurrence after partial hepatectomy. <i>Molecular Oncology</i> , 2016, 10, 1542-1550.	2.1	9
101	Isolated limb perfusion for unresectable extremity cutaneous squamous cell carcinoma; an effective limb saving strategy. <i>British Journal of Cancer</i> , 2018, 119, 429-434.	2.9	9
102	Short-term postoperative outcomes after liver resection in the elderly patient: a nationwide population-based study. <i>Hpb</i> , 2021, 23, 1506-1517.	0.1	9
103	Factors associated with failure to rescue after liver resection and impact on hospital variation: a nationwide population-based study. <i>Hpb</i> , 2021, 23, 1837-1848.	0.1	9
104	The Evaluation of Health-Related Quality of Life Issues Experienced by Patients with Desmoid-Type Fibromatosis (The QUALIFIED Study) – A Protocol for an International Cohort Study. <i>Cancers</i> , 2021, 13, 3068.	1.7	9
105	Using a Clinicopathologic and Gene Expression (CP-GEP) Model to Identify Stage II Melanoma Patients at Risk of Disease Relapse. <i>Cancers</i> , 2022, 14, 2854.	1.7	9
106	Prognostic factors after cervical lymph node dissection for cutaneous melanoma metastases. <i>Melanoma Research</i> , 2005, 15, 179-184.	0.6	8
107	Improved stratification of pT1 melanoma according to the 8th American Joint Committee on Cancer staging edition criteria: A Dutch population-based study. <i>European Journal of Cancer</i> , 2018, 92, 100-107.	1.3	8
108	The impact of hepatic arterial infusion pump chemotherapy on hepatic recurrences and survival in patients with resected colorectal liver metastases. <i>Hpb</i> , 2020, 22, 1271-1279.	0.1	8

#	ARTICLE	IF	CITATIONS
109	A Bayesian approach for diagnostic accuracy of malignant peripheral nerve sheath tumors: a systematic review and meta-analysis. <i>Neuro-Oncology</i> , 2021, 23, 557-571.	0.6	8
110	Surgical outcomes of laparoscopic and open resection of benign liver tumours in the Netherlands: a nationwide analysis. <i>Hpb</i> , 2021, 23, 1230-1243.	0.1	8
111	An Overview of Liver Directed Locoregional Therapies. <i>Surgical Oncology Clinics of North America</i> , 2021, 30, 103-123.	0.6	8
112	Outcome after treatment for sebaceous carcinoma: A multicenter study. <i>Journal of Surgical Oncology</i> , 2022, 125, 730-735.	0.8	8
113	Development of a Disease-Specific Health-Related Quality of Life Questionnaire (DTF-QoL) for Patients with Desmoid-Type Fibromatosis. <i>Cancers</i> , 2022, 14, 709.	1.7	8
114	The role of perioperative chemotherapy in primary high-grade extremity soft tissue sarcoma: a risk-stratified analysis using PERSARC. <i>European Journal of Cancer</i> , 2022, 165, 71-80.	1.3	8
115	Differentially Methylated Regions in Desmoid-Type Fibromatosis: A Comparison Between CTNNB1 S45F and T41A Tumors. <i>Frontiers in Oncology</i> , 2020, 10, 565031.	1.3	7
116	Assessing the Desmoid-Type Fibromatosis Patients' Voice: Comparison of Health-Related Quality of Life Experiences from Patients of Two Countries. <i>Sarcoma</i> , 2020, 2020, 1-9.	0.7	7
117	Safety and Feasibility of Additional Tumor Debulking to First-Line Palliative Combination Chemotherapy for Patients with Multiorgan Metastatic Colorectal Cancer. <i>Oncologist</i> , 2020, 25, e1195-e1201.	1.9	7
118	B Cells as Prognostic Biomarker After Surgery for Colorectal Liver Metastases. <i>Frontiers in Oncology</i> , 2020, 10, 249.	1.3	7
119	Nationwide oncological networks for resection of colorectal liver metastases in the Netherlands: Differences and postoperative outcomes. <i>European Journal of Surgical Oncology</i> , 2022, 48, 435-448.	0.5	7
120	In desmoid-type fibromatosis cells sorafenib induces ferroptosis and apoptosis, which are enhanced by autophagy inhibition. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1527-1535.	0.5	7
121	Vismodegib for giant, locally advanced, basal cell carcinoma and its complex position in clinical practice. <i>JAAD Case Reports</i> , 2019, 5, 267-270.	0.4	6
122	Prognostic Significance of Immunohistochemical Markers and Genetic Alterations in Malignant Peripheral Nerve Sheath Tumors: A Systematic Review. <i>Frontiers in Oncology</i> , 2020, 10, 594069.	1.3	6
123	Clinical outcome of patients with metastatic melanoma of unknown primary in the era of novel therapy. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 3123-3135.	2.0	6
124	Histopathological growth patterns of resected non-colorectal, non-neuroendocrine liver metastases: a retrospective multicenter study. <i>Clinical and Experimental Metastasis</i> , 2022, 39, 433-442.	1.7	6
125	Abdominal Desmoid Tumors: Hands Off?. <i>Annals of Surgical Oncology</i> , 2016, 23, 2128-2130.	0.7	5
126	Gamma probe and ultrasound guided fine needle aspiration cytology of the sentinel node (GULF) trial - overview of the literature, pilot and study protocol. <i>BMC Cancer</i> , 2017, 17, 258.	1.1	5



#	ARTICLE	IF	CITATIONS
127	Gamma probe and ultrasound-guided fine needle aspiration cytology of the sentinel node (GULF) trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1926-1933.	3.3	5
128	Sarcopenia predicts reduced liver growth and reduced resectability in patients undergoing portal vein embolization before liver resection - A DRAGON collaborative analysis of 306 patients. <i>Hpb</i> , 2022, 24, 413-421.	0.1	5
129	The Association of Metastasis Pattern and Management of Metastatic Disease with Oncological Outcomes in Patients with Malignant Peripheral Nerve Sheath Tumors: A Multicenter Cohort Study. <i>Cancers</i> , 2021, 13, 5115.	1.7	5
130	Interregional practice variations in the use of local therapy for synchronous colorectal liver metastases in the Netherlands. <i>Hpb</i> , 2022, 24, 1651-1658.	0.1	5
131	Unraveling Desmoid-Type Fibromatosis-Specific Health-Related Quality of Life: Who Is at Risk for Poor Outcomes. <i>Cancers</i> , 2022, 14, 2979.	1.7	5
132	The Prognostic Value of the Primary Tumor's Nodal Status after Surgery for Colorectal Liver Metastases in the Era of Effective Systemic Therapy. <i>Digestive Surgery</i> , 2015, 32, 208-216.	0.6	4
133	Upregulation of intratumoral HLA class I and peritumoral Mx1 in ulcerated melanomas. <i>Oncolmmunology</i> , 2019, 8, e1660121.	2.1	4
134	Wnt targets genes are not differentially expressed in desmoid tumors bearing different activating $\beta$ -catenin mutations. <i>European Journal of Surgical Oncology</i> , 2019, 45, 691-698.	0.5	4
135	Hospital variation and outcomes of simultaneous resection of primary colorectal tumour and liver metastases: a population-based study. <i>Hpb</i> , 2022, 24, 255-266.	0.1	4
136	Local tumour control after radiofrequency or microwave ablation for colorectal liver metastases in relation to histopathological growth patterns. <i>Hpb</i> , 2022, 24, 1443-1452.	0.1	4
137	Reshaping the critical role of surgeons in oncology research. <i>Nature Reviews Clinical Oncology</i> , 2019, 16, 327-332.	12.5	3
138	MicroRNA expression and DNA methylation profiles do not distinguish between primary and recurrent well-differentiated liposarcoma. <i>PLoS ONE</i> , 2020, 15, e0228014.	1.1	3
139	Interobserver Variability in CT-based Morphologic Tumor Response Assessment of Colorectal Liver Metastases. <i>Radiology Imaging Cancer</i> , 2022, 4, e210105.	0.7	3
140	Single agent Talimogene Laherparepvec for stage IIIB-IVM1c melanoma patients: A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2022, 175, 103705.	2.0	3
141	The ORCHESTRA trial: A phase III trial of adding tumor debulking to systemic therapy versus systemic therapy alone in multi-organ metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS788-TPS788.	0.8	2
142	Intraoperative Near-Infrared Fluorescence Imaging with Indocyanine Green for Identification of Gastrointestinal Stromal Tumors (GISTs), a Feasibility Study. <i>Cancers</i> , 2022, 14, 1572.	1.7	2
143	Use of Merlin Assay to identify patients with a low-risk for SN metastasis in a prospective multicenter Dutch study of a primary melanoma gene-signature (CP-GEP model) to predict sentinel node status during COVID-19.. <i>Journal of Clinical Oncology</i> , 2022, 40, 9571-9571.	0.8	2
144	Biliary reconstruction when the liver hilum is inaccessible: The anterior approach. <i>European Journal of Surgical Oncology</i> , 2012, 38, 543-547.	0.5	1

#	ARTICLE	IF	CITATIONS
145	Author's reply to: The real-world outcome of metastatic melanoma: Unknown primary <i>vs</i>. known cutaneous. International Journal of Cancer, 2019, 145, 3175-3176.	2.3	1
146	Predicting prognosis in colorectal liver metastases. Hepatobiliary Surgery and Nutrition, 2019, 8, 643-645.	0.7	1
147	False positive FDG uptake in melanoma patients treated with talimogene laherparepvec (Tâ€VEVC). Journal of Surgical Oncology, 2021, 124, 1161-1165.	0.8	1
148	Adjuvant treatment in patients with melanoma: The planning of scanning. European Journal of Cancer, 2021, 157, 306-307.	1.3	1
149	Clinical characteristics and treatment outcome in a large multicenter observational cohort of pdgfra exon 18 mutated gastrointestinal stromal tumor (GIST) patients.. Journal of Clinical Oncology, 2016, 34, 11011-11011.	0.8	1
150	Neo-adjuvant chemotherapy followed by surgery versus surgery alone in high-risk patients with resectable colorectal liver metastases: The CHARISMA randomized multicenter clinical trial.. Journal of Clinical Oncology, 2016, 34, TPS790-TPS790.	0.8	1
151	Early response evaluation using 18F-FDG-PET/CT does not influence management of patients with metastatic gastrointestinal stromal tumors (GIST) treated with palliative intent. Nuklearmedizin - NuclearMedicine, 2021, 60, 411-416.	0.3	1
152	Mesenchymal-epithelial transition factor (MET) immunoreactivity in positive sentinel nodes from patients with melanoma. Annals of Diagnostic Pathology, 2022, 58, 151909.	0.6	1
153	The added value of chest imaging after neoadjuvant radiotherapy for soft tissue sarcoma of the extremities and trunk wall: A retrospective cohort study. European Journal of Surgical Oncology, 2022, , .	0.5	1
154	Absence of association between CT-assessed skeletal muscle mass and long-term oncological outcomes after curative therapy for colorectal liver metastasis. Hpb, 2022, 24, 1711-1719.	0.1	1
155	Survival After Resection of Colorectal Liver Metastases: is the Primary Nodal Status Still a Prognostic Factor?. Annals of Oncology, 2013, 24, iv29.	0.6	0
156	Reply to: Letter re: Efficacy of isolated limb perfusion (ILP) in patients with Merkel cell carcinoma: A multicenter experience. European Journal of Surgical Oncology, 2019, 45, 1122-1123.	0.5	0
157	Outcome after Treatment for Sebaceous Carcinoma: A Multicenter Study. European Journal of Surgical Oncology, 2020, 46, e165-e166.	0.5	0
158	Postoperative radiotherapy in Merkel cell carcinoma (MCC).. Journal of Clinical Oncology, 2021, 39, 9575-9575.	0.8	0
159	Therapeutic neck dissection in head and neck melanoma patients: Comparing extent of surgery and clinical outcome in two cohorts. European Journal of Surgical Oncology, 2021, 47, 2454-2459.	0.5	0
160	The ORCHESTRA trial: A phase III trial of adding tumor debulking to systemic therapy versus systemic therapy alone in (mCRC) multi-organ metastatic colorectal cancer.. Journal of Clinical Oncology, 2015, 33, TPS3631-TPS3631.	0.8	0
161	Feasibility of a national expert panel to determine resectability in patients with initially unresectable colorectal cancer liver metastases (CRLM).. Journal of Clinical Oncology, 2019, 37, 3562-3562.	0.8	0
162	A Colon Resection and Pump Implantation in the Same Surgical Procedure: Is it Safe?. Annals of Surgical Oncology, 2022, 29, 2754.	0.7	0