
## Satoru S Watanabe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/157799/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	1H, 13C and 15N resonance assignments and solution structures of the two RRM domains of Matrin-3. Biomolecular NMR Assignments, 2022, 16, 41-49.	0.4	3
2	1H, 13C and 15N resonance assignment of the YTH domain of YTHDC2. Biomolecular NMR Assignments, 2021, 15, 1-7.	0.4	2
3	DiRect: Site-directed mutagenesis method for protein engineering by rational design. Biochemical and Biophysical Research Communications, 2021, 551, 107-113.	1.0	5
4	Changes in dynamic and static structures of the HIV â€1 p24 capsid protein Nâ€domain caused by aminoâ€acid substitution are associated with its viral viability. Protein Science, 2021, 30, 2233-2245.	3.1	1
5	Identification of a Proline-Kinked Amphipathic α-Helix Downstream from the Methyltransferase Domain of a Potexvirus Replicase and Its Role in Virus Replication and Perinuclear Complex Formation. Journal of Virology, 2021, 95, e0190620.	1.5	6
6	Direct introduction of neomycin phosphotransferase II protein into apple leaves to confer kanamycin resistance. Plant Biotechnology, 2016, 33, 403-407.	0.5	14
7	Intracellular Delivery of Proteins via Fusion Peptides in Intact Plants. PLoS ONE, 2016, 11, e0154081.	1.1	62
8	Effect of Glu12-His89 Interaction on Dynamic Structures in HIV-1 p17 Matrix Protein Elucidated by NMR. PLoS ONE, 2016, 11, e0167176.	1.1	2
9	Comparison of residual alpha- and beta-structures between two intrinsically disordered proteins by using NMR. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2015, 1854, 229-238.	1.1	4
10	Co-expression of Two Polyhydroxyalkanoate Synthase Subunits from <i>Synechocystis</i> sp. PCC 6803 by Cell-Free Synthesis and Their Specific Activity for Polymerization of 3-Hydroxybutyryl-Coenzyme A. Biochemistry, 2015, 54, 1401-1407.	1.2	22
11	Solution structures of the DNA-binding domains of immune-related zinc-finger protein ZFAT. Journal of Structural and Functional Genomics, 2015, 16, 55-65.	1.2	17
12	Flexible and rigid structures in HIV-1 p17 matrix protein monitored by relaxation and amide proton exchange with NMR. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2014, 1844, 520-526.	1.1	6
13	Long-range effects of tag sequence on marginally stabilized structure in HIV-1 p24 capsid protein monitored using NMR. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2014, 1844, 1638-1647.	1.1	0
14	Cell-free synthesis system suitable for disulfide-containing proteins. Biochemical and Biophysical Research Communications, 2013, 431, 296-301.	1.0	24
15	Structural Basis for Sequence-specific DNA Recognition by an Arabidopsis WRKY Transcription Factor. Journal of Biological Chemistry, 2012, 287, 7683-7691.	1.6	95
16	RING Domain Mutations Uncouple TRIM5α Restriction of HIV-1 from Inhibition of Reverse Transcription and Acceleration of Uncoating. Journal of Virology, 2012, 86, 1717-1727.	1.5	78
17	Structural insight into the interaction of ADPâ€ribose with the PARP WWE domains. FEBS Letters, 2012, 586, 3858-3864.	1.3	47
18	Active Intermediates of Polyhydroxyalkanoate Synthase from Aeromonas caviae in Polymerization Reaction. Biomacromolecules, 2012, 13, 3450-3455.	2.6	21

#	Article	IF	CITATIONS
19	Structural basis for the dual RNA-recognition modes of human Tra2-Î <sup>2</sup> RRM. Nucleic Acids Research, 2011, 39, 1538-1553.	6.5	62
20	ZF21 Protein, a Regulator of the Disassembly of Focal Adhesions and Cancer Metastasis, Contains a Novel Noncanonical Pleckstrin Homology Domain. Journal of Biological Chemistry, 2011, 286, 31598-31609.	1.6	14
21	Phosphatidylinositol monophosphate-binding interface in the oomycete RXLR effector AVR3a is required for its stability in host cells to modulate plant immunity. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 14682-14687.	3.3	141
22	The NMR solution structures of the five constituent cold-shock domains (CSD) of the human UNR (upstream of N-ras) protein. Journal of Structural and Functional Genomics, 2010, 11, 181-188.	1.2	14
23	Structural basis for the recognition of nucleophosmin-anaplastic lymphoma kinase oncoprotein by the phosphotyrosine binding domain of Suc1-associated neurotrophic factor-induced tyrosine-phosphorylated target-2. Journal of Structural and Functional Genomics, 2010, 11, 125-141.	1.2	5
24	Structural Insight into the Zinc Finger CW Domain as a Histone Modification Reader. Structure, 2010, 18, 1127-1139.	1.6	103
25	Solution structure of the RNA binding domain in the human muscleblindâ€like protein 2. Protein Science, 2009, 18, 80-91.	3.1	20
26	A new modeling method in feature construction for the HSQC spectra screening problem. Bioinformatics, 2009, 25, 948-953.	1.8	2
27	Solution structure of the GUCT domain from human RNA helicase II/Guβ reveals the RRM fold, but implausible RNA interactions. Proteins: Structure, Function and Bioinformatics, 2009, 74, 133-144.	1.5	11
28	NMR solution structures of actin depolymerizing factor homology domains. Protein Science, 2009, 18, 2384-2392.	3.1	43
29	Solution structure of the cysteineâ€rich domain in Fn14, a member of the tumor necrosis factor receptor superfamily. Protein Science, 2009, 18, 650-656.	3.1	26
30	Structural and Functional Characterization of the NHR1 Domain of the Drosophila Neuralized E3 Ligase in the Notch Signaling Pathway. Journal of Molecular Biology, 2009, 393, 478-495.	2.0	27
31	Structures and evolutionary origins of plant-specific transcription factor DNA-binding domains. Plant Physiology and Biochemistry, 2008, 46, 394-401.	2.8	80
32	Structural basis for controlling the dimerization and stability of the WW domains of an atypical subfamily. Protein Science, 2008, 17, 1531-1541.	3.1	8
33	Structure of the C-terminal Phosphotyrosine Interaction Domain of Fe65L1 Complexed with the Cytoplasmic Tail of Amyloid Precursor Protein Reveals a Novel Peptide Binding Mode. Journal of Biological Chemistry, 2008, 283, 27165-27178.	1.6	25
34	Structural and Functional Differences of SWIRM Domain Subtypes. Journal of Molecular Biology, 2007, 369, 222-238.	2.0	41
35	Solution structure of an atypical WW domain in a novel β-clam-like dimeric form. FEBS Letters, 2007, 581, 462-468.	1.3	33
36	Solution Structure of the SWIRM Domain of Human Histone Demethylase LSD1. Structure, 2006, 14, 457-468.	1.6	59

SATORU S WATANABE

#	Article	IF	CITATIONS
37	Crystal Structure of the RUN Domain of the RAP2-interacting Protein x. Journal of Biological Chemistry, 2006, 281, 31843-31853.	1.6	36
38	Solution structure of an RNA fragment with the P7/P9.0 region and the 3???-terminal guanosine of the Tetrahymena group I intron. Rna, 2002, 8, 440-451.	1.6	17
39	Interactions of a didomain fragment of the Drosophila sex-lethal protein with single-stranded uridine-rich oligoribonucleotides derived from the transformer and Sex-lethal messenger RNA precursors: NMR with residue-selective [5-2H]uridine substitutions. Journal of Biomolecular NMR, 2000. 17. 153-165.	1.6	4
40	NMR signal assignment of the polyuridine tract of the single-stranded RNA complexed with Sxl RBD1-RBD2 by using residue selective [5-2H]uridine substitutions. Nucleic Acids Symposium Series, 1999, 42, 203-204.	0.3	0
41	The guanosine binding mechanism of the Tetrahymena group I intron. Nucleic Acids Symposium Series, 1999, 42, 191-192.	0.3	1
42	Molecular cloning of the Lon protease gene fromThermus thermophilusHB8 and characterization of its gene product. FEBS Journal, 1999, 266, 811-819.	0.2	12
43	NMR Analysis of the Hydrogen Bonding Interactions of the RNA-Binding Domains of the Drosophila Sex-Lethal Protein with Target RNA Fragments with Site-Specific [3-15N]Uridine Substitutions. Nucleic Acids Research, 1997, 25, 1565-1569.	6.5	10
44	Hairpin Structure of an RNA 28-mer, Which Contains a Sequence of the Enzyme Component of a Hammerhead Ribozyme System: Evidence for Tandem G: A Pairs That Are Not of Side-by-Side Type. Journal of Biochemistry, 1997, 122, 556-562.	0.9	4
45	NMR Studies of the Effects of the 5â€~-Phosphate Group on Conformational Properties of 5-Methylaminomethyluridine Found in the First Position of the Anticodon ofEscherichia colitRNA4Argâ€. Biochemistry, 1996, 35, 6533-6538.	1.2	23
46	An RNA Fragment Consisting of the P7 and P9.0 Stems and the 3'-Terminal Guanosine of the Tetrahymena Group I Intron. Nucleic Acids Research, 1996, 24, 1337-1344.	6.5	7
47	The Use of theEscherichia coli Cell-Free Protein Synthesis for Structural Biology and Structural Proteomics. , 0, , 99-109.		6
48	1H, 13C, and 15N resonance assignments and solution structures of the KH domain of human ribosome binding factor A, mtRbfA, involved in mitochondrial ribosome biogenesis. Biomolecular NMR Assignments, 0, , .	0.4	1