

# Xiao-Wen Shi

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1578251/xiao-wen-shi-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118  
papers

4,228  
citations

39  
h-index

60  
g-index

124  
ext. papers

5,177  
ext. citations

8.1  
avg, IF

5.84  
L-index

#	Paper	IF	Citations
118	Emerging chitin and chitosan nanofibrous materials for biomedical applications. <i>Nanoscale</i> , <b>2014</b> , 6, 9477-93	7.93	262
117	Preparation, characterization and antimicrobial activity of chitosan/layered silicate nanocomposites. <i>Polymer</i> , <b>2006</b> , 47, 6738-6744	3.9	164
116	Facile preparation of robust and biocompatible chitin aerogels. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 5801		139
115	High strength films with gas-barrier fabricated from chitin solution dissolved at low temperature. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 1867-1874	13	125
114	A dynamic and self-crosslinked polysaccharide hydrogel with autonomous self-healing ability. <i>Soft Matter</i> , <b>2015</b> , 11, 3971-6	3.6	120
113	Highly cost-effective and high-strength hydrogels as dye adsorbents from natural polymers: chitosan and cellulose. <i>Polymer Chemistry</i> , <b>2017</b> , 8, 2913-2921	4.9	119
112	Controlled Co-delivery of Growth Factors through Layer-by-Layer Assembly of Core-Shell Nanofibers for Improving Bone Regeneration. <i>ACS Nano</i> , <b>2019</b> , 13, 6372-6382	16.7	116
111	Applications of chitin and chitosan nanofibers in bone regenerative engineering. <i>Carbohydrate Polymers</i> , <b>2020</b> , 230, 115658	10.3	106
110	Electroaddressing of Cell Populations by Co-Deposition with Calcium Alginate Hydrogels. <i>Advanced Functional Materials</i> , <b>2009</b> , 19, 2074-2080	15.6	101
109	Biomimetic Approach to Confer Redox Activity to Thin Chitosan Films. <i>Advanced Functional Materials</i> , <b>2010</b> , 20, 2683-2694	15.6	93
108	Recyclable <i>Saccharomyces cerevisiae</i> loaded nanofibrous mats with sandwich structure constructing via bio-electrospraying for heavy metal removal. <i>Journal of Hazardous Materials</i> , <b>2017</b> , 324, 365-372	12.8	88
107	A study of chitosan hydrogel with embedded mesoporous silica nanoparticles loaded by ibuprofen as a dual stimuli-responsive drug release system for surface coating of titanium implants. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2014</b> , 123, 657-63	6	82
106	N-doped hierarchically porous carbon for highly efficient metal-free catalytic activation of peroxymonosulfate in water: A non-radical mechanism. <i>Chemosphere</i> , <b>2019</b> , 216, 545-555	8.4	79
105	Chitosan to Connect Biology to Electronics: Fabricating the Bio-Device Interface and Communicating Across This Interface. <i>Polymers</i> , <b>2015</b> , 7, 1-46	4.5	74
104	Peroxymonosulfate activation for pollutants degradation by Fe-N-codoped carbonaceous catalyst: Structure-dependent performance and mechanism insight. <i>Chemical Engineering Journal</i> , <b>2019</b> , 369, 542-552	14.7	71
103	Pectin/lysozyme bilayers layer-by-layer deposited cellulose nanofibrous mats for antibacterial application. <i>Carbohydrate Polymers</i> , <b>2015</b> , 117, 687-693	10.3	69
102	Electrochemically stimulated drug release from dual stimuli responsive chitin hydrogel. <i>Journal of Materials Chemistry B</i> , <b>2013</b> , 1, 1729-1737	7.3	66

101	Construction of horizontal stratum landform-like composite foams and their methyl orange adsorption capacity. <i>Applied Surface Science</i> , <b>2017</b> , 397, 133-143	6.7	63
100	Enhanced physical and biological properties of silk fibroin nanofibers by layer-by-layer deposition of chitosan and rectorite. <i>Journal of Colloid and Interface Science</i> , <b>2018</b> , 523, 208-216	9.3	63
99	Trichloroacetic acid-modulated synthesis of polyoxometalate@UiO-66 for selective adsorption of cationic dyes. <i>Journal of Colloid and Interface Science</i> , <b>2018</b> , 516, 274-283	9.3	62
98	Layer-by-layer immobilization of quaternized carboxymethyl chitosan/organic rectorite and alginate onto nanofibrous mats and their antibacterial application. <i>Carbohydrate Polymers</i> , <b>2015</b> , 121, 428-35	10.3	62
97	Antibacterial hydrogel coating by electrophoretic co-deposition of chitosan/alkynyl chitosan. <i>Carbohydrate Polymers</i> , <b>2013</b> , 98, 1547-52	10.3	57
96	Homogeneous synthesis and characterization of quaternized chitin in NaOH/urea aqueous solution. <i>Carbohydrate Polymers</i> , <b>2012</b> , 87, 422-426	10.3	51
95	Coding for hydrogel organization through signal guided self-assembly. <i>Soft Matter</i> , <b>2014</b> , 10, 465-9	3.6	50
94	Electrochemical writing on edible polysaccharide films for intelligent food packaging. <i>Carbohydrate Polymers</i> , <b>2018</b> , 186, 236-242	10.3	49
93	Incorporating platelet-rich plasma into coaxial electrospun nanofibers for bone tissue engineering. <i>International Journal of Pharmaceutics</i> , <b>2018</b> , 547, 656-666	6.5	47
92	Chitin-based fast responsive pH sensitive microspheres for controlled drug release. <i>Carbohydrate Polymers</i> , <b>2014</b> , 102, 413-8	10.3	47
91	Chitin derived nitrogen-doped porous carbons with ultrahigh specific surface area and tailored hierarchical porosity for high performance supercapacitors. <i>Journal of Bioresources and Bioproducts</i> , <b>2021</b> , 6, 142-151	18.7	47
90	Layer-by-layer immobilization of amphoteric carboxymethyl chitosan onto biocompatible silk fibroin nanofibrous mats. <i>Carbohydrate Polymers</i> , <b>2019</b> , 210, 9-16	10.3	46
89	Chitosan-rectorite nanospheres embedded aminated polyacrylonitrile nanofibers via shoulder-to-shoulder electrospinning and electrospraying for enhanced heavy metal removal. <i>Applied Surface Science</i> , <b>2018</b> , 437, 294-303	6.7	45
88	Controllable immobilization of naringinase on electrospun cellulose acetate nanofibers and their application to juice debittering. <i>International Journal of Biological Macromolecules</i> , <b>2017</b> , 98, 630-636	7.9	44
87	Cooperative performance of chitin whisker and rectorite fillers on chitosan films. <i>Carbohydrate Polymers</i> , <b>2011</b> , 85, 747-752	10.3	44
86	Acrylic acid-grafted pre-plasma nanofibers for efficient removal of oil pollution from aquatic environment. <i>Journal of Hazardous Materials</i> , <b>2019</b> , 371, 165-174	12.8	43
85	Fabrication of cellulose nanofibers from waste brown algae and their potential application as milk thickeners. <i>Food Hydrocolloids</i> , <b>2018</b> , 79, 473-481	10.6	42
84	Chitosan-coated wires: conferring electrical properties to chitosan fibers. <i>Biomacromolecules</i> , <b>2009</b> , 10, 858-64	6.9	42

83	Construction of cellulose nanofibers/quaternized chitin/organic rectorite composites and their application as wound dressing materials. <i>Biomaterials Science</i> , <b>2019</b> , 7, 2571-2581	7.4	40
82	Bio-inspired redox-cycling antimicrobial film for sustained generation of reactive oxygen species. <i>Biomaterials</i> , <b>2018</b> , 162, 109-122	15.6	40
81	Chitosan/tannic acid bilayers layer-by-layer deposited cellulose nanofibrous mats for antibacterial application. <i>International Journal of Biological Macromolecules</i> , <b>2019</b> , 139, 191-198	7.9	39
80	Antimicrobial application of nanofibrous mats self-assembled with chitosan and epigallocatechin gallate. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2016</b> , 145, 643-652	6	39
79	Flexible Polysaccharide Hydrogel with pH-Regulated Recovery of Self-Healing and Mechanical Properties. <i>Macromolecular Materials and Engineering</i> , <b>2017</b> , 302, 1700221	3.9	38
78	Reagentless Protein Assembly Triggered by Localized Electrical Signals. <i>Advanced Materials</i> , <b>2009</b> , 21, 984-988	24	38
77	Core-shell Prussian blue analogues@ poly(m-phenylenediamine) as efficient peroxymonosulfate activators for degradation of Rhodamine B with reduced metal leaching. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 534, 586-594	9.3	38
76	Compartmentalized multilayer hydrogel formation using a stimulus-responsive self-assembling polysaccharide. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2014</b> , 6, 2948-57	9.5	37
75	Electro-molecular Assembly: Electrical Writing of Information into an Erasable Polysaccharide Medium. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 19780-6	9.5	36
74	Chitosan-rectorite nanospheres immobilized on polystyrene fibrous mats via alternate electrospinning/electrospraying techniques for copper ions adsorption. <i>Applied Surface Science</i> , <b>2017</b> , 426, 545-553	6.7	36
73	Adsorption of chromium (VI) on a novel quaternized chitosan resin. <i>Journal of Applied Polymer Science</i> , <b>2003</b> , 90, 505-510	2.9	35
72	Incorporating chitin derived glucosamine sulfate into nanofibers via coaxial electrospinning for cartilage regeneration. <i>Carbohydrate Polymers</i> , <b>2020</b> , 229, 115544	10.3	34
71	Recent advances in chitosan-based self-healing materials. <i>Research on Chemical Intermediates</i> , <b>2018</b> , 44, 4827-4840	2.8	33
70	Characterization and cytotoxicity study of nanofibrous mats incorporating rectorite and carbon nanotubes. <i>RSC Advances</i> , <b>2014</b> , 4, 33355	3.7	33
69	In-Film Bioprocessing and Immunoanalysis with Electroaddressable Stimuli-Responsive Polysaccharides. <i>Advanced Functional Materials</i> , <b>2010</b> , 20, 1645-1652	15.6	32
68	Electrical Programming of Soft Matter: Using Temporally Varying Electrical Inputs To Spatially Control Self Assembly. <i>Biomacromolecules</i> , <b>2018</b> , 19, 364-373	6.9	32
67	Preparation of magnetic and fluorescent bifunctional chitosan nanoparticles for optical determination of copper ion. <i>Mikrochimica Acta</i> , <b>2012</b> , 178, 413-419	5.8	31
66	Remote controlled drug release from multi-functional FeO/GO/Chitosan microspheres fabricated by an electro spray method. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2017</b> , 151, 354-362	6	30

65	Electrical signals guided entrapment and controlled release of antibiotics on titanium surface. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2013</b> , 101, 1373-8	5.4	30
64	Incorporation of lysozyme-rectorite composites into chitosan films for antibacterial properties enhancement. <i>International Journal of Biological Macromolecules</i> , <b>2017</b> , 102, 789-795	7.9	29
63	Adsorption of natural composite sandwich-like nanofibrous mats for heavy metals in aquatic environment. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 539, 533-544	9.3	29
62	Synthesis of polyimide-modified carbon nanotubes as catalyst for organic pollutant degradation via production of singlet oxygen with peroxymonosulfate without light irradiation. <i>Journal of Hazardous Materials</i> , <b>2020</b> , 382, 120993	12.8	29
61	Electrochemical deposition to construct a nature inspired multilayer chitosan/layered double hydroxides hybrid gel for stimuli responsive release of protein. <i>Journal of Materials Chemistry B</i> , <b>2015</b> , 3, 7577-7584	7.3	28
60	Electrodeposition of a biopolymeric hydrogel in track-etched micropores. <i>Soft Matter</i> , <b>2013</b> , 9, 2131	3.6	28
59	Injectable drug-loaded polysaccharide hybrid hydrogels for hemostasis.. <i>RSC Advances</i> , <b>2019</b> , 9, 36858-36866	9.7	27
58	Nitrogen doped microporous carbon nanospheres derived from chitin nanogels as attractive materials for supercapacitors.. <i>RSC Advances</i> , <b>2019</b> , 9, 10976-10982	3.7	26
57	An implantable and versatile piezoresistive sensor for the monitoring of human-machine interface interactions and the dynamical process of nerve repair. <i>Nanoscale</i> , <b>2019</b> , 11, 21103-21118	7.7	26
56	Electrofabrication: electrically based fabrication with biologically derived materials. <i>Biofabrication</i> , <b>2019</b> , 11, 032002	10.5	25
55	Removal of copper(II) from an aqueous solution with copper(II)-imprinted chitosan microspheres. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 128, 3631-3638	2.9	24
54	Protein addressing on patterned microchip by coupling chitosan electrodeposition and electro-click chemistry. <i>Biofabrication</i> , <b>2013</b> , 5, 041001	10.5	24
53	Electroassembly of Chitin Nanoparticles to Construct Freestanding Hydrogels and High Porous Aerogels for Wound Healing. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 34766-34776	9.5	23
52	Electrical signal guided click coating of chitosan hydrogel on conductive surface. <i>RSC Advances</i> , <b>2014</b> , 4, 13477	3.7	22
51	Production of thick uniform-coating films containing rectorite on nanofibers through the use of an automated coating machine. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2017</b> , 149, 271-279	6	21
50	Electrical Writing onto a Dynamically Responsive Polysaccharide Medium: Patterning Structure and Function into a Reconfigurable Medium. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1803139	15.6	20
49	Redox Is a Global Biodevice Information Processing Modality. <i>Proceedings of the IEEE</i> , <b>2019</b> , 107, 1402-1424	14.5	19
48	Electrochemically induced reversible formation of carboxymethyl chitin hydrogel and tunable protein release. <i>New Journal of Chemistry</i> , <b>2015</b> , 39, 1253-1259	3.6	19

47	Spherical and rodlike inorganic nanoparticle regulated the orientation of carbon nanotubes in polymer nanofibers. <i>Chemical Physics Letters</i> , <b>2016</b> , 650, 82-87	2.5	17
46	Preparation of novel magnetic and fluorescent CSBe <sub>3</sub> O <sub>4</sub> @CdSeS nanoparticles for simultaneous removal and optical determination of trace copper ions. <i>New Journal of Chemistry</i> , <b>2014</b> , 38, 6095-6102	3.6	16
45	Rectorite-intercalated nanoparticles for improving controlled release of doxorubicin hydrochloride. <i>International Journal of Biological Macromolecules</i> , <b>2017</b> , 101, 815-822	7.9	15
44	Low-temperature plasma treatment-assisted layer-by-layer self-assembly for the modification of nanofibrous mats. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 540, 535-543	9.3	15
43	Fusing Sensor Paradigms to Acquire Chemical Information: An Integrative Role for Smart Biopolymeric Hydrogels. <i>Advanced Healthcare Materials</i> , <b>2016</b> , 5, 2595-2616	10.1	15
42	Chitosan and collagen layer-by-layer assembly modified oriented nanofibers and their biological properties. <i>Carbohydrate Polymers</i> , <b>2021</b> , 254, 117438	10.3	15
41	Egg source natural proteins LBL modified cellulose nanofibrous mats and their cellular compatibility. <i>Carbohydrate Polymers</i> , <b>2019</b> , 213, 329-337	10.3	14
40	Electrodeposition to construct mechanically robust chitosan-based multi-channel conduits. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2018</b> , 163, 412-418	6	14
39	Efficient incorporation of diverse components into metal organic frameworks via metal phenolic networks. <i>Chemical Communications</i> , <b>2017</b> , 53, 10831-10834	5.8	13
38	Electrodeposition to construct free-standing chitosan/layered double hydroxides hydro-membrane for electrically triggered protein release. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2017</b> , 158, 474-479	6	13
37	Pore volume and distribution regulation of highly nanoporous titanium dioxide nanofibers and their photovoltaic properties. <i>Journal of Colloid and Interface Science</i> , <b>2017</b> , 490, 74-83	9.3	13
36	Facile preparation of magnetic metal organic frameworks core-shell nanoparticles for stimuli-responsive drug carrier. <i>Nanotechnology</i> , <b>2017</b> , 28, 495601	3.4	12
35	Pectin based composite nanofabrics incorporated with layered silicate and their cytotoxicity. <i>International Journal of Biological Macromolecules</i> , <b>2016</b> , 93, 123-130	7.9	12
34	Emerging chitin nanogels/rectorite nanocomposites for safe and effective hemorrhage control. <i>Journal of Materials Chemistry B</i> , <b>2019</b> , 7, 5096-5103	7.3	12
33	Electrochemical synthesis of chitosan/silver nanoparticles multilayer hydrogel coating with pH-dependent controlled release capability and antibacterial property. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2021</b> , 202, 111711	6	12
32	Electrical Writing Induced Covalent Cross-Linking on Hydrogel for Multidimensional Structural Information Storage. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 36538-36547	9.5	11
31	Catechol-chitosan redox capacitor for added amplification in electrochemical immunoanalysis. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2018</b> , 169, 470-477	6	10
30	Electrical cuing of chitosan's mesoscale organization. <i>Reactive and Functional Polymers</i> , <b>2020</b> , 148, 1044926	9	9

29	Catechol-Based Capacitor for Redox-Linked Bioelectronics. <i>ACS Applied Electronic Materials</i> , <b>2019</b> , 1, 1337-1347	4	9
28	Hydrogel Patterning with Catechol Enables Networked Electron Flow. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2007709	15.6	9
27	Structure-, dimension-, and particle size-engineering toward highly efficient supported nanoparticulate metal catalysts. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 18561-18570	13	9
26	Antimicrobial activity and cytotoxicity of nanofibrous mats immobilized with polysaccharides-rectorite based nanogels. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2015</b> , 133, 370-7	6	8
25	Wire templated electrodeposition of vessel-like structured chitosan hydrogel by using a pulsed electrical signal. <i>Soft Matter</i> , <b>2020</b> , 16, 9471-9478	3.6	8
24	Studies on interaction and illumination damage of CS-Fe <sub>3</sub> O <sub>4</sub> @ZnS:Mn to bovine serum albumin. <i>Journal of Nanoparticle Research</i> , <b>2013</b> , 15, 1	2.3	7
23	TiO <sub>2</sub> /rectorite-trapped cellulose composite nanofibrous mats for multiple heavy metal adsorption. <i>International Journal of Biological Macromolecules</i> , <b>2021</b> , 183, 245-253	7.9	7
22	A simple mechanical agitation method to fabricate chitin nanogels directly from chitin solution and subsequent surface modification. <i>Journal of Materials Chemistry B</i> , <b>2019</b> , 7, 2226-2232	7.3	7
21	Janus Fibrous Mats Based Suspended Type Evaporator for Salt Resistant Solar Desalination and Salt Recovery.. <i>Small</i> , <b>2022</b> , e2107156	11	6
20	Electrodeposition of Polysaccharide and Protein Hydrogels for Biomedical Applications. <i>Current Medicinal Chemistry</i> , <b>2020</b> , 27, 2610-2630	4.3	6
19	Presence of nano-sized chitosan-layered silicate composites protects against toxicity induced by lead ions. <i>Carbohydrate Polymers</i> , <b>2017</b> , 158, 1-10	10.3	5
18	Catechol-Based Molecular Memory Film for Redox Linked Bioelectronics. <i>Advanced Electronic Materials</i> , <b>2020</b> , 6, 2000452	6.4	5
17	Electrofabrication of flexible and mechanically strong tubular chitosan implants for peripheral nerve regeneration. <i>Journal of Materials Chemistry B</i> , <b>2021</b> , 9, 5537-5546	7.3	5
16	Removal of Cu <sup>2+</sup> from aqueous solution by Chitosan/Rectorite nanocomposite microspheres. <i>Desalination and Water Treatment</i> , <b>2014</b> , 52, 5883-5890		4
15	Diffusion-layer-free air cathode based on ionic conductive hydrogel for microbial fuel cells. <i>Science of the Total Environment</i> , <b>2020</b> , 743, 140836	10.2	4
14	One-step electrochemically induced counterion exchange to construct free-standing carboxylated cellulose nanofiber/metal composite hydrogels. <i>Carbohydrate Polymers</i> , <b>2021</b> , 254, 117464	10.3	4
13	Electrical Writing to Three-Dimensional Pattern Dynamic Polysaccharide Hydrogel for Programmable Shape Deformation. <i>Macromolecular Rapid Communications</i> , <b>2021</b> , 42, e2000342	4.8	4
12	A multifunctional dual-shell magnetic nanocomposite with near-infrared light response for synergistic chemo-thermal tumor therapy. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2021</b> , 109, 841-852	3.5	3

11	Antifatigue Hydration-Induced Polysaccharide Hydrogel Actuators Inspired by Crab Joint Wrinkles.. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2022</b> ,	9.5	2
10	Ion-responsive chitosan hydrogel actuator inspired by carrotwood seed pod. <i>Carbohydrate Polymers</i> , <b>2022</b> , 276, 118759	10.3	2
9	Hollow chitosan hydrogel tube with controllable wrinkled pattern via film-to-tube fabrication.. <i>Carbohydrate Polymers</i> , <b>2022</b> , 287, 119333	10.3	2
8	Carboxymethyl chitosan assembled piezoelectric biosensor for rapid and label-free quantification of immunoglobulin Y.. <i>Carbohydrate Polymers</i> , <b>2022</b> , 290, 119482	10.3	2
7	One-step programmable electrofabrication of chitosan asymmetric hydrogels with 3D shape deformation. <i>Carbohydrate Polymers</i> , <b>2022</b> , 277, 118888	10.3	1
6	Chitosan-based recyclable composite aerogels for the photocatalytic degradation of rhodamine B. <i>Carbohydrate Polymers</i> , <b>2021</b> , 273, 118559	10.3	1
5	Toward scalable fabrication of electrochemical paper sensor without surface functionalization. <i>Npj Flexible Electronics</i> , <b>2022</b> , 6,	10.7	1
4	One-step electrodeposition of Janus chitosan coating for metallic implants with anti-corrosion properties. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2022</b> , 641, 128498	5.1	0
3	Highly sensitive formaldehyde sensors based on CuO/ZnO composite nanofibrous mats using porous cellulose acetate fibers as templates.. <i>International Journal of Biological Macromolecules</i> , <b>2022</b> , 206, 653-660	7.9	0
2	Antibacterial and antioxidant chitosan nanoparticles improve the preservation effect for donor kidneys in vitro.. <i>Carbohydrate Polymers</i> , <b>2022</b> , 287, 119326	10.3	0
1	Electrodeposition induced covalent cross-linking of chitosan for electrofabrication of hydrogel contact lenses. <i>Carbohydrate Polymers</i> , <b>2022</b> , 292, 119678	10.3	0