

Toshihiro Miyata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1578499/publications.pdf>

Version: 2024-02-01

61
papers

3,343
citations

117571

34
h-index

138417

58
g-index

61
all docs

61
docs citations

61
times ranked

2917
citing authors

#	ARTICLE	IF	CITATIONS
1	High-Efficiency Cu ₂ O-Based Heterojunction Solar Cells Fabricated Using a Ga ₂ O ₃ Thin Film as N-Type Layer. Applied Physics Express, 2013, 6, 044101.	1.1	257
2	High-Efficiency Oxide Solar Cells with ZnO/Cu ₂ O Heterojunction Fabricated on Thermally Oxidized Cu ₂ O Sheets. Applied Physics Express, 2011, 4, 062301.	1.1	233
3	Present status and future prospects for development of non- or reduced-indium transparent conducting oxide thin films. Thin Solid Films, 2008, 517, 1474-1477.	0.8	181
4	Heterojunction solar cell with 6% efficiency based on an n-type aluminum-gallium-oxide thin film and p-type sodium-doped Cu ₂ O sheet. Applied Physics Express, 2015, 8, 022301.	1.1	157
5	Efficiency enhancement using a Zn _{1-x} Ge _x O thin film as an n-type window layer in Cu ₂ O-based heterojunction solar cells. Applied Physics Express, 2016, 9, 052301.	1.1	152
6	Effect of ZnO film deposition methods on the photovoltaic properties of ZnO-Cu ₂ O heterojunction devices. Thin Solid Films, 2006, 494, 47-52.	0.8	143
7	High rate deposition of transparent conducting oxide thin films by vacuum arc plasma evaporation. Thin Solid Films, 2002, 416, 92-96.	0.8	119
8	Preparation of Al-doped ZnO transparent electrodes suitable for thin-film solar cell applications by various types of magnetron sputtering depositions. Thin Solid Films, 2011, 520, 1400-1406.	0.8	93
9	High-Luminance Green Zn ₂ SiO ₄ :Mn Thin-Film Electroluminescent Devices Using an Insulating BaTiO ₃ Ceramic Sheet. Japanese Journal of Applied Physics, 1991, 30, L117-L119.	0.8	92
10	High-Efficiency Oxide Heterojunction Solar Cells Using Cu ₂ O Sheets. Japanese Journal of Applied Physics, 2004, 43, L917-L919.	0.8	91
11	Low resistivity polycrystalline ZnO:Al thin films prepared by pulsed laser deposition. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2004, 22, 1757-1762.	0.9	91
12	Stability of transparent conducting oxide films for use at high temperatures. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1999, 17, 1822-1826.	0.9	88
13	Origin of electrical property distribution on the surface of ZnO:Al films prepared by magnetron sputtering. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2000, 18, 1584-1589.	0.9	87
14	Transparent conducting ZnO thin films deposited by vacuum arc plasma evaporation. Thin Solid Films, 2003, 445, 268-273.	0.8	86
15	Transparent conducting V-co-doped AZO thin films prepared by magnetron sputtering. Thin Solid Films, 2003, 434, 14-19.	0.8	80
16	Cu ₂ O-based heterojunction solar cells with an Al-doped ZnO/oxide semiconductor/thermally oxidized Cu ₂ O sheet structure. Solar Energy, 2014, 105, 206-217.	2.9	79
17	Electrical and optical properties of TCO-Cu ₂ O heterojunction devices. Thin Solid Films, 2004, 469-470, 80-85.	0.8	73
18	The impact of heterojunction formation temperature on obtainable conversion efficiency in n-ZnO/p-Cu ₂ O solar cells. Thin Solid Films, 2013, 528, 72-76.	0.8	70

#	ARTICLE	IF	CITATIONS
19	Effect of thickness on the stability of transparent conducting impurity-doped ZnO thin films in a high humidity environment. <i>Physica Status Solidi - Rapid Research Letters</i> , 2007, 1, R31-R33.	1.2	68
20	Comparative study of resistivity characteristics between transparent conducting AZO and GZO thin films for use at high temperatures. <i>Thin Solid Films</i> , 2010, 518, 2937-2940.	0.8	68
21	New Transparent Conducting Al-doped ZnO Film Preparation Techniques for Improving Resistivity Distribution in Magnetron Sputtering Deposition. <i>Japanese Journal of Applied Physics</i> , 2006, 45, L409-L412.	0.8	67
22	Impact of incorporating sodium into polycrystalline p-type Cu ₂ O for heterojunction solar cell applications. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	50
23	Cu ₂ O-based solar cells using oxide semiconductors. <i>Journal of Semiconductors</i> , 2016, 37, 014002.	2.0	50
24	Effect of target properties on transparent conducting impurity-doped ZnO thin films deposited by DC magnetron sputtering. <i>Thin Solid Films</i> , 2010, 519, 385-390.	0.8	48
25	Electrical Conduction Mechanism of Highly Transparent and Conductive ZnO Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 2001, 666, 131.	0.1	47
26	Improvements of spatial resistivity distribution in transparent conducting Al-doped ZnO thin films deposited by DC magnetron sputtering. <i>Thin Solid Films</i> , 2010, 518, 2984-2987.	0.8	45
27	New transparent conducting thin films using multicomponent oxides composed of ZnO and V ₂ O ₅ prepared by magnetron sputtering. <i>Thin Solid Films</i> , 2002, 411, 76-81.	0.8	43
28	Stability of nano-thick transparent conducting oxide films for use in a moist environment. <i>Thin Solid Films</i> , 2008, 516, 1354-1358.	0.8	42
29	Mn-Activated CaO-Ga ₂ O ₃ Phosphors for Thin-Film Electroluminescent Devices. <i>Japanese Journal of Applied Physics</i> , 1997, 36, L1191-L1194.	0.8	39
30	Effect of inserting a thin buffer layer on the efficiency in n-ZnO/p-Cu ₂ O heterojunction solar cells. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2012, 30, .	0.9	39
31	Relationship between the electrical properties of the n-oxide and p-Cu ₂ O layers and the photovoltaic properties of Cu ₂ O-based heterojunction solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 147, 85-93.	3.0	39
32	Efficiency improvement of Cu ₂ O-based heterojunction solar cells fabricated using thermally oxidized copper sheets. <i>Thin Solid Films</i> , 2014, 559, 105-111.	0.8	38
33	Transparent conducting Al-doped ZnO thin films prepared by magnetron sputtering with dc and rf powers applied in combination. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2007, 25, 1172-1177.	0.9	36
34	Electrochemically deposited Cu ₂ O thin films on thermally oxidized Cu ₂ O sheets for solar cell applications. <i>Solar Energy Materials and Solar Cells</i> , 2016, 155, 405-410.	3.0	36
35	Stability in a high humidity environment of TCO thin films deposited at low temperatures. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2008, 205, 255-260.	0.8	35
36	Effect of inserting a buffer layer on the characteristics of transparent conducting impurity-doped ZnO thin films prepared by dc magnetron sputtering. <i>Thin Solid Films</i> , 2010, 519, 1587-1593.	0.8	34

#	ARTICLE	IF	CITATIONS
37	Highly transparent and conductive ZnO:Al thin films prepared by vacuum arc plasma evaporation. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2004, 22, 1711-1715.	0.9	32
38	Blue PL and EL emissions from Bi-activated binary oxide thin-film phosphors. <i>Thin Solid Films</i> , 2010, 518, 3067-3070.	0.8	28
39	High-rate deposition of ZnO thin films by vacuum arc plasma evaporation. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2003, 21, 1404-1408.	0.9	24
40	New Materials Consisting of Multicomponent Oxides for Thin-Film Gas Sensors. <i>Journal of the Electrochemical Society</i> , 1997, 144, 2432-2436.	1.3	20
41	p-type semiconducting Cu ₂ O-CoO thin films prepared by magnetron sputtering. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2003, 21, 1336-1341.	0.9	20
42	Resistivity characteristics of transparent conducting impurity-doped ZnO films for use in oxidizing environments at high temperatures. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2010, 28, 861-866.	0.9	19
43	P-type semiconducting Cu ₂ O-NiO thin films prepared by magnetron sputtering. <i>Journal of Materials Science</i> , 2006, 41, 5531-5537.	1.7	18
44	Influence of the kind and content of doped impurities on impurity-doped ZnO transparent electrode applications in thin-film solar cells. <i>Thin Solid Films</i> , 2013, 534, 426-431.	0.8	18
45	Photovoltaic properties of low-damage magnetron-sputtered n-type ZnO thin film/p-type Cu ₂ O sheet heterojunction solar cells. <i>Thin Solid Films</i> , 2020, 697, 137825.	0.8	17
46	Impurity-doped ZnO Thin Films Prepared by Physical Deposition Methods Appropriate for Transparent Electrode Applications in Thin-film Solar Cells. <i>IOP Conference Series: Materials Science and Engineering</i> , 2012, 34, 012001.	0.3	16
47	Ozone gas sensors with high sensitivity using Zn ₂ In ₂ O ₅ -MgIn ₂ O ₄ multicomponent oxide thin films. <i>Surface and Coatings Technology</i> , 2000, 126, 219-224.	2.2	14
48	Photoluminescent and electroluminescent characteristics of various Bi-activated niobate-based oxide phosphor thin films. <i>Thin Solid Films</i> , 2009, 517, 6054-6057.	0.8	14
49	Color control of emissions from rare earth-co-doped La ₂ O ₃ :Bi phosphor thin films prepared by magnetron sputtering. <i>Thin Solid Films</i> , 2011, 519, 8095-8099.	0.8	13
50	Influence of rapid thermal annealing on surface texture-etched Al-doped ZnO films prepared by various magnetron sputtering methods. <i>Thin Solid Films</i> , 2012, 520, 3803-3807.	0.8	13
51	Optical and electrical properties of transparent conducting B-doped ZnO thin films prepared by various deposition methods. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2011, 29, .	0.9	12
52	Transparent conducting Si-codoped Al-doped ZnO thin films prepared by magnetron sputtering using Al-doped ZnO powder targets containing SiC. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2009, 27, 1001-1005.	0.9	11
53	Efficiency enhanced solar cells with a Cu ₂ O homojunction grown epitaxially on p-Cu ₂ O:Na sheets by electrochemical deposition. <i>MRS Communications</i> , 2016, 6, 416-420.	0.8	11
54	PL and EL Characteristics in New Blue Emitting La ₂ O ₃ :Bi Phosphor Thin Films. <i>ECS Transactions</i> , 2009, 16, 39-45.	0.3	9

#	ARTICLE	IF	CITATIONS
55	Textured surface structures formed using new techniques on transparent conducting Al-doped zinc oxide films prepared by magnetron sputtering. <i>Thin Solid Films</i> , 2016, 614, 56-61.	0.8	9
56	Preparation of Mn-activated yttrium germanate phosphor thin films for electroluminescent devices. <i>Thin Solid Films</i> , 2003, 425, 35-40.	0.8	7
57	Transparent conducting impurity-doped ZnO thin films prepared using oxide targets sintered by millimeter-wave heating. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2009, 27, 1006-1011.	0.9	7
58	Effect of spatial relationship between arc plasma and substrate on the properties of transparent conducting Ga-doped ZnO thin films prepared by vacuum arc plasma evaporation. <i>Thin Solid Films</i> , 2009, 517, 6824-6828.	0.8	5
59	Luminescent characteristics in blue-emitting Bi-activated multicomponent oxide phosphor thin films. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2010, 28, C2B56-C2B61.	0.6	4
60	Blue-violet phosphate phosphor thin films for EL. <i>Thin Solid Films</i> , 2006, 496, 174-178.	0.8	3
61	Electron Scattering from Disordered Grain Boundaries in Degenerate Polycrystalline Al-doped ZnO Thin Films. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1700783.	0.8	3