
Ibrahim Kocayigit

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1579050/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Body composition monitor measurement technique for the detection of volume status in peritoneal dialysis patients: the effect of abdominal fullness. International Urology and Nephrology, 2011, 43, 1195-1199.	1.4	25
2	Clinical and laboratory findings in mad honey poisoning: A single center experience. Nigerian Journal of Clinical Practice, 2014, 17, 589.	0.6	18
3	The Effect of Admission Creatinine Levels on One-Year Mortality in Acute Myocardial Infarction. Scientific World Journal, The, 2012, 2012, 1-5.	2.1	17
4	Characteristics and outcomes of critically ill patients with covid-19 in Sakarya, Turkey: a single centre cohort study. Turkish Journal of Medical Sciences, 2021, 51, 440-447.	0.9	17
5	Neutrophil-to-lymphocyte ratio in occlusive vascular diseases: the literature review of the past 10 years. World Journal of Emergency Medicine, 2016, 7, 165.	1.0	14
6	Spontaneous rectus sheath hematoma during rivaroxaban therapy. Indian Journal of Pharmacology, 2014, 46, 339.	0.7	13
7	Impact of antihypertensive agents on clinical course and in-hospital mortality: analysis of 169 hypertensive patients hospitalized for COVID-19. Revista Da Associação Médica Brasileira, 2020, 66, 71-76.	0.7	12
8	Acute coronary syndrome due to diclofenac potassium induced anaphylaxis: two Kounis syndrome variants in the same patient. Anatolian Journal of Cardiology, 2011, 11, 88-9.	0.4	10
9	Clopidogrel-induced spontaneous pectoral hematoma. Indian Journal of Pharmacology, 2012, 44, 526.	0.7	10
10	Atrıal fıbrıllatıon due to olanzapıne overdose. Clinical Toxicology, 2011, 49, 440-440.	1.9	9
11	Short and Midterm Outcomes in Patients With Acute Myocardial Infarction: Results of the Nationwide TURKMI Registry. Angiology, 2021, 72, 339-347.	1.8	8
12	Platelet-to-lymphocyte ratio but not neutrophil-to-lymphocyte ratio predicts high on-treatment platelet reactivity in clopidogrel-treated patients with acute coronary syndrome. Indian Journal of Pharmacology, 2016, 48, 355.	0.7	8
13	A case of esophageal leiomyoma causing left atrial compression. Ecological Management and Restoration, 2010, 23, E16-E16.	0.4	4
14	Changes in Serum Natriuretic Peptide Levels after Percutaneous Closure of Small to Moderate Ventricular Septal Defects. Scientific World Journal, The, 2012, 2012, 1-5.	2.1	3
15	Dynamic thiol/disulphide homeostasis in patients with hypertrophic cardiomyopathy. Herz, 2021, 46, 164-171.	1.1	3
16	IS Trans-Radial Approach Related to an Increased RisK of RAdiation Exposure In Patients Who Underwent Diagnostic CoronaRY Angiography or Percutaneous Coronary Intervention? (The SAKARYA) Tj ETQq0 () 0. gBT /C)værlock 10
17	Relation Between Serum Asymmetric Dimethylarginine Levels and Radial Artery Spasm. Anatolian Journal of Cardiology, 2020, 23, 228-232.	0.9	3

18Increased cardio-ankle vascular index values in patients with acute branch retinal vein occlusion.1.1318Indian Journal of Ophthalmology, 2020, 68, 868.1.13

IBRAHIM KOCAYIGIT

#	Article	IF	CITATIONS
19	An investigation of pulse transit time as a blood pressure measurement method in patients undergoing carotid artery stenting. Blood Pressure Monitoring, 2016, 21, 168-170.	0.8	2
20	Residual SYNTAX score can predict short- and long-term outcomes in patients with STEMI. Cor Et Vasa, 2018, 60, e345-e351.	0.1	2
21	Hematological biomarkers for predicting carotid artery vasospasm during carotid stenting. Archives of Medical Sciences Atherosclerotic Diseases, 2020, 5, 206-211.	1.0	2
22	Electrocardiographic ST segment changes due to the mad honey intoxication. Indian Journal of Critical Care Medicine, 2013, 17, 192-193.	0.9	1
23	Undeployed and uncrushed coronary stent in the proximal region of the normal left anterior descending artery revealed four years after intervention. Postepy W Kardiologii Interwencyjnej, 2015, 3, 256-257.	0.2	1
24	Does contralateral carotid artery occlusion affect the clinical and long-term outcomes of carotid artery stenting?. Archives of Medical Sciences Atherosclerotic Diseases, 2020, 5, 13-19.	1.0	1
25	Evaluation of cardiac parameters between survivors and nonsurvivors of COVID-19 patients. Revista Da Associação Médica Brasileira, 2021, 67, 80-85.	0.7	1
26	An Unusual Type of Localized Hypertrophic Cardiomyopathy With Wolf Parkinson White Syndrome Presenting With Pulmonary Edema. Cardiology Research, 2012, 3, 133-136.	1.1	1
27	OP-203 [AJC » Interventions for peripheral arterial diseases] Endovascular Treatment of Pseudoaneurysm. American Journal of Cardiology, 2017, 119, e63-e64.	1.6	0
28	Totally occluded left main coronary artery originating from right coronary artery in a patient presenting with STEMI and cardiogenic shock. Archives of Medical Sciences Atherosclerotic Diseases, 2019, 4, 16-18.	1.0	0
29	IN-HOSPITAL AND SHORT-TERM OUTCOMES OF ENDOVASCULAR TREATMENT IN PATIENTS WITH ACUTE THROMBOEMBOLIC OCCLUSION OF THE SUPERİOR MESENTERİC ARTERY. Pakistan Heart Journal, 2021, 54, 186-190.	0.0	0
30	Hipertansiyon Hastalarında Sistolik Kan Basıncı Değişkenliği ve Kardiyovasküler Riskin Vekil Belirteç Arasındaki İlişki. Konuralp Tip Dergisi, 2021, 13, 628-633.	leri 0.3	0
31	Alteration of serum biomarkers in patients with hypertrophic cardiomyopathy with and without atrial fibrillation. Biomarkers in Medicine, 2021, 15, 1131-1142.	1.4	0
32	Percutaneous angioplasty for the treatment of thrombosed hemodialysis fistulas: A single center experience with 1-year follow-up Turk Kardiyoloji Dernegi Arsivi, 2020, 48, 754-759.	0.5	0
33	A novel technique for treatment of visceral artery pseudoaneurysm: Selective arterial embolization with cut-inflated-deflated balloon Anatolian Journal of Cardiology, 2020, 24, 56-59.	0.9	0
34	Incidance, Treatment Options and Outcomes of Stent Loss During Percutaneous Coronary Intervention: A Single-Center Experience. Sakarya Medical Journal, 0, , .	0.1	0
35	SIMULTANEOUS BILATERAL CAROTID STENTING: A SINGLE CENTRE EXPERIENCE. Pakistan Heart Journal, 2020, 53, .	0.0	0