

Graham K Murray

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1579140/graham-k-murray-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

5,281
citations

39
h-index

69
g-index

150
ext. papers

6,141
ext. citations

5.6
avg, IF

5.33
L-index

#	Paper	IF	Citations
131	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study.. <i>Schizophrenia Bulletin</i> , 2022 ,	1.3	1
130	Acute psychosis following propofol in a patient with Parkinson's disease: effects of a GABA-dopamine imbalance.. <i>Psychiatry and Clinical Neurosciences</i> , 2022 ,	6.2	0
129	Precision weighting of cortical unsigned prediction error signals benefits learning, is mediated by dopamine, and is impaired in psychosis. <i>Molecular Psychiatry</i> , 2021 , 26, 5320-5333	15.1	14
128	Neural Circuitry of Salience and Reward Processing in Psychosis. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		1
127	Arts-based methods for hallucination research. <i>Cognitive Neuropsychiatry</i> , 2021 , 1-20	2	0
126	The impact of the COVID-19 pandemic on mental health in the general population: a comparison between Germany and the UK. <i>BMC Psychology</i> , 2021 , 9, 60	2.8	26
125	The progression of disorder-specific brain pattern expression in schizophrenia over 9 years. <i>NPJ Schizophrenia</i> , 2021 , 7, 32	5.5	1
124	Subjective Impact of the COVID-19 Pandemic on Schizotypy and General Mental Health in Germany and the United Kingdom, for Independent Samples in May and in October 2020. <i>Frontiers in Psychology</i> , 2021 , 12, 667848	3.4	2
123	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 623-633	6.9	15
122	Inflammatory and cardiometabolic markers at presentation with first episode psychosis and long-term clinical outcomes: A longitudinal study using electronic health records. <i>Brain, Behavior, and Immunity</i> , 2021 , 91, 117-127	16.6	3
121	GWAS of peptic ulcer disease implicates <i>Helicobacter pylori</i> infection, other gastrointestinal disorders and depression. <i>Nature Communications</i> , 2021 , 12, 1146	17.4	20
120	Grey and white matter microstructure is associated with polygenic risk for schizophrenia. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
119	Towards Deciphering the Fetal Foundation of Normal Cognition and Cognitive Symptoms From Sulcation of the Cortex. <i>Frontiers in Neuroanatomy</i> , 2021 , 15, 712862	3.6	2
118	Evidence in cortical folding patterns for prenatal predispositions to hallucinations in schizophrenia. <i>Translational Psychiatry</i> , 2020 , 10, 387	8.6	9
117	Altered subcortical emotional salience processing differentiates Parkinson's patients with and without psychotic symptoms. <i>NeuroImage: Clinical</i> , 2020 , 27, 102277	5.3	3
116	Reinforcement learning as an intermediate phenotype in psychosis? Deficits sensitive to illness stage but not associated with polygenic risk of schizophrenia in the general population. <i>Schizophrenia Research</i> , 2020 , 222, 389-396	3.6	4
115	Author's reply. <i>British Journal of Psychiatry</i> , 2020 , 217, 458	5.4	

114	Influence of prior beliefs on perception in early psychosis: Effects of illness stage and hierarchical level of belief. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 581-598	7	9
113	Dopaminergic drug treatment remediates exaggerated cingulate prediction error responses in obsessive-compulsive disorder. <i>Psychopharmacology</i> , 2019 , 236, 2325-2336	4.7	17
112	Meta-analytic Evidence for the Plurality of Mechanisms in Transdiagnostic Structural MRI Studies of Hallucination Status. <i>EClinicalMedicine</i> , 2019 , 8, 57-71	11.3	13
111	Severe mood disorders and schizophrenia in the adult offspring of antenatally depressed mothers in the Northern Finland 1966 Birth Cohort: Relationship to parental severe mental disorder. <i>Journal of Affective Disorders</i> , 2019 , 249, 63-72	6.6	7
110	Reward anticipation in individuals with subclinical psychotic experiences: A functional MRI approach. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1374-1385	1.2	
109	Novel genome-wide associations for anhedonia, genetic correlation with psychiatric disorders, and polygenic association with brain structure. <i>Translational Psychiatry</i> , 2019 , 9, 327	8.6	28
108	Towards a Unifying Cognitive, Neurophysiological, and Computational Neuroscience Account of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1092-1100	1.3	32
107	Polygenic Risk Score for Schizophrenia and Face-Processing Network in Young Adulthood. <i>Schizophrenia Bulletin</i> , 2019 , 45, 835-845	1.3	5
106	Cost Evaluation During Decision-Making in Patients at Early Stages of Psychosis. <i>Computational Psychiatry</i> , 2019 , 3, 18-39	3.8	10
105	SmokinThot: adolescent smoking and the risk of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 5-14	6.5	27
104	Adolescent cannabis use, baseline prodromal symptoms and the risk of psychosis. <i>British Journal of Psychiatry</i> , 2018 , 212, 227-233	5.4	43
103	Cognition, psychosis risk and metabolic measures in two adolescent birth cohorts. <i>Psychological Medicine</i> , 2018 , 48, 2609-2623	6.9	5
102	Abnormal reward prediction-error signalling in antipsychotic naive individuals with first-episode psychosis or clinical risk for psychosis. <i>Neuropsychopharmacology</i> , 2018 , 43, 1691-1699	8.7	27
101	Antipsychotic and benzodiazepine use and brain morphology in schizophrenia and affective psychoses - Systematic reviews and birth cohort study. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 281, 43-52	2.9	0
100	Brain responses to different types of salience in antipsychotic naive first episode psychosis: An fMRI study. <i>Translational Psychiatry</i> , 2018 , 8, 196	8.6	13
99	Adolescent inhalant use and psychosis risk - a prospective longitudinal study. <i>Schizophrenia Research</i> , 2018 , 201, 360-366	3.6	10
98	Lifetime antipsychotic medication and cognitive performance in schizophrenia at age 43 years in a general population birth cohort. <i>Psychiatry Research</i> , 2017 , 247, 130-138	9.9	46
97	Long-term antipsychotic and benzodiazepine use and brain volume changes in schizophrenia: The Northern Finland Birth Cohort 1966 study. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 266, 73-82	2.9	12

96	Early adversity and brain response to faces in young adulthood. <i>Human Brain Mapping</i> , 2017 , 38, 4470-4478	5.8	9
95	Long-term antipsychotic use and brain changes in schizophrenia - a systematic review and meta-analysis. <i>Human Psychopharmacology</i> , 2017 , 32, e2574	2.3	50
94	Default Mode Network Aberrant Connectivity Associated with Neurological Soft Signs in Schizophrenia Patients and Unaffected Relatives. <i>Frontiers in Psychiatry</i> , 2017 , 8, 298	5	17
93	Lifetime use of psychiatric medications and cognition at 43years of age in schizophrenia in the Northern Finland Birth Cohort 1966. <i>European Psychiatry</i> , 2017 , 45, 50-58	6	7
92	Serum C-reactive protein in adolescence and risk of schizophrenia in adulthood: A prospective birth cohort study. <i>Brain, Behavior, and Immunity</i> , 2017 , 59, 253-259	16.6	78
91	Adolescent Major Depressive Disorder: Neuroimaging Evidence of Sex Difference during an Affective Go/No-Go Task. <i>Frontiers in Psychiatry</i> , 2017 , 8, 119	5	12
90	Cortical and Striatal Reward Processing in Parkinson's Disease Psychosis. <i>Frontiers in Neurology</i> , 2017 , 8, 156	4.1	3
89	Aberrant brain responses to emotionally valent words is normalised after cognitive behavioural therapy in female depressed adolescents. <i>Journal of Affective Disorders</i> , 2016 , 189, 54-61	6.6	11
88	Brain structural deficits and working memory fMRI dysfunction in young adults who were diagnosed with ADHD in adolescence. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 529-38	5.5	20
87	Smoking in pregnancy, adolescent mental health and cognitive performance in young adult offspring: results from a matched sample within a Finnish cohort. <i>BMC Psychiatry</i> , 2016 , 16, 430	4.2	17
86	Brain structural changes in women and men during midlife. <i>Neuroscience Letters</i> , 2016 , 615, 107-12	3.3	10
85	Predictors of Long-Term Change in Adult Cognitive Performance: Systematic Review and Data from the Northern Finland Birth Cohort 1966. <i>Clinical Neuropsychologist</i> , 2016 , 30, 17-50	4.4	4
84	Abnormal Frontostriatal Activity During Unexpected Reward Receipt in Depression and Schizophrenia: Relationship to Anhedonia. <i>Neuropsychopharmacology</i> , 2016 , 41, 2001-10	8.7	47
83	Aberrant Functional Connectivity in the Default Mode and Central Executive Networks in Subjects with Schizophrenia - A Whole-Brain Resting-State ICA Study. <i>Frontiers in Psychiatry</i> , 2015 , 6, 26	5	35
82	Common childhood neurodevelopmental disorders are associated with increased risk of psychotic experiences in early adolescence. <i>Evidence-Based Mental Health</i> , 2015 , 18, 51	11.1	2
81	Longitudinal regional brain volume loss in schizophrenia: Relationship to antipsychotic medication and change in social function. <i>Schizophrenia Research</i> , 2015 , 168, 297-304	3.6	40
80	Interaction between parental psychosis and early motor development and the risk of schizophrenia in a general population birth cohort. <i>European Psychiatry</i> , 2015 , 30, 719-27	6	18
79	Changes in verbal learning and memory in schizophrenia and non-psychotic controls in midlife: A nine-year follow-up in the Northern Finland Birth Cohort study 1966. <i>Psychiatry Research</i> , 2015 , 228, 671-9	9.9	10

78	Functional mapping of dynamic happy and fearful facial expressions in young adults with familial risk for psychosis - Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015 , 164, 242-9	3.6	12
77	Cerebellar activity in young people with familial risk for psychosis--The Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015 , 169, 46-53	3.6	7
76	Behavioural and molecular endophenotypes in psychotic disorders reveal heritable abnormalities in glutamatergic neurotransmission. <i>Translational Psychiatry</i> , 2015 , 5, e540	8.6	9
75	Neurocognition as a predictor of outcome in schizophrenia in the Northern Finland Birth Cohort 1966. <i>Schizophrenia Research: Cognition</i> , 2015 , 2, 113-119	2.8	9
74	Poor premorbid school performance, but not severity of illness, predicts cognitive decline in schizophrenia in midlife. <i>Schizophrenia Research: Cognition</i> , 2015 , 2, 120-126	2.8	8
73	Association between Dopamine Receptor D2 (DRD2) Variations rs6277 and rs1800497 and Cognitive Performance According to Risk Type for Psychosis: A Nested Case Control Study in a Finnish Population Sample. <i>PLoS ONE</i> , 2015 , 10, e0127602	3.7	8
72	Reduction in ventral striatal activity when anticipating a reward in depression and schizophrenia: a replicated cross-diagnostic finding. <i>Frontiers in Psychology</i> , 2015 , 6, 1280	3.4	73
71	Hedonic and disgust taste perception in borderline personality disorder and depression. <i>British Journal of Psychiatry</i> , 2015 , 207, 79-80	5.4	13
70	Central executive network in young people with familial risk for psychosis--the Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015 , 161, 177-83	3.6	9
69	Response initiation in young adults at risk for psychosis in the Northern Finland 1986 Birth Cohort. <i>Cognitive Neuropsychiatry</i> , 2014 , 19, 226-40	2	1
68	Brain structure in different psychosis risk groups in the Northern Finland 1986 birth cohort. <i>Schizophrenia Research</i> , 2014 , 153, 143-9	3.6	14
67	Lifetime use of antipsychotic medication and its relation to change of verbal learning and memory in midlife schizophrenia - An observational 9-year follow-up study. <i>Schizophrenia Research</i> , 2014 , 158, 134-41	3.6	57
66	Associations between brain morphology and outcome in schizophrenia in a general population sample. <i>European Psychiatry</i> , 2014 , 29, 456-62	6	12
65	Effects of methamphetamine administration on information gathering during probabilistic reasoning in healthy humans. <i>PLoS ONE</i> , 2014 , 9, e102683	3.7	23
64	Brain structural signatures of negative symptoms in depression and schizophrenia. <i>Frontiers in Psychiatry</i> , 2014 , 5, 116	5	21
63	Linking the developmental and degenerative theories of schizophrenia: association between infant development and adult cognitive decline. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1319-27	1.3	15
62	Longitudinal associations between childhood and adulthood externalizing and internalizing psychopathology and adolescent substance use. <i>Psychological Medicine</i> , 2014 , 44, 1727-38	6.9	94
61	Difficulty in making contact with others and social withdrawal as early signs of psychosis in adolescents--the Northern Finland Birth Cohort 1986. <i>European Psychiatry</i> , 2014 , 29, 345-51	6	10

60	Longitudinal changes in total brain volume in schizophrenia: relation to symptom severity, cognition and antipsychotic medication. <i>PLoS ONE</i> , 2014 , 9, e101689	3.7	68
59	Young people at risk for psychosis: case finding and sample characteristics of the Oulu Brain and Mind Study. <i>Microbial Biotechnology</i> , 2013 , 7, 146-54	3.3	26
58	Default mode network in young people with familial risk for psychosis--the Oulu Brain and Mind study. <i>Schizophrenia Research</i> , 2013 , 143, 239-45	3.6	18
57	Methamphetamine-induced disruption of frontostriatal reward learning signals: relation to psychotic symptoms. <i>American Journal of Psychiatry</i> , 2013 , 170, 1326-34	11.9	38
56	Verbal learning and memory and their associations with brain morphology and illness course in schizophrenia spectrum psychoses. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012 , 34, 698-713	7.1	7
55	Early detection and intervention evaluation for people at risk of psychosis: multisite randomised controlled trial. <i>BMJ, The</i> , 2012 , 344, e2233	5.9	209
54	Neuregulin-1 genotype is associated with structural differences in the normal human brain. <i>NeuroImage</i> , 2012 , 59, 2057-61	7.9	23
53	No association of COMT (Val158Met) genotype with brain structure differences between men and women. <i>PLoS ONE</i> , 2012 , 7, e33964	3.7	18
52	Effects of modafinil on emotional processing in first episode psychosis. <i>Biological Psychiatry</i> , 2011 , 69, 457-64	7.9	28
51	Is prematurity associated with adult cognitive outcome and brain structure?. <i>Pediatric Neurology</i> , 2011 , 44, 12-20	2.9	12
50	Early detection and intervention evaluation for people at high-risk of psychosis-2 (EDIE-2): trial rationale, design and baseline characteristics. <i>Microbial Biotechnology</i> , 2011 , 5, 24-32	3.3	53
49	Administrative incidence of psychosis assessed in an early intervention service in England: first epidemiological evidence from a diverse, rural and urban setting. <i>Psychological Medicine</i> , 2011 , 41, 949-58	6.9	39
48	Different vulnerability indicators for psychosis and their neuropsychological characteristics in the Northern Finland 1986 Birth Cohort. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011 , 33, 385-94	2.1	16
47	Successful learning in schizophrenia, functional neuroimaging studies, and theoretical considerations. <i>Schizophrenia Bulletin</i> , 2010 , 36, 463-4	1.3	
46	Morphometric brain abnormalities in schizophrenia in a population-based sample: relationship to duration of illness. <i>Schizophrenia Bulletin</i> , 2010 , 36, 766-77	1.3	69
45	Are there valid subtypes of schizophrenia? A grade of membership analysis. <i>Psychopathology</i> , 2010 , 43, 53-62	3.4	10
44	Schizophrenia in the offspring of antenatally depressed mothers in the northern Finland 1966 birth cohort: relationship to family history of psychosis. <i>American Journal of Psychiatry</i> , 2010 , 167, 70-7	11.9	47
43	Association between duration of untreated psychosis and brain morphology in schizophrenia within the Northern Finland 1966 Birth Cohort. <i>Schizophrenia Research</i> , 2010 , 123, 145-52	3.6	31

42	The neural underpinnings of associative learning in health and psychosis: how can performance be preserved when brain responses are abnormal?. <i>Schizophrenia Bulletin</i> , 2010 , 36, 465-71	1.3	40
41	The influence of temperament on symptoms and functional outcome in people with psychosis in the Northern Finland 1966 Birth Cohort. <i>European Psychiatry</i> , 2010 , 25, 26-32	6	14
40	The relevance of reward pathways for schizophrenia. <i>Current Opinion in Psychiatry</i> , 2010 , 23, 91-6	4.9	61
39	Learning and cognitive flexibility: frontostriatal function and monoaminergic modulation. <i>Current Opinion in Neurobiology</i> , 2010 , 20, 199-204	7.6	280
38	The brain structural disposition to social interaction. <i>European Journal of Neuroscience</i> , 2009 , 29, 2247-53	5.5	61
37	Illusions and delusions: relating experimentally-induced false memories to anomalous experiences and ideas. <i>Frontiers in Behavioral Neuroscience</i> , 2009 , 3, 53	3.5	33
36	Substantia nigra/ventral tegmental reward prediction error disruption in psychosis. <i>Molecular Psychiatry</i> , 2008 , 13, 239, 267-76	15.1	376
35	How dopamine dysregulation leads to psychotic symptoms? Abnormal mesolimbic and mesostriatal prediction error signalling in psychosis. <i>Molecular Psychiatry</i> , 2008 , 13, 239-239	15.1	92
34	Associations between early development and outcome in schizophrenia--A 35-year follow-up of the Northern Finland 1966 Birth Cohort. <i>Schizophrenia Research</i> , 2008 , 99, 29-37	3.6	9
33	Reinforcement and reversal learning in first-episode psychosis. <i>Schizophrenia Bulletin</i> , 2008 , 34, 848-55	1.3	122
32	Individual differences in psychotic effects of ketamine are predicted by brain function measured under placebo. <i>Journal of Neuroscience</i> , 2008 , 28, 6295-303	6.6	67
31	Association of cannabis use with prodromal symptoms of psychosis in adolescence. <i>British Journal of Psychiatry</i> , 2008 , 192, 470-1	5.4	66
30	Incentive motivation in first-episode psychosis: a behavioural study. <i>BMC Psychiatry</i> , 2008 , 8, 34	4.2	45
29	Infant developmental milestones and subsequent cognitive function. <i>Annals of Neurology</i> , 2007 , 62, 128-36	3.4	97
28	Disrupted prediction-error signal in psychosis: evidence for an associative account of delusions. <i>Brain</i> , 2007 , 130, 2387-400	11.2	304
27	Substance use in a population-based clinic sample of people with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007 , 190, 515-20	5.4	211
26	Psychological effects of ketamine in healthy volunteers. Phenomenological study. <i>British Journal of Psychiatry</i> , 2006 , 189, 173-9	5.4	170
25	Frontal responses during learning predict vulnerability to the psychotogenic effects of ketamine: linking cognition, brain activity, and psychosis. <i>Archives of General Psychiatry</i> , 2006 , 63, 611-21		146

24	Fronto-cerebellar systems are associated with infant motor and adult executive functions in healthy adults but not in schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 15651-6	11.5	121
23	Infant motor development and adult cognitive functions in schizophrenia. <i>Schizophrenia Research</i> , 2006 , 81, 65-74	3.6	47
22	Infant motor development is associated with adult cognitive categorisation in a longitudinal birth cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2006 , 47, 25-9	7.9	113
21	Risk factors for schizophrenia. Follow-up data from the Northern Finland 1966 Birth Cohort Study. <i>World Psychiatry</i> , 2006 , 5, 168-71	14.4	16
20	What causes the onset of psychosis?. <i>Schizophrenia Research</i> , 2005 , 79, 23-34	3.6	137
19	Predictors of schizophrenia: evidence from the Northern Finland 1966 Birth Cohort and other sources. <i>British Journal of Psychiatry</i> , 2005 , 48, s4-7	5.4	29
18	Infant developmental milestones: a 31-year follow-up. <i>Developmental Medicine and Child Neurology</i> , 2005 , 47, 581-586	3.3	51
17	What happens to semantic memory when formal thought disorder remits? Revisiting a case study. <i>Cognitive Neuropsychiatry</i> , 2005 , 10, 57-71	2	11
16	Predictors of schizophrenia--a review. <i>British Medical Bulletin</i> , 2005 , 73-74, 1-15	5.4	100
15	Infant developmental milestones: a 31-year follow-up. <i>Developmental Medicine and Child Neurology</i> , 2005 , 47, 581	3.3	31
14	Infant developmental milestones: a 31-year follow-up. <i>Developmental Medicine and Child Neurology</i> , 2005 , 47, 581-6	3.3	38
13	Medical records: Doctors and patients' experiences of copying letters to patients. <i>Psychiatric Bulletin</i> , 2004 , 28, 40-42		24
12	Spontaneous improvement in severe, chronic schizophrenia and its neuropsychological correlates. <i>British Journal of Psychiatry</i> , 2004 , 184, 357-8	5.4	3
11	Developmental precursors of psychosis. <i>Current Psychiatry Reports</i> , 2004 , 6, 168-75	9.1	14
10	The persistence of developmental markers in childhood and adolescence and risk for schizophrenic psychoses in adult life. A 34-year follow-up of the Northern Finland 1966 birth cohort. <i>Schizophrenia Research</i> , 2004 , 71, 213-25	3.6	49
9	Copying letters to patients. Psychiatrists omit information from letters when they know patients will be sent copies. <i>BMJ, The</i> , 2003 , 326, 449	5.9	9
8	Prenatal exposure to influenza epidemics and risk of mental retardation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1995 , 245, 255-9	5.1	15
7	Prenatal exposure to influenza and the development of schizophrenia: is the effect confined to females?. <i>American Journal of Psychiatry</i> , 1994 , 151, 117-9	11.9	82

6	Schizophrenia following pre-natal exposure to influenza epidemics between 1939 and 1960. <i>British Journal of Psychiatry</i> , 1992 , 160, 461-6	5.4	221
5	Jumping To Conclusions, General Intelligence, And Psychosis Liability: Findings From The Multi-Centre EU-GEI Case-Control Study		1
4	Abnormal reward prediction error signalling in antipsychotic naïve individuals with first episode psychosis or clinical risk for psychosis		1
3	Novel genome-wide associations for anhedonia, genetic correlation with psychiatric disorders, and polygenic association with brain structure		1
2	Volumetric Segmentation and Characterisation of the Paracingulate Sulcus on MRI Scans		2
1	Benefits and risks of off label use of antipsychotics in insomnia and anxiety IAPSY Oulu project. <i>Nordic Journal of Psychiatry</i> ,1-1	2.3	