Donald M Dawes

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1579949/donald-m-dawes-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 33 | 752 | 18 | 27 |
|-------------------|--------------------|--------------------|-----------------|
| papers | citations | h-index | g-index |
| 35 ext. papers | 793 ext. citations | 2.1 avg, IF | 3.49 L-index |

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 33 | A comparison of three conducted electrical weapons in a surrogate swine cardiac safety model. Journal of Clinical Forensic and Legal Medicine, 2021 , 77, 102088 | 1.7 | 1 |
| 32 | The physiologic effects of a new generation conducted electrical weapon on human volunteers at rest. <i>Forensic Science, Medicine, and Pathology,</i> 2020 , 16, 406-414 | 1.5 | 3 |
| 31 | A comparative study of conducted electrical weapon incapacitation during a goal-directed task. <i>Forensic Science, Medicine, and Pathology</i> , 2020 , 16, 613-621 | 1.5 | 4 |
| 30 | The neurocognitive effects of a conducted electrical weapon compared to high intensity interval training and alcohol intoxication - implications for Miranda and consent. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2018 , 53, 51-57 | 1.7 | 2 |
| 29 | Commentary on: Gibbons J, Mojica A, Peele M. Human electrical muscular incapacitation and effects on QTc interval. J Forensic Sci https://doi.org/10.1111/1556-4029.13490. Epub 2017 April 17. Journal of Forensic Sciences, 2017 , 62, 1418-1419 | 1.8 | |
| 28 | Effect of simulated resistance, fleeing, and use of force on standardized field sobriety testing. <i>Medicine, Science and the Law,</i> 2015 , 55, 208-15 | 1.1 | 1 |
| 27 | The neurocognitive effects of simulated use-of-force scenarios. <i>Forensic Science, Medicine, and Pathology,</i> 2014 , 10, 9-17 | 1.5 | 19 |
| 26 | Reply to Strote, Lay person use of conducted electrical weapon research. Forensic Sci. Int. volume (2014) page XX-XX. <i>Forensic Science International</i> , 2014 , 238, e21-2 | 2.6 | 1 |
| 25 | An evaluation of two conducted electrical weapons using a swine comparative cardiac safety model. <i>Forensic Science, Medicine, and Pathology</i> , 2014 , 10, 329-35 | 1.5 | 5 |
| 24 | Physiologic effects of a new-generation conducted electrical weapon on human volunteers. <i>Journal of Emergency Medicine</i> , 2014 , 46, 428-35 | 1.5 | 17 |
| 23 | Markers of acidosis and stress in a sprint versus a conducted electrical weapon. <i>Forensic Science International</i> , 2013 , 233, 84-9 | 2.6 | 12 |
| 22 | An Incident-Level Profile of TASER Device Deployments in Arrest-Related Deaths. <i>Police Quarterly</i> , 2013 , 16, 85-112 | 2.4 | 30 |
| 21 | Excited delirium syndrome (ExDS): treatment options and considerations. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2012 , 19, 117-21 | 1.7 | 48 |
| 20 | Conducted electrical weapon incapacitation during a goal-directed task as a function of probe spread. <i>Forensic Science, Medicine, and Pathology</i> , 2012 , 8, 358-66 | 1.5 | 32 |
| 19 | TASER electronic control devices and eye injuries. <i>Documenta Ophthalmologica</i> , 2012 , 124, 157-9 | 2.2 | 7 |
| 18 | Absence of electrocardiographic change after prolonged application of a conducted electrical weapon in physically exhausted adults. <i>Journal of Emergency Medicine</i> , 2011 , 41, 466-72 | 1.5 | 15 |
| 17 | TASER device-induced rhabdomyolysis is unlikely. <i>Journal of Emergency Medicine</i> , 2011 , 40, 68-9; author reply 69 | 1.5 | 8 |

LIST OF PUBLICATIONS

| 16 | Response to "Acute agitated delirious state associated with TASER exposure". <i>Journal of the National Medical Association</i> , 2011 , 103, 986-8 | 2.3 | 2 |
|----|---|-----|----|
| 15 | Commentary on: Jauchem J. Increased hematocrit after applications of conducted energy weapons (including TASER devices) to Sus scrofa. J Forensic Sci 2011;56 (S1): S229-33. <i>Journal of Forensic Sciences</i> , 2011 , 56, 1078 | 1.8 | 5 |
| 14 | The respiratory, metabolic, and neuroendocrine effects of a new generation electronic control device. <i>Forensic Science International</i> , 2011 , 207, 55-60 | 2.6 | 32 |
| 13 | The effect of an electronic control device on muscle injury as determined by creatine kinase enzyme. <i>Forensic Science, Medicine, and Pathology</i> , 2011 , 7, 3-8 | 1.5 | 23 |
| 12 | Human cardiovascular effects of a new generation conducted electrical weapon. <i>Forensic Science International</i> , 2011 , 204, 50-7 | 2.6 | 52 |
| 11 | Electrical characteristics of an electronic control device under a physiologic load: a brief report. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, 330-6 | 1.6 | 22 |
| 10 | Acidosis and catecholamine evaluation following simulated law enforcement "use of force" encounters. <i>Academic Emergency Medicine</i> , 2010 , 17, e60-8 | 3.4 | 63 |
| 9 | Echocardiographic evaluation of TASER X26 probe deployment into the chests of human volunteers. <i>American Journal of Emergency Medicine</i> , 2010 , 28, 49-55 | 2.9 | 39 |
| 8 | Physiologic effects of prolonged conducted electrical weapon discharge in ethanol-intoxicated adults. <i>American Journal of Emergency Medicine</i> , 2010 , 28, 582-7 | 2.9 | 19 |
| 7 | The cardiovascular, respiratory, and metabolic effects of a long duration electronic control device exposure in human volunteers. <i>Forensic Science, Medicine, and Pathology</i> , 2010 , 6, 268-74 | 1.5 | 35 |
| 6 | The physiologic effects of multiple simultaneous electronic control device discharges. <i>Western Journal of Emergency Medicine</i> , 2010 , 11, 49-56 | 3.3 | 24 |
| 5 | Lactate and pH evaluation in exhausted humans with prolonged TASER X26 exposure or continued exertion. <i>Forensic Science International</i> , 2009 , 190, 80-6 | 2.6 | 38 |
| 4 | Prolonged TASER use on exhausted humans does not worsen markers of acidosis. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 413-8 | 2.9 | 50 |
| 3 | 15-Second conducted electrical weapon exposure does not cause core temperature elevation in non-environmentally stressed resting adults. <i>Forensic Science International</i> , 2008 , 176, 253-7 | 2.6 | 32 |
| 2 | Echocardiographic evaluation of a TASER-X26 application in the ideal human cardiac axis. <i>Academic Emergency Medicine</i> , 2008 , 15, 838-44 | 3.4 | 47 |
| 1 | Respiratory effect of prolonged electrical weapon application on human volunteers. <i>Academic Emergency Medicine</i> , 2007 , 14, 197-201 | 3.4 | 61 |