

Liyong Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1580629/publications.pdf>

Version: 2024-02-01

29
papers

501
citations

687363

13
h-index

677142

22
g-index

29
all docs

29
docs citations

29
times ranked

1036
citing authors

#	ARTICLE	IF	CITATIONS
1	Identifying differential regulatory control of <i>APOE</i> ϵ 4 on African versus European haplotypes as potential therapeutic targets. <i>Alzheimer's and Dementia</i> , 2022, 18, 1930-1942.	0.8	12
2	Increased <i>APOE</i> ϵ 4 expression is associated with the difference in Alzheimer's disease risk from diverse ancestral backgrounds. <i>Alzheimer's and Dementia</i> , 2021, 17, 1179-1188.	0.8	33
3	Derivation of stem cell line LIMI028-A-2 containing a CRISPR/Cas9 induced Alzheimer's disease risk variant p.S1038C in the TTC3 gene. <i>Stem Cell Research</i> , 2021, 52, 102258.	0.7	7
4	Linkage of Alzheimer disease families with Puerto Rican ancestry identifies a chromosome 9 locus. <i>Neurobiology of Aging</i> , 2021, 104, 115.e1-115.e7.	3.1	4
5	Derivation of a CRISPR genome edited stem cell line containing a risk variant in TTC3. <i>Alzheimer's and Dementia</i> , 2021, 17 Suppl 3, e056331.	0.8	0
6	Extreme Phenotype Approach Suggests Taste Transduction Pathway for Carotid Plaque in a Multi-Ethnic Cohort. <i>Stroke</i> , 2020, 51, 2761-2769.	2.0	4
7	Rejuvenation of Senescent Endothelial Progenitor Cells by Extracellular Vesicles Derived From Mesenchymal Stromal Cells. <i>JACC Basic To Translational Science</i> , 2020, 5, 1127-1141.	4.1	19
8	Targeted sequencing of linkage region in Dominican families implicates PRIMA1 and the SPATA7-PTPN21-ZC3H14-EML5-TTC8 locus in carotid-intima media thickness and atherosclerotic events. <i>Scientific Reports</i> , 2019, 9, 11621.	3.3	0
9	Transcriptomic analysis of synovial extracellular RNA following knee trauma: A pilot study. <i>Journal of Orthopaedic Research</i> , 2018, 36, 1659-1665.	2.3	11
10	Genome-wide scan in Hispanics highlights candidate loci for brain white matter hyperintensities. <i>Neurology: Genetics</i> , 2017, 3, e185.	1.9	11
11	DNA methylation predicts stroke outcome better. <i>Neurology</i> , 2017, 89, 758-759.	1.1	4
12	DNA variants in <i>CACNA1C</i> modify Parkinson disease risk only when vitamin D level is deficient. <i>Neurology: Genetics</i> , 2016, 2, e72.	1.9	11
13	Regional Differential Genetic Response of Human Articular Cartilage to Impact Injury. <i>Cartilage</i> , 2016, 7, 163-173.	2.7	4
14	Sirtuin/Uncoupling Protein Gene Variants and Carotid Plaque Area and Morphology. <i>International Journal of Stroke</i> , 2015, 10, 1247-1252.	5.9	16
15	<i>PARK10</i> is a major locus for sporadic neuropathologically confirmed Parkinson disease. <i>Neurology</i> , 2015, 84, 972-980.	1.1	48
16	Vitamin D from different sources is inversely associated with Parkinson disease. <i>Movement Disorders</i> , 2015, 30, 560-566.	3.9	61
17	Genetic variants in LEKR1 and GALNT10 modulate sex-difference in carotid intima-media thickness: A genome-wide interaction study. <i>Atherosclerosis</i> , 2015, 240, 462-467.	0.8	20
18	Sequencing of candidate genes in Dominican families implicates both rare exonic and common non-exonic variants for carotid intima-media thickness at bifurcation. <i>Human Genetics</i> , 2015, 134, 1127-1138.	3.8	5

#	ARTICLE	IF	CITATIONS
19	Relationship between sirtuin and mitochondrial uncoupling protein genes and carotid artery stiffness. <i>Translational Research</i> , 2015, 165, 358-359.	5.0	3
20	Genome-Wide Interaction Study Identifies RCBTB1 as a Modifier for Smoking Effect on Carotid Intima-Media Thickness. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 219-225.	2.4	16
21	Novel genetic variants modify the effect of smoking on carotid plaque burden in Hispanics. <i>Journal of the Neurological Sciences</i> , 2014, 344, 27-31.	0.6	13
22	High-Resolution Survey in Familial Parkinson Disease Genes Reveals Multiple Independent Copy Number Variation Events in PARK2. <i>Human Mutation</i> , 2013, 34, 1071-1074.	2.5	13
23	Follow-up association study of linkage regions reveals multiple candidate genes for carotid plaque in Dominicans. <i>Atherosclerosis</i> , 2012, 223, 177-183.	0.8	17
24	Fine Mapping Study Reveals Novel Candidate Genes for Carotid Intima-Media Thickness in Dominican Republican Families. <i>Circulation: Cardiovascular Genetics</i> , 2012, 5, 234-241.	5.1	21
25	A Candidate Gene Study Revealed Sex-Specific Association Between the <i>OLR1</i> Gene and Carotid Plaque. <i>Stroke</i> , 2011, 42, 588-592.	2.0	40
26	A Comprehensive Genetic Study on Left Atrium Size in Caribbean Hispanics Identifies Potential Candidate Genes in 17p10. <i>Circulation: Cardiovascular Genetics</i> , 2010, 3, 386-392.	5.1	16
27	Genomewide Linkage and Peakwide Association Analyses of Carotid Plaque in Caribbean Hispanics. <i>Stroke</i> , 2010, 41, 2750-2756.	2.0	33
28	Heritability and Linkage Analysis for Carotid Intima-Media Thickness. <i>Stroke</i> , 2009, 40, 2307-2312.	2.0	52
29	Novel quantitative trait locus is mapped to chromosome 12p11 for left ventricular mass in Dominican families: the Family Study of Stroke Risk and Carotid Atherosclerosis. <i>BMC Medical Genetics</i> , 2009, 10, 74.	2.1	7