
Ahmet Inanir

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1581123/publications.pdf Version: 2024-02-01



Δημετ Ινιλνία

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | IL-4 and MTHFR gene polymorphism in rheumatoid arthritis and their effects. Immunology Letters, 2013, 152, 104-108. | 2.5 | 23 |
| 2 | Comparison of Reflexology and Connective Tissue Manipulation in Participants with Primary Dysmenorrhea. Journal of Alternative and Complementary Medicine, 2016, 22, 38-44. | 2.1 | 21 |
| 3 | Significant association of interleukin-4 gene intron 3 VNTR polymorphism with susceptibility to knee osteoarthritis. Gene, 2014, 537, 6-9. | 2.2 | 20 |
| 4 | Aquaporin-1 and Aquaporin-3 Expressions in the Intervertebral Disc of Rats with Aging. Balkan Medical Journal, 2012, 29, 349-353. | 0.8 | 19 |
| 5 | Frequency of fragmented QRS on ECG is increased in patients with rheumatoid arthritis without cardiovascular disease: a pilot study. Modern Rheumatology, 2012, 22, 238-242. | 1.8 | 18 |
| 6 | Association of IL-4 gene VNTR variant with deep venous thrombosis in Behçet's disease and its effect on ocular involvement. Molecular Vision, 2013, 19, 675-83. | 1.1 | 18 |
| 7 | The importance of association between angiotensin-converting enzyme (ACE) Gene I/D polymorphism and diabetic peripheral neuropathy. Gene, 2013, 530, 253-256. | 2.2 | 17 |
| 8 | Clinical symptoms in fibromyalgia are associated to catechol <i>-O-</i> methyltransferase (<i>COMT</i>) gene Val158Met polymorphism. Xenobiotica, 2014, 44, 952-956. | 1.1 | 15 |
| 9 | Angiotensin converting enzyme and methylenetetrahydrofolate reductase gene variations in fibromyalgia syndrome. Gene, 2015, 564, 188-192. | 2.2 | 15 |
| 10 | Association of MEFV Gene Mutations with Rheumatoid Factor Levels in Patients with Rheumatoid Arthritis. Journal of Investigative Medicine, 2013, 61, 593-596. | 1.6 | 12 |
| 11 | MTHFRGene C677T Mutation andACEGene I/D Polymorphism in Turkish Patients with Osteoarthritis. Disease Markers, 2013, 34, 17-22. | 1.3 | 11 |
| 12 | Agomelatine Protection in an LPS-Induced Psychosis-Relevant Behavior Model. Medical Science Monitor, 2015, 21, 3834-3839. | 1,1 | 11 |
| 13 | Clinical significance of NCOA5 gene rs2903908 polymorphism in Behçet's disease. EXCLI Journal, 2017, 16, 609-617. | 0.7 | 8 |
| 14 | The role of IL-4 gene 70bp VNTR and ACE gene I/D variants in Familial Mediterranean fever. Cytokine, 2014, 67, 1-6. | 3.2 | 7 |
| 15 | Significant association between insertion/deletion polymorphism of the angiotensin-convertig enzyme gene and ankylosing spondylitis. Molecular Vision, 2012, 18, 2107-13. | 1.1 | 7 |
| 16 | MTHFR gene C677T mutation and ACE gene I/D polymorphism in Turkish patients with osteoarthritis. Disease Markers, 2013, 34, 17-22. | 1.3 | 7 |
| 17 | The investigation of association between <i>ILâ€1Ra</i> and <i>ACE</i> I/D polymorphisms in carpal tunnel syndrome. Journal of Clinical Laboratory Analysis, 2018, 32, . | 2.1 | 2 |
| 18 | Influence of ESR1 Variants on Clinical Characteristics and Fibromyalgia Syndrome in Turkish Women. Endocrine, Metabolic and Immune Disorders - Drug Targets, 2021, 21, 1326-1332. | 1.2 | 2 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Molecular Analysis of Genetic Variation in Angiotensin I-Converting Enzyme Gene in Turkish Athletes. International Journal of Human Genetics, 2014, 14, 101-105. | 0.1 | 1 |
| 20 | Spatial modelling of rheumatoid arthritis in Turkey by geographic information systems (GIS). Rheumatology International, 2013, 33, 2803-2810. | 3.0 | 0 |