

Wim van den Brink

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1581475/wim-van-den-brink-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177
papers

4,856
citations

36
h-index

63
g-index

183
ext. papers

6,346
ext. citations

5.2
avg, IF

5.96
L-index

#	Paper	IF	Citations
177	Self-Medication of ADHD Symptoms: Does Caffeine Have a Role?. <i>Frontiers in Psychiatry</i> , 2022 , 13, 813545		0
176	Monitoring Opioids in Europe: The Need for Shared Definitions and Measuring Drivers of Opioid Use and Related Harms.. <i>European Addiction Research</i> , 2022 , 1-9	4.6	1
175	What lessons from Europe's experience could be applied in the United States in response to the opioid addiction and overdose crisis?. <i>Addiction</i> , 2022 , 117, 1197-1198	4.6	1
174	Nitrous oxide-induced reproductive risks: Should recreational nitrous oxide users worry?. <i>Journal of Psychopharmacology</i> , 2022 , 2698811221077194	4.6	0
173	Psychedelics for the treatment of depression, anxiety, and existential distress in patients with a terminal illness: a systematic review. <i>Psychopharmacology</i> , 2021 , 239, 15	4.7	4
172	Genomic relationships across psychiatric disorders including substance use disorders. <i>Drug and Alcohol Dependence</i> , 2021 , 220, 108535	4.9	10
171	Genetic correlates of socio-economic status influence the pattern of shared heritability across mental health traits. <i>Nature Human Behaviour</i> , 2021 , 5, 1065-1073	12.8	13
170	Explaining the Differences in Opioid Overdose Deaths between Scotland and England/Wales: Implications for European Opioid Policies. <i>European Addiction Research</i> , 2021 , 27, 399-412	4.6	4
169	Effect of Methylphenidate on Resting-State Connectivity in Adolescents With a Disruptive Behavior Disorder: A Double-Blind Randomized Placebo-Controlled fMRI Study. <i>Frontiers in Psychiatry</i> , 2021 , 12, 662652	5	1
168	Cognitive impairment following clinical or recreational use of gamma-hydroxybutyric acid (GHB). A systematic review. <i>Current Neuropharmacology</i> , 2021 ,	7.6	3
167	Harm related to recreational ketamine use and its relevance for the clinical use of ketamine. A systematic review and comparison study. <i>Expert Opinion on Drug Safety</i> , 2021 , 1-12	4.1	4
166	Use characteristics and harm potential of ecstasy in The Netherlands. <i>Drugs: Education, Prevention and Policy</i> , 2021 , 28, 107-117	1.2	0
165	Smoking and the risk for bipolar disorder: evidence from a bidirectional Mendelian randomisation study. <i>British Journal of Psychiatry</i> , 2021 , 218, 88-94	5.4	28
164	Is Europe facing an opioid crisis like the United States? An analysis of opioid use and related adverse effects in 19 European countries between 2010 and 2018. <i>European Psychiatry</i> , 2021 , 64, e47	6	7
163	Developing a new national MDMA policy: Results of a multi-decision multi-criterion decision analysis. <i>Journal of Psychopharmacology</i> , 2021 , 35, 537-546	4.6	1
162	Association of Serotonin Transporter (SERT) Polymorphisms with Opioid Dependence and Dimensional Aspects of Cocaine Use in a Caucasian Cohort of Opioid Users. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 659-670	3.1	3
161	Is Europe Facing an Emerging Opioid Crisis Comparable to the U.S.?. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 42-51	3.2	15

160	Lower-Risk Cannabis Use Guidelines (LRCUG) for reducing health harms from non-medical cannabis use: A comprehensive evidence and recommendations update. <i>International Journal of Drug Policy</i> , 2021 , 103381	5.5	12
159	Baseline severity and the prediction of placebo response in clinical trials for alcohol dependence: A meta-regression analysis to develop an enrichment strategy. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 1722-1734	3.7	3
158	The effect of N-acetylcysteine and working memory training on glutamate concentrations in the dACC and rACC in regular cocaine users - A randomized proof of concept study. <i>Neuroscience Letters</i> , 2021 , 762, 136146	3.3	1
157	Hard Boiled: Alcohol Use as a Risk Factor for MDMA-Induced Hyperthermia: a Systematic Review. <i>Neurotoxicity Research</i> , 2021 , 39, 2120-2133	4.3	1
156	The World Federation of ADHD International Consensus Statement: 208 Evidence-based conclusions about the disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 128, 789-818	9	92
155	The suitability of oral diacetylmorphine in treatment-refractory patients with heroin dependence: A scoping review. <i>Drug and Alcohol Dependence</i> , 2021 , 227, 108984	4.9	3
154	Treating alcohol dependence with an abuse and misuse deterrent formulation of sodium oxybate: Results of a randomised, double-blind, placebo-controlled study. <i>European Neuropsychopharmacology</i> , 2021 , 52, 18-30	1.2	3
153	Attention Deficit Hyperactivity Disorder Increases Nicotine Addiction Severity in Adults Seeking Treatment for Substance Use Disorders: The Role of Personality Disorders. <i>European Addiction Research</i> , 2020 , 26, 191-200	4.6	5
152	Attention Deficit/Hyperactivity Disorder and Global Severity Profiles in Treatment-Seeking Patients with Substance Use Disorders. <i>European Addiction Research</i> , 2020 , 26, 201-210	4.6	4
151	Contribution of Alcohol and Nicotine Dependence to the Prevalence of Depressed Mood in Different Ethnic Groups in The Netherlands: The HELIUS Study. <i>Journal of Dual Diagnosis</i> , 2020 , 16, 271-284	2.4	1
150	Validity of the ADHD module of the Mini International Neuropsychiatric Interview PLUS for screening of adult ADHD in treatment seeking substance use disorder patients: ADHD screening with MINI-Plus. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 ,	2.7	2
149	Tackling rising numbers of opioid prescriptions users. <i>Lancet Public Health, The</i> , 2020 , 5, e139	22.4	1
148	Methamphetamine Use and Antipsychotic-related Extrapyramidal Side-effects in Patients with Psychotic Disorders. <i>Journal of Dual Diagnosis</i> , 2020 , 16, 208-217	2.4	6
147	Effects of Recreational GHB Use and Multiple GHB-Induced Comas on Brain Structure and Impulsivity. <i>Frontiers in Psychiatry</i> , 2020 , 11, 166	5	6
146	A Comparison of Excessive Drinking, Binge Drinking and Alcohol Dependence in Ethnic Minority Groups in the Netherlands: The HELIUS Study. <i>European Addiction Research</i> , 2020 , 26, 66-76	4.6	2
145	Clinical effects beyond cocaine use of sustained-release dexamphetamine for the treatment of cocaine dependent patients with comorbid opioid dependence: secondary analysis of a double-blind, placebo-controlled randomized trial. <i>Addiction</i> , 2020 , 115, 917-923	4.6	2
144	Post-GWAS analysis of six substance use traits improves the identification and functional interpretation of genetic risk loci. <i>Drug and Alcohol Dependence</i> , 2020 , 206, 107703	4.9	8
143	Safety of nalmefene for the treatment of alcohol use disorder: an update. <i>Expert Opinion on Drug Safety</i> , 2020 , 19, 9-17	4.1	

142	Prediction of drop-out and outcome in integrated cognitive behavioral therapy for ADHD and SUD: Results from a randomized clinical trial. <i>Addictive Behaviors</i> , 2020 , 103, 106228	4.2	7
141	Onset and Severity of Early Disruptive Behavioral Disorders in Treatment-Seeking Substance Use Disorder Patients with and without Attention-Deficit/Hyperactivity Disorder. <i>European Addiction Research</i> , 2020 , 26, 211-222	4.6	2
140	Further evidence for the association of , 'and 'variants with opioid dependence. <i>Pharmacogenomics</i> , 2020 , 21, 903-917	2.6	1
139	Demographic and Clinical Characteristics of Regular GHB-Users with and without GHB-Induced Comas. <i>Substance Use and Misuse</i> , 2020 , 55, 2148-2155	2.2	3
138	Potential influence of socioeconomic status on genetic correlations between alcohol consumption measures and mental health. <i>Psychological Medicine</i> , 2020 , 50, 484-498	6.9	29
137	High-potency cannabis and incident psychosis: correcting the causal assumption. <i>Lancet Psychiatry</i> , 2019 , 6, 464-465	23.3	4
136	The Effect of High-Frequency Repetitive Transcranial Magnetic Stimulation on Emotion Processing, Reappraisal, and Craving in Alcohol Use Disorder Patients and Healthy Controls: A Functional Magnetic Resonance Imaging Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 272	5	8
135	Emotion Processing, Reappraisal, and Craving in Alcohol Dependence: A Functional Magnetic Resonance Imaging Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 227	5	11
134	VMAT2 gene () variants associated with a greater risk for developing opioid dependence. <i>Pharmacogenomics</i> , 2019 , 20, 331-341	2.6	5
133	Influence of Gamma-Hydroxybutyric Acid-Use and Gamma-Hydroxybutyric Acid-Induced Coma on Affect and the Affective Network. <i>European Addiction Research</i> , 2019 , 25, 173-181	4.6	6
132	Defining Compulsive Behavior. <i>Neuropsychology Review</i> , 2019 , 29, 4-13	7.7	34
131	The effect of N-acetylcysteine and working memory training on neural mechanisms of working memory and cue reactivity in regular cocaine users. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 287, 56-59 ²⁻⁹		5
130	Association of variants of prodynorphin promoter 68-bp repeats in caucasians with opioid dependence diagnosis: Effect on age trajectory of heroin use. <i>Neuroscience Letters</i> , 2019 , 704, 100-105	3.3	5
129	Integrated cognitive behavioral therapy for ADHD in adult substance use disorder patients: Results of a randomized clinical trial. <i>Drug and Alcohol Dependence</i> , 2019 , 197, 28-36	4.9	21
128	A transdiagnostic dimensional approach towards a neuropsychological assessment for addiction: an international Delphi consensus study. <i>Addiction</i> , 2019 , 114, 1095-1109	4.6	96
127	Trends in use and misuse of opioids in the Netherlands: a retrospective, multi-source database study. <i>Lancet Public Health</i> , 2019 , 4, e498-e505	22.4	67
126	The Unhealthy Chicken or the Unhealthy Egg: Quitting Smoking Matters: Response to Hajek et al. <i>American Journal of Psychiatry</i> , 2019 , 176, 575-576	11.9	
125	Recreational use of GHB is associated with alterations of resting state functional connectivity of the central executive and default mode networks. <i>Human Brain Mapping</i> , 2019 , 40, 2413-2421	5.9	8

124	Diagnosis and treatment of patients with comorbid substance use disorder and adult attention-deficit and hyperactivity disorder: a review of recent publications. <i>Current Opinion in Psychiatry</i> , 2019 , 32, 300-306	4.9	5
123	Use of the Fagerstr�m test to assess differences in the degree of nicotine dependence in smokers from five ethnic groups: The HELIUS study. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 197-204	4.9	5
122	Self-wise, Other-wise, Streetwise (SOS) training, an intervention to prevent victimization in dual-diagnosis patients: results from a randomized clinical trial. <i>Addiction</i> , 2019 , 114, 730-740	4.6	6
121	Smoking, symptoms, and quality of life in patients with psychosis, siblings, and healthy controls: a prospective, longitudinal cohort study. <i>Lancet Psychiatry</i> , 2019 , 6, 25-34	23.3	18
120	International Consensus Statement on Screening, Diagnosis and Treatment of Substance Use Disorder Patients with Comorbid Attention Deficit/Hyperactivity Disorder. <i>European Addiction Research</i> , 2018 , 24, 43-51	4.6	68
119	Reprint of The effect of N-acetylcysteine and working memory training on cocaine use, craving and inhibition in regular cocaine users: correspondence of lab assessments and Ecological Momentary Assessment. <i>Addictive Behaviors</i> , 2018 , 83, 79-86	4.2	3
118	Dopamine gene variants in opioid addiction: comparison of dependent patients, nondependent users and healthy controls. <i>Pharmacogenomics</i> , 2018 , 19, 95-104	2.6	11
117	Factors associated with victimization in dual diagnosis patients. <i>Journal of Substance Abuse Treatment</i> , 2018 , 84, 68-77	4.2	12
116	Comparing the effect of clozapine and risperidone on cue reactivity in male patients with schizophrenia and a cannabis use disorder: A randomized fMRI study. <i>Schizophrenia Research</i> , 2018 , 194, 32-38	3.6	12
115	Medicinal cannabis (Bedrolite) substitution therapy in inpatients with a psychotic disorder and a comorbid cannabis use disorder: A case series. <i>Journal of Psychopharmacology</i> , 2018 , 32, 353-356	4.6	10
114	Enhanced Amygdala-Striatal Functional Connectivity during the Processing of Cocaine Cues in Male Cocaine Users with a History of Childhood Trauma. <i>Frontiers in Psychiatry</i> , 2018 , 9, 70	5	7
113	Association Between Smoking Behavior and Cognitive Functioning in Patients With Psychosis, Siblings, and Healthy Control Subjects: Results From a Prospective 6-Year Follow-Up Study. <i>American Journal of Psychiatry</i> , 2018 , 175, 1121-1128	11.9	32
112	Efficacy and safety of sodium oxybate in alcohol-dependent patients with a very high drinking risk level. <i>Addiction Biology</i> , 2018 , 23, 969-986	4.6	35
111	N-acetyl cysteine in the treatment of alcohol use disorder in patients with liver disease: Rationale for further research. <i>Expert Opinion on Investigational Drugs</i> , 2018 , 27, 667-675	5.9	10
110	Pregabalin and the Risk for Opioid-Related Death: A Nested Case-Control Study. <i>Annals of Internal Medicine</i> , 2018 , 169, 732-734	8	76
109	Neurobiology of ADHD and comorbid substance use disorders. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, SY18-3	0	
108	The Use of Baclofen as a Treatment for Alcohol Use Disorder: A Clinical Practice Perspective. <i>Frontiers in Psychiatry</i> , 2018 , 9, 708	5	28
107	Differential Effects of Left and Right Prefrontal High-Frequency Repetitive Transcranial Magnetic Stimulation on Resting-State Functional Magnetic Resonance Imaging in Healthy Individuals. <i>Brain Connectivity</i> , 2018 , 8, 60-67	2.7	11

106	The effect of N-acetylcysteine and working memory training on cocaine use, craving and inhibition in regular cocaine users: correspondence of lab assessments and Ecological Momentary Assessment. <i>Addictive Behaviors</i> , 2018 , 79, 24-31	4.2	15
105	Causal Factors of Increased Smoking in ADHD: A Systematic Review. <i>Substance Use and Misuse</i> , 2018 , 53, 432-445	2.2	27
104	Baclofen for the treatment of alcohol use disorder: the Cagliari Statement. <i>Lancet Psychiatry</i> , 2018 , 5, 957-960	23.3	60
103	Acceptance of pharmaceutical cannabis substitution by cannabis using patients with schizophrenia. <i>Harm Reduction Journal</i> , 2018 , 15, 47	4.6	2
102	Effect of GHB-use and GHB-induced comas on dorsolateral prefrontal cortex functioning in humans. <i>NeuroImage: Clinical</i> , 2018 , 20, 923-930	5.3	12
101	The use and helpfulness of self-management strategies for depression: The experiences of patients. <i>PLoS ONE</i> , 2018 , 13, e0206262	3.7	11
100	Exploring the role of low-frequency and rare exonic variants in alcohol and tobacco use. <i>Drug and Alcohol Dependence</i> , 2018 , 188, 94-101	4.9	7
99	Adverse effects of GHB-induced coma on long-term memory and related brain function. <i>Drug and Alcohol Dependence</i> , 2018 , 190, 29-36	4.9	15
98	White matter alterations in cocaine users are negatively related to the number of additionally (ab)used substances. <i>Addiction Biology</i> , 2017 , 22, 1048-1056	4.6	26
97	Loss of brain graph network efficiency in alcohol dependence. <i>Addiction Biology</i> , 2017 , 22, 523-534	4.6	36
96	A new nomenclature for classifying psychotropic drugs. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1614-1616	3.8	15
95	Response to "Baclofen and alcohol use disorders: From miracle to mirage". <i>European Neuropsychopharmacology</i> , 2017 , 27, 693-694	1.2	1
94	Gabapentin, opioids, and the risk of opioid-related death: A population-based nested case-control study. <i>PLoS Medicine</i> , 2017 , 14, e1002396	11.6	244
93	ICD-11 Gaming Disorder: Needed and just in time or dangerous and 'much too early?'. <i>Journal of Behavioral Addictions</i> , 2017 , 6, 290-292	6.3	31
92	Diagnosing ADHD during active substance use: Feasible or flawed?. <i>Drug and Alcohol Dependence</i> , 2017 , 180, 371-375	4.9	14
91	Prefrontal Glx and GABA concentrations and impulsivity in cigarette smokers and smoking polysubstance users. <i>Drug and Alcohol Dependence</i> , 2017 , 179, 117-123	4.9	12
90	Lower-Risk Cannabis Use Guidelines: A Comprehensive Update of Evidence and Recommendations. <i>American Journal of Public Health</i> , 2017 , 107, e1-e12	5.1	184
89	Design of a syndemic based intervention to facilitate care for men who have sex with men with high risk behaviour: the syn.bas.in randomized controlled trial. <i>BMC Infectious Diseases</i> , 2017 , 17, 398	4	9

88	Childhood trauma exposure in substance use disorder patients with and without ADHD. <i>Addictive Behaviors</i> , 2017 , 65, 118-124	4.2	21
87	The impact of second generation antipsychotics on insight in schizophrenia: Results from 14 randomized, placebo controlled trials. <i>European Neuropsychopharmacology</i> , 2017 , 27, 82-86	1.2	9
86	Differentiating Treatment-Seeking Substance-Use Disordered Patients: Support for a Staging Model. <i>Sucht</i> , 2017 , 63, 289-296	0.5	1
85	Reactivity to social stress in ethnic minority men. <i>Psychiatry Research</i> , 2016 , 246, 629-636	9.9	8
84	Nalmefene for the management of alcohol dependence: review on its pharmacology, mechanism of action and meta-analysis on its clinical efficacy. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1941-1949	1.2	60
83	Efficacy and safety of high-dose baclofen for the treatment of alcohol dependence: A multicentre, randomised, double-blind controlled trial. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1950-1959	1.2	99
82	Treatment Seeking for Alcohol Use Disorders: Treatment Gap or Adequate Self-Selection?. <i>European Addiction Research</i> , 2016 , 22, 277-85	4.6	33
81	Impulsivity and attentional bias as predictors of modafinil treatment outcome for retention and drug use in crack-cocaine dependent patients: Results of a randomised controlled trial. <i>Journal of Psychopharmacology</i> , 2016 , 30, 616-26	4.6	15
80	Sustained-release dexamfetamine in the treatment of chronic cocaine-dependent patients on heroin-assisted treatment: a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2016 , 387, 2226-34	4.0	50
79	Compulsivity in obsessive-compulsive disorder and addictions. <i>European Neuropsychopharmacology</i> , 2016 , 26, 856-68	1.2	133
78	Grey Matter Changes Associated with Heavy Cannabis Use: A Longitudinal sMRI Study. <i>PLoS ONE</i> , 2016 , 11, e0152482	3.7	47
77	Early Nonresponse in the Antipsychotic Treatment of Acute Mania: A Criterion for Reconsidering Treatment? Results From an Individual Patient Data Meta-Analysis. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e1117-e1123	4.6	3
76	Doubt in the Insula: Risk Processing in Obsessive-Compulsive Disorder. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 283	3.3	7
75	The two-faceted nature of impulsivity in patients with borderline personality disorder and substance use disorder. <i>Drug and Alcohol Dependence</i> , 2016 , 163, 48-54	4.9	15
74	Efficacy of cocaine contingency management in heroin-assisted treatment: Results of a randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2016 , 164, 55-63	4.9	6
73	Hyperresponsiveness of the Neural Fear Network During Fear Conditioning and Extinction Learning in Male Cocaine Users. <i>American Journal of Psychiatry</i> , 2016 , 173, 1033-1042	11.9	10
72	Variants of opioid system genes are associated with non-dependent opioid use and heroin dependence. <i>Drug and Alcohol Dependence</i> , 2016 , 168, 164-169	4.9	14
71	Acceptability of Extended-Release Naltrexone by Heroin-Dependent Patients and Addiction Treatment Providers in the Netherlands. <i>Substance Use and Misuse</i> , 2016 , 51, 1905-11	2.2	9

70	Near-fatal persistent anion- and osmolal-gap acidosis due to massive gamma-butyrolactone/ethanol intoxication. <i>Annals of Clinical Biochemistry</i> , 2015 , 52, 283-7	2.2	5
69	Brain volume in male patients with recent onset schizophrenia with and without cannabis use disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 197-206	4.5	20
68	European rating of drug harms. <i>Journal of Psychopharmacology</i> , 2015 , 29, 655-60	4.6	97
67	Prevalence and construct validity of compulsive buying disorder in shopping mall visitors. <i>Psychiatry Research</i> , 2015 , 228, 918-24	9.9	29
66	Comorbid attention deficit hyperactivity disorder and substance use disorder complexity and chronicity in treatment-seeking adults. <i>Drug and Alcohol Review</i> , 2015 , 34, 683-93	3.2	32
65	Subchronic administration of short-acting naltrexone has no effect on striatal dopamine transporter availability, food intake or body weight gain in rats. <i>Journal of Psychopharmacology</i> , 2015 , 29, 344-8	4.6	3
64	Ranking the harm of non-medically used prescription opioids in the UK. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 73, 999-1004	3.4	13
63	Addressing the stimulant treatment gap: A call to investigate the therapeutic benefits potential of cannabinoids for crack-cocaine use. <i>International Journal of Drug Policy</i> , 2015 , 26, 1177-82	5.5	27
62	Recreational nitrous oxide use: Prevalence and risks. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 73, 790-6	3.4	98
61	Early developmental, temperamental and educational problems in substance use disorder patients with and without ADHD. Does ADHD make a difference?. <i>Addictive Behaviors Reports</i> , 2015 , 2, 13-18	3.7	2
60	Impact of DSM-5 changes on the diagnosis and acute treatment of schizophrenia. <i>Schizophrenia Bulletin</i> , 2015 , 41, 637-43	1.3	15
59	Reliability and validity of the Marijuana Motives Measure among young adult frequent cannabis users and associations with cannabis dependence. <i>Addictive Behaviors</i> , 2015 , 40, 91-5	4.2	46
58	Persistence and desistance in heavy cannabis use: the role of identity, agency, and life events. <i>Journal of Youth Studies</i> , 2015 , 18, 617-633	1.5	23
57	Being impulsive and obese increases susceptibility to speeded detection of high-calorie foods. <i>Health Psychology</i> , 2015 , 34, 677-85	5	41
56	Dysfunctional amygdala activation and connectivity with the prefrontal cortex in current cocaine users. <i>Human Brain Mapping</i> , 2015 , 36, 4222-30	5.9	18
55	A guide on gene prioritization in studies of psychiatric disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 245-56	4.3	6
54	Self-reported cue-induced physical symptoms of craving as an indicator of cocaine dependence. <i>American Journal on Addictions</i> , 2015 , 24, 740-3	3.7	8
53	The Misuse of Prescription Opioids: A Threat for Europe?. <i>Current Drug Abuse Reviews</i> , 2015 , 8, 3-14		127

52	Modafinil in the treatment of crack-cocaine dependence in the Netherlands: Results of an open-label randomised controlled feasibility trial. <i>Journal of Psychopharmacology</i> , 2015 , 29, 678-87	4.6	12
51	Heroin on trial: systematic review and meta-analysis of randomised trials of diamorphine-prescribing as treatment for refractory heroin addiction. <i>British Journal of Psychiatry</i> , 2015 , 207, 5-14	5.4	127
50	Resting state connectivity in alcohol dependent patients and the effect of repetitive transcranial magnetic stimulation. <i>European Neuropsychopharmacology</i> , 2015 , 25, 2230-9	1.2	33
49	Safety and tolerability of as-needed nalmefene in the treatment of alcohol dependence: results from the Phase III clinical programme. <i>Expert Opinion on Drug Safety</i> , 2015 , 14, 495-504	4.1	16
48	Integrated cognitive behavioral therapy for patients with substance use disorder and comorbid ADHD: two case presentations. <i>Addictive Behaviors</i> , 2015 , 45, 214-7	4.2	13
47	Incentive Processing in Persistent Disruptive Behavior and Psychopathic Traits: A Functional Magnetic Resonance Imaging Study in Adolescents. <i>Biological Psychiatry</i> , 2015 , 78, 615-24	7.9	53
46	Brain function during cognitive flexibility and white matter integrity in alcohol-dependent patients, problematic drinkers and healthy controls. <i>Addiction Biology</i> , 2015 , 20, 979-89	4.6	21
45	The adverse health effects of synthetic cannabinoids with emphasis on psychosis-like effects. <i>Journal of Psychopharmacology</i> , 2015 , 29, 254-63	4.6	172
44	The role of leisure and delinquency in frequent cannabis use and dependence trajectories among young adults. <i>International Journal of Drug Policy</i> , 2015 , 26, 143-52	5.5	6
43	Geographic variation in efficacy of atypical antipsychotics for the acute treatment of schizophrenia - an individual patient data meta-analysis. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1067-77	1.2	7
42	Alcohol consumption and symptoms as predictors for relapse of DSM-5 alcohol use disorder. <i>Drug and Alcohol Dependence</i> , 2014 , 140, 85-91	4.9	32
41	Relationship between trait impulsivity and cortical volume, thickness and surface area in male cocaine users and non-drug using controls. <i>Drug and Alcohol Dependence</i> , 2014 , 144, 210-7	4.9	26
40	Risk behaviours among substance use disorder treatment seekers with and without adult ADHD symptoms. <i>Drug and Alcohol Dependence</i> , 2014 , 144, 70-7	4.9	27
39	Enhanced striatal responses during expectancy coding in alcohol dependence. <i>Drug and Alcohol Dependence</i> , 2014 , 142, 204-8	4.9	22
38	Personality as a risk factor for illicit opioid use and a protective factor for illicit opioid dependence. <i>Drug and Alcohol Dependence</i> , 2014 , 145, 101-5	4.9	26
37	Guideline for Screening, Diagnosis and Treatment of ADHD in Adults with Substance Use Disorders. <i>International Journal of Mental Health and Addiction</i> , 2014 , 12, 629-647	8.8	8
36	The effect of clozapine and risperidone on attentional bias in patients with schizophrenia and a cannabis use disorder: An fMRI study. <i>Journal of Psychopharmacology</i> , 2014 , 28, 633-42	4.6	18
35	Recovery of neurocognitive functions following sustained abstinence after substance dependence and implications for treatment. <i>Clinical Psychology Review</i> , 2014 , 34, 531-50	10.8	83

34	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: results from an international multi-center study exploring DSM-IV and DSM-5 criteria. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 158-166	4.9	123
33	Dimensions and disorder specificity of impulsivity in pathological gambling. <i>Addictive Behaviors</i> , 2014 , 39, 1646-1651	4.2	61
32	Dopamine transporter occupancy by methylphenidate and impulsivity in adult ADHD. <i>British Journal of Psychiatry</i> , 2014 , 204, 486-7	5.4	8
31	Treatment of crack-cocaine dependence with topiramate: a randomized controlled feasibility trial in The Netherlands. <i>Drug and Alcohol Dependence</i> , 2014 , 138, 177-84	4.9	25
30	Treatment outcome of alcohol use disorder outpatients with or without medically assisted detoxification. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 993-8	1.9	3
29	Does self-medication predict the persistence or rather the recurrence of alcohol dependence?. <i>JAMA Psychiatry</i> , 2014 , 71, 205	14.5	1
28	Cue reactivity is associated with duration and severity of alcohol dependence: an fMRI study. <i>PLoS ONE</i> , 2014 , 9, e84560	3.7	40
27	Wim van den Brink and colleagues reply to Des Spence and Alain Braillon. <i>BMJ, The</i> , 2014 , 348, g2605	5.9	3
26	The role of habits and motivation in human drug addiction: a reflection. <i>Frontiers in Psychiatry</i> , 2014 , 5, 8	5	23
25	Reduced frontal brain volume in non-treatment-seeking cocaine-dependent individuals: exploring the role of impulsivity, depression, and smoking. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 7	3.3	28
24	Risk assessment of GBL as a substitute for the illicit drug GHB in the Netherlands. A comparison of the risks of GBL versus GHB. <i>Regulatory Toxicology and Pharmacology</i> , 2014 , 70, 507-13	3.4	13
23	Long-term efficacy, tolerability and safety of nalmefene as-needed in patients with alcohol dependence: A 1-year, randomised controlled study. <i>Journal of Psychopharmacology</i> , 2014 , 28, 733-44	4.6	87
22	Increased release of dopamine in the striata of young adults with hearing impairment and its relevance for the social defeat hypothesis of schizophrenia. <i>JAMA Psychiatry</i> , 2014 , 71, 1364-72	14.5	44
21	Neurophysiological effects of modafinil on cue-exposure in cocaine dependence: a randomized placebo-controlled cross-over study using pharmacological fMRI. <i>Addictive Behaviors</i> , 2013 , 38, 1509-1517 ²	4.2	43
20	Efficacy of as-needed nalmefene in alcohol-dependent patients with at least a high drinking risk level: results from a subgroup analysis of two randomized controlled 6-month studies. <i>Alcohol and Alcoholism</i> , 2013 , 48, 570-8	3.5	173
19	Contributions from Neuroscience and Neuropsychology 2013 , 49-70		
18	A randomised controlled trial of outpatient versus inpatient integrated treatment of dual diagnosis patients: a failed but informative study. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2012 , 5, 132-147		2
17	Guidelines for allocating outpatient alcohol abusers to levels of care: Predictive validity. <i>Addictive Behaviors</i> , 2011 , 36, 570-575	4.2	17

16	Heroin-assisted treatment in the Netherlands: History, findings, and international context. <i>European Neuropsychopharmacology</i> , 2010 , 20 Suppl 2, S105-58	1.2	42
15	Psychosocial work conditions and work stress in an innovating addiction treatment centre. Consequences for the EFQM Excellence Model. <i>Total Quality Management and Business Excellence</i> , 2009 , 20, 267-281	2.7	17
14	THE SDSS SCALE A REPLY TO GONZÁLEZ-SAIZ. <i>Addiction</i> , 2007 , 102, 828-829	4.6	
13	Heroin-assisted treatment (HAT) a decade later: a brief update on science and politics. <i>Journal of Urban Health</i> , 2007 , 84, 552-62	5.8	64
12	Pharmacokinetics and pharmacokinetic variability of heroin and its metabolites: review of the literature. <i>Current Clinical Pharmacology</i> , 2006 , 1, 109-18	2.5	120
11	Evidenced-based treatment of opioid-dependent patients. <i>Canadian Journal of Psychiatry</i> , 2006 , 51, 635-48	4.6	101
10	Development of pharmaceutical heroin preparations for medical co-prescription to opioid dependent patients. <i>Drug and Alcohol Dependence</i> , 2005 , 80, 283-95	4.9	27
9	Medical prescription of heroin to treatment resistant heroin addicts: two randomised controlled trials. <i>BMJ, The</i> , 2003 , 327, 310	5.9	196
8	Science-based practice for methadone treatment: another step forward. <i>International Journal of Public Health</i> , 2003 , 48 Suppl 1, S15-6; discussion S25-7		
7	Pharmacological treatments for heroin and cocaine addiction. <i>European Neuropsychopharmacology</i> , 2003 , 13, 476-87	1.2	55
6	The relationship between socio-economic inequality and criminal victimisation: a prospective study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 361-70	4.5	15
5	Consequences of the use of different classification systems: a comparison of the DSM-III-R and the ICD-10 for depression. <i>International Journal of Methods in Psychiatric Research</i> , 1999 , 8, 192-203	4.3	1
4	Survival in a population-based cohort of dementia patients: predictors and causes of mortality. <i>International Journal of Geriatric Psychiatry</i> , 1999 , 14, 748-53	3.9	27
3	Genetic correlates of socio-economic status influence the pattern of shared heritability across mental health traits		2
2	Genomic relationships across psychiatric disorders including substance use disorders		4
1	Smoking and the risk for bipolar disorder: causal evidence from a bidirectional Mendelian randomization study		2