
Adam Alexander Wall

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1581600/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	An alternative downstream translation start site in the nonâ€∏R adaptor Scimp enables selective amplification of CpG DNA responses in mouse macrophages. Immunology and Cell Biology, 2022, 100, 267-284.	2.3	4
2	Guanine nucleotide exchange factors activate Rab8a for Toll-like receptor signalling. Small GTPases, 2021, 12, 27-43.	1.6	17
3	Formation of retromer transport carriers is disrupted by the Parkinson diseaseâ€linked Vps35 <scp>D620N</scp> variant. Traffic, 2021, 22, 123-136.	2.7	21
4	LLAMA: a robust and scalable machine learning pipeline for analysis of large scale 4D microscopy data: analysis of cell ruffles and filopodia. BMC Bioinformatics, 2021, 22, 410.	2.6	2
5	SCIMP is a universal Toll-like receptor adaptor in macrophages. Journal of Leukocyte Biology, 2020, 107, 251-262.	3.3	12
6	Macropinocytosis: Insights from immunology and cancer. Current Opinion in Cell Biology, 2020, 65, 131-140.	5.4	59
7	Automated Analysis of Cell Surface Ruffling: Ruffle Quantification Macro. Bio-protocol, 2020, 10, e3494.	0.4	0
8	Meeting report-Small GTPases in membrane processes: FASEB summer research conference. Traffic, 2019, 20, 259-262.	2.7	0
9	Rab8a localisation and activation by Toll-like receptors on macrophage macropinosomes. Philosophical Transactions of the Royal Society B: Biological Sciences, 2019, 374, 20180151.	4.0	24
10	TLR Crosstalk Activates LRP1 to Recruit Rab8a and PI3Kγ for Suppression of Inflammatory Responses. Cell Reports, 2018, 24, 3033-3044.	6.4	67
11	Macropinosome formation by tent pole ruffling in macrophages. Journal of Cell Biology, 2018, 217, 3873-3885.	5.2	90
12	SCIMP is a transmembrane non-TIR TLR adaptor that promotes proinflammatory cytokine production from macrophages. Nature Communications, 2017, 8, 14133.	12.8	45
13	Small GTPase Rab8a-recruited Phosphatidylinositol 3-Kinase γ Regulates Signaling and Cytokine Outputs from Endosomal Toll-like Receptors. Journal of Biological Chemistry, 2017, 292, 4411-4422.	3.4	57
14	Development of SH2 probes and pullâ€down assays to detect pathogenâ€induced, siteâ€specific tyrosine phosphorylation of the TLR adaptor SCIMP. Immunology and Cell Biology, 2017, 95, 564-570.	2.3	6
15	Image-Based Analysis of Phagocytosis: Measuring Engulfment and Internalization. Methods in Molecular Biology, 2017, 1519, 201-214.	0.9	3
16	The murine neutrophil NLRP3 inflammasome is activated by soluble but not particulate or crystalline agonists. European Journal of Immunology, 2016, 46, 1004-1010.	2.9	23
17	Distinct Roles for <scp>APPL1</scp> and <scp>APPL2</scp> in Regulating Tollâ€like Receptor 4 Signaling in Macrophages. Traffic, 2016, 17, 1014-1026.	2.7	12
18	Sequential recruitment of Rab GTPases during early stages of phagocytosis. Cellular Logistics, 2016, 6, e1140615.	0.9	27

Adam Alexander Wall

#	Article	IF	CITATION
19	Rab31 and APPL2 enhance FcγR-mediated phagocytosis through PI3K/Akt signaling in macrophages. Molecular Biology of the Cell, 2015, 26, 952-965.	2.1	35
20	Dynamic imaging of the recycling endosomal network in macrophages. Methods in Cell Biology, 2015, 130, 1-18.	1.1	6
21	Rab8a interacts directly with PI3Kl̂ ³ to modulate TLR4-driven PI3K and mTOR signalling. Nature Communications, 2014, 5, 4407.	12.8	109
22	Disruption of Rorα1 and Cholesterol 25-Hydroxylase Expression Attenuates Phagocytosis in Male Rorαsg/sg Mice. Endocrinology, 2013, 154, 140-149.	2.8	19
23	High-throughput quantification of early stages of phagocytosis. BioTechniques, 2013, 55, 115-124.	1.8	23
24	Recycling endosome-dependent and -independent mechanisms for IL-10 secretion in LPS-activated macrophages. Journal of Leukocyte Biology, 2012, 92, 1227-1239.	3.3	39
25	Effective Translation of the Second Cistron in Two Drosophila Dicistronic Transcripts Is Determined by the Absence of In-frame AUG Codons in the First Cistron. Journal of Biological Chemistry, 2005, 280, 27670-27678.	3.4	17