

# Yong Soo Cho

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1583939/publications.pdf>

Version: 2024-02-01

35  
papers

224  
citations

1162889

8  
h-index

1125617

13  
g-index

36  
all docs

36  
docs citations

36  
times ranked

330  
citing authors

#	ARTICLE	IF	CITATIONS
1	Late Awakening Is Common in Settings Without Withdrawal of Life-Sustaining Therapy in Out-of-Hospital Cardiac Arrest Survivors Who Undergo Targeted Temperature Management*. <i>Critical Care Medicine</i> , 2022, 50, 235-244.	0.4	13
2	The impact of prehospital endotracheal intubation on mortality in traumatic brain injury. <i>American Journal of Emergency Medicine</i> , 2022, 55, 152-156.	0.7	4
3	Prognostic value of neutrophil to lymphocyte ratio in the diagnosis of neurotoxicity after glufosinate ammonium poisoning. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2022, 85, 511-519.	1.1	3
4	Prediction of 6-Month Mortality Using Pre-Extracorporeal Membrane Oxygenation Lactate in Patients with Acute Coronary Syndrome Undergoing Veno-Arterial-Extracorporeal Membrane Oxygenation. <i>Journal of Chest Surgery</i> , 2022, 55, 143-150.	0.2	2
5	Effect of social distancing on injury incidence during the COVID-19 pandemic: an interrupted time-series analysis. <i>BMJ Open</i> , 2022, 12, e055296.	0.8	8
6	Heat loss augmented by extracorporeal circulation is associated with overcooling in cardiac arrest survivors who underwent targeted temperature management. <i>Scientific Reports</i> , 2022, 12, 6186.	1.6	0
7	Role of electrocardiogram findings in predicting 48-h mortality in patients with traumatic brain injury. <i>BMC Neurology</i> , 2022, 22, .	0.8	0
8	The clinical role of serum albumin in Organophosphate poisoning. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 128, 605-614.	1.2	8
9	Benefit of Extracorporeal Membrane Oxygenation before Revascularization in Patients with Acute Myocardial Infarction Complicated by Profound Cardiogenic Shock after Resuscitated Cardiac Arrest. <i>Korean Circulation Journal</i> , 2021, 51, 533.	0.7	7
10	Is two-dimensional echocardiography better than electrocardiography for predicting patient outcomes after cardiac arrest?. <i>Acute and Critical Care</i> , 2021, 36, 37-45.	0.6	2
11	Diagnostic value of transthoracic echocardiography compared to electrocardiogram in predicting coronary artery stenosis among patients after cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2021, 46, 97-101.	0.7	4
12	Case Report: Acute Fulminant Myocarditis and Cardiogenic Shock After Messenger RNA Coronavirus Disease 2019 Vaccination Requiring Extracorporeal Cardiopulmonary Resuscitation. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 758996.	1.1	19
13	The association between diastolic blood pressure and massive transfusion in severe trauma: a retrospective single-center study. <i>JPMA the Journal of the Pakistan Medical Association</i> , 2021, 71, 1-14.	0.1	2
14	Validity of the Korean Triage and Acuity Scale for predicting 30-day mortality due to severe trauma: a retrospective single-center study. <i>European Journal of Trauma and Emergency Surgery</i> , 2020, 46, 895-901.	0.8	7
15	Quantitative analysis of aconitine in body fluids in a case of aconitine poisoning. <i>Forensic Science, Medicine, and Pathology</i> , 2020, 16, 330-334.	0.6	12
16	Association of neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios with in-hospital mortality in the early phase of severe trauma. <i>Ulusal Travma Ve Acil Cerrahi Dergisi</i> , 2020, 27, 290-295.	0.1	1
17	Use of qSOFA Score in Predicting the Outcomes of Patients With Glyphosate Surfactant Herbicide Poisoning Immediately Upon Arrival at the Emergency Department. <i>Shock</i> , 2019, 51, 447-452.	1.0	8
18	Association between Achievement of Estimated Average Glucose Level and 6-Month Neurologic Outcome in Comatose Cardiac Arrest Survivors: A Propensity Score-Matched Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1480.	1.0	0

#	ARTICLE	IF	CITATIONS
19	Performance of Three Scoring Systems in Predicting Massive Transfusion in Patients with Unstable Upper Gastrointestinal Hemorrhage. <i>Yonsei Medical Journal</i> , 2019, 60, 368.	0.9	0
20	Use of amplitude-integrated electroencephalography in decision-making for extracorporeal membrane oxygenation in comatose cardiac arrest patients whose eventual neurologic recovery is uncertain. <i>Clinical and Experimental Emergency Medicine</i> , 2019, 6, 362-365.	0.5	1
21	Association of plasma neutrophil gelatinase-associated lipocalin with acute kidney injury and clinical outcome in cardiac arrest survivors depends on the time of measurement. <i>Biomarkers</i> , 2018, 23, 487-494.	0.9	8
22	Plasma Neutrophil Gelatinase-Associated Lipocalin Measured Immediately After Restoration of Spontaneous Circulation Predicts Acute Kidney Injury in Cardiac Arrest Survivors Who Underwent Therapeutic Hypothermia. <i>Therapeutic Hypothermia and Temperature Management</i> , 2018, 8, 99-107.	0.3	3
23	Prognostic Performance Evaluation of the International Society on Thrombosis and Hemostasis and the Korean Society on Thrombosis and Hemostasis Scores in the Early Phase of Trauma. <i>Journal of Korean Medical Science</i> , 2018, 33, e21.	1.1	3
24	The qSOFA Score: A Simple and Accurate Predictor of Outcome in Patients with Glyphosate Herbicide Poisoning. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 615-621.	1.2	4
25	Relationship between ventricular characteristics on brain computed tomography and 6-month neurologic outcome in cardiac arrest survivors who underwent targeted temperature management. <i>Resuscitation</i> , 2018, 129, 37-42.	1.3	17
26	The effectiveness of using magnetic resonance imaging in syncope patients visiting an emergency department: A case-control study. <i>JPMA the Journal of the Pakistan Medical Association</i> , 2018, 68, 364-369.	0.1	0
27	Neuromuscular blockade requirement is associated with good neurologic outcome in cardiac arrest survivors treated with targeted temperature management. <i>Journal of Critical Care</i> , 2017, 40, 218-224.	1.0	10
28	Disseminated intravascular coagulation is associated with the neurologic outcome of cardiac arrest survivors. <i>American Journal of Emergency Medicine</i> , 2017, 35, 1617-1623.	0.7	10
29	Relationship between timing of cooling and outcomes in adult comatose cardiac arrest patients treated with targeted temperature management. <i>Resuscitation</i> , 2017, 113, 135-141.	1.3	31
30	Association between lactate clearance during post-resuscitation care and neurologic outcome in cardiac arrest survivors treated with targeted temperature management. <i>Clinical and Experimental Emergency Medicine</i> , 2017, 4, 10-18.	0.5	20
31	Five-year Experience of Extracorporeal Life Support in Emergency Physicians. <i>Korean Journal of Critical Care Medicine</i> , 2017, 32, 52-59.	0.1	4
32	Malignant Syndrome in Parkinson Disease Similar to Severe Infection. <i>Korean Journal of Critical Care Medicine</i> , 2017, 32, 359-362.	0.1	1
33	The characteristics of emergency department presentations related to acute herbicide or insecticide poisoning in South Korea between 2011 and 2014. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2016, 79, 466-476.	1.1	11
34	An exploratory study; the gap between real reference interval and currently used reference interval of RBC AChE activities in South Korea. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 0, , 1-11.	1.1	0
35	The Association Between Induction Rate and Neurologic Outcome in Patients Undergoing Targeted Temperature Management at 33°C. <i>Therapeutic Hypothermia and Temperature Management</i> , 0, , .	0.3	1