

Nantao Hu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1584843/nantao-hu-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

4,956
citations

43
h-index

67
g-index

120
ext. papers

6,060
ext. citations

7.3
avg, IF

5.8
L-index

#	Paper	IF	Citations
116	Conducting polymer-bridged three-dimensional heterojunctions of reduced graphene oxide/Fe ₂ O ₃ hybrids for high-performance NO ₂ gas sensing. <i>Results in Surfaces and Interfaces</i> , 2022 , 7, 100057	0	1
115	Classification and concentration prediction of VOCs with high accuracy based on an electronic nose using an ELM-ELM integrated algorithm. <i>IEEE Sensors Journal</i> , 2022 , 1-1	4	2
114	A Novel Artificial Neuron-Like Gas Sensor Constructed from CuS Quantum Dots/BiS Nanosheets. <i>Nano-Micro Letters</i> , 2021 , 14, 8	19.5	8
113	A Study of All-solid-state Planar Micro-supercapacitors Using Printable MoS ₂ Inks. <i>Chemistry Letters</i> , 2021 , 50, 452-455	1.7	2
112	Microwave-Assisted Chitosan-Functionalized Graphene Oxide as Controlled Intracellular Drug Delivery Nanosystem for Synergistic Antitumour Activity. <i>Nanoscale Research Letters</i> , 2021 , 16, 75	5	0
111	Interface covalent bonding endowing high-sulfur-loading paper cathode with robustness for energy-dense, compact and foldable lithium-sulfur batteries. <i>Chemical Engineering Journal</i> , 2021 , 412, 128562	14.7	13
110	Binder-Free, Flexible, and Self-Standing Non-Woven Fabric Anodes Based on Graphene/Si Hybrid Fibers for High-Performance Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 27270-27277	9.5	7
109	Review of recent progress on graphene-based composite gas sensors. <i>Ceramics International</i> , 2021 , 47, 16367-16384	5.1	18
108	In-plane Defect Engineering Enabling Ultra-stable Graphene Paper-based Hosts for Lithium Metal Anodes. <i>ChemElectroChem</i> , 2021 , 8, 3273-3281	4.3	2
107	Ultrathin holey reduced graphene oxide/Ni(picolinic acid) ₂ papers for flexible battery-supercapacitor hybrid devices. <i>Chemical Engineering Journal</i> , 2021 , 408, 127302	14.7	9
106	Glucose-assisted synthesis of hierarchical NiO-ZnO heterostructure with enhanced glycol gas sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2021 , 329, 129167	8.5	22
105	Laser-Induced MoO/Sulfur-Doped Graphene Hybrid Frameworks as Efficient Antibacterial Agents. <i>Langmuir</i> , 2021 , 37, 1596-1604	4	5
104	Enhancing room-temperature NO gas sensing performance based on a metal phthalocyanine/graphene quantum dot hybrid material.. <i>RSC Advances</i> , 2021 , 11, 5618-5628	3.7	4
103	Noble metal (Ag, Au, Pd and Pt) doped TaS monolayer for gas sensing: a first-principles investigation. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 18359-18368	3.6	5
102	Hierarchical WS ₂ /WO ₃ Nanohybrids with P/N Heterojunctions for NO ₂ Detection. <i>ACS Applied Nano Materials</i> , 2021 , 4, 1626-1634	5.6	10
101	Carbon Foam Fibers with a Concentric Tube-Core/Three-Dimensional Nanosheet-Sheath Structure for High-Performance Lithium-Sulfur Batteries. <i>ChemElectroChem</i> , 2021 , 8, 873-879	4.3	4
100	Design of p-p heterojunctions based on CuO decorated WS ₂ nanosheets for sensitive NH ₃ gas sensing at room temperature. <i>Nanotechnology</i> , 2021 , 32,	3.4	8

99	Free-standing films based on Ni wires core/foamed NiO shell as hosts for stable lithium anodes. <i>Journal of Power Sources</i> , 2021 , 506, 230161	8.9	1
98	Interlayer-expanded MoS ₂ vertically anchored on graphene via C-O-S bonds for superior sodium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2021 , 877, 160280	5.7	7
97	Wearable NO ₂ sensing and wireless application based on ZnS nanoparticles/nitrogen-doped reduced graphene oxide. <i>Sensors and Actuators B: Chemical</i> , 2021 , 345, 130423	8.5	7
96	Binary nanosheet frameworks of graphene/polyaniline composite for high-area flexible supercapacitors. <i>Materials Chemistry and Physics</i> , 2021 , 273, 125128	4.4	3
95	Highly sensitive and recoverable room-temperature NO ₂ gas detection realized by 2D/0D MoS ₂ /ZnS heterostructures with synergistic effects. <i>Sensors and Actuators B: Chemical</i> , 2021 , 347, 130608	8.5	12
94	Room temperature DMMP gas sensing based on cobalt phthalocyanine derivative/graphene quantum dot hybrid materials.. <i>RSC Advances</i> , 2021 , 11, 14805-14813	3.7	4
93	Graphene/GaAs heterojunction for highly sensitive, self-powered Visible/NIR photodetectors. <i>Materials Science in Semiconductor Processing</i> , 2020 , 111, 104989	4.3	18
92	Semiconducting single-walled carbon nanotube/graphene van der Waals junctions for highly sensitive all-carbon hybrid humidity sensors. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 3386-3394	7.1	19
91	A dual CoNi MOF nanosheet/nanotube assembled on carbon cloth for high performance hybrid supercapacitors. <i>Electrochimica Acta</i> , 2020 , 342, 136124	6.7	44
90	Controllable synthesis of heterostructured CuO/NiO nanotubes and their synergistic effect for glycol gas sensing. <i>Sensors and Actuators B: Chemical</i> , 2020 , 304, 127347	8.5	43
89	Two-dimensional Cd-doped porous Co ₃ O ₄ nanosheets for enhanced room-temperature NO ₂ sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2020 , 305, 127393	8.5	49
88	Highly sensitive NO gas sensors based on hexagonal SnS nanoplates operating at room temperature. <i>Nanotechnology</i> , 2020 , 31, 075501	3.4	15
87	Laser-induced MnO/Mn ₃ O ₄ /N-doped-graphene hybrid as binder-free anodes for lithium ion batteries. <i>Chemical Engineering Journal</i> , 2020 , 385, 123720	14.7	26
86	Highly repeatable and sensitive three-dimensional Fe ₂ O ₃ @reduced graphene oxide gas sensors by magnetic-field assisted assembly process. <i>Sensors and Actuators B: Chemical</i> , 2020 , 306, 127546	8.5	29
85	Sonochemical synthesis of hierarchical WO ₃ flower-like spheres for highly efficient triethylamine detection. <i>Sensors and Actuators B: Chemical</i> , 2020 , 306, 127536	8.5	46
84	Non-woven fabric electrodes based on graphene-based fibers for areal-energy-dense flexible solid-state supercapacitors. <i>Chemical Engineering Journal</i> , 2020 , 392, 123692	14.7	30
83	Self-Powered Broadband Photodetector Based on Single-Walled Carbon Nanotube/GaAs Heterojunctions. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 15532-15539	8.3	11
82	A Z-scheme photocatalyst for enhanced photocatalytic H ₂ evolution, constructed by growth of 2D plasmonic MoO ₃ nanoplates onto 2D g-CN nanosheets. <i>Journal of Colloid and Interface Science</i> , 2020 , 567, 213-223	9.3	44

81	Inkjet-Printed Ultrathin MoS-Based Electrodes for Flexible In-Plane Microsupercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 39444-39454	9.5	22
80	Enhancing room-temperature NO detection of cobalt phthalocyanine based gas sensor at an ultralow laser exposure. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 18499-18506	3.6	4
79	Multichannel Room-Temperature Gas Sensors Based on Magnetic-Field-Aligned 3D FeO@SiO@Reduced Graphene Oxide Spheres. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 37418-37426	9.5	11
78	PANI/Graphene quantum dots/graphene co-coated compressed non-woven towel for wearable energy storage. <i>Synthetic Metals</i> , 2020 , 270, 116571	3.6	4
77	Highly Sensitive Room-Temperature NO ₂ Gas Sensors Based on Three-Dimensional Multiwalled Carbon Nanotube Networks on SiO ₂ Nanospheres. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 13915-13923	8.3	11
76	High-voltage aqueous asymmetric pseudocapacitors based on methyl blue-doped polyaniline hydrogels and the derived N/S-codoped carbon aerogels. <i>Chemical Engineering Journal</i> , 2020 , 383, 123153	14.7	20
75	Three-Dimensional Fe ₃ O ₄ @Reduced Graphene Oxide Heterojunctions for High-Performance Room-Temperature NO ₂ Sensors. <i>Frontiers in Materials</i> , 2019 , 6,	4	19
74	Laser-induced bi-metal sulfide/graphene nanoribbon hybrid frameworks for high-performance all-in-one fiber supercapacitors. <i>Journal of Power Sources</i> , 2019 , 438, 227044	8.9	21
73	Ultrasensitive room temperature NO ₂ sensors based on liquid phase exfoliated WSe ₂ nanosheets. <i>Sensors and Actuators B: Chemical</i> , 2019 , 300, 127013	8.5	48
72	Interface engineered WS ₂ /ZnS heterostructures for sensitive and reversible NO ₂ room temperature sensing. <i>Sensors and Actuators B: Chemical</i> , 2019 , 296, 126666	8.5	55
71	Controllable synthesis of crescent-shaped porous NiO nanoplates for conductometric ethanol gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2019 , 296, 126642	8.5	45
70	Graphene Oxide-Modified Polyacrylonitrile Nanofibrous Membranes for Efficient Air Filtration. <i>ACS Applied Nano Materials</i> , 2019 , 2, 3916-3924	5.6	30
69	Engineering sulfonated polyaniline molecules on reduced graphene oxide nanosheets for high-performance corrosion protective coatings. <i>Applied Surface Science</i> , 2019 , 484, 663-675	6.7	18
68	Hierarchical CoNi ₂ S ₄ nanosheet/nanotube array structure on carbon fiber cloth for high-performance hybrid supercapacitors. <i>Electrochimica Acta</i> , 2019 , 305, 81-89	6.7	33
67	Glucose-assisted synthesis of hierarchical flower-like Co ₃ O ₄ nanostructures assembled by porous nanosheets for enhanced acetone sensing. <i>Sensors and Actuators B: Chemical</i> , 2019 , 288, 699-706	8.5	44
66	Flower-Like VO(B)@C Structure: High Rate Capacity and Stability as Lithium-Ion Batteries. <i>Journal of Nanoscience and Nanotechnology</i> , 2019 , 19, 4052-4057	1.3	2
65	Bi-metal organic framework nanosheets assembled on nickel wire films for volumetric-energy-dense supercapacitors. <i>Journal of Power Sources</i> , 2019 , 423, 80-89	8.9	40
64	Scalable synthesis of Fe ₂ O ₃ /CNT composite as high-performance anode material for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2019 , 770, 116-124	5.7	32

63	Construction of MoS ₂ /SnO ₂ heterostructures for sensitive NO ₂ detection at room temperature. <i>Applied Surface Science</i> , 2019 , 493, 613-619	6.7	58
62	Two-dimensional MoSe nanosheets via liquid-phase exfoliation for high-performance room temperature NO gas sensors. <i>Nanotechnology</i> , 2019 , 30, 445503	3.4	33
61	Gas Sensors Based on Chemically Reduced Holey Graphene Oxide Thin Films. <i>Nanoscale Research Letters</i> , 2019 , 14, 218	5	17
60	MoS ₂ quantum dots decorated reduced graphene oxide as a sulfur host for advanced lithium-sulfur batteries. <i>Electrochimica Acta</i> , 2019 , 327, 134994	6.7	25
59	Direct Inkjet Printing of Aqueous Inks to Flexible All-Solid-State Graphene Hybrid Micro-Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 46044-46053	9.5	50
58	All-organic covalent organic framework/polyaniline composites as stable electrode for high-performance supercapacitors. <i>Materials Letters</i> , 2019 , 236, 354-357	3.3	51
57	Three-dimensional skeleton networks of reduced graphene oxide/nanosheets/vanadium pentoxide nanobelts hybrid for high-performance supercapacitors. <i>Electrochimica Acta</i> , 2019 , 295, 14-21	6.7	23
56	Gold nanobipyramid@cuprous oxide jujube-like nanostructures for plasmon-enhanced photocatalytic performance. <i>Applied Catalysis B: Environmental</i> , 2018 , 234, 26-36	21.8	36
55	In situ coating nickel organic complexes on free-standing nickel wire films for volumetric-energy-dense supercapacitors. <i>Nanotechnology</i> , 2018 , 29, 275401	3.4	5
54	Enhanced formaldehyde detection based on Ni doping of SnO ₂ nanoparticles by one-step synthesis. <i>Sensors and Actuators B: Chemical</i> , 2018 , 263, 120-128	8.5	66
53	Linear humidity response of carbon dot-modified molybdenum disulfide. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 4083-4091	3.6	15
52	Surface-crumpled graphene hydrogels with macro- and microporous structures for ultrahigh-volumetric energy storage. <i>Journal of Power Sources</i> , 2018 , 399, 115-124	8.9	26
51	Design of Hetero-Nanostructures on MoS Nanosheets To Boost NO Room-Temperature Sensing. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 22640-22649	9.5	121
50	One-step electrodeposition of nickel cobalt sulfide nanosheets on Ni nanowire film for hybrid supercapacitor. <i>Electrochimica Acta</i> , 2018 , 259, 617-625	6.7	70
49	Flexible graphene/carbon nanotube hybrid papers chemical-reduction-tailored by gallic acid for high-performance electrochemical capacitive energy storages. <i>Applied Surface Science</i> , 2018 , 435, 699-707	6.7	14
48	Metal oxide nanoprism-arrays assembled in N-doped carbon foamy nanoplates that have efficient polysulfide-retention for ultralong-cycle-life lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 11260-11269	13	21
47	In situ preparation of magnetic Ni-Au/graphene nanocomposites with electron-enhanced catalytic performance. <i>Journal of Alloys and Compounds</i> , 2017 , 706, 377-386	5.7	20
46	Enhanced NO ₂ sensing performance of reduced graphene oxide by in situ anchoring carbon dots. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 6862-6871	7.1	66

45	Studies on NH ₃ gas sensing by zinc oxide nanowire-reduced graphene oxide nanocomposites. <i>Sensors and Actuators B: Chemical</i> , 2017 , 252, 284-294	8.5	82
44	Three-dimensional structures of graphene/polyaniline hybrid films constructed by steamed water for high-performance supercapacitors. <i>Journal of Power Sources</i> , 2017 , 342, 1-8	8.9	123
43	Cobalt Doping To Boost the Electrochemical Properties of Ni@Ni S Nanowire Films for High-Performance Supercapacitors. <i>ChemSusChem</i> , 2017 , 10, 4056-4065	8.3	51
42	Two-dimensional NiO nanosheets with enhanced room temperature NO sensing performance via Al doping. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 19043-19049	3.6	59
41	Three-dimensional chemically reduced graphene oxide templated by silica spheres for ammonia sensing. <i>Sensors and Actuators B: Chemical</i> , 2017 , 252, 956-964	8.5	48
40	Rational design of sandwiched polyaniline nanotube/layered graphene/polyaniline nanotube papers for high-volumetric supercapacitors. <i>Chemical Engineering Journal</i> , 2017 , 309, 89-97	14.7	86
39	Three-dimensional conductive networks based on stacked SiO@graphene frameworks for enhanced gas sensing. <i>Nanoscale</i> , 2017 , 9, 109-118	7.7	102
38	Steamed water engineering mechanically robust graphene films for high-performance electrochemical capacitive energy storage. <i>Nano Energy</i> , 2016 , 26, 668-676	17.1	45
37	Three-dimensional skeleton networks of graphene wrapped polyaniline nanofibers: an excellent structure for high-performance flexible solid-state supercapacitors. <i>Scientific Reports</i> , 2016 , 6, 19777	4.9	106
36	In situ preparation of cubic Cu ₂ O-RGO nanocomposites for enhanced visible-light degradation of methyl orange. <i>Nanotechnology</i> , 2016 , 27, 265703	3.4	36
35	Hierarchical heterostructures based on prickly Ni nanowires/Cu ₂ O nanoparticles with enhanced photocatalytic activity. <i>Dalton Transactions</i> , 2016 , 45, 7258-66	4.3	10
34	A Review on Graphene-Based Gas/Vapor Sensors with Unique Properties and Potential Applications. <i>Nano-Micro Letters</i> , 2016 , 8, 95-119	19.5	383
33	Reduced graphene oxide/polypyrrole nanotube papers for flexible all-solid-state supercapacitors with excellent rate capability and high energy density. <i>Journal of Power Sources</i> , 2016 , 302, 39-45	8.9	152
32	High-performance flexible all-solid-state supercapacitors based on densely-packed graphene/polypyrrole nanoparticle papers. <i>Applied Surface Science</i> , 2016 , 387, 666-673	6.7	34
31	A p-i-n junction diode based on locally doped carbon nanotube network. <i>Scientific Reports</i> , 2016 , 6, 23312	4.9	6
30	The microwave-assisted solvothermal synthesis of a novel Eketoenamine-linked conjugated microporous polymer for supercapacitors. <i>RSC Advances</i> , 2016 , 6, 49425-49428	3.7	22
29	Densely-packed graphene/conducting polymer nanoparticle papers for high-volumetric-performance flexible all-solid-state supercapacitors. <i>Applied Surface Science</i> , 2016 , 379, 206-212	6.7	45
28	A new strategy to prepare N-doped holey graphene for high-volumetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 9739-9743	13	84

27	Docetaxel-loaded SiO ₂ @Au@GO core-shell nanoparticles for chemo-photothermal therapy of cancer cells. <i>RSC Advances</i> , 2016 , 6, 48379-48386	3.7	8
26	Morphology Control and Photocatalysis Enhancement by in Situ Hybridization of Cuprous Oxide with Nitrogen-Doped Carbon Quantum Dots. <i>Langmuir</i> , 2016 , 32, 9418-27	4	76
25	Nanofoaming to Boost the Electrochemical Performance of Ni@Ni(OH) Nanowires for Ultrahigh Volumetric Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 27868-27876	9.5	72
24	Free-standing functional graphene reinforced carbon films with excellent mechanical properties and superhydrophobic characteristic. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015 , 74, 96-106	8.4	10
23	ZnO Nanowire-Reduced Graphene Oxide Hybrid Based Portable NH ₃ Gas Sensing Electron Device. <i>IEEE Electron Device Letters</i> , 2015 , 36, 1376-1379	4.4	66
22	High-work-function metal/carbon nanotube/low-work-function metal hybrid junction photovoltaic device. <i>NPG Asia Materials</i> , 2015 , 7, e220-e220	10.3	11
21	A novel Ni@Ni(OH) ₂ coaxial core-sheath nanowire membrane for electrochemical energy storage electrodes with high volumetric capacity and excellent rate capability. <i>Electrochimica Acta</i> , 2015 , 182, 464-473	6.7	27
20	Ultrafast and sensitive room temperature NH ₃ gas sensors based on chemically reduced graphene oxide. <i>Nanotechnology</i> , 2014 , 25, 025502	3.4	204
19	Facile synthesis of soluble functional graphene by reduction of graphene oxide via acetylacetone and its adsorption of heavy metal ions. <i>Nanotechnology</i> , 2014 , 25, 395602	3.4	24
18	Ammonia gas sensors based on chemically reduced graphene oxide sheets self-assembled on Au electrodes. <i>Nanoscale Research Letters</i> , 2014 , 9, 251	5	83
17	Controlled assembly of FePt nanoparticles monolayer on solid substrates. <i>Journal of Colloid and Interface Science</i> , 2014 , 417, 100-8	9.3	5
16	Surfactant-free synthesis of Cu ₂ O hollow spheres and their wavelength-dependent visible photocatalytic activities using LED lamps as cold light sources. <i>Nanoscale Research Letters</i> , 2014 , 9, 624	5	23
15	Paper-like graphene-Ag composite films with enhanced mechanical and electrical properties. <i>Nanoscale Research Letters</i> , 2013 , 8, 32	5	66
14	The NH ₃ sensing properties of gas sensors based on aniline reduced graphene oxide. <i>Synthetic Metals</i> , 2013 , 185-186, 25-30	3.6	49
13	Gas sensor based on p-phenylenediamine reduced graphene oxide. <i>Sensors and Actuators B: Chemical</i> , 2012 , 163, 107-114	8.5	201
12	The Prospective Two-Dimensional Graphene Nanosheets: Preparation, Functionalization and Applications. <i>Nano-Micro Letters</i> , 2012 , 4, 1-9	19.5	113
11	Reduced graphene oxide-polyaniline hybrid: Preparation, characterization and its applications for ammonia gas sensing. <i>Journal of Materials Chemistry</i> , 2012 , 22, 22488		272
10	Graphene oxide reinforced polyimide nanocomposites via in situ polymerization. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 173-8	1.3	20

9	The preparation and characterization of non-covalently functionalized graphene. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 99-104	1.3	16
8	The Prospective Two-Dimensional Graphene Nanosheets: Preparation, Functionalization and Applications 2012 , 4, 1		11
7	Single-walled carbon nanotube/cobalt phthalocyanine derivative hybrid material: preparation, characterization and its gas sensing properties. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3779		137
6	Hexafluorobisphenol A covalently functionalized single-walled carbon nanotubes for detection of dimethyl methylphosphonate vapor. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 4874-81	1.3	17
5	A Facile Route for the Large Scale Fabrication of Graphene Oxide Papers and Their Mechanical Enhancement by Cross-linking with Glutaraldehyde. <i>Nano-Micro Letters</i> , 2011 , 3, 215-222	19.5	51
4	Poly(Glycidyl Methacrylates)-grafted Zinc Oxide Nanowire by Surface-initiated Atom Transfer Radical Polymerization. <i>Nano-Micro Letters</i> , 2010 , 2, 285-289	19.5	11
3	Synthesis of Polymer-Mesoporous Silica Nanocomposites. <i>Materials</i> , 2010 , 3, 4066-4079	3.5	141
2	Polythiophene microspheres synthesized by transition metal mediated oxidative dispersion polymerization. <i>Journal of Polymer Science Part A</i> , 2010 , 48, 5265-5269	2.5	5
1	Efficient dispersion of multi-walled carbon nanotubes by in situ polymerization. <i>Polymer International</i> , 2007 , 56, 655-659	3.3	51