

# Tamami Abe

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1587971/publications.pdf>

Version: 2024-02-01

13  
papers

259  
citations

1163117

8  
h-index

1281871

11  
g-index

13  
all docs

13  
docs citations

13  
times ranked

432  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Concept of Indeterminable NASH Inducted by Preoperative Diet and Metabolic Surgery: Analyses of Histopathological and Clinical Features. <i>Biomedicines</i> , 2022, 10, 453.	3.2	2
2	Shear wave dispersion to assess liver disease progression in Fontan-associated liver disease. <i>PLoS ONE</i> , 2022, 17, e0271223.	2.5	3
3	Contrast-Enhanced Ultrasonography-Based Hepatic Perfusion for Early Prediction of Prognosis in Acute Liver Failure. <i>Hepatology</i> , 2021, 73, 2455-2467.	7.3	15
4	Comparing the Safety and Efficacy of Microwave Ablation Using Thermosphere™ Technology versus Radiofrequency Ablation for Hepatocellular Carcinoma: A Propensity Score-Matched Analysis. <i>Cancers</i> , 2021, 13, 1295.	3.7	11
5	Two-dimensional shear wave elastography and ultrasound-guided attenuation parameter for progressive non-alcoholic steatohepatitis. <i>PLoS ONE</i> , 2021, 16, e0249493.	2.5	17
6	Diagnostic accuracy of ultrasound-guided attenuation parameter as a noninvasive test for steatosis in non-alcoholic fatty liver disease. <i>Journal of Medical Ultrasonics (2001)</i> , 2021, 48, 471-480.	1.3	9
7	Response to the letter by Sumida et al. regarding our manuscript "Evaluation of ballooned hepatocytes as a risk factor for future progression of fibrosis in patients with non-alcoholic fatty liver disease". <i>Journal of Gastroenterology</i> , 2019, 54, 476-477.	5.1	0
8	Change in arterial tumor perfusion is an early biomarker of lenvatinib efficacy in patients with unresectable hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2019, 25, 2365-2372.	3.3	28
9	Evaluation of ballooned hepatocytes as a risk factor for future progression of fibrosis in patients with non-alcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2018, 53, 1285-1291.	5.1	24
10	Accuracy of 2D shear wave elastography in the diagnosis of liver fibrosis in patients with chronic hepatitis C. <i>Journal of Clinical Ultrasound</i> , 2018, 46, 319-327.	0.8	21
11	Investigation of a Method for Quantifying Diffuse Liver Disease Based on Histogram of Ultrasound Signal-to-Noise Ratio. , 2018, , .		0
12	The B-Mode Image-Guided Ultrasound Attenuation Parameter Accurately Detects Hepatic Steatosis in Chronic Liver Disease. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 2223-2232.	1.5	103
13	Visualizing the hepatic vascular architecture using superb microvascular imaging in patients with hepatitis C virus: A novel technique. <i>World Journal of Gastroenterology</i> , 2016, 22, 6057.	3.3	26