## **Aaron White**

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1588561/publications.pdf

Version: 2024-02-01

8755 16186 26,333 512 77 128 citations h-index g-index papers 541 541 541 10025 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	1.4	6
2	Measurement of the c-jet mistagging efficiency in $\frac{t}{\$\$\hat{a}}$ events using pp collision data at $\$\$qrt\{s\}=13\$\$\hat{a}$ ext $TeV\}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
3	Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at $$$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
5	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fba $^{\circ}$ 1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
6	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
7	Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from $\W^{pm}$ ightarrow au ${pm }(ightarrow pi ^{pm }u _{au })u _{au }$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
8	The ATLAS inner detector trigger performance in pp collisions at 13ÂTeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
9	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\$$ sqrt $\{s\}=13$ \$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
10	Measurement of the energy asymmetry in $\$t{ar{t}}j\$\$$ production at $\$\$13,\$\$TeV$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
11	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\$$ sqrt $\{s\}$ = $7$ \$\$, 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.	1.4	12
12	Measurement of hadronic event shapes in high-pT multijet final states at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
13	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fbâ^'1 of $$$ sqrt{s} $$$ = 13 TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
14	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in protonâ $\in$ proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
15	Measurements of WH and ZH production in the $\$ H ightarrow bar{b}\$\$ decay channel in pp collisions at \$\$13,ext {Te}ext {V}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
16	Search for dark matter in association with an energetic photon in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
17	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\$\$$ sqrt $\$$ = 13, $\$$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
18	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ^'1 of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19

#	Article	IF	Citations
19	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $$$ sqrt $s$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
20	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
21	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
22	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at \$\$sqrt{s}\$\$ = 13ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
23	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV proton–proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
24	Search for heavy resonances decaying into a pair of Z bosons in the \$\$ell ^+ell ^-ell '^+ell '^-\$\$ and \$\$ell ^+ell ^-u {{ar{u }}}\$\$ final states using 139 \$\$mathrm {fb}^{-1}\$\$ of protonâ $\in$ "proton collisions at \$\$sqrt{s} = 13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
25	Search for new phenomena in final states with b-jets and missing transverse momentum in \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
26	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the \$\$ell ell bb\$\$ and \$\$ell ell WW\$\$ final states in pp collisions at $$\sqrt{s}=13$$ A\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
27	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	23
28	Measurements of W+W $\hat{a}$ "+ $\hat{a}$ %¥ 1 jet production cross-sections in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
29	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
30	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\$$ qrt $\{s\}=13$ ,ext $\{TeV\}$ \$\$. European Physical Journal C, 2021, 81, 1.	1.4	14
31	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\ddot{\text{I}}$ ,-lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
32	Search for supersymmetry in events with four or more charged leptons in 139 fba $^1$ of \$\$ sqrt{s} \$= 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
33	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W± and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
34	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
35	A search for the decays of stopped long-lived particles at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
36	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\$$ sqrt $\{s\}=13$ \$\$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	82

#	Article	IF	CITATIONS
37	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at \$\$sqrt{s}=13\$\$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
38	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $s=0.21,81$ , with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
39	Jet energy scale and resolution measured in proton–proton collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
40	Measurements of the inclusive and differential production cross sections of a top-quark–antiquark pair in association with a ZÂboson at \$\$sqrt{s} = 13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
41	Search for dark matter produced in association with a single top quark in \$\$sqrt{s}=13\$\$ÂTeV \$\$pp\$\$ collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
42	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
43	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
44	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
45	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using \$\$sqrt{s} = 13hbox { TeV}\$\$ proton–proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7
46	Measurement of the $t$ \$ overline{t} \$\$\$\$ overline{t} \$\$ production cross section in pp collisions at \$\$ $sqrt{s}$ \$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
47	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
48	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
49	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
50	Search for chargino $\hat{a} \in \text{``neutralino pair production in final states with three leptons and missing transverse momentum in $$sqrt{s} = 13$$ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.$	1.4	28
51	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
52	Measurement of b-quark fragmentation properties in jets using the decay $B\hat{A}\pm\hat{a}\uparrow'J/\hat{\Gamma}\hat{K}\hat{A}\pm\hat{n}$ in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
53	Measurements of inclusive and differential cross-sections of combined $\$\$$ toverline $\{t\}$ gamma $\$\$$ and $tW\hat{I}^3$ production in the $e\hat{I}^1$ 4 channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
54	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17

#	Article	IF	Citations
55	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
56	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4$ \$ell \$\$ decay channel at $\$$ qrt $\{s\}$ \$ = 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
57	Fluctuations of anisotropic flow in Pb+Pb collisions at \$\$ sqrt{{mathrm{s}}_{mathrm{NN}}} \$\$ = 5.02 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
58	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in \$\$pp\$\$ collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
59	Measurement of differential cross sections for single diffractive dissociation in \$\$ sqrt{s} \$\$ = 8 TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
60	Measurement of isolated-photon plus two-jet production in pp collisions at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
61	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
62	Search for the HH $\hat{a}^{\prime}$ \$\$ boverline{b}boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
63	Observation of the associated production of a top quark and a Z boson in pp collisions at \$\$ sqrt{s} \$\$= 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
64	Measurement of the transverse momentum distribution of Drellâ€"Yan lepton pairs in protonâ€"proton collisions at \$\$sqrt{s}=13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
65	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
66	Measurements of top-quark pair spin correlations in the $\$$ emu $\$$ channel at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
67	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using \$\$ sqrt{s} \$\$ = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
68	Higgs boson production cross-section measurements and their EFT interpretation in the $\$\$4ell \$\$$ decay channel at $\$\$qrt\{s\}=\$\$13\ATeV$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
69	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
70	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ^'1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19
71	Search for dijet resonances in events with an isolated charged lepton using $\$\$ $ sqrt $\{\$\}$ = 13 TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7
72	Measurement of the Z( $\hat{a}^{\dagger}$ ' $\hat{a}$ ,"+ $\hat{a}$ ," $\hat{a}$ ") $\hat{l}$ production cross-section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	he 1.6	9

#	Article	IF	Citations
73	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ and 13ÂTeV. European Physical Journal C, 2020, 80, 1.	1.4	5
74	Transverse momentum and process dependent azimuthal anisotropies in $\$\$qrt\{s_{mathrm \{NN\}}\}=8.16\$$ ATeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
75	Measurement of J/ $\hat{\Gamma}$ production in association with a W± boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
76	Search for new resonances in mass distributions of jet pairs using 139 fb $\hat{a}$ °1 of pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
77	Search for $\$$ toverline $\{t\}$ $\$$ resonances in fully hadronic final states in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
78	Reconstruction and identification of boosted di-Ï,, systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
79	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
80	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $$\frac{1}{8}=13$ \$\$. For all sing the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
81	Search for top squarks in events with a Higgs or Z boson using 139Âfb\$\$^{-1}\$\$ of pp collision data at \$\$\$qrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
82	Evidence for \$\$tar{t}\$tar{t}\$\$ production in the multilepton final state in proton–proton collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
83	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\$$ sqrt $\{s\}=13$ \$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
84	Search for light long-lived neutral particles produced in pp collisions at $\$$ sqrt $\{s\} = 13$ -mathrm $\{TeV\}$ \$\$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
85	Search for a scalar partner of the top quark in the all-hadronic $t{ar{t}}$ plus missing transverse momentum final state at $s{qrt{s}}=13$ for with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
86	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
87	Determination of jet calibration and energy resolution in proton–proton collisions at \$\$\$qrt{s} = 8~hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
88	Constraints on mediator-based dark matter and scalar dark energy models using $\$\$ $ sqrt $\{\$\}$ = 13 TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
89	Search for long-lived neutral particles in pp collisions at $\frac{13-{ext { TeV}}}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
90	Search for Higgs boson pair production in the $WW(*)WW(*)$ decay channel using ATLAS data recorded at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21

#	Article	IF	Citations
91	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
92	Measurement of $\W^{pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\S=13-ext TeV$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
93	Searches for third-generation scalar leptoquarks in $\$\$$ sqrt $\{\$\}$ $\$\$$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
94	Search for scalar resonances decaying into $\hat{1}/4+\hat{1}/4\hat{a}$ in events with and without b-tagged jets produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
95	Search for diboson resonances in hadronic final states in 139 fbâ^1 of pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
96	Search for excited electrons singly produced in proton–proton collisions at \$\$sqrt{s} ~=~13~ext {Te}ext {V}\$\$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
97	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, .	1.4	21
98	Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
99	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
100	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton $\hat{a}\in \text{``proton collision data at $$sqrt{s} = 13$$$.$ext {TeV}$$. European Physical Journal C, 2019, 79, 1.$	1.4	77
101	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\$$ sqrt $\{s\}$ \$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
102	Searches for scalar leptoquarks and differential cross-section measurements in dileptonâ $\in$ dijet events in protonâ $\in$ proton collisions at a centre-of-mass energy of $\$ varvec $\{$ sqrt $\{$ s $\}$ $\}$ $\}$ = 13ÂTeV with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	22
103	Search for single production of vector-like quarks decaying into Wb in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
104	Search for top-quark decays t $\hat{a}$ †' Hq with 36 fb $\hat{a}$ "1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
105	Measurement of VH, \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
106	Measurements of W and Z boson production in pp collisions at $\$$ sqrt $\{s\}$ =5.02 $\$$ s = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
107	Performance of top-quark and $\$ varvec $\{W\}$ \$ W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
108	Measurements of inclusive and differential fiducial cross-sections of $\frac{1}{2}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14

#	Article	IF	Citations
109	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
110	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
111	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $$$ sqrt ${s}=13$ $$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
112	In situ calibration of large-radius jet energy and mass in 13ÂTeVÂproton–proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
113	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
114	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
115	Measurement of the top quark mass in the $\frac{t}{ightarrow}$ t t $\hat{A}^-$ at . European Physical Journal C, 2019, 79, 1.	1.4	47
116	Search for pair production of Higgs bosons in the $\$$ boverline $\{b\}$ boverline $\{b\}$ \$\\$ final state using proton-proton collisions at $\$$ sqrt $\{s\}$ =13 \$\\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
117	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
118	Measurement of the top-quark mass in $$$ \$ toverline{t} $$$ \$ + 1-jet events collected with the ATLAS detector in pp collisions at $$$ \$ sqrt{s} $$$ \$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
119	Measurement of fiducial and differential $\W^+W^-$ production cross-sections at $\space{1.5}$ sqrt $\space{1.5}$ production cross-sections at $\space{1.5}$ sqrt $\space{1.5}$ production cross-sections at $\space{1.5}$ sqrt $\space{1.5}$ production cross-sections at $\space{1.5}$ production cross-sections at $\space{1.5}$ sqrt $\space{1.5}$ production cross-sections at $\space{1.5}$ production cross-section	1.4	24
120	Measurement of ZZ production in the $\hat{a}$ , " $\hat{a}$ ," " $\hat{i}$ 1/2 $\hat{i}$ 1/2 final state with the ATLAS detector in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
121	Measurement of $\$ W^{pm}\$-boson and Z-boson production cross-sections in pp collisions at \$\$sqrt{s}=2.76\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
122	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton–proton collisions at 8ÂTeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
123	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
124	Measurement of $\$W^pm \$$ boson production in Pb+Pb collisions at $\$sqrt\{s_{mathrm}NN\}\} = 5.02~ext {Te}ext {V}$$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.$	1.4	17
125	ATLAS b-jet identification performance and efficiency measurement with $f(x) = 13$ events in pp collisions at $f(x) = 13$ for European Physical Journal C, 2019, 79, 1.	1.4	130
126	Measurement of flow harmonics correlations with mean transverse momentum in lead–lead and proton–lead collisions atÂ\$\$sqrt{s_{mathrm{NN}}} = 5.02~hbox {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36

#	Article	IF	Citations
127	Measurements of top-quark pair differential and double-differential cross-sections in the $\$$ ell $\$$ +jets channel with pp collisions at $\$$ qrt $\{$ s $\}$ =13 $\$$ \$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
128	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
129	Measurement of the inclusive isolated-photon cross section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using 36 fbâ^1 of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
130	Measurement of $K_S^0$ and $L$ and $C_s$ production in $t = 10^{10}$ dileptonic events in pp collisions at $L_S^0$ = $L_S^0$ 7 TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
131	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fbâ^'1 of pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
132	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s=13 $ \$ sqrt{ $s$ }=13 \$\$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
133	Measurement of the W-boson mass in pp collisions at $\$$ sqrt $\{s\}$ =7, hbox $\{TeV\}$ \$\$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
134	Search for new phenomena in high-mass final states with a photon and a jet from $pp$ pp collisions at $q$ s. European Physical Journal C, 2018, 78, 102.	1.4	13
135	Search for the direct production of charginos and neutralinos in final states with tau leptons in $$$ sqrt{s} = 13,mathrm{TeV}\$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
136	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\$$ sqrt{s_{ext {NN}}}=2.76\$\$ s NN = 2.76 and 5.0. European Physical Journal C, 2018, 78, 142.	1.4	59
137	Measurement of quarkonium production in proton–lead and proton–proton collisions at \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
138	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\$$ sqrt ${s}={13}{ext {TeV}}$ \$\$ s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
139	Search for heavy ZZ resonances in the \$\$ell ^+ell ^-ell ^+ell ^-\$\$ â," + â," - â," + â," - and \$\$ell ^+ell ^-u ar{u }\$\$ â," + â," - ν ν  final states using protonâ€"proton collisions at \$\$sqrt{s}= 13\$\$ s = 13  \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
140	A search for pair-produced resonances in four-jet final states at $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
141	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fbâ^'1 of $$$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
142	Search for heavy resonances decaying into WW in the \$\$eu mu u \$\$ e $\hat{l}\frac{1}{2}$ $\hat{l}\frac{1}{4}$ $\hat{l}\frac{1}{2}$ final state in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
143	Direct top-quark decay width measurement in the $\$ was at the first top-quark decay width measurement in the $\$ mathbf {varvec{tar{t}}}\$\$ t t $\hat{A}^-$ lepton+jets channel at \$\$sqrt{s}=8-ext {TeV}\$\$ s = 8 TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
144	Search for W W/W Z resonance production in $\hat{a}$ , " $\hat{l}$ /2qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31

#	Article	IF	Citations
145	Measurement of the Higgs boson coupling properties in the H $\hat{a}^{\dagger}$ ZZ $\hat{a}$ — $\hat{a}^{\dagger}$ 4 $\hat{a}$ ," decay channel at \$\$ sqrt{s}=13 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	\$\$ 1.6	46
146	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H $\hat{a}$ †' aa $\hat{a}$ †' 4b channel in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
147	Measurement of the $\$ Zgamma o u overline{u}gamma $\$ production cross section in pp collisions at $\$ sqrt{s}=13 $\$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
148	Prompt and non-prompt $\$$ J/ $\ddot{\Gamma}$ elliptic flow in Pb+Pb collisions at $\$$ sqrt $\{s_{ext} \{NN\}\} = 5.02\$$ s NN = 5.02 Tev with the ATLAS detector $\ddot{A}$ . European Physical Journal C, 2018, 78, 784.	1.4	19
149	Search for Higgs boson pair production in the \$\$gamma gamma WW^*\$\$ $\hat{I}^3$ $\hat{I}^3$ W W $\hat{a}$ — channel using \$\$pp\$\$ pp collision data recorded at \$\$sqrt{s}\$\$ s \$\$=13\$\$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
150	Measurement of colour flow using jet-pull observables in $\frac{1}{5}$ t t $\hat{A}^-$ events with the ATLAS experiment at $\frac{1}{5}$ = 13,hbox $\frac{1}{5}$ s = 13 TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
151	Angular analysis of BO d → Kâ^—μ+μâ^' decays in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS Journal of High Energy Physics, 2018, 2018, 1.	detector. 1.6	76
152	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb \$\$^{-1}\$\$ - 1 of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
153	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
154	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
155	Search for Higgs boson pair production in the \$\$ upgamma upgamma boverline{b} \$\$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
156	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
157	Measurement of the azimuthal anisotropy of charged particles produced in $\frac{s_{y}}{s_{y}}$ s NN = 5.02ÂTeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
158	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
159	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\$$ sqrt $\{s\}=13$ hbox $\{TeV\}$ $\$$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
160	Search for charged Higgs bosons decaying into top and bottom quarks at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 1.	1.6	56
161	Operation and performance of the ATLAS Tile Calorimeter in RunÂ1. European Physical Journal C, 2018, 78, 987.	1.4	25
162	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $s=13 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37

#	Article	IF	Citations
163	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
164	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fba $^{\circ}$ 1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
165	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
166	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
167	Search for charged Higgs bosons decaying via $H\hat{A}\pm\hat{a}\uparrow^{\prime}\ddot{i}$ , $\hat{A}\pm\hat{i}\frac{1}{2}\ddot{i}$ , in the $\ddot{i}$ , +jets and $\ddot{i}$ , +lepton final states with 36 fba of pp collision data recorded at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	â~'1 1.6	59
168	Prompt and non-prompt $\$J/psi \$J/\ddot{\Gamma}$ and $\$psi$ (2mathrm $\{S\}$ ) $\$$ $\ddot{\Gamma}$ (2S) suppression at high transverse momentum in $\$\$5.02$ ~mathrm $\{TeV\}$ $\$$ 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
169	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
170	Search for exclusive Higgs and Z boson decays to $\ddot{\mathbf{l}} \cdot \hat{\mathbf{l}}^3$ and $\ddot{\mathbf{l}} \cdot \hat{\mathbf{l}}^3$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
171	Measurements of b-jet tagging efficiency with the ATLAS detector using $$$ \$ toverline{t} \$\$ events at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
172	Search for flavour-changing neutral current top-quark decays t $\hat{a}^{\dagger}$ qZ in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
173	Measurement of the inclusive and fiducial $\frac{1}{5}$ t t $\hat{A}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
174	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in protonâ $\in$ "proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 Â \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
175	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\$$ qrt $\{s\}=13$ \$\$ s = 13 Â\$\$ext {Te}ext {V}\$\$ Te pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
176	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
177	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
178	Search for dark matter produced in association with bottom or top quarks in \$\$sqrt{s}=13\$\$s=13ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
179	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13,ext {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
180	Measurement of \$\$au \$\$ $\ddot{i}$ , polarisation in \$\$Z/gamma ^{*}ightarrow au au \$\$ Z / $\hat{i}$ 3. European Physical Journal C, 2018, 78, 163.	1.4	7

#	Article	IF	CITATIONS
181	Searches for heavy ZZ and ZW resonances in the â, "â, "qq and $l\sqrt{2}\sqrt{2}$ qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
182	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
183	Measurement of differential cross sections and W+/W $\hat{a}$ ° cross-section ratios for W boson production in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
184	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fba^1 of ( $sqrt\{s\}=13$ ) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
185	Measurement of the W-boson mass in pp collisions at (sqrt{s}=7, hbox {TeV}) with the ATLAS detector. , 2018, 78, 1.		1
186	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at (sqrt{s}=13,ext {TeV}). , 2018, 78, 1.		1
187	Measurement of the $\$ {varvec{tar{t}Z}}\$\$ t t ¯Z and \$\${varvec{tar{t}W}}\$\$ t t ¯W production cross sections in multilepton final states using 3.2 fb \$\$^{-1}\$\$ - 1 of \$\$varvec{pp}\$\$ p p collisions at \$\$sqrt{s}\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
188	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
189	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
190	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\$$ qrt $\{s\}=13$ \$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
191	Measurement of the W boson polarisation in $\frac{1}{5}$ t t $\hat{A}$ events from pp collisions at $\frac{1}{5}$ s = 8 TeV in the lepton $\hat{A}$ + $\hat{A}$ jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
192	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton–proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
193	Measurements of top-quark pair differential cross-sections in the \$\$emu \$\$ e $\hat{1}\frac{1}{4}$ channel in pp collisions at \$\$sqrt{s} = 13\$\$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
194	Performance of algorithms that reconstruct missing transverse momentum in \$\$sqrt{s}\$\$ s = 8 TeV protonâ€"proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
195	Measurement of the prompt J/ \$\$psi \$\$ $\ddot{\Gamma}$ pair production cross-section in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
196	Search for triboson $\W^{pm}W^{pm}W^{mp}\$ W ± W ± W â-" production in pp collisions at \$\$sqrt{s}=8\$\$ s = 8  \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
197	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
198	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8ÂTeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56

#	Article	IF	CITATIONS
199	Measurements of electroweak \$\$Wjj \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
200	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
201	Measurement of multi-particle azimuthal correlations in pp, pÂ+ÂPb and low-multiplicity PbÂ+ÂPb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
202	Measurement of inclusive and differential cross sections in the H $\hat{a}$ †' ZZ * $\hat{a}$ †' 4 $\hat{a}$ ," decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
203	Measurement of lepton differential distributions and the top quark mass in $\frac{1}{2}$ t t $\hat{A}$ . European Physical Journal C, 2017, 77, 804.	1.4	28
204	Measurement of the $\$$ toverline{t}gamma $\$$ production cross section in proton-proton collisions at $\$$ sqrt{s}=8 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
205	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
206	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
207	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\s \$ s = 13 Â \$\$ext {TeV}\$\$ TeV \$\$varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
208	Measurement of the ZZ production cross section in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV using the ZZ → â,"â^'â,"+â,"â $\in$ 2â^'â,"â $\in$ 2+ and Z Z→ â," â^' â," + ν ν Â-\$\$ ZZo {ell}^{-}{ell}^{+}u ownith the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	verli <b>ne</b> {u}	\$\$ <b>d</b> ecay char
209	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
210	Measurements of $\ddot{\Gamma}(2S)$ and $X(3872)$ $\hat{a}\dagger'$ $J/\ddot{\Gamma}\ddot{\Gamma}\in +\ddot{\Gamma}\in \hat{a}\tilde{\Gamma}'$ production in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
211	Measurements of top-quark pair to Z-boson cross-section ratios at s = 13 $\$$ sqrt{s}=13 $\$$ , 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
212	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
213	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
214	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
215	Measurements of the production cross section of a $Z$ \$ Z boson in association with jets in pp collisions at $\frac{1}{s} = 13$ \$ s. European Physical Journal C, 2017, 77, 361.	1.4	47
216	Precision measurement and interpretation of inclusive $\$W^+\$W^+$ , $\$W^-\$W^-$ . European Physical Journal C, 2017, 77, 367.	1.4	145

#	Article	IF	CITATIONS
217	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\$$ sqrt $\{s_mathrm{NN}\}\} = 2.76\$\$$ s NN = 2.76. European Physical Journal C, 2017, 77, 379.	1.4	51
218	Search for dark matter at $\$$ sqrt $\{s\}=13$ -mathrm $\{TeV\}$ \$ s = 13 TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
219	Measurement of charged-particle distributions sensitive to the underlying event in s = 13 $\$ sqrt{s}=13 \$\$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
220	Search for direct top squark pair production in final states with two leptons in $\$\$qrt\{s\} = 13\$\$ s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
221	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s=13$ \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
222	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\$verve(pp)$ p p collisions at $\$mathbf \{sqrt\{s\}=13\}$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
223	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
224	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
225	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
226	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s=13 \$\$ \ \text{sqrt}\{s\}=13 \$\$ \ \text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
227	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
228	Measurement of \$\$WW/WZ ightarrow ell u q q^{prime }\$\$ W W / W Z â†' â,," $\hat{l}^{1}/2$ q q $\hat{a} \in \mathbb{Z}^2$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at \$\$sqrt{s} =8~ext {TeV}\$\$ s = 8 TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
229	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s=13 $ \$ sqrt $s=13 $ \$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
230	Searches for the $Z\hat{I}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
231	Studies of $Z\hat{I}^3$ production in association with a high-mass dijet system in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
232	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
233	Search for top quark decays t â†' qH, with H â†' $\hat{1}^3\hat{1}^3$ , in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
234	Study of \$\$WWgamma \$\$ W W γ and \$\$WZgamma \$\$ W Z. European Physical Journal C, 2017, 77, 646.	1.4	30

#	Article	IF	Citations
235	Measurements of top quark spin observables in t t $\hat{A}^-$ \$\$ toverline{t} \$\$ events using dilepton final states in s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
236	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
237	Top-quark mass measurement in the all-hadronic t t $\hat{A}^-$ \$\$ toverline{t} \$\$ decay channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
238	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 $ \$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
239	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 $ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
240	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fba $^{1}$ of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
241	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s=13~$ \$ sqrt $\{s\}=13~$ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
242	Measurement of the k t splitting scales in Z $\hat{a}$ †' $\hat{a}$ ," $\hat{a}$ ," events in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
243	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
244	Evidence for the H $\hat{a}$ 1' b b $\hat{A}^-$ \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
245	Search for new high-mass phenomena in the dilepton final state using 36 fbâ 1 of proton-proton collision data at $s=13 $ sqrt{ $s$ }=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
246	Determination of the strong coupling constant \$\$alpha _mathrm {s}\$\$ α s from transverse energy–energy correlations in multijet events at \$\$sqrt{s} = 8~hbox {TeV}\$\$. European Physical Journal C, 2017, 77, 872.	1.4	32
247	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
248	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s=8$ \$\$ sqrt $s=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
249	Measurement of event-shape observables in $Z = 0.01$ Measurement of event-shape observables in \$\$Z ightarrow ell $^{+}$ ell $^{-}$ \$\$ Z â†' â," + â," - events in pp collisions at \$\$qrt{s}=7\$\$ s = 7  \$\${mathrm{TeV}}\$\$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
250	Charged-particle distributions in pp interactions at $\$$ sqrt $\{s\}$ =8 mathrm $\{$ , TeV $\}$ \$\$ s = 8 TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
251	Charged-particle distributions at low transverse momentum in $\$$ sqrt $\{s\} = 13\$$ s = 13 ÂTeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
252	Search for bottom squark pair production in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37

#	Article	IF	Citations
253	Search for minimal supersymmetric standard model Higgs Bosons $H\hat{A}/\hat{A}$ and for a \$\$Z^{prime}\$\$ Z $\hat{a} \in \mathbb{Z}$ boson in the \$\$au au \$\$ $\hat{a}$ , $\hat{a}$ , final state produced in pp collisions at \$\$sqrt{s}= 13\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
254	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
255	Measurement of the \$\$boverline{b}\$\$ b b $\hat{A}^-$ dijet cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 $\hat{A}$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
256	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
257	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $s=13$ from the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
258	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
259	Muon reconstruction performance of the ATLAS detector in proton–proton collision data at \$\$sqrt{s}\$\$ s =13ÂTeV. European Physical Journal C, 2016, 76, 292.	1.4	453
260	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
261	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $s$ sqrt $s$ s = 13 Te V with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
262	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
263	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
264	Search for flavour-changing neutral current top-quark decays to $\$ varvec{qZ}\$\$ q Z in \$\$varvec{pp}\$\$ p p collision data collected with the ATLAS detector at \$\$varvec{sqrt{s}=8}\$\$ s = 8 ÅTeV. European Physical Journal C, 2016, 76, 12.	1.4	39
265	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and the lepton-plus-jets final state in pp collision data at $s=0.76$ , and	1.4	39
266	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $s=8$ and $s=8$ s = 8 and $s=8$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
267	Search for charged Higgs bosons in the H $\hat{A}\pm\hat{a}\dagger$ tb decay channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
268	Study of the rare decays of $\$8^0_s\$ B s 0$ and $\$8^0\$ B 0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
269	Search for supersymmetry in a final state containing two photons and missing transverse momentum in \$\$varvec{sqrt{s}}\$\$ s Â=Â13ÂTeV \$\$varvec{pp}\$\$. European Physical Journal C, 2016, 76, 517.	1.4	24
270	Search for resonances in diphoton events at $s=13 $ \$\$ sqrt ${s}=13 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70

#	Article	IF	CITATIONS
271	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\$\$qrt\{s\} = 8\$$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
272	Measurement of the relative width difference of the B 0 $\hat{a} \in B \hat{A} \setminus B = 0$ (overline $\{B\} \cap B = 0$ ) system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
273	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
274	Performance of pile-up mitigation techniques for jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=8\$\$. European Physical Journal C, 2016, 76, 581.	1.4	298
275	Measurement of the charged-particle multiplicity inside jets from $\$$ sqrt $\{s\}$ =8 $\$$ \$ s = 8 $\$$ {mathrm $\{TeV\}$ }\$\$ TeV App collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
276	Measurement of jet activity in top quark events using the $ell^1/4$ final state with two b-tagged jets in pp collisions at $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
277	Measurement of the transverse momentum and \$\$phi ^*_{eta}\$\$ i• î• â• distributions of Drellâ $\in$ Yan lepton pairs in protonâ $\in$ proton collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
278	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to WW $\hat{a}^-\hat{a}^{\dagger}\hat{e}^{1}/2\hat{1}/4\hat{1}/2$ with the ATLAS detector at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
279	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 $ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
280	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 $ \$\$ sqrt{ $s$ }= $8 $ \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
281	Identification of high transverse momentum top quarks in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
282	A search for an excited muon decaying to a muon and two jets inppcollisions at $q=0.00000000000000000000000000000000000$	1.2	2
283	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
284	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $$$ sqrt{s}=8,~{mathrm {TeV}}\$\$ s = 8 TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
285	Measurement of the differential cross-sections of prompt and non-prompt production of \$\$J/psi \$\$ J / $\ddot{\Gamma}$ and \$\$psi (2mathrm {S})\$\$ $\ddot{\Gamma}$ (2 S ) in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8 $\dot{\Lambda}$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
286	Luminosity determination in pp collisions at $$$ sqrt ${s}$ \$ s = 8 TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
287	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÅTeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
288	Addendum to $\hat{a} \in \mathbb{N}$ Measurement of the $\hat{t} \in \hat{t}$ to $\hat{A}$ production cross-section using $\hat{s} \in \hat{I}$ events with b-tagged jets in pp collisions at $\hat{s} = 1$ and $\hat{s} = 1$ and $\hat{s} = 1$ and $\hat{s} \in \mathbb{N}$ TeV with the ATLAS detector $\hat{s} \in \mathbb{N}$ . European Physical Journal C, 2016, 76, 1.	1.4	19

#	Article	IF	CITATIONS
289	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 $ \$ sqrt $s=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
290	Searches for heavy diboson resonances in pp collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
291	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 $ \$ sqrt{s}=8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
292	Search for the Standard Model Higgs boson decaying into b b $\hat{A}^-$ \$\$ boverline{b} \$\$ produced in association with top quarks decaying hadronically in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
293	Measurement of the CP-violating phase i̇̃• s and the B s 0 meson decay width difference with B s 0  → J/l̈́ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	Ï• 1.6	13
294	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\frac{s}{s}$ = 13 $\frac{TeV}{s}$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
295	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
296	A search for prompt lepton-jets in pp collisions at $s = 8 $ sqrt{mathrm{s}}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
297	Search for new phenomena with photon+jet events in proton-proton collisions at $s=13~$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
298	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in protonâ $\in$ "lead collisions at \$\$sqrt{s_{ext {NN}}} = 5.02\$\$ s NN = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
299	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
300	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
301	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 $ \$ sqrt{s}=13 \$\$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
302	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $s=8$ and $s=8$ are 8 ATeV. European Physical Journal C, 2016, 76, 154.	1.4	62
303	Search for new phenomena in events with at least three photons collected in pp collisions at $\$$ sqrt $\{s\}$ \$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
304	Probing lepton flavour violation via neutrinoless \$\$varvec{au longrightarrow 3mu }\$\$ Ï,, ⟶ 3 μ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
305	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
306	Search for supersymmetry at $\$\$qrt\{s\}=13\$\$$ s = 13 ÂTeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72

#	Article	IF	Citations
307	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
308	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
309	Searches for scalar leptoquarks in pp collisions at $\$$ varvec $\{$ sqrt $\{$ s $\}\}$ $\$$ s = 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
310	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\$$ sqrt $\{s\}$ =7 $\$$ s = 7 and 8ÂTeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
311	Measurements of fiducial cross-sections for $\int \frac{1}{r} \int \frac{1}{r} \int \frac{1}{r} dr$ with one or two additional b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} \int \frac{1}{r} dr$ b-jets in pp collisions at $\int \frac{1}{r} dr$ b-jets in $\int $	1.4	54
312	Study of the $SB_c^+$ ightarrow J/psi D_s^+\$ B c + → J / Ï^ D s + and $SB_c^+$ ightarrow J/psi D_s^{*+}\$ B c + → J / Ï^ D s â^— + decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
313	Search for an additional, heavy Higgs boson in the $\$ Hightarrow ZZ\$\$ H â†' Z Z decay channel at \$\$sqrt{s} = 8;ext{ TeV }\$\$ s = 8 TeV in \$\$pp\$\$ p p collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	1.4	197
314	Search for single top-quark production via flavour-changing neutral currents at 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
315	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at (sqrt{s}=8,mathrm TeV{}) with the ATLAS detector. , 2016, 76, 1.		1
316	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
317	A search for high-mass resonances decaying to $\ddot{\parallel}$ , $+\ddot{\parallel}$ , $\hat{a}$ in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23
318	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 â€" interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
319	Search for lepton-flavour-violating H → μÏ,, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
320	Measurement of four-jet differential cross sections in $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
321	A search for t t $\hat{A}^-$ \$\$ toverline{t} \$\$ resonances using lepton-plus-jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
322	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
323	Measurement of charged-particle spectra in Pb+Pb collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{NN}}}=2.76 $\$$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
324	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33

#	Article	IF	Citations
325	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
326	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
327	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s=7$ \$\$ $sqrt{s}=7$ \$\$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
328	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\$$ sqrt $\{s\}=8$ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
329	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
330	Search for new phenomena in events with three or more charged leptons in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
331	Summary of the searches for squarks and gluinos using $s=8$ \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
332	Determination of the top-quark pole mass using t t $\hat{A}^-$ \$\$ toverline{t} \$\$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
333	Measurement of the t t $\hat{A}^-$ W \$\$ toverline{t}W \$\$ and t t $\hat{A}^-$ Z \$\$ toverline{t}Z \$\$ production cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
334	Search for flavour-changing neutral current top quark decays t $\hat{a}$ †' Hq in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
335	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
336	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 $ \$ sqrt{ $s$ }= $8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
337	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
338	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
339	Search for \$\$W' ightarrow tb ightarrow qqbb\$\$ W ′ →t b →q q b b decays in \$\$pp\$\$ p p collisions at \$\$\$qrt{s}\$\$ s Â=Ā8ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
340	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s=7 \text{ TeV}$ so = 7 TeV. European Physical Journal C, 2015, 75, 158.	1.4	17
341	Search for direct pair production of a chargino and a neutralino decaying to the $125 \text{\^A}$ GeV Higgs boson in \$\$sqrt{varvec{s}} = 8\$\$ s = 8 \^ATeV \$\$varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
342	Study of (W/Z)H production and Higgs boson couplings using Hâ†' W W â $^-$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22

#	Article	IF	CITATIONS
343	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\$ syrvec{sqrt{s} = 8}\$ s = 8 ÂTeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
344	Measurement of the production and lepton charge asymmetry of $\$W$ \$ W bosons in Pb+Pb collisions at $\$$ mathbf {sqrt{mathbf {s}_{mathrm {mathbf {NN}}}}=2.76;TeV}\$\$ s NN = 2.76 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
345	Jet energy measurement and its systematic uncertainty in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
346	Search for invisible particles produced in association with single-top-quarks in proton–proton collisions at \$\$sqrt{s}=mathrm {8~TeV}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
347	Search for resonant diboson production in the \$\$mathrm {ell ell }qar{q}\$\$ â,," â,," q q $\hat{A}^-$ final state in \$\$pp\$\$ p p collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
348	Measurements of the \$\$W\$\$ W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
349	Search for dark matter in events with heavy quarks and missing transverse momentum in \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
350	Measurement of the t t $\hat{A}^-$ \$\$ toverline{t} \$\$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
351	Measurement of the W W + W Z cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at s = $7 $ \$ sqrt{s}= $7 $ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
352	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
353	Search for the b b $\hat{A}^-$ \$\$ boverline{b} \$\$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
354	Measurement of the inclusive jet cross-section in proton-proton collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV using 4.5 fbâ^1 of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
355	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s=8 $ \$ sqrt $s=8 $ \$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
356	Search for charged Higgs bosons decaying via H $\hat{A}\pm\hat{a}\uparrow'\hat{l}$ , $\hat{A}\pm\hat{l}'/2$ in fully hadronic final states using pp collision data at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
357	Search for production of $\$WW/WZ\$\$WW/WZ$ resonances decaying to a lepton, neutrino and jets in $\$pp\$\$$ p p collisions at $\$sqrt\{s\}=8\$\$$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
358	Performance of the ATLAS muon trigger in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ s = 8 TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
359	Search for Higgs boson pair production in the $\$$ bar $\{b\}$ bar $\{b\}$ \$\$ b b $\hat{A}^-$ b b $\hat{A}^-$ final state from pp collisions at $\$$ sqrt $\{s\}$ = 8\$\$ s = 8 TeVwith the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
360	Determination of spin and parity of the Higgs boson in the \$\$WW^*ightarrow e u mu u \$\$ W W $\hat{a}$ — $\hat{a}$ †' e $\hat{l}$ ½ $\hat{l}$ ½ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21

#	Article	IF	CITATIONS
361	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\frac{s}=8^{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
362	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the \$\$ell ell / ell u / u u + b ar{b}\$\$ â," â," $\hat{a}$ ," $\hat{i}$ " $\hat{i}$ ½ / $\hat{i}$ ½ + b b $\hat{A}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
363	Measurement of three-jet production cross-sections in $pp$ p collisions at $7\hat{A}$ mathrm { Te,V}\$\$ Te V centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
364	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
365	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\$$ qrt $\{s\}=8$ \$\$ s = 8 \$\$,hbox {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
366	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
367	Observation and measurements of the production of prompt and non-prompt $\$ varvec{ext {J}uppsi} \\$ J \\$ mesons in association with a \$\\$\varvec{Z}\\$\\$ Z boson in \$\\$\varvec{pp}\\$\\$ p p collisions at \$\\$\varvec{sqrt{s}} = 8,ext {TeV}}\\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
368	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into \$\$varyec{bar{b}}\$\$ b b $\hat{A}^-$ in \$\$varyec{pp}\$\$ p p collisions at \$\$sort{mathbf{s}}=	1.4	123
369	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and	1.4	56
370	Search for heavy long-lived multi-charged particles in pp collisions at $\$\$qrt\{s\}=8\$\$ s=8 \ \text{ATeV} using the ATLAS detector. European Physical Journal C, 2015, 75, 362.$	1.4	36
371	Two-particle Bose–Einstein correlations in pp collisions at \$\$mathbf {sqrt{s} =}\$\$ s = 0.9 and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
372	Measurement of the top quark mass in the $\frac{t}{ightarrow}$ ext{ lepton+jets } \$\$ t t Â-â†' lepton+jets and \$\$tar{t}ightarrow ext{ dilepton } \$\$ t t Â-â†' dilepton channels using \$\$sqrt{s}=7\$\$ s = 7  \$\${mathrm { TeV}}\$\$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
373	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	1.4	138
374	Measurement of the inclusive jet cross-section in proton-proton collisions at ( sqrt{s}=7 ) TeV using 4.5 fba^1 of data with the ATLAS detector. , 2015, 2015, 1.		3
375	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at (sqrt $\{s\}=8$ ) TeV with the ATLAS detector., 2015, 75, 1.		1
376	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(sqrt\{s\}=8\sim)TeV$ with the ATLAS detector., 2015, 75, 1.		2
377	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector., 2015, 75, 1.		3
378	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3

#	Article	IF	Citations
379	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8 $ \$ sqrt $s=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
380	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
381	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $pp $ p collisions at $s=7,mathrm{TeV}$ s = 7 TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
382	A measurement of the ratio of the production cross sections for \$\$W\$\$ W and \$\$Z\$\$ Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
383	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 $ sqrt $\{s\}=8 $ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
384	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fba $^{1}$ of s \$\$ sqrt{s} \$\$ = 8 TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
385	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s=8$ \$\$ sqrt{s}=8 \$\$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
386	Measurement of the $\frac{t}{s}$ t t $\hat{A}^-$ production cross-section using $\frac{1}{4}$ events with $\frac{1}{4}$ events with $\frac{1}{4}$ events of the $\frac{1}{4}$ events with $\frac{1}{4}$ events with $\frac{1}{4}$ events with $\frac{1}{4}$ events with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
387	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
388	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV in 2010. European Physical Journal C, 2014, 74, 3034.	1.4	58
389	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
390	Search for contact interactions and large extra dimensions in the dilepton channel using proton–proton collisions at \$\$sqrt{s}~=\$\$ s = Â8ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
391	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\frac{1}{2}$ solutions at $\frac{1}{2}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
392	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $p=0$ p collisions at $q=0$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
393	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
394	Measurement of the production cross-section of ψ(2S) → J/Ĩˆ(→μ + μ ☒)Ï€ + Ï€ ☒ in pp collisions at s \$\$ sqrt = 7 TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	t{s}\$\$ 1.6	21
395	Measurement of the $Z(\hat{I}^3)^*$ boson transverse momentum distribution in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
396	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s=8$ \$\$ sqrt{ $s$ } = 8 \$\$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38

#	Article	IF	CITATIONS
397	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
398	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
399	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s=8$ \$\$ $sqrt{s}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
400	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $qrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
401	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
402	The differential production cross section of the \$\$phi \$\$ $\ddot{i}$ • (1020) meson in \$\$sqrt{s}\$\$ s = 7 $\acute{a}$ TeV \$\$pp\$\$ p p collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
403	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
404	Measurement of the underlying event in jet events from 7 \$\$ext {TeV}\$\$ TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
405	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead–lead collisions at \$\$sqrt{s_{mathrm {NN}}}=2.76\$\$ s NN = 2.76 ÂTeVÂwith the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
406	Light-quark and gluon jet discrimination in $pspsp p collisions at prop p collisions at property specified by the ATLAS detector. European Physical Journal C, 2014, 74, 3023.$	1.4	77
407	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at sqrts = 8 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22
408	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $ \text{sqrt}_s $ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
409	Measurement of the production cross section of prompt $J/\tilde{\Gamma}$ mesons in association with a W ± boson in pp collisions at \$ sqrt{s} \$ = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
410	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
411	Measurement of the production of a W boson in association with a charm quark in pp collisions at $q=1$ sqrt $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ sqrt $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of $q=1$ are the production of $q=1$ and $q=1$ are the production of $q=1$ an	1.6	59
412	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $ \text{sqrt}_{s} = 8\text{TeV} $ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
413	Search for supersymmetry at $sqrt{s}$ = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
414	Measurement of the low-mass Drell-Yan differential cross section at s $\$$ sqrt $\{s\}$ $\$$ = 7 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25

#	Article	IF	CITATIONS
415	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
416	Measurement of $\ddot{i}$ ‡ c1 and $\ddot{i}$ ‡ c2 production with s \$\$ sqrt{s} \$\$ = 7 TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
417	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
418	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at s $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
419	Search for direct top squark pair production in events with a $ZSSZSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS$	1.4	55
420	Measurement of the (toverline $\{t\}$ ) production cross-section using (emu ) events with (b)-tagged jets in (pp) collisions at (sqrt $\{s\}=7$ ) and 8 TeV with the ATLAS detector., 2014, 74, 1.		2
421	Measurement of the production cross section of jets in association with a Z boson in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
422	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\$ sqrt $\{s\}=7\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53
423	Search for third generation scalar leptoquarks in pp collisions at $q=0$ FeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
424	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
425	Measurement of ZZ production in pp collisions at $\frac{1}{5}=7$ TeV and limits on anomalous ZZZ and ZZγ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
426	Search for charged Higgs bosons through the violation of lepton universality in $\$ toverline{t} \$ events using pp collision data at $\$ sqrt{s}=7 $\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
427	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
428	Measurement of k T splitting scales in Wâ†'â,,"Î $\frac{1}{2}$ events at \$sqrt{s} = 7 mathrm{TeV}\$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
429	Search for a light charged Higgs boson in the decay channel $H^{+}$ ightarrow car{s}\$ in $\frac{1}{2}$ events using pp collisions at $\frac{1}{2}$ mathrm{TeV}\$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	1.4	119
430	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\$ sqrt $\{s\}=8\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	102
431	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at \$ sqrt{s}=8 \$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71
432	Measurement of the differential cross-section of B + meson production in pp collisions at $\frac{1}{5}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31

#	Article	IF	CITATIONS
433	Performance of jet substructure techniques for large-R jets in proton-proton collisions at \$ sqrt{s}=7 \$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
434	Improved luminosity determination in pp collisions at $q = 7 \text{ mathrm} $ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
435	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76$ mbox{TeV}\$ and comparison to the inclusive jet cross-section at $\sqrt{s}=7$ mbox{TeV}\$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	1.4	105
436	Multi-channel search for squarks and gluinos in $\frac{sqrt}{s}=7mbox\{ TeV\}\$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34
437			

#	Article	IF	CITATIONS
451	Search forWHproduction with a light Higgs boson decaying to prompt electron-jets in proton–proton collisions at \$sqrt {s}=7\$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
452	Measurement of the cross section for top-quark pair production in pp collisions at $q = {7},{ext{TeV}}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
453	Jet mass and substructure of inclusive jets in $ \sqrt{s} = 7; \{ext\{TeV\}\} $ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
454	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, $2012$ , $2012$ , $1$ .	1.6	12
455	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fba $^{1}$ of \$ sqrt {s} = 7;TeV \$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
456	A search for \$ toverline t \$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at	1.6	40
457	Search for the Standard Model Higgs boson in the H â†' ï" + ï" â^' decay mode in \$ sqrt {s} = 7,{mathrm{` \$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	TeV}}	43
458	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $q=0$ sqrt s=7; TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
459	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $q=1$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
460	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
461	Search for high-mass resonances decaying to dilepton final states in pp collisions at $q=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
462	Search for anomalous production of prompt like-sign lepton pairs at $q=7;mathrm{TeV} \$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
463	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
464	Search for R-parity-violating supersymmetry in events with four or more leptons in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
465	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
466	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $q = 7 \text{ mbox}$ . European Physical Journal C, 2012, 72, 1.	1.4	100
467	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\frac{s}{s} = 7$ -mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	13
468	Measurement of $\frac{t}{s}$ production with a veto on additional central jet activity in pp collisions at $\frac{s}{s}$ TeV using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	1.4	109

#	Article	IF	CITATIONS
469	A search for $tar{t}\$ resonances with the ATLAS detector in 2.05 fbâ^1 of proton-proton collisions at $q=7-mathrm{TeV}\$ . European Physical Journal C, 2012, 72, 2083.	1.4	25
470	Search for second generation scalar leptoquarks in pp collisions at $q=7-mbox{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
471	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
472	Measurement of W $\hat{A}\pm Z$ production in proton-proton collisions at $q=7-mbox\{TeV\}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
473	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
474	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\frac{1}{5}=7 \text{ mathrm} $ TeV\$. European Physical Journal C, 2012, 72, 1.	1.4	22
475	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
476	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in \$sqrt{s}=7 mathrm{TeV}\$ proton–proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
477	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $q=0$ sqrt $q=0$ mathrm $q=0$ . European Physical Journal C, 2012, 72, 1.	1.4	36
478			

28

#	Article	IF	CITATIONS
487			

#	Article	IF	CITATIONS
505	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at \$sqrt{s}=7mbox{~TeV}\$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
506	Measurement of $W\hat{I}^3$ and $Z\hat{I}^3$ production in proton-proton collisions at \$ sqrt {s} = 7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
507	Inclusive search for same-sign dilepton signatures in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
508	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $sqrt {s} = 7 \text{ TeV pp }$ collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
509	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
510	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	1.6	18
511	Measurement of the W $\hat{a}$ †' $\hat{a}$ ," $\hat{i}$ ½ and Z/ $\hat{i}$ 3 * $\hat{a}$ †' $\hat{a}$ ," $\hat{a}$ ," production cross sections in proton-proton collisions at \$ = 7;{ext{TeV}} \$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	sqrt {s}	64
512	Testbeam studies of production modules of the ATLAS Tile Calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 606, 362-394.	0.7	91