

Simona Paladino

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/159113/simona-paladino-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

2,173

citations

29

h-index

45

g-index

78

ext. papers

2,583

ext. citations

6

avg, IF

4.57

L-index

#	Paper	IF	Citations
66	Overexpression of the Hsa21 Transcription Factor RUNX1 Modulates the Extracellular Matrix in Trisomy 21 Cells.. <i>Frontiers in Genetics</i> , 2022 , 13, 824922	4.5	1
65	Human Trisomic iPSCs from Down Syndrome Fibroblasts Manifest Mitochondrial Alterations Early during Neuronal Differentiation. <i>Biology</i> , 2021 , 10,	4.9	4
64	PD-1 blockade delays tumor growth by inhibiting an intrinsic SHP2/Ras/MAPK signalling in thyroid cancer cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 22	12.8	9
63	Phenotypic Effects of Homeodomain-Interacting Protein Kinase 2 Deletion in Mice. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
62	Targeting Mitochondrial Network Architecture in Down Syndrome and Aging. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	15
61	Cell-penetrating peptides: two faces of the same coin. <i>Biochemical Journal</i> , 2020 , 477, 1363-1366	3.8	1
60	Bone marrow mesenchymal stem cells as a possible ruxolitinib reservoir in the bone marrow niche. <i>EJHaem</i> , 2020 , 1, 356-360	0.9	
59	ZSCAN4 mouse embryonic stem cells have an oxidative and flexible metabolic profile. <i>EMBO Reports</i> , 2020 , 21, e48942	6.5	2
58	Cholesterol Homeostasis Modulates Platinum Sensitivity in Human Ovarian Cancer. <i>Cells</i> , 2020 , 9,	7.9	18
57	Double knock-out of Hmga1 and Hipk2 genes causes perinatal death associated to respiratory distress and thyroid abnormalities in mice. <i>Cell Death and Disease</i> , 2019 , 10, 747	9.8	3
56	Molecular determinants of ER-Golgi contacts identified through a new FRET-FLIM system. <i>Journal of Cell Biology</i> , 2019 , 218, 1055-1065	7.3	59
55	Effects of Long-Term Citrate Treatment in the PC3 Prostate Cancer Cell Line. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
54	The thyroid hormone activating enzyme, type 2 deiodinase, induces myogenic differentiation by regulating mitochondrial metabolism and reducing oxidative stress. <i>Redox Biology</i> , 2019 , 24, 101228	11.3	16
53	Clustering in the Golgi apparatus governs sorting and function of GPI-APs in polarized epithelial cells. <i>FEBS Letters</i> , 2019 , 593, 2351-2365	3.8	9
52	Pioglitazone Improves Mitochondrial Organization and Bioenergetics in Down Syndrome Cells. <i>Frontiers in Genetics</i> , 2019 , 10, 606	4.5	13
51	PERK-Mediated Unfolded Protein Response Activation and Oxidative Stress in PARK20 Fibroblasts. <i>Frontiers in Neuroscience</i> , 2019 , 13, 673	5.1	23
50	Meldonium improves Huntington's disease mitochondrial dysfunction by restoring peroxisome proliferator-activated receptor α activator 1 expression. <i>Journal of Cellular Physiology</i> , 2019 , 234, 9233-9246	7	10

49	Alteration of endosomal trafficking is associated with early-onset parkinsonism caused by SYNJ1 mutations. <i>Cell Death and Disease</i> , 2018 , 9, 385	9.8	31
48	Verapamil Inhibits Ser202/Thr205 Phosphorylation of Tau by Blocking TXNIP/ROS/p38 MAPK Pathway. <i>Pharmaceutical Research</i> , 2018 , 35, 44	4.5	30
47	EGFR activation triggers cellular hypertrophy and lysosomal disease in NAGLU-depleted cardiomyoblasts, mimicking the hallmarks of mucopolysaccharidosis IIIB. <i>Cell Death and Disease</i> , 2018 , 9, 40	9.8	20
46	Mitochondrial dysfunction in down syndrome: molecular mechanisms and therapeutic targets. <i>Molecular Medicine</i> , 2018 , 24, 2	6.2	44
45	Organization of GPI-anchored proteins at the cell surface and its physiopathological relevance. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2018 , 53, 403-419	8.7	14
44	Localization of neuroglobin in the brain of R6/2 mouse model of Huntington \bar{E} disease. <i>Neurological Sciences</i> , 2018 , 39, 275-285	3.5	7
43	Nrf2 Pathway in Age-Related Neurological Disorders: Insights into MicroRNAs. <i>Cellular Physiology and Biochemistry</i> , 2018 , 47, 1951-1976	3.9	51
42	Targeting Heparan Sulfate Proteoglycans as a Novel Therapeutic Strategy for Mucopolysaccharidoses. <i>Molecular Therapy - Methods and Clinical Development</i> , 2018 , 10, 8-16	6.4	19
41	Metformin restores the mitochondrial network and reverses mitochondrial dysfunction in Down syndrome cells. <i>Human Molecular Genetics</i> , 2017 , 26, 1056-1069	5.6	53
40	Novel mutations in provide clues to the pathomechanisms of HSAN-VI. <i>Neurology</i> , 2017 , 88, 2132-2140	6.5	23
39	Regulation of sub-compartmental targeting and folding properties of the Prion-like protein Shadoo. <i>Scientific Reports</i> , 2017 , 7, 3731	4.9	11
38	Probing the Eumelanin-Silica Interface in Chemically Engineered Bulk Hybrid Nanoparticles for Targeted Subcellular Antioxidant Protection. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 37615-37622	9.5	25
37	GPI-anchored proteins are confined in subdiffraction clusters at the apical surface of polarized epithelial cells. <i>Biochemical Journal</i> , 2017 , 474, 4075-4090	3.8	3
36	High mobility group A1 protein modulates autophagy in cancer cells. <i>Cell Death and Differentiation</i> , 2017 , 24, 1948-1962	12.7	30
35	Lysine-specific demethylase LSD1 regulates autophagy in neuroblastoma through SESN2-dependent pathway. <i>Oncogene</i> , 2017 , 36, 6701-6711	9.2	49
34	The combined effect of USP7 inhibitors and PARP inhibitors in hormone-sensitive and castration-resistant prostate cancer cells. <i>Oncotarget</i> , 2017 , 8, 31815-31829	3.3	45
33	Convergent Effects of Resveratrol and PYK2 on Prostate Cells. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	14
32	Trafficking and Membrane Organization of GPI-Anchored Proteins in Health and Diseases. <i>Current Topics in Membranes</i> , 2015 , 75, 269-303	2.2	27

31	New therapeutic perspectives in CCDC6 deficient lung cancer cells. <i>International Journal of Cancer</i> , 2015 , 136, 2146-57	7.5	35
30	FBXW7 and USP7 regulate CCDC6 turnover during the cell cycle and affect cancer drugs susceptibility in NSCLC. <i>Oncotarget</i> , 2015 , 6, 12697-709	3.3	34
29	Golgi sorting regulates organization and activity of GPI proteins at apical membranes. <i>Nature Chemical Biology</i> , 2014 , 10, 350-357	11.7	33
28	Wilson disease protein ATP7B utilizes lysosomal exocytosis to maintain copper homeostasis. <i>Developmental Cell</i> , 2014 , 29, 686-700	10.2	146
27	N6-isopentenyladenosine improves nuclear shape in fibroblasts from humans with progeroid syndromes by inhibiting the farnesylation of prelamin A. <i>FEBS Journal</i> , 2013 , 280, 6223-32	5.7	10
26	Translational control in the stress adaptive response of cancer cells: a novel role for the heat shock protein TRAP1. <i>Cell Death and Disease</i> , 2013 , 4, e851	9.8	48
25	Resveratrol couples apoptosis with autophagy in UVB-irradiated HaCaT cells. <i>PLoS ONE</i> , 2013 , 8, e80728	3.7	48
24	Anandamide inhibits the Wnt/β-catenin signalling pathway in human breast cancer MDA MB 231 cells. <i>European Journal of Cancer</i> , 2012 , 48, 3112-22	7.5	38
23	TRAP1 and the proteasome regulatory particle TBP7/Rpt3 interact in the endoplasmic reticulum and control cellular ubiquitination of specific mitochondrial proteins. <i>Cell Death and Differentiation</i> , 2012 , 19, 592-604	12.7	66
22	Identification of sumoylation sites in CCDC6, the first identified RET partner gene in papillary thyroid carcinoma, uncovers a mode of regulating CCDC6 function on CREB1 transcriptional activity. <i>PLoS ONE</i> , 2012 , 7, e49298	3.7	10
21	N-Glycosylation instead of cholesterol mediates oligomerization and apical sorting of GPI-APs in FRT cells. <i>Molecular Biology of the Cell</i> , 2011 , 22, 4621-34	3.5	21
20	Lipid rafts and clathrin cooperate in the internalization of PrP in epithelial FRT cells. <i>PLoS ONE</i> , 2009 , 4, e5829	3.7	42
19	Endoplasmic reticulum stress reduces the export from the ER and alters the architecture of post-ER compartments. <i>International Journal of Biochemistry and Cell Biology</i> , 2009 , 41, 2511-21	5.6	30
18	Chapter 14 Mechanisms of Polarized Sorting of GPI-anchored Proteins in Epithelial Cells. <i>The Enzymes</i> , 2009 , 289-319	2.3	1
17	Different GPI-attachment signals affect the oligomerisation of GPI-anchored proteins and their apical sorting. <i>Journal of Cell Science</i> , 2008 , 121, 4001-7	5.3	59
16	Selective roles for cholesterol and actin in compartmentalization of different proteins in the Golgi and plasma membrane of polarized cells. <i>Journal of Biological Chemistry</i> , 2008 , 283, 29545-53	5.4	31
15	N- and O-glycans are not directly involved in the oligomerization and apical sorting of GPI proteins. <i>Traffic</i> , 2008 , 9, 2141-50	5.7	21
14	Oligomerization is a specific requirement for apical sorting of glycosyl-phosphatidylinositol-anchored proteins but not for non-raft-associated apical proteins. <i>Traffic</i> , 2007 , 8, 251-8	5.7	51

13	Characterization of the properties and trafficking of an anchorless form of the prion protein. <i>Journal of Biological Chemistry</i> , 2007 , 282, 22747-56	5.4	30
12	Detergent-resistant membrane domains but not the proteasome are involved in the misfolding of a PrP mutant retained in the endoplasmic reticulum. <i>Journal of Cell Science</i> , 2006 , 119, 433-42	5.3	43
11	GPI-anchored proteins are directly targeted to the apical surface in fully polarized MDCK cells. <i>Journal of Cell Biology</i> , 2006 , 172, 1023-34	7.3	91
10	Analysis of detergent-resistant membranes associated with apical and basolateral GPI-anchored proteins in polarized epithelial cells. <i>FEBS Letters</i> , 2006 , 580, 5705-12	3.8	17
9	Functional interaction between p75NTR and TrkA: the endocytic trafficking of p75NTR is driven by TrkA and regulates TrkA-mediated signalling. <i>Biochemical Journal</i> , 2005 , 385, 233-41	3.8	12
8	A γ (+)LAT-1 mutant protein interferes with γ (+)LAT-2 activity: implications for the molecular pathogenesis of lysinuric protein intolerance. <i>European Journal of Human Genetics</i> , 2005 , 13, 628-34	5.3	19
7	PrP(C) association with lipid rafts in the early secretory pathway stabilizes its cellular conformation. <i>Molecular Biology of the Cell</i> , 2004 , 15, 4031-42	3.5	110
6	The Shp-1 and Shp-2, tyrosine phosphatases, are recruited on cell membrane in two distinct molecular complexes including Ret oncogenes. <i>Cellular Signalling</i> , 2004 , 16, 847-56	4.9	8
5	Protein oligomerization modulates raft partitioning and apical sorting of GPI-anchored proteins. <i>Journal of Cell Biology</i> , 2004 , 167, 699-709	7.3	198
4	PrPC is sorted to the basolateral membrane of epithelial cells independently of its association with rafts. <i>Traffic</i> , 2002 , 3, 810-21	5.7	74
3	Differential recognition of a tyrosine-dependent signal in the basolateral and endocytic pathways of thyroid epithelial cells. <i>Endocrinology</i> , 2002 , 143, 1291-301	4.8	6
2	Detergent-resistant membrane microdomains and apical sorting of GPI-anchored proteins in polarized epithelial cells. <i>International Journal of Medical Microbiology</i> , 2002 , 291, 439-45	3.7	15
1	Caveolin transfection results in caveolae formation but not apical sorting of glycosylphosphatidylinositol (GPI)-anchored proteins in epithelial cells. <i>Journal of Cell Biology</i> , 1998 , 140, 617-26	7.3	127