## Juanita Lopez

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1591149/publications.pdf

Version: 2024-02-01

ex
10
12
thors

#	Article	IF	Citations
1	Association of tumour mutational burden with outcomes in patients with advanced solid tumours treated with pembrolizumab: prospective biomarker analysis of the multicohort, open-label, phase 2 KEYNOTE-158 study. Lancet Oncology, The, 2020, 21, 1353-1365.	5.1	1,363
2	The Ripoptosome, a Signaling Platform that Assembles in Response to Genotoxic Stress and Loss of IAPs. Molecular Cell, 2011, 43, 432-448.	4.5	714
3	T-Cell–Inflamed Gene-Expression Profile, Programmed Death Ligand 1 Expression, and Tumor Mutational Burden Predict Efficacy in Patients Treated With Pembrolizumab Across 20 Cancers: KEYNOTE-028. Journal of Clinical Oncology, 2019, 37, 318-327.	0.8	656
4	Clinical safety and activity of pembrolizumab in patients with malignant pleural mesothelioma (KEYNOTE-028): preliminary results from a non-randomised, open-label, phase 1b trial. Lancet Oncology, The, 2017, 18, 623-630.	5.1	425
5	Safety and Antitumor Activity of Pembrolizumab in Advanced Programmed Death Ligand 1–Positive Endometrial Cancer: Results From the KEYNOTE-028 Study. Journal of Clinical Oncology, 2017, 35, 2535-2541.	0.8	383
6	Pembrolizumab for advanced prostate adenocarcinoma: findings of the KEYNOTE-028 study. Annals of Oncology, 2018, 29, 1807-1813.	0.6	261
7	Combine and conquer: challenges for targeted therapy combinations in early phase trials. Nature Reviews Clinical Oncology, 2017, 14, 57-66.	12.5	239
8	Semaphorin 3A Elicits Stage-Dependent Collapse, Turning, and Branching in <i>Xenopus</i> Retinal Growth Cones. Journal of Neuroscience, 2001, 21, 8538-8547.	1.7	187
9	Combining DNA damaging therapeutics with immunotherapy: more haste, less speed. British Journal of Cancer, 2018, 118, 312-324.	2.9	184
10	Phase I Trial of First-in-Class ATR Inhibitor M6620 (VX-970) as Monotherapy or in Combination With Carboplatin in Patients With Advanced Solid Tumors. Journal of Clinical Oncology, 2020, 38, 3195-3204.	0.8	152
11	First-in-human study of the safety, pharmacokinetics, and pharmacodynamics of first-in-class fatty acid synthase inhibitor TVB-2640 alone and with a taxane in advanced tumors. EClinicalMedicine, 2021, 34, 100797.	3.2	115
12	Phase I Study of the Novel Enhancer of Zeste Homolog 2 (EZH2) Inhibitor GSK2816126 in Patients with Advanced Hematologic and Solid Tumors. Clinical Cancer Research, 2019, 25, 7331-7339.	3.2	110
13	Dancing with the DNA damage response: next-generation anti-cancer therapeutic strategies. Therapeutic Advances in Medical Oncology, 2018, 10, 175883591878665.	1.4	105
14	The context and potential of epigenetics in oncology. British Journal of Cancer, 2009, 100, 571-577.	2.9	98
15	Immuno-oncology combinations: raising the tail of the survival curve. Cancer Biology and Medicine, 2016, 13, 171-193.	1.4	98
16	Detection of circulating tumour cell clusters in human glioblastoma. British Journal of Cancer, 2018, 119, 487-491.	2.9	98
17	CARD-Mediated Autoinhibition of cIAP1's E3 Ligase Activity Suppresses Cell Proliferation and Migration. Molecular Cell, 2011, 42, 569-583.	4.5	89
18	To fight or die â€" inhibitor of apoptosis proteins at the crossroad of innate immunity and death. Current Opinion in Cell Biology, 2010, 22, 872-881.	2.6	65

#	Article	IF	CITATIONS
19	Neutrophil-lymphocyte ratio kinetics in patients with advanced solid tumours on phase I trials of PD-1/PD-L1 inhibitors. European Journal of Cancer, 2018, 89, 56-63.	1.3	60
20	Treatment with pembrolizumab in programmed death ligand 1–positive recurrent glioblastoma: Results from the multicohort phase 1 KEYNOTEâ€028 trial. Cancer, 2021, 127, 1620-1629.	2.0	56
21	Ceralasertib (AZD6738), an Oral ATR Kinase Inhibitor, in Combination with Carboplatin in Patients with Advanced Solid Tumors: A Phase I Study. Clinical Cancer Research, 2021, 27, 5213-5224.	3.2	53
22	To Cycle or Fightâ€"CDK4/6 Inhibitors at the Crossroads of Anticancer Immunity. Clinical Cancer Research, 2019, 25, 21-28.	3.2	46
23	Intermittent schedules of the oral RAF–MEK inhibitor CH5126766/VS-6766 in patients with RAS/RAF-mutant solid tumours and multiple myeloma: a single-centre, open-label, phase 1 dose-escalation and basket dose-expansion study. Lancet Oncology, The, 2020, 21, 1478-1488.	5.1	41
24	ATIM-35. RESULTS OF THE PHASE IB KEYNOTE-028 MULTI-COHORT TRIAL OF PEMBROLIZUMAB MONOTHERAPY IN PATIENTS WITH RECURRENT PD-L1-POSITIVE GLIOBLASTOMA MULTIFORME (GBM). Neuro-Oncology, 2016, 18, vi25-vi26.	0.6	40
25	Regression of melanoma metastases following treatment with the n-bisphosphonate zoledronate and localised radiotherapy. Clinical Immunology, 2009, 131, 367-373.	1.4	29
26	A study of motivations and expectations of patients seen in phase 1 oncology clinics. Cancer, 2016, 122, 3501-3508.	2.0	24
27	Next Generation Cancer Vaccines—Make It Personal!. Vaccines, 2018, 6, 52.	2.1	20
28	Precision Medicine for Molecularly Targeted Agents and Immunotherapies in Early-Phase Clinical Trials. Translational Oncogenomics, 2015, Suppl. 1, 1-11.	1.7	19
29	Phase 1 dose-finding and pharmacokinetic study of eribulin-liposomal formulation in patients with solid tumours. British Journal of Cancer, 2019, 120, 379-386.	2.9	16
30	A study of 1088 consecutive cases of electrolyte abnormalities in oncology phase I trials. European Journal of Cancer, 2018, 104, 32-38.	1.3	15
31	Phase 1, dose-escalation study of guadecitabine (SGI-110) in combination with pembrolizumab in patients with solid tumors. , 2022, 10, e004495.		14
32	Radium-223 in combination with paclitaxel in cancer patients with bone metastases: safety results from an open-label, multicenter phase Ib study. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 1092-1101.	3.3	13
33	Radiological Patterns of Drug-induced Interstitial Lung Disease (DILD) in Early-phase Oncology Clinical Trials. Clinical Cancer Research, 2020, 26, 4805-4813.	3.2	12
34	Abstract CT323: Accelerated phase I trial of two schedules of the combination of the PARP inhibitor olaparib and AKT inhibitor AZD5363 using a novel intrapatient dose escalation design in advanced cancer patients. Cancer Research, 2015, 75, CT323-CT323.	0.4	12
35	Emerging biomarkers for PD-1 pathway cancer therapy. Biomarkers in Medicine, 2017, 11, 53-67.	0.6	11
36	CNS cancer immunity cycle and strategies to target this for glioblastoma. Oncotarget, 2018, 9, 22802-22816.	0.8	11

#	Article	IF	Citations
37	Clinical factors of response in patients with advanced ovarian cancer participating in early phase clinical trials. European Journal of Cancer, 2017, 76, 52-59.	1.3	10
38	Phase 1/2a trial of intravenous BAL101553, a novel controller of the spindle assembly checkpoint, in advanced solid tumours. British Journal of Cancer, 2020, 123, 1360-1369.	2.9	10
39	A first-in-human phase 1 and pharmacological study of TAS-119, a novel selective Aurora A kinase inhibitor in patients with advanced solid tumours. British Journal of Cancer, 2021, 124, 391-398.	2.9	10
40	Molecular and immunological features of a prolonged exceptional responder with malignant pleural mesothelioma treated initially and rechallenged with pembrolizumab. , 2020, 8, e000713.		8
41	Safety and Antitumor Activity of Pembrolizumab in Advanced Programmed Death Ligand 1–Positive Endometrial Cancer: Results From the KEYNOTE-028 Study. Obstetrical and Gynecological Survey, 2018, 73, 26-27.	0.2	7
42	HER3 expression and MEK activation in non-small-cell lung carcinoma. Lung Cancer Management, 2021, 10, LMT48.	1.5	7
43	Clinical outcomes of adolescents and young adults with advanced solid tumours participating in phase I trials. European Journal of Cancer, 2018, 101, 55-61.	1.3	6
44	Safety, efficacy and survival of patients with primary malignant brain tumours (PMBT) in phase I (Ph1) trials: the 12-year Royal Marsden experience. Journal of Neuro-Oncology, 2018, 139, 107-116.	1.4	5
45	High frequency of radiological differential responses with poly(ADP-Ribose) polymerase (PARP) inhibitor therapy. Oncotarget, 2017, 8, 104430-104443.	0.8	5
46	Development of Molecularly Targeted Agents and Immunotherapies in Glioblastoma: A Personalized Approach. Clinical Medicine Insights: Oncology, 2018, 12, 117955491875907.	0.6	4
47	Multidisciplinary interventions in a specialist Drug Development Unit to improve family history documentation and onward referral of patients with advanced cancer to cancer genetics services. European Journal of Cancer, 2019, 114, 97-106.	1.3	4
48	A risk-based approach to experimental early phase clinical trials during the COVID-19 pandemic. Lancet Oncology, The, 2020, 21, 889-891.	5.1	4
49	Palliative treatments for patients with inoperable gastroesophageal cancers. International Journal of Palliative Nursing, 2006, 12, 306-317.	0.2	3
50	Clinical Outcome of Patients with Advanced Biliary Tract Cancer in a Dedicated Phase I Unit. Clinical Oncology, 2018, 30, 185-191.	0.6	3
51	Target-based therapeutic matching of phase I trials in patients with metastatic breast cancer in a tertiary referral centre. British Journal of Cancer, 2018, 119, 922-927.	2.9	3
52	Research Related Tumour Biopsies in Early-Phase Trials with Simultaneous Molecular Characterisation – a Single Unit Experience. Cancer Treatment and Research Communications, 2021, 27, 100309.	0.7	2
53	Study protocol for a randomised controlled trial of enhanced informed consent compared to standard informed consent to improve patient understanding of early phase oncology clinical trials (CONSENT). BMJ Open, 2021, 11, e049217.	0.8	2
54	Abstract CT140: ANV419, an IL-2R-beta-gamma targeted antibody-IL-2 fusion protein, induces selective effector cell proliferation in patients with progressed cancer. Cancer Research, 2022, 82, CT140-CT140.	0.4	2

#	Article	IF	CITATIONS
55	Quantitative Multiplex Immunofluorescence Evaluation of the Tumor Microenvironment in Pretreatment Tumors of Patients with Metastatic Breast Cancer and Serous Ovarian Carcinoma Treated with Liposomal Eribulin. Cancer Investigation, 2021, 39, 466-472.	0.6	O
56	Preliminary evidence of antitumour activity of Ipatasertib (Ipat) and Atezolizumab (ATZ) in glioblastoma patients (pts) with PTEN loss from the Phase 1 Ice-CAP trial (NCT03673787). Neuro-Oncology, 2021, 23, iv10-iv10.	0.6	0