

Safia Costes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1591979/safia-costes-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31
papers

8,032
citations

20
h-index

31
g-index

31
ext. papers

8,942
ext. citations

7.2
avg, IF

4.3
L-index

#	Paper	IF	Citations
31	The nuclear receptor REV-ERB α s implicated in the alteration of β cell autophagy and survival under diabetogenic conditions.. <i>Cell Death and Disease</i> , 2022 , 13, 353	9.8	0
30	Mechanisms of Beta-Cell Apoptosis in Type 2 Diabetes-Prone Situations and Potential Protection by GLP-1-Based Therapies. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
29	Methods to Study Roles of β Arrestins in the Regulation of Pancreatic β Cell Function. <i>Methods in Molecular Biology</i> , 2019 , 1957, 345-364	1.4	
28	Targeting protein misfolding to protect pancreatic beta-cells in type 2 diabetes. <i>Current Opinion in Pharmacology</i> , 2018 , 43, 104-110	5.1	19
27	Proteasomal degradation of the histone acetyl transferase p300 contributes to beta-cell injury in a diabetes environment. <i>Cell Death and Disease</i> , 2018 , 9, 600	9.8	8
26	ERK1 is dispensable for mouse pancreatic beta cell function but is necessary for glucose-induced full activation of MSK1 and CREB. <i>Diabetologia</i> , 2017 , 60, 1999-2010	10.3	12
25	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
24	CHOP Contributes to, But Is Not the Only Mediator of, IAPP Induced β Cell Apoptosis. <i>Molecular Endocrinology</i> , 2016 , 30, 446-54		32
23	Cell-specific increased expression of calpastatin prevents diabetes induced by islet amyloid polypeptide toxicity. <i>JCI Insight</i> , 2016 , 1, e89590	9.9	10
22	Activation of Melatonin Signaling Promotes β Cell Survival and Function. <i>Molecular Endocrinology</i> , 2015 , 29, 682-92		50
21	Insulin-degrading enzyme inhibition, a novel therapy for type 2 diabetes?. <i>Cell Metabolism</i> , 2014 , 20, 201-3	24.6	19
20	UCHL1 deficiency exacerbates human islet amyloid polypeptide toxicity in β cells: evidence of interplay between the ubiquitin/proteasome system and autophagy. <i>Autophagy</i> , 2014 , 10, 1004-14	10.2	43
19	Autophagy defends pancreatic β cells from human islet amyloid polypeptide-induced toxicity. <i>Journal of Clinical Investigation</i> , 2014 , 124, 3489-500	15.9	149
18	β Cell failure in type 2 diabetes: a case of asking too much of too few?. <i>Diabetes</i> , 2013 , 62, 327-35	0.9	89
17	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012 , 8, 445-544	11.2	2783
16	Cyclin-dependent kinase 5 promotes pancreatic β cell survival via Fak-Akt signaling pathways. <i>Diabetes</i> , 2011 , 60, 1186-97	0.9	34
15	Human-IAPP disrupts the autophagy/lysosomal pathway in pancreatic β cells: protective role of p62-positive cytoplasmic inclusions. <i>Cell Death and Differentiation</i> , 2011 , 18, 415-26	12.7	107

14	β-cell dysfunctional ERAD/ubiquitin/proteasome system in type 2 diabetes mediated by islet amyloid polypeptide-induced UCH-L1 deficiency. <i>Diabetes</i> , 2011 , 60, 227-38	0.9	79
13	Roles and regulation of the transcription factor CREB in pancreatic β-cells. <i>Current Molecular Pharmacology</i> , 2011 , 4, 187-95	3.7	56
12	Calcium-activated calpain-2 is a mediator of beta cell dysfunction and apoptosis in type 2 diabetes. <i>Journal of Biological Chemistry</i> , 2010 , 285, 339-48	5.4	72
11	GLP-1 mediates antiapoptotic effect by phosphorylating Bad through a beta-arrestin 1-mediated ERK1/2 activation in pancreatic beta-cells. <i>Journal of Biological Chemistry</i> , 2010 , 285, 1989-2002	5.4	131
10	The effect of curcumin on human islet amyloid polypeptide misfolding and toxicity. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2010 , 17, 118-28	2.7	76
9	Degradation of cAMP-responsive element-binding protein by the ubiquitin-proteasome pathway contributes to glucotoxicity in beta-cells and human pancreatic islets. <i>Diabetes</i> , 2009 , 58, 1105-15	0.9	43
8	beta-Arrestin 1 is required for PAC1 receptor-mediated potentiation of long-lasting ERK1/2 activation by glucose in pancreatic beta-cells. <i>Journal of Biological Chemistry</i> , 2009 , 284, 4332-42	5.4	32
7	The CDK4-pRB-E2F1 pathway controls insulin secretion. <i>Nature Cell Biology</i> , 2009 , 11, 1017-23	23.4	96
6	Signaling Pathways Involved in Physiopathology of Pancreatic β-Cells. <i>Recent Patents on Endocrine, Metabolic & Immune Drug Discovery</i> , 2007 , 1, 180-192		
5	ERK1/2 control phosphorylation and protein level of cAMP-responsive element-binding protein: a key role in glucose-mediated pancreatic beta-cell survival. <i>Diabetes</i> , 2006 , 55, 2220-30	0.9	84
4	The glucagon-miniglucagon interplay: a new level in the metabolic regulation. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1070, 161-6	6.5	9
3	Extracellularly regulated kinases 1/2 (p44/42 mitogen-activated protein kinases) phosphorylate synapsin I and regulate insulin secretion in the MIN6 beta-cell line and islets of Langerhans. <i>Endocrinology</i> , 2005 , 146, 643-54	4.8	88
2	Glucagon promotes cAMP-response element-binding protein phosphorylation via activation of ERK1/2 in MIN6 cell line and isolated islets of Langerhans. <i>Journal of Biological Chemistry</i> , 2004 , 279, 20345-55	5.4	50
1	Cooperative effects between protein kinase A and p44/p42 mitogen-activated protein kinase to promote cAMP-responsive element binding protein activation after beta cell stimulation by glucose and its alteration due to glucotoxicity. <i>Annals of the New York Academy of Sciences</i> , 2004 , 1030, 230-42	6.5	19