

Gui Yu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1592599/gui-yu-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

9,346
citations

39
h-index

95
g-index

153
ext. papers

10,278
ext. citations

10.5
avg, IF

6.24
L-index

#	Paper	IF	Citations
150	Synthesis of N-doped graphene by chemical vapor deposition and its electrical properties. <i>Nano Letters</i> , 2009 , 9, 1752-8	11.5	2513
149	A stable solution-processed polymer semiconductor with record high-mobility for printed transistors. <i>Scientific Reports</i> , 2012 , 2, 754	4.9	733
148	Highly Extended copolymers with diketopyrrolopyrrole moieties for high-performance field-effect transistors. <i>Advanced Materials</i> , 2012 , 24, 4618-22	24	649
147	Uniform hexagonal graphene flakes and films grown on liquid copper surface. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 7992-6	11.5	351
146	Patterned Graphene as Source/Drain Electrodes for Bottom-Contact Organic Field-Effect Transistors. <i>Advanced Materials</i> , 2008 , 20, 3289-3293	24	339
145	Oxygen-aided synthesis of polycrystalline graphene on silicon dioxide substrates. <i>Journal of the American Chemical Society</i> , 2011 , 133, 17548-51	16.4	285
144	Interface engineering: an effective approach toward high-performance organic field-effect transistors. <i>Accounts of Chemical Research</i> , 2009 , 42, 1573-83	24.3	285
143	Low temperature growth of highly nitrogen-doped single crystal graphene arrays by chemical vapor deposition. <i>Journal of the American Chemical Society</i> , 2012 , 134, 11060-3	16.4	262
142	Experimental techniques for the fabrication and characterization of organic thin films for field-effect transistors. <i>Chemical Reviews</i> , 2011 , 111, 3358-406	68.1	215
141	Scalable synthesis of few-layer graphene ribbons with controlled morphologies by a template method and their applications in nanoelectromechanical switches. <i>Journal of the American Chemical Society</i> , 2009 , 131, 11147-54	16.4	193
140	Equiangular hexagon-shape-controlled synthesis of graphene on copper surface. <i>Advanced Materials</i> , 2011 , 23, 3522-5	24	162
139	Self-organized graphene crystal patterns. <i>NPG Asia Materials</i> , 2013 , 5, e36-e36	10.3	137
138	Fractal etching of graphene. <i>Journal of the American Chemical Society</i> , 2013 , 135, 6431-4	16.4	123
137	Near-equilibrium chemical vapor deposition of high-quality single-crystal graphene directly on various dielectric substrates. <i>Advanced Materials</i> , 2014 , 26, 1348-53	24	115
136	Naphthalenediimide-Based Copolymers Incorporating Vinyl-Linkages for High-Performance Ambipolar Field-Effect Transistors and Complementary-Like Inverters under Air. <i>Chemistry of Materials</i> , 2013 , 25, 3589-3596	9.6	111
135	Synthesis of large-area, few-layer graphene on iron foil by chemical vapor deposition. <i>Nano Research</i> , 2011 , 4, 1208-1214	10	106
134	Two-stage metal-catalyst-free growth of high-quality polycrystalline graphene films on silicon nitride substrates. <i>Advanced Materials</i> , 2013 , 25, 992-7	24	99

133	Diazaisoindigo-Based Polymers with High-Performance Charge-Transport Properties: From Computational Screening to Experimental Characterization. <i>Chemistry of Materials</i> , 2016 , 28, 2209-2218	9.6	95
132	Direct CVD Graphene Growth on Semiconductors and Dielectrics for Transfer-Free Device Fabrication. <i>Advanced Materials</i> , 2016 , 28, 4956-75	24	90
131	A new method to synthesize complicated multi-branched carbon nanotubes with controlled architecture and composition. <i>Nano Letters</i> , 2006 , 6, 186-92	11.5	88
130	Pyrene fused perylene diimides: synthesis, characterization and applications in organic field-effect transistors and optical limiting with high performance. <i>Chemical Communications</i> , 2015 , 51, 7156-9	5.8	85
129	Graphene single crystals: size and morphology engineering. <i>Advanced Materials</i> , 2015 , 27, 2821-37	24	84
128	Bis-Diketopyrrolopyrrole Moiety as a Promising Building Block to Enable Balanced Ambipolar Polymers for Flexible Transistors. <i>Advanced Materials</i> , 2017 , 29, 1606162	24	82
127	Three-Dimensional Graphene Networks with Abundant Sharp Edge Sites for Efficient Electrocatalytic Hydrogen Evolution. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 192-197	16.4	82
126	Improvements in Stability and Performance of N,N'-Dialkyl Perylene Diimide-Based n-Type Thin-Film Transistors. <i>Advanced Materials</i> , 2009 , 21, 1631-1635	24	80
125	Inkjet printing short-channel polymer transistors with high-performance and ultrahigh photoresponsivity. <i>Advanced Materials</i> , 2014 , 26, 4683-9	24	74
124	Diketopyrrolopyrrole-Based π Conjugated Copolymer Containing π Unsubstituted Quintetthiophene Unit: A Promising Material Exhibiting High Hole-Mobility for Organic Thin-Film Transistors. <i>Chemistry of Materials</i> , 2012 , 24, 4350-4356	9.6	74
123	Naphtho[1,2-b:5,6-b']dithiophene-Based Donor-Acceptor Copolymer Semiconductors for High-Mobility Field-Effect Transistors and Efficient Polymer Solar Cells. <i>Macromolecules</i> , 2013 , 46, 3358-3366	5.5	69
122	Heteroatom substituted organic/polymeric semiconductors and their applications in field-effect transistors. <i>Advanced Materials</i> , 2014 , 26, 6898-904	24	64
121	Well-Balanced Ambipolar Conjugated Polymers Featuring Mild Glass Transition Temperatures Toward High-Performance Flexible Field-Effect Transistors. <i>Advanced Materials</i> , 2018 , 30, 1705286	24	57
120	Solvent-assisted re-annealing of polymer films for solution-processable organic field-effect transistors. <i>Advanced Materials</i> , 2010 , 22, 1273-7	24	51
119	Controlled growth of single-crystal twelve-pointed graphene grains on a liquid Cu surface. <i>Advanced Materials</i> , 2014 , 26, 6423-9	24	50
118	Morphology optimization for the fabrication of high mobility thin-film transistors. <i>Advanced Materials</i> , 2011 , 23, 3128-33	24	47
117	Active Morphology Control for Concomitant Long Distance Spin Transport and Photoresponse in a Single Organic Device. <i>Advanced Materials</i> , 2016 , 28, 2609-15	24	46
116	A diketopyrrolopyrrole-thiazolothiazole copolymer for high performance organic field-effect transistors. <i>Chemical Communications</i> , 2013 , 49, 1998-2000	5.8	45

115	Facile growth of vertically-aligned graphene nanosheets via thermal CVD: The experimental and theoretical investigations. <i>Carbon</i> , 2017 , 121, 1-9	10.4	43
114	Self-Aligned Single-Crystal Graphene Grains. <i>Advanced Functional Materials</i> , 2014 , 24, 1664-1670	15.6	43
113	Etching-Controlled Growth of Graphene by Chemical Vapor Deposition. <i>Chemistry of Materials</i> , 2017 , 29, 1022-1027	9.6	42
112	Fluorodiphenylethene-Containing Donor-Acceptor Conjugated Copolymers with Noncovalent Conformational Locks for Efficient Polymer Field-Effect Transistors. <i>Macromolecules</i> , 2016 , 49, 2582-2591	5.5	41
111	Fluorinated Dithienylethene-Naphthalenediimide Copolymers for High-Mobility n-Channel Field-Effect Transistors. <i>Macromolecules</i> , 2017 , 50, 6098-6107	5.5	37
110	Synthesis and Characterization of Angular-Shaped Naphtho[1,2-b;5,6-b']difuran-Diketopyrrolopyrrole-Containing Copolymers for High-Performance Organic Field-Effect Transistors. <i>Macromolecules</i> , 2014 , 47, 616-625	5.5	36
109	Modified Engineering of Graphene Nanoribbons Prepared via On-Surface Synthesis. <i>Advanced Materials</i> , 2020 , 32, e1905957	24	36
108	Primary Nucleation-Dominated Chemical Vapor Deposition Growth for Uniform Graphene Monolayers on Dielectric Substrate. <i>Journal of the American Chemical Society</i> , 2019 , 141, 11004-11008	16.4	35
107	High-Performance Field-Effect Transistors Fabricated with Donor-Acceptor Copolymers Containing SMO Conformational Locks Supplied by Diethoxydithiophenethenes. <i>Macromolecules</i> , 2016 , 49, 6401-6410	5.5	34
106	Thiazole-Flanked Diketopyrrolopyrrole Polymeric Semiconductors for Ambipolar Field-Effect Transistors with Balanced Carrier Mobilities. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 34725-34734	9.5	33
105	Dithieno[3,2-b;2',3'-d]pyridin-5(4H)-one-based polymers with a bandgap up to 2.02 eV for high performance field-effect transistors and polymer solar cells with an open-circuit voltage up to 0.98 V and an efficiency up to 6.84%. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 20516-20526	13	30
104	Three-Dimensional Graphene Networks with Abundant Sharp Edge Sites for Efficient Electrocatalytic Hydrogen Evolution. <i>Angewandte Chemie</i> , 2018 , 130, 198-203	3.6	30
103	Layer-stacking growth and electrical transport of hierarchical graphene architectures. <i>Advanced Materials</i> , 2014 , 26, 3218-24	24	30
102	Direct Top-Down Fabrication of Large-Area Graphene Arrays by an In Situ Etching Method. <i>Advanced Materials</i> , 2015 , 27, 4195-9	24	30
101	Perspective of graphene-based electronic devices: Graphene synthesis and diverse applications. <i>APL Materials</i> , 2019 , 7, 020901	5.7	29
100	Highly planar cross-conjugated alternating polymers with multiple conformational locks: synthesis, characterization and their field-effect properties. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 9266-9275	7.1	28
99	Tuning Frontier Orbital Energetics of Azaisoindigo-Based Polymeric Semiconductors to Enhance the Charge-Transport Properties. <i>Advanced Electronic Materials</i> , 2017 , 3, 1700078	6.4	27
98	Impact of alkyl side chains on the photovoltaic and charge mobility properties of naphthodithiophene-Benzothiadiazole copolymers. <i>Polymer Chemistry</i> , 2014 , 5, 836-843	4.9	25

97	Vinylidenedithiophenmethyleneoxindole: a centrosymmetric building block for donor-acceptor copolymers. <i>Polymer Chemistry</i> , 2016 , 7, 1413-1421	4.9	24
96	Gas-Flow-Driven Aligned Growth of Graphene on Liquid Copper. <i>Chemistry of Materials</i> , 2019 , 31, 1231-1236	12.36	24
95	Synthesis and morphology transformation of single-crystal graphene domains based on activated carbon dioxide by chemical vapor deposition. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 2990	7.1	23
94	Approaching high charge carrier mobility by alkylating both donor and acceptor units at the optimized position in conjugated polymers. <i>Polymer Chemistry</i> , 2016 , 7, 4046-4053	4.9	23
93	Tuning the light response of organic field-effect transistors using fluorographene nanosheets as an interface modification layer. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 6484	7.1	21
92	High-performance polymer field-effect transistors fabricated with low-bandgap DPP-based semiconducting materials. <i>Polymer Chemistry</i> , 2015 , 6, 6457-6464	4.9	19
91	Chemical vapor deposition of bilayer graphene with layer-resolved growth through dynamic pressure control. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 7464-7471	7.1	19
90	Recent Advances in Growth and Modification of Graphene-Based Energy Materials: From Chemical Vapor Deposition to Reduction of Graphene Oxide. <i>Small Methods</i> , 2019 , 3, 1900071	12.8	18
89	Alkyl chain engineering of pyrene-fused perylene diimides: impact on transport ability and microfiber self-assembly. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 2341-2348	7.8	18
88	Liquid catalysts: an innovative solution to 2D materials in CVD processes. <i>Materials Horizons</i> , 2018 , 5, 1021-1034	14.4	17
87	Highly coplanar bis(thiazol-2-yl)-diketopyrrolopyrrole based donor-acceptor copolymers for ambipolar field effect transistors. <i>RSC Advances</i> , 2016 , 6, 78008-78016	3.7	16
86	Synthesis, characterization, and field-effect properties of (E)-2-(2-(thiophen-2-yl)vinyl)thiophen-based donor-acceptor copolymers. <i>Polymer</i> , 2015 , 68, 302-307	3.9	16
85	Recent Advances in Growth of Large-Sized 2D Single Crystals on Cu Substrates. <i>Advanced Materials</i> , 2021 , 33, e2003956	24	16
84	Donor-Acceptor Conjugated Copolymers Containing Difluorothienylethylene-Bridged Methyleneoxindole or Methyleneazaoxindole Acceptor Units: Synthesis, Properties, and Their Application in Field-Effect Transistors. <i>Macromolecules</i> , 2018 , 51, 7093-7103	5.5	16
83	High-performance field-effect transistors based on furan-containing diketopyrrolopyrrole copolymer under a mild annealing temperature. <i>Journal of Polymer Science Part A</i> , 2014 , 52, 1970-1977	2.5	15
82	Semiconducting Polymers Based on Isoindigo and Its Derivatives: Synthetic Tactics, Structural Modifications, and Applications. <i>Advanced Functional Materials</i> , 2021 , 31, 2010979	15.6	15
81	Realizing n-Type Field-Effect Performance via Introducing Trifluoromethyl Groups into the Donor-Acceptor Copolymer Backbone. <i>Macromolecules</i> , 2019 , 52, 2911-2921	5.5	14
80	Highly planar thieno[3,2-b]thiophene-diketopyrrolopyrrole-containing polymers for organic field-effect transistors. <i>RSC Advances</i> , 2016 , 6, 35394-35401	3.7	14

79	High-performance FDTE-based polymer semiconductors with F ^π H intramolecular noncovalent interactions: Synthesis, characterization, and their field-effect properties. <i>Dyes and Pigments</i> , 2018 , 149, 149-157	4.6	13
78	Large-Area Growth of Five-Lobed and Triangular Graphene Grains on Textured Cu Substrate. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1600347	4.6	13
77	Tuning Charge Carrier and Spin Transport Properties via Structural Modification of Polymer Semiconductors. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 30089-30097	9.5	13
76	Fabrication Strategies of Twisted Bilayer Graphenes and Their Unique Properties. <i>Advanced Materials</i> , 2021 , 33, e2004974	24	13
75	Covalent organic frameworks: Design, synthesis, and performance for photocatalytic applications. <i>Nano Today</i> , 2021 , 40, 101247	17.9	13
74	Rational design of diarylethylene-based polymeric semiconductors for high-performance organic field-effect transistors. <i>Journal of Polymer Science Part A</i> , 2017 , 55, 585-603	2.5	12
73	Microstructure engineering of polymer semiconductor thin films for high-performance field-effect transistors using a bi-component processing solution. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 3568-3578 ¹	7.1	12
72	Regioirregular ambipolar naphthalenediimide-based alternating polymers: Synthesis, characterization, and application in field-effect transistors. <i>Journal of Polymer Science Part A</i> , 2017 , 55, 3627-3635	2.5	12
71	Innovation of Materials, Devices, and Functionalized Interfaces in Organic Spintronics. <i>Advanced Functional Materials</i> , 2021 , 31, 2100550	15.6	12
70	Magnetism of N-doped graphene nanoribbons with zigzag edges from bottom-up fabrication. <i>RSC Advances</i> , 2016 , 6, 10017-10023	3.7	11
69	Synthesis of Pentacene Analogues Containing Heteroatoms and Study of Their Field-effect Performance. <i>Acta Chimica Sinica</i> , 2012 , 70, 1599	3.3	11
68	Ambipolar charge transport in an organic/inorganic van der Waals p-n heterojunction. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 12976-12980	7.1	11
67	Chalcogenophene-Sensitive Charge Carrier Transport Properties in A ⁿ D ^m Type NBDO-Based Copolymers for Flexible Field-Effect Transistors. <i>Macromolecules</i> , 2018 , 51, 8662-8671	5.5	11
66	Isoindigo dye incorporated copolymers with diselenophenylethene: Synthesis, characterization, and enhanced mobilities in field-effect transistors with electrodes modified by thiol-based self-assembled monolayers. <i>Polymer</i> , 2017 , 112, 180-188	3.9	10
65	Ambipolar tetrafluorodiphenylethene-based donor-acceptor copolymers: synthesis, properties, backbone conformation and fluorine-induced conformational locks. <i>Polymer Chemistry</i> , 2017 , 8, 879-889 ^{4.9}	4.9	10
64	Naphthodithieno[3,2-b]thiophene-based semiconductors: synthesis, characterization, and device performance of field-effect transistors. <i>Organic Chemistry Frontiers</i> , 2014 , 1, 333-337	5.2	10
63	Multicomponent Blend Systems Used in Organic Field-Effect Transistors: Charge Transport Properties, Large-Area Preparation, and Functional Devices. <i>Chemistry of Materials</i> , 2021 , 33, 2229-2257 ^{9.6}	9.6	10
62	Benzothiophene-flanked diketopyrrolopyrrole polymers: impact of isomeric frameworks on carrier mobilities. <i>RSC Advances</i> , 2016 , 6, 83448-83455	3.7	10

61	Semiconducting Properties and Geometry-Directed Self-Assembly of Heptacyclic Anthradithiophene Diimide-Based Polymers. <i>Chemistry of Materials</i> , 2019 , 31, 2507-2515	9.6	9
60	High-Electron Mobility Tetrafluoroethylene-Containing Semiconducting Polymers. <i>Chemistry of Materials</i> , 2020 , 32, 2330-2340	9.6	9
59	Highly Sensitive, Low Voltage Operation, and Low Power Consumption Resistive Strain Sensors Based on Vertically Oriented Graphene Nanosheets. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800572	6.8	9
58	Recent structural evolution of lactam- and imide-functionalized polymers applied in organic field-effect transistors and organic solar cells. <i>Chemical Science</i> , 2021 , 12, 6844-6878	9.4	9
57	Sensitivity enhancement of graphene Hall sensors modified by single-molecule magnets at room temperature. <i>RSC Advances</i> , 2017 , 7, 1776-1781	3.7	8
56	Multisubstituted Azaisoindigo-Based Polymers for High-Mobility Ambipolar Thin-Film Transistors and Inverters. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 34171-34177	9.5	8
55	Cyanostyrylthiophene-Based Ambipolar Conjugated Polymers: Synthesis, Properties, and Analyses of Backbone Fluorination Effect. <i>Macromolecules</i> , 2018 , 51, 966-976	5.5	8
54	Magnetoresistance and Spinterface of Organic Spin Valves Based on Diketopyrrolopyrrole Polymers. <i>Advanced Electronic Materials</i> , 2019 , 5, 1900318	6.4	8
53	Controlled assembly of SiO _x nanoparticles in graphene. <i>Materials Horizons</i> , 2016 , 3, 568-574	14.4	8
52	Naphtho[2,1-b:3,4-b']bisthieno[3,2-b][1]benzothiophene-based semiconductors for organic field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 8024-8029	7.1	7
51	Room-temperature stable organic spin valves using solution-processed ambipolar naphthalenediimide-based conjugated polymers. <i>Organic Electronics</i> , 2020 , 81, 105684	3.5	7
50	Synthesis of an indacenodithiophene-based fully conjugated ladder polymer and its optical and electronic properties. <i>Polymer Chemistry</i> , 2018 , 9, 2227-2231	4.9	7
49	Highly-soluble multi-alkylated polymer semiconductors and applications in high-performance field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 9591-9598	7.1	7
48	Water-stable organic field-effect transistors based on naphthodithieno[3,2-b]thiophene derivatives. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 297-301	7.1	7
47	Recent progress in quinoidal semiconducting polymers: structural evolution and insight. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 76-96	7.8	7
46	Structural Engineering in Polymer Semiconductors with Aromatic N-Heterocycles. <i>Chemistry of Materials</i> , 2021 , 33, 1513-1539	9.6	7
45	Controllable Synthesis and Performance Modulation of 2D Covalent-Organic Frameworks. <i>Small</i> , 2021 , 17, e2100918	11	7
44	Tuning carrier transport properties of thienoisindigo-based copolymers by loading fluorine atoms onto the diarylethylene-based electron-donating units. <i>Polymer</i> , 2017 , 132, 12-22	3.9	6

43	Molecular engineering of (E)-1,2-bis(3-cyanothiophene-2-yl)ethene-based polymeric semiconductors for unipolar n-channel field-effect transistors. <i>Polymer Chemistry</i> , 2020 , 11, 7340-7348	4.9	6
42	Hydrogen-dominated metal-free growth of graphitic-nitrogen doped graphene with n-type transport behaviors. <i>Carbon</i> , 2020 , 161, 123-131	10.4	6
41	Design of carbon sources: starting point for chemical vapor deposition of graphene. <i>2D Materials</i> , 2019 , 6, 042003	5.9	6
40	Quantitative analysis of the role of the first layer in p- and n-type organic field-effect transistors with graphene electrodes. <i>Advanced Materials</i> , 2012 , 24, 1471-5	24	6
39	Naphthodithieno[3,2-b]thiophene-based donor-acceptor copolymers: Synthesis, characterization, and their photovoltaic and charge transport properties. <i>Dyes and Pigments</i> , 2016 , 131, 1-8	4.6	6
38	Tracking the Evolution of Polymer Interface Films during the Process of Thermal Annealing at the Domain and Single Molecular Levels using Scanning Tunneling Microscopy. <i>Langmuir</i> , 2016 , 32, 9437-44	4	6
37	Novel dialkoxy-substituted benzodithienothiophenes for high-performance organic field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 10892-10897	7.1	5
36	Influence of Backbone Regioregularity on High-Mobility Conjugated Polymers Based on Alkylated Dithienylacrylonitrile. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 43416-43424	9.5	5
35	Revealing the Influences of Solvent Boiling Point and Alkyl Chains on the Adlayer Crystallinity of Furan-Diketopyrrolopyrrole-Thienylene Copolymer at Molecular Level. <i>Langmuir</i> , 2020 , 36, 141-147	4	5
34	Pentacene/non-fullerene acceptor heterojunction type phototransistors for broadened spectral photoresponsivity and ultralow level light detection. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 322-329	7.1	5
33	Ethanediyldienebis(isoquinolinedione): A Six-Membered-Ring Diimide Building Block for Ambipolar Semiconducting Polymers. <i>Macromolecules</i> , 2019 , 52, 8238-8247	5.5	4
32	An ADA?D? strategy enables perylenediimide-based polymer dyes exhibiting enhanced electron transport characteristics. <i>Polymer</i> , 2019 , 180, 121712	3.9	4
31	High-performance ternary Eonjugated copolymers containing diarylethylene units: synthesis, properties, and study of substituent effects on molecular aggregation and charge transport characteristics. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 362-370	7.1	4
30	Dithienylmethanone-Based Cross-Conjugated Polymer Semiconductors: Synthesis, Characterization, and Application in Field-Effect Transistors. <i>Journal of Polymer Science Part A</i> , 2018 , 56, 1012-1019	2.5	4
29	Tailoring molecular weight of polymeric dielectric to enhance electron and hole mobilities in polymer field-effect transistors. <i>Polymer</i> , 2016 , 99, 496-502	3.9	4
28	Novel Hollow Graphene Flowers Synthesized by Cu-Assisted Chemical Vapor Deposition. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1800347	4.6	4
27	Developing Graphene-Based Moir?Heterostructures for Twistronics. <i>Advanced Science</i> , 2021 , 9, e2103170	3.6	4
26	Polydopamine Film Self-Assembled at Air/Water Interface for Organic Electronic Memory Devices. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000979	4.6	4

25	Preparation Engineering of Two-Dimensional Heterostructures Bottom-Up Growth for Device Applications. <i>ACS Nano</i> , 2021 ,	16.7	4
24	Vinylidenedithiophenmethyleneoxindole-based donor-acceptor copolymers with 1D and 2D conjugated backbones: Synthesis, characterization, and their photovoltaic properties. <i>Dyes and Pigments</i> , 2017 , 144, 1-8	4.6	3
23	growth of large-area and self-aligned graphene nanoribbon arrays on liquid metal.. <i>National Science Review</i> , 2021 , 8, nwa298	10.8	3
22	Synthesis, characterization, and field-effect performance of the halogenated indolone derivatives. <i>Dyes and Pigments</i> , 2017 , 136, 434-440	4.6	3
21	Graphene Arrays: Direct Top-Down Fabrication of Large-Area Graphene Arrays by an In Situ Etching Method (Adv. Mater. 28/2015). <i>Advanced Materials</i> , 2015 , 27, 4194-4194	24	3
20	Negative Magnetoresistance Behavior in Polymer Spin Valves Based on Donor-Acceptor Conjugated Molecules. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000868	4.6	3
19	An insight into the role of side chains in the microstructure and carrier mobility of high-performance conjugated polymers. <i>Polymer Chemistry</i> , 2021 , 12, 2471-2480	4.9	3
18	Preparation, Bandgap Engineering, and Performance Control of Graphene Nanoribbons. <i>Chemistry of Materials</i> ,	9.6	3
17	Surface Engineering of Substrates for Chemical Vapor Deposition Growth of Graphene and Applications in Electronic and Spintronic Devices. <i>Chemistry of Materials</i> ,	9.6	2
16	Nitrogen-embedded small-molecule semiconducting materials: Effect of chlorine atoms on their electrochemical, self-assembly, and carrier transport properties. <i>Dyes and Pigments</i> , 2019 , 163, 615-622	4.6	2
15	Transfer-free synthesis of multilayer graphene on silicon nitride using reusable gallium catalyst. <i>Diamond and Related Materials</i> , 2019 , 91, 112-118	3.5	2
14	Graphene: Controlled Growth of Single-Crystal Twelve-Pointed Graphene Grains on a Liquid Cu Surface (Adv. Mater. 37/2014). <i>Advanced Materials</i> , 2014 , 26, 6519-6519	24	1
13	Novel vinylene-bridged donor-acceptor copolymers: synthesis, characterization, properties and effect of cyano substitution. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 2103-2110	7.8	1
12	A minireview on chemical vapor deposition growth of wafer-scale monolayer -BN single crystals. <i>Nanoscale</i> , 2021 , 13, 17310-17317	7.7	1
11	Synthesis, characterization, and their field-effect properties of azaisoindigo-based conjugated polymers with versatile alkoxy carbonyl substituents. <i>Polymer</i> , 2021 , 215, 123347	3.9	1
10	Small-molecule semiconductors containing dithienylacrylonitrile for high-performance organic field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 11457-11464	7.1	0
9	Remarkable effect of π -skeleton conformation in finitely conjugated polymer semiconductors. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 9055-9063	7.1	0
8	Continuous orientated growth of scaled single-crystal 2D monolayer films. <i>Nanoscale Advances</i> , 2021 , 3, 6545-6567	5.1	0

7	One-step synthesis of seamless graphene-carbon nanotube heterojunctions by chemical vapor deposition. <i>APL Materials</i> , 2021 , 9, 041110	5.7	○
6	Incorporation of Cyano-Substituted Aromatic Blocks into Naphthalene Diimide-Based Copolymers: Toward Unipolar n-Channel Field-Effect Transistors. <i>Small Science</i> , 2021 , 1, 2100016		○
5	High-performance organic field-effect transistors based on organic single crystal microribbons fabricated by an in situ annealing method. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 2026-2031	7.8	○
4	2D Organic Radical Conjugated Skeletons with Paramagnetic Behaviors. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100943	4.6	○
3	Molecular and Interfacial Adjustment of Magnetoresistance in Organic Spin Valves Using Isoindigo-Based Polymers 1065-1073		○
2	A naphthodithieno[3,2-b]thiophene-based copolymer as a novel third component in ternary polymer solar cells with a simultaneously enhanced open circuit voltage, short circuit current and fill factor. <i>New Journal of Chemistry</i> , 2018 , 42, 5314-5322	3.6	
1	Synthesis and Performance of (E)-3-Phenyl-2-(thiophen-2-yl)acrylonitrile-Based Small-Molecule Semiconductors. <i>Organic Materials</i> , 2019 , 01, 078-087	1.9	