

Panagiotis V Zacharatos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1592670/publications.pdf>

Version: 2024-02-01

31
papers

3,852
citations

394421

19
h-index

454955

30
g-index

31
all docs

31
docs citations

31
times ranked

5649
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of Src & ERK1/2 kinases in inspiratory resistive breathing induced acute lung injury and inflammation. <i>Respiratory Research</i> , 2017, 18, 209.	3.6	12
2	Inspiratory resistive breathing induces MMP-9 and MMP-12 expression in the lung. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2015, 308, L683-L692.	2.9	15
3	Nitric oxide regulates cytokine induction in the diaphragm in response to inspiratory resistive breathing. <i>Journal of Applied Physiology</i> , 2012, 113, 1594-1603.	2.5	17
4	Inspiratory Resistive Breathing Induces Acute Lung Injury. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 182, 1129-1136.	5.6	59
5	Nitric Oxide Stimulates Interleukin-6 Production in Skeletal Myotubes. <i>Journal of Interferon and Cytokine Research</i> , 2010, 30, 321-327.	1.2	22
6	First diagnosis of factor XI deficiency in a patient with subarachnoid haemorrhage. <i>Blood Coagulation and Fibrinolysis</i> , 2009, 20, 309-313.	1.0	8
7	p53-Dependent ICAM-1 overexpression in senescent human cells identified in atherosclerotic lesions. <i>Laboratory Investigation</i> , 2005, 85, 502-511.	3.7	107
8	Activation of the DNA damage checkpoint and genomic instability in human precancerous lesions. <i>Nature</i> , 2005, 434, 907-913.	27.8	1,870
9	Association between polymorphisms in the Toll-like receptor 4, CD14, and <i>CARD15/NOD2</i> and inflammatory bowel disease in the Greek population. <i>World Journal of Gastroenterology</i> , 2005, 11, 681.	3.3	169
10	Methylated lysine 79 of histone H3 targets 53BP1 to DNA double-strand breaks. <i>Nature</i> , 2004, 432, 406-411.	27.8	815
11	The Proinflammatory Phenotype of Senescent Cells: The p53-Mediated ICAM-1 Expression. <i>Annals of the New York Academy of Sciences</i> , 2004, 1019, 330-332.	3.8	38
12	Overexpression of the Replication Licensing Regulators hCdt1 and hCdc6 Characterizes a Subset of Non-Small-Cell Lung Carcinomas. <i>American Journal of Pathology</i> , 2004, 165, 1351-1365.	3.8	160
13	Comparative evaluation of PCR assays for the robust molecular detection of <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> . <i>Journal of Microbiological Methods</i> , 2004, 56, 315-321.	1.6	21
14	Association of NOD2/CARD15 variants with Crohn's disease in a Greek population. <i>European Journal of Gastroenterology and Hepatology</i> , 2004, 16, 1177-1182.	1.6	21
15	E2F-1 transcription factor immunoexpression is inversely associated with tumor growth in colon adenocarcinomas. <i>Anticancer Research</i> , 2004, 24, 3041-7.	1.1	26
16	p53 activates ICAM-1 (CD54) expression in an NF-kappaB-independent manner. <i>EMBO Journal</i> , 2003, 22, 1567-1578.	7.8	85
17	Interferon-a2b Reduces Neo-Microvascular Density in the "Normal" Urothelium Adjacent to the Tumor after Transurethral Resection of Superficial Bladder Carcinoma. <i>Oncology Research and Treatment</i> , 2003, 26, 147-152.	1.2	7
18	Inactivating mutations targeting the <i>chfr</i> mitotic checkpoint gene in human lung cancer. <i>Cancer Research</i> , 2003, 63, 7185-9.	0.9	40

#	ARTICLE	IF	CITATIONS
19	Proliferation, but Not Apoptosis, Is Associated with Distinct β -Catenin Expression Patterns in Non-Small-Cell Lung Carcinomas. <i>American Journal of Pathology</i> , 2002, 161, 1619-1634.	3.8	46
20	The complement inhibitor CD59 and the lymphocyte function-associated antigen-3 (LFA-3, CD58) genes possess functional binding sites for the p53 tumor suppressor protein. <i>Anticancer Research</i> , 2002, 22, 4237-41.	1.1	8
21	Diagnostic and prognostic significance of squamous cell carcinoma antigen in non-small cell lung cancer. <i>Lung Cancer</i> , 2001, 32, 137-144.	2.0	52
22	Additional characterization of a hexanucleotide polymorphic site in the first intron of human H-ras gene. <i>Cancer Genetics and Cytogenetics</i> , 2001, 126, 147-154.	1.0	20
23	Expression of HLA-DR is reduced in tumor infiltrating immune cells (TIICs) and regional lymph nodes of non-small-cell lung carcinomas. A putative mechanism of tumor-induced immunosuppression?. <i>Anticancer Research</i> , 2001, 21, 2609-15.	1.1	19
24	Expression of p16INK4A and alterations of the 9p21-23 chromosome region in non-small-cell lung carcinomas: Relationship with tumor growth parameters and ploidy status. , 2000, 89, 133-141.		26
25	c-mos immunoreactivity is an indicator of good prognosis in lung cancer. <i>Histopathology</i> , 2000, 37, 45-54.	2.9	7
26	Sensitive Differential Detection of Genetically Related Mycobacterial Pathogens in Archival Material. <i>American Journal of Clinical Pathology</i> , 2000, 114, 940-950.	0.7	25
27	Antioxidant Agent Nimesulid and β -Blocker Metoprolol Do Not Exert Protective Effects against Rat Mitochondrial DNA Alterations in Adriamycin-Induced Cardiotoxicity. <i>Biochemical and Biophysical Research Communications</i> , 1999, 254, 651-656.	2.1	17
28	Modulation of wild-type p53 activity by mutant p53 R273H depends on the p53 responsive element (p53RE). A comparative study between the p53REs of the MDM2, WAF1/Cip1 and Bax genes in the lung cancer environment. WAF1/Cip1 = WAF1/Cip1. <i>Anticancer Research</i> , 1999, 19, 579-87.	1.1	9
29	Aberrant p16 expression is correlated with hemizygous deletions at the 9p21-22 chromosome region in non-small cell lung carcinomas. <i>Anticancer Research</i> , 1999, 19, 1893-9.	1.1	12
30	Alterations of the p16-pRb Pathway and the Chromosome Locus 9p21 in Non-Small-Cell Lung Carcinomas. <i>American Journal of Pathology</i> , 1998, 153, 1749-1765.	3.8	97
31	Effects of p53 mutants derived from lung carcinomas on the p53-responsive element (p53RE) of the MDM2 gene. <i>British Journal of Cancer</i> , 1998, 77, 374-384.	6.4	22