

Ronald J Sigal

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1592748/ronald-j-sigal-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

4,953
citations

24
h-index

70
g-index

108
ext. papers

5,908
ext. citations

4.6
avg, IF

5.44
L-index

#	Paper	IF	Citations
102	Exercise in the heat induces similar elevations in serum irisin in young and older men despite lower resting irisin concentrations in older adults.. <i>Journal of Thermal Biology</i> , 2022 , 104, 103189	2.9	1
101	Prevalence of and risk factors for excess weight gain in pregnancy: a cross-sectional study using survey data.. <i>CMAJ Open</i> , 2021 , 9, E1168-E1174	2.5	0
100	Comparative efficacy and safety of antihyperglycemic drug classes for patients with type 2 diabetes following failure with metformin monotherapy: a systematic review and network meta-analysis of randomized controlled trials.. <i>Diabetes/Metabolism Research and Reviews</i> , 2021 , e3515	7.5	0
99	Effects of short-term heat acclimation on whole-body heat exchange and local nitric oxide synthase- and cyclooxygenase-dependent heat loss responses in exercising older men. <i>Experimental Physiology</i> , 2021 , 106, 450-462	2.4	0
98	Impact of uncomplicated controlled hypertension on thermoregulation during exercise-heat stress. <i>Journal of Human Hypertension</i> , 2021 , 35, 880-883	2.6	1
97	Factors Influencing Inpatient Insulin Management of Adults With Type 1 and Type 2 Diabetes by Residents and Medical Students. <i>Canadian Journal of Diabetes</i> , 2021 , 45, 167-173.e1	2.1	0
96	Effect of exercise-heat acclimation on cardiac autonomic modulation in type 2 diabetes: a pilot study. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021 , 46, 284-287	3	3
95	Systematic review and meta-analysis: SGLT2 inhibitors, blood pressure and cardiovascular outcomes. <i>IJC Heart and Vasculature</i> , 2021 , 33, 100725	2.4	7
94	Heat Tolerance and Occupational Heat Exposure Limits in Older Men with and without Type 2 Diabetes or Hypertension. <i>Medicine and Science in Sports and Exercise</i> , 2021 , 53, 2196-2206	1.2	5
93	Exercise training and reproductive outcomes in women with polycystic ovary syndrome: A pilot randomized controlled trial. <i>Clinical Endocrinology</i> , 2021 , 95, 332-343	3.4	8
92	Type 2 diabetes impairs vascular responsiveness to nitric oxide, but not the venoarteriolar reflex or post-occlusive reactive hyperaemia in forearm skin. <i>Experimental Dermatology</i> , 2021 , 30, 1807-1813	4	1
91	Afternoon aerobic and resistance exercise have limited impact on 24-h CGM outcomes in adults with type 1 diabetes: A secondary analysis. <i>Diabetes Research and Clinical Practice</i> , 2021 , 177, 108874	7.4	0
90	Extensive pigmented abdominal plaque in a diabetic patient. <i>JAAD Case Reports</i> , 2021 , 7, 11-13	1.4	1
89	Exercise-heat tolerance in middle-aged-to-older men with type 2 diabetes. <i>Acta Diabetologica</i> , 2021 , 58, 809-812	3.9	3
88	Comparative Success of Recruitment Strategies for an Exercise Intervention Trial Among Women With Polycystic Ovary Syndrome: Observational Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e25208	7.6	0
87	Use of Virtual Care for Glycemic Management in People With Types 1 and 2 Diabetes and Diabetes in Pregnancy: A Rapid Review. <i>Canadian Journal of Diabetes</i> , 2021 , 45, 677-688.e2	2.1	1
86	Glucose management for exercise using continuous glucose monitoring: should sex and prandial state be additional considerations?. <i>Diabetologia</i> , 2021 , 64, 932-934	10.3	2

85	Remission of Type 2 Diabetes Following a Short-term Intervention With Insulin Glargine, Metformin, and Dapagliflozin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	5
84	Polymorphism Influences the Cardiovascular Benefit of Fenofibrate in Type 2 Diabetes: Findings From ACCORD-Lipid. <i>Diabetes</i> , 2020 , 69, 771-783	0.9	12
83	Cardiac autonomic modulation in type 1 diabetes during exercise-heat stress. <i>Acta Diabetologica</i> , 2020 , 57, 959-963	3.9	3
82	Evidence for age-related differences in heat acclimatisation responsiveness. <i>Experimental Physiology</i> , 2020 , 105, 1491-1499	2.4	5
81	Blunted circulating irisin in adults with type 1 diabetes during aerobic exercise in a hot environment: a pilot study. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, 679-682	3	2
80	Diminished heart rate variability in type 2 diabetes is exacerbated during exercise-heat stress. <i>Acta Diabetologica</i> , 2020 , 57, 899-901	3.9	2
79	Patient decisional needs when considering treatment intensification for type 2 diabetes: A qualitative study in China. <i>Diabetes Research and Clinical Practice</i> , 2020 , 170, 108471	7.4	2
78	Type 2 diabetes does not exacerbate body heat storage in older adults during brief, extreme passive heat exposure. <i>Temperature</i> , 2020 , 7, 263-269	5.2	3
77	Long-Term Physical Activity Levels After the End of a Structured Exercise Intervention in Adults With Type 2 Diabetes and Prediabetes: A Systematic Review. <i>Canadian Journal of Diabetes</i> , 2020 , 44, 680-687.e2	2.1	0
76	Ageing augments Adrenergic cutaneous vasodilatation differently in men and women, with no effect on Adrenergic sweating. <i>Experimental Physiology</i> , 2020 , 105, 1720-1729	2.4	1
75	Interindividual variability and individual responses to exercise training in adolescents with obesity. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, 45-54	3	16
74	Sex-Related Differences in Blood Glucose Responses to Resistance Exercise in Adults With Type 1 Diabetes: A Secondary Data Analysis. <i>Canadian Journal of Diabetes</i> , 2020 , 44, 267-273.e1	2.1	10
73	Exercise Heat Stress in Patients With and Without Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 1409-1411	27.4	19
72	Ageing attenuates muscarinic-mediated sweating differently in men and women with no effect on nicotinic-mediated sweating. <i>Experimental Dermatology</i> , 2019 , 28, 968-971	4	3
71	Superoxide and NADPH oxidase do not modulate skin blood flow in older exercising adults with and without type 2 diabetes. <i>Microvascular Research</i> , 2019 , 125, 103886	3.7	2
70	Preventing Early Renal Loss in Diabetes (PERL) Study: A Randomized Double-Blinded Trial of Allopurinol-Rationale, Design, and Baseline Data. <i>Diabetes Care</i> , 2019 , 42, 1454-1463	14.6	28
69	Minimal effect of walking before dinner on glycemic responses in type 2 diabetes: outcomes from the multi-site E-PARA DiGM study. <i>Acta Diabetologica</i> , 2019 , 56, 755-765	3.9	9
68	Impaired whole-body heat loss in type 1 diabetes during exercise in the heat: a cause for concern?. <i>Diabetologia</i> , 2019 , 62, 1087-1089	10.3	5

67	Risks of Dysglycemia Over the First 4 Years After a Hypertensive Disorder of Pregnancy. <i>Canadian Journal of Diabetes</i> , 2019 , 43, 587-593	2.1	0
66	Ageing augments nicotinic and adenosine triphosphate-induced, but not muscarinic, cutaneous vasodilatation in women. <i>Experimental Physiology</i> , 2019 , 104, 1801-1807	2.4	2
65	Measurement of lipid profiles in the early postpartum period after hypertensive disorders of pregnancy. <i>Journal of Clinical Lipidology</i> , 2019 , 13, 1008-1015	4.9	2
64	Local arginase inhibition does not modulate cutaneous vasodilation or sweating in young and older men during exercise. <i>Journal of Applied Physiology</i> , 2019 , 126, 1129-1137	3.7	6
63	Clinical Utility of Pre-Exercise Stress Testing in People With Diabetes. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 185-192	3.8	3
62	Interactive effects of age and hydration state on human thermoregulatory function during exercise in hot-dry conditions. <i>Acta Physiologica</i> , 2019 , 226, e13226	5.6	9
61	Effects of aerobic training, resistance training, or both on brain-derived neurotrophic factor in adolescents with obesity: The hearty randomized controlled trial. <i>Physiology and Behavior</i> , 2018 , 191, 138-145	3.5	21
60	Physical Activity and Diabetes. <i>Canadian Journal of Diabetes</i> , 2018 , 42 Suppl 1, S54-S63	2.1	69
59	Effect of P2 receptor blockade on cutaneous vasodilation during rest and exercise in the heat in young men. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018 , 43, 312-315	3	1
58	Type 2 diabetes specifically attenuates purinergic skin vasodilatation without affecting muscarinic and nicotinic skin vasodilatation and sweating. <i>Experimental Physiology</i> , 2018 , 103, 212-221	2.4	7
57	Screening criteria for increased susceptibility to heat stress during work or leisure in hot environments in healthy individuals aged 31-70 years. <i>Temperature</i> , 2018 , 5, 86-99	5.2	35
56	Aging attenuates adenosine triphosphate-induced, but not muscarinic and nicotinic, cutaneous vasodilation in men. <i>Microcirculation</i> , 2018 , 25, e12462	2.9	6
55	Modulation of GLP-1 Levels by a Genetic Variant That Regulates the Cardiovascular Effects of Intensive Glycemic Control in ACCORD. <i>Diabetes Care</i> , 2018 , 41, 348-355	14.6	10
54	Oxidative stress does not influence local sweat rate during high-intensity exercise. <i>Experimental Physiology</i> , 2018 , 103, 172-178	2.4	5
53	Genetic Tools for Coronary Risk Assessment in Type 2 Diabetes: A Cohort Study From the ACCORD Clinical Trial. <i>Diabetes Care</i> , 2018 , 41, 2404-2413	14.6	16
52	Long-Term Effects of Intensive Glycemic and Blood Pressure Control and Fenofibrate Use on Kidney Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 1693-1702	6.9	15
51	Effects of aerobic or resistance training or both on health-related quality of life in youth with obesity: the HEARTY Trial. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 361-370	3	11
50	No effect of ascorbate on cutaneous vasodilation and sweating in older men and those with type 2 diabetes exercising in the heat. <i>Physiological Reports</i> , 2017 , 5, e13238	2.6	12

49	The recommended Threshold Limit Values for heat exposure fail to maintain body core temperature within safe limits in older working adults. <i>Journal of Occupational and Environmental Hygiene</i> , 2017 , 14, 703-711	2.9	20
48	Increased left ventricular extracellular volume and enhanced twist function in type 1 diabetic individuals. <i>Journal of Applied Physiology</i> , 2017 , 123, 394-401	3.7	11
47	Cardiometabolic risk factors in type 2 diabetes with high fat and low muscle mass: At baseline and in response to exercise. <i>Obesity</i> , 2017 , 25, 881-891	8	10
46	Does exercise training affect resting metabolic rate in adolescents with obesity?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 15-22	3	7
45	Fluid replacement modulates oxidative stress- but not nitric oxide-mediated cutaneous vasodilation and sweating during prolonged exercise in the heat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017 , 313, R730-R739	3.2	8
44	Increasing age is a major risk factor for susceptibility to heat stress during physical activity. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 1232-1235	3	18
43	Hyperthermia and cardiovascular strain during an extreme heat exposure in young versus older adults. <i>Temperature</i> , 2017 , 4, 79-88	5.2	61
42	Genetic Predictors of Cardiovascular Mortality During Intensive Glycemic Control in Type 2 Diabetes: Findings From the ACCORD Clinical Trial. <i>Diabetes Care</i> , 2016 , 39, 1915-1924	14.6	32
41	Cutaneous blood flow during intradermal NO administration in young and older adults: roles for calcium-activated potassium channels and cyclooxygenase?. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016 , 310, R1081-7	3.2	12
40	Physical Activity/Exercise and Diabetes: A Position Statement of the American Diabetes Association. <i>Diabetes Care</i> , 2016 , 39, 2065-2079	14.6	1050
39	The OPTIMIZE trial: Rationale and design of a randomized controlled trial of motivational enhancement therapy to improve adherence to statin medication. <i>Contemporary Clinical Trials</i> , 2016 , 49, 47-56	2.3	1
38	Body temperature regulation in diabetes. <i>Temperature</i> , 2016 , 3, 119-45	5.2	105
37	Effects of aerobic training, resistance training, or both on cardiorespiratory and musculoskeletal fitness in adolescents with obesity: the HEARTY trial. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016 , 41, 255-65	3	31
36	Type 1 diabetes modulates cyclooxygenase- and nitric oxide-dependent mechanisms governing sweating but not cutaneous vasodilation during exercise in the heat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016 , 311, R1076-R1084	3.2	7
35	Heart rate variability during high heat stress: a comparison between young and older adults with and without Type 2 diabetes. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016 , 311, R669-R675	3.2	20
34	Cutaneous vascular and sweating responses to intradermal administration of prostaglandin E1 and E2 in young and older adults: a role for nitric oxide?. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016 , 310, R1064-72	3.2	8
33	Screen time is associated with depressive symptomatology among obese adolescents: a HEARTY study. <i>European Journal of Pediatrics</i> , 2016 , 175, 909-19	4.1	31
32	The mediating role of energy intake on the relationship between screen time behaviour and body mass index in adolescents with obesity: The HEARTY study. <i>Appetite</i> , 2016 , 107, 437-444	4.5	13

31	Moving beyond cardio: the value of resistance training, balance training, and other forms of exercise in the management of diabetes. <i>Diabetes Spectrum</i> , 2015 , 28, 14-23	1.9	9
30	Exercise strategies for hypoglycemia prevention in individuals with type 1 diabetes. <i>Diabetes Spectrum</i> , 2015 , 28, 32-8	1.9	32
29	Assessment of the MyWellness Key accelerometer in people with type 2 diabetes. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015 , 40, 1193-8	3	6
28	Insulin Dose and Cardiovascular Mortality in the ACCORD Trial. <i>Diabetes Care</i> , 2015 , 38, 2000-8	14.6	26
27	Effects of aerobic training, resistance training, or both on psychological health in adolescents with obesity: The HEARTY randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2015 , 83, 1123-35	6.5	35
26	Screen time is independently associated with health-related quality of life in overweight and obese adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015 , 104, e448-54	3.1	18
25	At what level of heat load are age-related impairments in the ability to dissipate heat evident in females?. <i>PLoS ONE</i> , 2015 , 10, e0119079	3.7	38
24	Aerobic and resistance training do not influence plasma carnosinase content or activity in type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 309, E663-9	6	5
23	Resistance Exercise in Already-Active Diabetic Individuals (READI): study rationale, design and methods for a randomized controlled trial of resistance and aerobic exercise in type 1 diabetes. <i>Contemporary Clinical Trials</i> , 2015 , 41, 129-38	2.3	7
22	Aging impairs heat loss, but when does it matter?. <i>Journal of Applied Physiology</i> , 2015 , 118, 299-309	3.7	63
21	My patient's diabetic kidney disease has progressed to stage 4; should I discontinue metformin?. <i>Canadian Journal of Diabetes</i> , 2014 , 38, 296-9	2.1	2
20	Age-related differences in heat loss capacity occur under both dry and humid heat stress conditions. <i>Journal of Applied Physiology</i> , 2014 , 117, 69-79	3.7	52
19	Effects of aerobic training, resistance training, or both on percentage body fat and cardiometabolic risk markers in obese adolescents: the healthy eating aerobic and resistance training in youth randomized clinical trial. <i>JAMA Pediatrics</i> , 2014 , 168, 1006-14	8.3	112
18	Resistance versus aerobic exercise: acute effects on glycemia in type 1 diabetes. <i>Diabetes Care</i> , 2013 , 36, 537-42	14.6	133
17	Older adults with type 2 diabetes store more heat during exercise. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 1906-14	1.2	52
16	Age-related decrements in heat dissipation during physical activity occur as early as the age of 40. <i>PLoS ONE</i> , 2013 , 8, e83148	3.7	72
15	Performing Resistance Exercise Prior to Aerobic Exercise Results in Higher Growth Hormone Levels during Exercise in Physically Active Individuals with Well-Controlled Type 1 Diabetes. <i>FASEB Journal</i> , 2013 , 27, 712.29	0.9	
14	Cost-effectiveness of exercise programs in type 2 diabetes. <i>International Journal of Technology Assessment in Health Care</i> , 2012 , 28, 228-34	1.8	16

13	Circulating Myostatin Decreases with Aerobic Exercise Training in Pre-Diabetic but not Diabetic Human Subjects. <i>FASEB Journal</i> , 2011 , 25, 863-11	0.9	
12	Peer telephone counseling for adults with type 2 diabetes mellitus: a case-study approach to inform the design, development, and evaluation of programs targeting physical activity. <i>The Diabetes Educator</i> , 2010 , 36, 717-29	2.5	19
11	Heat stress in older individuals and patients with common chronic diseases. <i>Cmaj</i> , 2010 , 182, 1053-60	3.5	273
10	Role of Resistance Exercise in Reducing Risk for Cardiometabolic Disease. <i>Current Cardiovascular Risk Reports</i> , 2010 , 4, 383-389	0.9	5
9	A Pilot Study of Physical Activity Education Delivery in Diabetes Education Centres in Ontario. <i>Canadian Journal of Diabetes</i> , 2008 , 32, 123-30	2.1	12
8	Effects of aerobic training, resistance training, or both on glycemic control in type 2 diabetes: a randomized trial. <i>Annals of Internal Medicine</i> , 2007 , 147, 357-69	8	764
7	Physical activity/exercise and type 2 diabetes: a consensus statement from the American Diabetes Association. <i>Diabetes Care</i> , 2006 , 29, 1433-8	14.6	693
6	Factors associated with physical activity in Canadian adults with diabetes. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 1526-34	1.2	134
5	Prevention of cardiovascular events in diabetes. <i>Clinical Evidence</i> , 2006 , 623-45		
4	Physical activity/exercise and type 2 diabetes. <i>Diabetes Care</i> , 2004 , 27, 2518-39	14.6	513
3	Glucoregulation during and after intense exercise: effects of beta-adrenergic blockade in subjects with type 1 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999 , 84, 3961-71	5.6	24
2	Albumin-to-creatinine ratio in a timed overnight urine sample was accurate for screening for microalbuminuria in diabetes mellitus. <i>ACP Journal Club</i> , 1999 , 131, 47		
1	Lifestyle Issues: Exercise358-379		2