Milena Menegazzo Miranda-Sapla

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1592860/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Exploring the antileishmanial activity of <i>N</i> ¹ , <i>N</i> ² -disubstituted-benzoylguanidines: synthesis and molecular modeling studies. Journal of Biomolecular Structure and Dynamics, 2022, 40, 11495-11510.	2.0	4
2	Botryosphaeran, [(1Â→Â3)(1Â→Â6)-β-D-glucan], induces apoptosis-like death in promastigotes of Leishmania amazonensis, and exerts a leishmanicidal effect on infected macrophages by activating NF-kB and producing pro-inflammatory molecules. Chemico-Biological Interactions, 2022, 351, 109713.	1.7	2
3	Investigation of the antileishmanial activity and mechanisms of action of acetyl-thiohydantoins. Chemico-Biological Interactions, 2022, 351, 109690.	1.7	7
4	Grandiflorenic acid isolated from Sphagneticola trilobata against Trypanosoma cruzi: Toxicity, mechanisms of action and immunomodulation. Toxicology in Vitro, 2022, 78, 105267.	1.1	2
5	Solidagenone in vivo leishmanicidal activity acting in tissue repair response, and immunomodulatory capacity in Leishmania amazonensis. Chemico-Biological Interactions, 2022, 361, 109969.	1.7	2
6	Trans-chalcone induces death by autophagy mediated by p53 up-regulation and β-catenin down-regulation on human hepatocellular carcinoma HuH7.5 cell line. Phytomedicine, 2021, 80, 153373.	2.3	16
7	Caryocar coriaceumWittm. fruit extracts asLeishmaniainhibitors:in-vitroandin-silicoapproaches. Journal of Biomolecular Structure and Dynamics, 2021, , 1-16.	2.0	2
8	Solidagenone acts on promastigotes of L. amazonensis by inducing apoptosis-like processes on intracellular amastigotes by IL-12p70/ROS/NO pathway activation. Phytomedicine, 2021, 85, 153536.	2.3	15
9	Larval excretion/secretion of dipters of Lucilia cuprina species induces death in promastigote and amastigote forms of Leishmania amazonensis. Pathogens and Disease, 2021, 79, .	0.8	1
10	Impairment of effector molecules response in diabetes induces susceptibility to Leishmania amazonensis infection. Immunology Letters, 2021, 237, 58-65.	1.1	1
11	Murine Susceptibility to Leishmania amazonensis Infection Is Influenced by Arginase-1 and Macrophages at the Lesion Site. Frontiers in Cellular and Infection Microbiology, 2021, 11, 687633.	1.8	5
12	4-nitrochalcone exerts leishmanicidal effect on L. amazonensis promastigotes and intracellular amastigotes, and the 4-nitrochalcone encapsulation in beeswax copaiba oil nanoparticles reduces macrophages cytotoxicity. European Journal of Pharmacology, 2020, 884, 173392.	1.7	16
13	A 21st Century Evil: Immunopathology and New Therapies of COVID-19. Frontiers in Immunology, 2020, 11, 562264.	2.2	8
14	Diethyldithiocarbamate encapsulation reduces toxicity and promotes leishmanicidal effect through apoptosis-like mechanism in promastigote and ROS production by macrophage. Journal of Drug Targeting, 2020, 28, 1110-1123.	2.1	7
15	Treatment with Lycopodium clavatum 200dH Intensifies Kidney and Liver Injury in Mice Infected with Toxoplasma gondii. Archivum Immunologiae Et Therapiae Experimentalis, 2020, 68, 3.	1.0	4
16	3,3′,5,5′-tetramethoxybiphenyl-4,4′diol induces cell cycle arrest in G2/M phase and apoptosis in human non-small cell lung cancer A549Âcells. Chemico-Biological Interactions, 2020, 326, 109133.	1.7	12
17	Applications of Nanometals in Cutaneous Infections. , 2020, , 71-92.		2
18	Pravastatin and Simvastatin Pretreatment in Combination with Pyrimethamine and Sulfadiazine Reduces Infection Process of Toxoplasma gondii Tachyzoites (RH Strain) in HeLa Cells. Acta Parasitologica, 2019, 64, 612-616.	0.4	6

MILENA MENEGAZZO

#	Article	IF	CITATIONS
19	Reactivation of Cytomegalovirus Increases Nitric Oxide and IL-10 Levels in Sepsis and is Associated with Changes in Renal Parameters and Worse Clinical Outcome. Scientific Reports, 2019, 9, 9016.	1.6	8
20	Contribution of spinal cord glial cells to L. amazonensis experimental infection-induced pain in BALB/c mice. Journal of Neuroinflammation, 2019, 16, 113.	3.1	18
21	Quercetin promotes antipromastigote effect by increasing the ROS production and anti-amastigote by upregulating Nrf2/HO-1 expression, affecting iron availability. Biomedicine and Pharmacotherapy, 2019, 113, 108745.	2.5	43
22	trans-Chalcone modulates Leishmania amazonensis infection in vitro by Nrf2 overexpression affecting iron availability. European Journal of Pharmacology, 2019, 853, 275-288.	1.7	36
23	Caffeic acid has antipromastigote activity by apoptosis-like process; and anti-amastigote by TNF-α/ROS/NO production and decreased of iron availability. Phytomedicine, 2019, 57, 262-270.	2.3	20
24	Antibody Therapy for the Control of Viral Diseases: An Update. Current Pharmaceutical Biotechnology, 2019, 20, 1108-1121.	0.9	27
25	Caryocar coriaceum extracts exert leishmanicidal effect acting in promastigote forms by apoptosis-like mechanism and intracellular amastigotes by Nrf2/HO-1/ferritin dependent response and iron depletion. Biomedicine and Pharmacotherapy, 2018, 98, 662-672.	2.5	49
26	Biogenic silver nanoparticles inducing Leishmania amazonensis promastigote and amastigote death in vitro. Acta Tropica, 2018, 178, 46-54.	0.9	69
27	Proliferation of Toxoplasma gondii (RH strain) is inhibited by the combination of pravastatin and simvastatin with low concentrations of conventional drugs used in toxoplasmosis. Journal of Applied Biomedicine, 2018, 16, 29-33.	0.6	8
28	Macrophage Polarization in Leishmaniasis: Broadening Horizons. Frontiers in Immunology, 2018, 9, 2529.	2.2	130
29	Natural Killer Cells: Prospects in Cancer Immunotherapy. Current Immunology Reviews, 2018, 14, 100-104.	1.2	0
30	Concanavalin-A displays leishmanicidal activity by inducing ROS production in human peripheral blood mononuclear cells. Immunopharmacology and Immunotoxicology, 2018, 40, 387-392.	1.1	7
31	Dehydroabietic acid isolated from Pinus elliottii exerts in vitro antileishmanial action by pro-oxidant effect, inducing ROS production in promastigote and downregulating Nrf2/ferritin expression in amastigote forms of Leishmania amazonensis. FìtoterapìA¢, 2018, 128, 224-232.	1.1	32
32	Grandiflorenic acid promotes death of promastigotes via apoptosis-like mechanism and affects amastigotes by increasing total iron bound capacity. Phytomedicine, 2018, 46, 11-20.	2.3	24
33	Leishmanicidal and fungicidal activity of lipases obtained from endophytic fungi extracts. PLoS ONE, 2018, 13, e0196796.	1.1	16
34	Leishmania (L). amazonensis induces hyperalgesia in balb/c mice: Contribution of endogenous spinal cord TNFα and NFκB activation. Chemico-Biological Interactions, 2017, 268, 1-12.	1.7	15
35	Pravastatin and simvastatin inhibit the adhesion, replication and proliferation of Toxoplasma gondii (RH strain) in HeLa cells. Acta Tropica, 2017, 167, 208-215.	0.9	26
36	Histopathological lesions in encephalon and heart of mice infected with Toxoplasma gondii increase after Lycopodium clavatum 200dH treatment. Pathology Research and Practice, 2017, 213, 50-57.	1.0	10

Milena Menegazzo

#	Article	IF	CITATIONS
37	Activity of rosuvastatin in tachyzoites of Toxoplasma gondii (RH strain) in HeLa cells. Experimental Parasitology, 2017, 181, 75-81.	0.5	10
38	Nanotechnology as a potential therapeutic alternative for schistosomiasis. Acta Tropica, 2017, 174, 64-71.	0.9	43
39	Brazilian propolis promotes immunomodulation on human cells from American Tegumentar Leishmaniasis patients and healthy donors infected with L. braziliensis. Cellular Immunology, 2017, 311, 22-27.	1.4	24
40	Flavonoid Composition and Biological Activities of Ethanol Extracts of <i> Caryocar coriaceum</i> Wittm., a Native Plant from Caatinga Biome. Evidence-based Complementary and Alternative Medicine, 2017, 2017, 1-7.	0.5	18
41	Perfil clÃnico de pacientes com diagnóstico de tuberculose atendidos no Hospital Universitário de Londrina, Paraná. Semina: Ciências Biológicas E Da Saúde, 2017, 38, 89-98.	0.0	3
42	Isolation of dengue virus serotype 4 genotype II from a patient with high viral load and a mixed Th1/Th17 inflammatory cytokine profile in South Brazil. Virology Journal, 2016, 13, 93.	1.4	24
43	Safety and efficacy of Lycopodium clavatum 200dH in Toxoplasma gondii infected mice. European Journal of Integrative Medicine, 2016, 8, 540-545.	0.8	2
44	Propolis reduces Leishmania amazonensis-induced inflammation in the liver of BALB/c mice. Parasitology Research, 2016, 115, 1557-1566.	0.6	17
45	Kaurenoic Acid Possesses Leishmanicidal Activity by Triggering a NLRP12/IL-1 <i>β</i> /cNOS/NO Pathway. Mediators of Inflammation, 2015, 2015, 1-10.	1.4	34
46	Nitric Oxide and Brazilian Propolis Combined Accelerates Tissue Repair by Modulating Cell Migration, Cytokine Production and Collagen Deposition in Experimental Leishmaniasis. PLoS ONE, 2015, 10, e0125101.	1.1	33
47	Immunomodulatory and Antioxidant Properties of Kaurenoic Acid on Macrophages of BALB/c <i>in Vitro</i> . American Journal of Immunology, 2014, 10, 183-188.	0.1	4
48	Brazilian Propolis Antileishmanial and Immunomodulatory Effects. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-7.	0.5	25
49	Botriosferana exerce efeito leishmanicida em macrófagos infectados com L. amazonensis por ativação de NF-?B e produção de moléculas inflamatórias. , 0, , .		0