

Myunghyun Paik Suh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1593269/myunghyun-paik-suh-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

13,032
citations

48
h-index

88
g-index

88
ext. papers

13,680
ext. citations

8.7
avg, IF

6.84
L-index

#	Paper	IF	Citations
81	Synthesis of multifunctional metal-organic frameworks and tuning the functionalities with pendant ligands. <i>Dalton Transactions</i> , 2020 , 49, 15034-15040	4.3	1
80	Modeling adsorption properties of structurally deformed metal-organic frameworks using structure-property map. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 7923-7928	11.5	19
79	Innenstruktur: Copper-Organic Framework Fabricated with CuS Nanoparticles: Synthesis, Electrical Conductivity, and Electrocatalytic Activities for Oxygen Reduction Reaction (Angew. Chem. 49/2016). <i>Angewandte Chemie</i> , 2016 , 128, 15669-15669	3.6	
78	Copper-Organic Framework Fabricated with CuS Nanoparticles: Synthesis, Electrical Conductivity, and Electrocatalytic Activities for Oxygen Reduction Reaction. <i>Angewandte Chemie</i> , 2016 , 128, 15527-15531	3.6	41
77	Copper-Organic Framework Fabricated with CuS Nanoparticles: Synthesis, Electrical Conductivity, and Electrocatalytic Activities for Oxygen Reduction Reaction. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 15301-15305	16.4	135
76	Solvent-induced single-crystal to single-crystal transformation of a Zn ₄ O-containing doubly interpenetrated metal-organic framework with a pcu net. <i>CrystEngComm</i> , 2015 , 17, 8807-8811	3.3	18
75	Metal-Organic Frameworks and Porous Coordination Polymers: Properties and Applications. <i>Bulletin of Japan Society of Coordination Chemistry</i> , 2015 , 65, 9-22	0.3	10
74	Metal-Organic Frameworks Incorporating Various Alkoxy Pendant Groups: Hollow Tubular Morphologies, X-ray Single-Crystal Structures, and Selective Carbon Dioxide Adsorption Properties. <i>Chemistry - an Asian Journal</i> , 2015 , 10, 2257-63	4.5	4
73	Hydrogen storage in a potassium-ion-bound metal-organic framework incorporating crown ether struts as specific cation binding sites. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 7819-22	16.4	80
72	Highly efficient carbon dioxide capture with a porous organic polymer impregnated with polyethylenimine. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 13245-13249	13	80
71	Enhancing CO ₂ separation ability of a metal-organic framework by post-synthetic ligand exchange with flexible aliphatic carboxylates. <i>Chemistry - A European Journal</i> , 2014 , 20, 426-34	4.8	108
70	Hydrogen Storage in a Potassium-Ion-Bound Metal-Organic Framework Incorporating Crown Ether Struts as Specific Cation Binding Sites. <i>Angewandte Chemie</i> , 2014 , 126, 7953-7956	3.6	20
69	High CO ₂ -capture ability of a porous organic polymer bifunctionalized with carboxy and triazole groups. <i>Chemistry - A European Journal</i> , 2013 , 19, 11590-7	4.8	120
68	Terminology of metal-organic frameworks and coordination polymers (IUPAC Recommendations 2013). <i>Pure and Applied Chemistry</i> , 2013 , 85, 1715-1724	2.1	743
67	Enhanced isosteric heat, selectivity, and uptake capacity of CO ₂ adsorption in a metal-organic framework by impregnated metal ions. <i>Chemical Science</i> , 2013 , 4, 685-690	9.4	123
66	Fabrication of metal nanoparticles in metal-organic frameworks. <i>Chemical Society Reviews</i> , 2013 , 42, 1807-24	58.5	530
65	Comparison of gas sorption properties of neutral and anionic metal-organic frameworks prepared from the same building blocks but in different solvent systems. <i>Chemistry - A European Journal</i> , 2013 , 19, 17432-8	4.8	43

64	Guest-dependent host structures and host-induced guest assemblies. <i>CrystEngComm</i> , 2012 , 14, 2748	3.3	15
63	Selective CO ₂ adsorption in a metal-organic framework constructed from an organic ligand with flexible joints. <i>Chemical Communications</i> , 2012 , 48, 9168-70	5.8	54
62	Magnesium Nanocrystals Embedded in a Metal-Organic Framework: Hybrid Hydrogen Storage with Synergistic Effect on Physi- and Chemisorption. <i>Angewandte Chemie</i> , 2012 , 124, 9952-9955	3.6	30
61	Innenrücktitelbild: Magnesium Nanocrystals Embedded in a Metal-Organic Framework: Hybrid Hydrogen Storage with Synergistic Effect on Physi- and Chemisorption (Angew. Chem. 39/2012). <i>Angewandte Chemie</i> , 2012 , 124, 10081-10081	3.6	
60	Magnesium nanocrystals embedded in a metal-organic framework: hybrid hydrogen storage with synergistic effect on physi- and chemisorption. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 9814-74	16.4	113
59	Enhanced isosteric heat of H ₂ adsorption by inclusion of crown ethers in a porous metal-organic framework. <i>Chemical Communications</i> , 2012 , 48, 3400-2	5.8	23
58	Hydrogen storage in metal-organic frameworks. <i>Chemical Reviews</i> , 2012 , 112, 782-835	68.1	2988
57	Coordination polymers, metal-organic frameworks and the need for terminology guidelines. <i>CrystEngComm</i> , 2012 , 14, 3001	3.3	392
56	Control of interpenetration and gas-sorption properties of metal-organic frameworks by a simple change in ligand design. <i>Chemistry - A European Journal</i> , 2012 , 18, 8673-80	4.8	124
55	Selective CO ₂ adsorption in a flexible non-interpenetrated metal-organic framework. <i>Chemical Communications</i> , 2011 , 47, 4258-60	5.8	114
54	A highly porous metal-organic framework: structural transformations of a guest-free MOF depending on activation method and temperature. <i>Chemistry - A European Journal</i> , 2011 , 17, 7251-60	4.8	117
53	Flexible metal-organic framework with hydrophobic pores. <i>Chemistry - A European Journal</i> , 2011 , 17, 13653-6	4.8	46
52	Stepwise and hysteretic sorption of N ₂ , O ₂ , CO ₂ , and H ₂ gases in a porous metal-organic framework [Zn ₂ (BPnDC)(2)(bpy)]. <i>Chemical Communications</i> , 2010 , 46, 610-2	5.8	137
51	Flexible and Redox-Active Coordination Polymer: Control of the Network Structure by Pendant Arms of a Macrocyclic Complex. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 3795-3803	2.3	27
50	Post-synthetic reversible incorporation of organic linkers into porous metal-organic frameworks through single-crystal-to-single-crystal transformations and modification of gas-sorption properties. <i>Chemistry - A European Journal</i> , 2010 , 16, 11662-9	4.8	132
49	High gas sorption and metal-ion exchange of microporous metal-organic frameworks with incorporated imide groups. <i>Chemistry - A European Journal</i> , 2010 , 16, 14043-50	4.8	224
48	Enhanced hydrogen storage by palladium nanoparticles fabricated in a redox-active metal-organic framework. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 2899-903	16.4	283
47	Highly selective CO ₂ capture in flexible 3D coordination polymer networks. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 6865-9	16.4	349

46	Proteolytic activity of Co(III) complex of 1-oxa-4,7,10-triazacyclododecane: a new catalytic center for peptide-cleavage agents. <i>Journal of Biological Inorganic Chemistry</i> , 2009 , 14, 151-7	3.7	34
45	Selective gas adsorption in a magnesium-based metal-organic framework. <i>Chemical Communications</i> , 2009 , 5436-8	5.8	112
44	Selective gas adsorption in a microporous metal-organic framework constructed of CoII_4 clusters. <i>Chemical Communications</i> , 2009 , 2296-8	5.8	164
43	Multifunctional fourfold interpenetrating diamondoid network: gas separation and fabrication of palladium nanoparticles. <i>Chemistry - A European Journal</i> , 2008 , 14, 3961-7	4.8	167
42	Mixed-ligand metal-organic frameworks with large pores: gas sorption properties and single-crystal-to-single-crystal transformation on guest exchange. <i>Chemistry - A European Journal</i> , 2008 , 14, 8812-21	4.8	112
41	A comparison of the H_2 sorption capacities of isostructural metal-organic frameworks with and without accessible metal sites: $[\{\text{Zn}_2(\text{abtc})(\text{dmf})_2\}_3]$ and $[\{\text{Cu}_2(\text{abtc})(\text{dmf})_2\}_3]$ versus $[\{\text{Cu}_2(\text{abtc})\}_3]$. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 7741-5	16.4	276
40	A stair-shaped molecular silver(0) chain. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 8390-3	16.4	13
39	Syntheses and functions of porous metallosupramolecular networks. <i>Coordination Chemistry Reviews</i> , 2008 , 252, 1007-1026	23.2	364
38	Reversible transformation of ZnII coordination geometry in a single crystal of porous metal-organic framework $[\text{Zn}_3(\text{ntb})_2(\text{EtOH})_2] \cdot 4 \text{EtOH}$. <i>Chemistry - A European Journal</i> , 2007 , 13, 4208-15	4.8	100
37	Recent Advances in the Dynamics of Single Crystal to Single Crystal Transformations in Metal-Organic Open Frameworks. <i>Australian Journal of Chemistry</i> , 2006 , 59, 605	1.2	71
36	A redox-active two-dimensional coordination polymer: preparation of silver and gold nanoparticles and crystal dynamics on guest removal. <i>Journal of the American Chemical Society</i> , 2006 , 128, 4710-8	16.4	237
35	Coordination Polymer Open Frameworks Constructed of Macrocyclic Complexes. <i>Advances in Inorganic Chemistry</i> , 2006 , 39-79	2.1	29
34	Porous metal-organic framework with coordinatively unsaturated Mn(II) sites: sorption properties for various gases. <i>Inorganic Chemistry</i> , 2006 , 45, 8672-6	5.1	138
33	Flexible eightfold interpenetrating diamondoid network generating 1D channels: selective binding with organic guests. <i>Inorganic Chemistry</i> , 2005 , 44, 810-2	5.1	115
32	Multifunctionality and crystal dynamics of a highly stable, porous metal-organic framework $[\text{Zn}_4\text{O}(\text{NTB})_2]$. <i>Journal of the American Chemical Society</i> , 2005 , 127, 6374-81	16.4	474
31	Redox-active porous metal-organic framework producing silver nanoparticles from AgI ions at room temperature. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 1261-5	16.4	249
30	Redox-Active Porous Metal-Organic Framework Producing Silver Nanoparticles from AgI Ions at Room Temperature. <i>Angewandte Chemie</i> , 2005 , 117, 1287-1291	3.6	70
29	Self-assembly of hybrid solids consisting of 2D supramolecular networks and intercalated metal complexes. <i>Comptes Rendus Chimie</i> , 2005 , 8, 1543-1551	2.7	8

28	A robust porous material constructed of linear coordination polymer chains: reversible single-crystal to single-crystal transformations upon dehydration and rehydration. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 2798-801	16.4	369
27	A Robust Porous Material Constructed of Linear Coordination Polymer Chains: Reversible Single-Crystal to Single-Crystal Transformations upon Dehydration and Rehydration. <i>Angewandte Chemie</i> , 2004 , 116, 2858-2861	3.6	104
26	Dynamic and redox active pillared bilayer open framework: single-crystal-to-single-crystal transformations upon guest removal, guest exchange, and framework oxidation. <i>Journal of the American Chemical Society</i> , 2004 , 126, 15844-51	16.4	324
25	Synthesis, X-ray structure, and magnetic properties of interconnected ferromagnetic molecular bowls by hydrogen bonds. <i>Inorganica Chimica Acta</i> , 2003 , 355, 322-327	2.7	4
24	A new metal-organic open framework consisting of threefold parallel interwoven (6,3) nets. <i>Inorganic Chemistry</i> , 2003 , 42, 676-8	5.1	65
23	Nickel(II) macrocyclic complexes with long alkyl pendant chain: synthesis, x-ray structure, and anion exchange property in the solid state. <i>Inorganic Chemistry</i> , 2003 , 42, 1151-7	5.1	48
22	A hybrid consisting of coordination polymer and noncovalent organic networks: a highly ordered 2-D phenol network assembled by edge-to-face pi-pi interactions. <i>Inorganic Chemistry</i> , 2002 , 41, 2151-7	5.1	148
21	A metal-organic bilayer open framework with a dynamic component: single-crystal-to-single-crystal transformations. <i>Journal of the American Chemical Society</i> , 2002 , 124, 10976-7	16.4	244
20	Self-assembly and selective guest binding of three-dimensional open-framework solids from a macrocyclic complex as a trifunctional metal building block. <i>Chemistry - A European Journal</i> , 2001 , 7, 3034-8	13	184
19	Selective Binding of Open Frameworks Assembled from Nickel(II) Macrocyclic Complexes with Organic and Inorganic Guests. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2001 , 41, 155-162		28
18	Self-Assembly, Structures, and Magnetic Properties of Ladder-Like Copper(II) Coordination Polymers. <i>Journal of Solid State Chemistry</i> , 2000 , 152, 183-190	3.3	43
17	Transmetallation of nickel(II) ion in a nickel(II) azamacrocyclic complex with gold(III) ion. <i>Inorganica Chimica Acta</i> , 2000 , 308, 150-154	2.7	7
16	Epoxidation of an alkene promoted by various nickel(II) multiaza macrocyclic complexes. <i>Journal of Molecular Catalysis A</i> , 2000 , 151, 71-78		19
15	Artificial Trinuclear Metallopeptidase Synthesized by Cross-Linkage of a Molecular Bowl with a Polystyrene Derivative. <i>Journal of the American Chemical Society</i> , 2000 , 122, 7742-7749	16.4	24
14	Silver(I) Polynitrile Network Solids for Anion Exchange: Anion-Induced Transformation of Supramolecular Structure in the Crystalline State. <i>Journal of the American Chemical Society</i> , 2000 , 122, 6834-6840	16.4	485
13	Selbstassoziation eines molekularen Blumenbandes unter Bildung eindimensionaler Kanäle und Einschluß von Glucose. <i>Angewandte Chemie</i> , 1999 , 111, 1490-1493	3.6	26
12	Self-Assembly of a Molecular Floral Lace with One-Dimensional Channels and Inclusion of Glucose. <i>Angewandte Chemie - International Edition</i> , 1999 , 38, 1405-1408	16.4	178
11	Synthesis, Crystal Structure, and Properties of a 3-D Network Assembled by Nickel(II) Macrocyclic Complex and Terephthalato Bridge. <i>Inorganic Chemistry</i> , 1999 , 38, 6309-6312	5.1	95

10	Self-Assembly of a Molecular Floral Lace with One-Dimensional Channels and Inclusion of Glucose 1999 , 38, 1405		3
9	Self-Assembly of Molecular Brick Wall and Molecular Honeycomb from Nickel(II) Macrocycle and 1,3,5-Benzenetricarboxylate: Guest-Dependent Host Structures. <i>Journal of the American Chemical Society</i> , 1998 , 120, 10622-10628	16.4	291
8	Template Synthesis, Properties, and Crystal Structure of a Trigonal Bipyramidal Cobalt(II) Octaazamacrocyclic Complex. <i>Inorganic Chemistry</i> , 1997 , 36, 5651-5654	5.1	17
7	Equilibrium constant for coordinative polymerization of an o,o'-dihydroxyazobenzene derivative with Ni(II) ion in water. <i>Journal of Polymer Science Part A</i> , 1997 , 35, 1825-1830	2.5	3
6	Macrocyclic Chemistry of Nickel. <i>Advances in Inorganic Chemistry</i> , 1996 , 44, 93-146	2.1	60
5	Properties and crystal structure of a four-co-ordinate nickel(I) complex with the macrotricyclic 1,3,6,8,12,15-hexaazatricyclo[13.3.1.1 8,12]icosane. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995 , 1577		8
4	Syntheses of square-planar nickel(II) and -(I) complexes of an octaaza macrohexacyclic ligand and crystal structure of the nickel(II) complex. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994 , 2765		9
3	Template Syntheses and Crystal Structures of Nickel(II) Complexes of Hexaaza Macrocyclic Ligands with Pendant Functional Groups: Formation of a Coordination Polymer. <i>Inorganic Chemistry</i> , 1994 , 33, 5509-5514	5.1	78
2	Synthesis of dinickel(I) and dinickel(II) complexes of bismacrocyclic ligands. <i>Inorganic Chemistry</i> , 1993 , 32, 3562-3564	5.1	25
1	Synthesis and properties of nickel(II) and copper(II) complexes of 14-membered hexaaza macrocycles, 1,8-dimethyl- and 1,8-diethyl-1,3,6,8,10,13-hexaazacyclotetradecane. <i>Inorganic Chemistry</i> , 1988 , 27, 2544-2546	5.1	164